

## SAN FRANCISCO HISTORY ROOM



SAN FRANCISCO
PUBLIC LIBRARY

352 Sa52:5


REFERENCE BOOK

Not to be taken from the Library









# SAN FRANCISCO MUNICIPAL REPORTS

FOR THE

FISCAL YEAR 1897-98, ENDING JUNE 30, 1898

VOL. II.

PUBLISHED BY ORDER OF THE

BOARD OF SUPERVISORS



SAN FRANCISCO
THE HINTON PRINTING COMPANY, 321 SACRAMENTO ST.
1898

\*352 Sa52:5

EVALUE OF THE LOCAL PARTY.

# TABLE OF CONTENTS.

	Pages.
LIST OF OFFICERS AND EMPLOYEES	. 3- 11
REPORT OF THE HEALTH OFFICER	. 13- 75
Inauguration of the Bureau of Statistics	. 13
Classified list of causes of death adopted by the Department	14- 20
Table of Maps and Charts	. 21
Registration of births	. 22
Report of births	. 22
Table of estimated population, births, still-births, marriages	3
and deaths for twenty-five years	. 23
Statement of marriages, births and deaths, by months, for	
seven years	24- 25
Diphtheritic anti-toxin serum	. 26
Recapitulation of cases treated by physicians with anti-diph-	
theritic serum	. 27
Report of cases treated by physicians with anti-diphtheritic	
serum furnished by the Health Department	. 28- 59
Clinical report of case No. 24, treated with anti-diphtheritic	:
serum	60- 61
Clinical report of case No. 38, treated with anti-diphtheritic	:
serum	62- 63
Contagious diseases	. 64
Departments—City and County Almshouse	
City and County Hospital	
Inspectors	
Market Inspectors	
Plumbing Inspectors	
Tuberculin test for cattle	
New City and County Hospital and Hospital for Contagious	
Diseases	
Causes for increase of the death rate	
Financial statement of the Health Department	
Statement of transcripts and permits issued and fees collected	
Meteorological observations	
REPORT OF THE QUARANTINE OFFICER	
Report of inspections, fees and receipts	
Statement of ships quarantined	
Expense of Quarantine Department	
Discussion of the relations between the State and Federal	
Quarantine Service	
Attempt of the United States Marine Hospital Service to usurp	
the quarantine function at this port	79- 81

F	Pages.
REPORT OF THE CHEMIST	82-151
Resume of the work accomplished	82
Needs of the department, increase of equipment	82
Analyses of catsup	88
Action of salicylic acid upon the digestive process	83- 85
Statement of catsup analyses	86
Condensed milk and evaporated cream	87- 92
City's gas supply	93- 94
Water gas versus coal gas	94- 98
Carbon monoxide	95
Carburetted water gas	95- 97
Carburetted gas and ordinary coal gas	98
Comparative table of suicides and accidental gas asphyxiation	99-100
Gas asphyxiation, carbon monoxide	101-102
Supplemental gas analyses	102-103
Analyses of honey	104-105
Analyses of jelly	106
Analyses of milk	107-115
Olive oil, adulterations	116-117
Analyses of olive oil	118-129
Analyses of black pepper	130-133
Analyses of tea and coffee	134
Toxicological analyses	134-135
Analyses of vinegar	135-143
Investigation of the city's water supply	144-150
Water analyses	145
Comparative analyses of water	146
Supplemental report on water supply	146-149
Sanitary analyses of water	147
Water aeration	148
Results of patent filters on water	149
Miscellaneous water analyses	149-150
Miscellaneous analyses	151
REPORT OF THE BACTERIOLOGIST	152_153
Bacteriological examinations	152
Recommendations	152
Tabulated statement of examinations	153
REPORT OF THE BUREAU OF FOOD INSPECTION	
Food inspection stations	
Abolishment of the food stations	155
Need of an Assistant Attorney	155
Prosecution of offenders against the Pure Food Laws	
Brief of Attorney J. J. Dunne, Esq., on appeal of Hartter and	100
Feusier to the Superior Court	156_175
Decision of the Superior Court in the matter of Louis Feusier,	100-110
	175_180

	Pages.
REPORT OF BUREAU OF FOOD INSPECTION—Continued.	-
Inspection of food, milk and dairies	. 180-182
Tuberculin test and quarantine of milk	182-187
Special meeting of the Board with representatives of the	
dairymen in the matter of quarantine of infected cattle and	1
milk	. 182-187
Raising the quarantine on milk	186
Report of Food and Milk Inspection Stations	. 188-190
Source and amount of daily milk supply	. 191
Statement of samples purchased and seized for analysis	. 191
REPORTS OF THE HEALTH INSPECTORS	192-195
REPORT OF THE CHIEF PLUMBING INSPECTOR	196-198
Inspection in Chinatown	. 196
Inspection in the Latin quarter	196-197
Tabulated report of the inspections	. 198
REPORT OF THE CHIEF MARKET INSPECTOR	199-215
Inspection in Butchertown	
Arrests and fines	200
List of owners and locations of markets	201-213
Seizures by Market Inspectors	214-215
REPORT OF THE VETERINARY SURGEON	216-238
Tuberculin test for cattle	216
Lack of State legislation in the matter of tuberculin test	216
Tabulated report of inspections and condemnations	217
Record of tuberculin tests	218-254
REPORT OF THE BAKERY INSPECTOR	255-256
REPORT OF THE BATH AND LAUNDRY INSPECTOR	
REPORT OF THE CIGAR FACTORY INSPECTOR	
Ordinance regulating the establishment and maintenance of	
factories in the city	
Tabulated statement of inspections	
The second secon	
REPORT OF THE SUPERINTENDENT OF CITY CEMETERY	
REPORT OF THE DISINTERMENT INSPECTORS	
Receipts and expenses	
Statement of disinterments	
Statement of removals	
REPORT OF THE CITY PHYSICIAN	
Statement of indigent sick visited and treated	
Ages of indigent sick visited and treated	
Diseases for which indigent sick have been treated	
Nativities of indigent sick visited and treated	
Statement of persons treated at County Jail No. 1	271

	Page	
Diseases treated at County Jail No. 1	272-2	76
Twenty-sixth Street Hospital	276-2	77
Summary of patients	2	76
Diseases treated at Twenty-sixth Street Hospital	2	77
Nativities of patients	2	77
REPORT OF THE PUBLIC VACCINATOR		78
REPORT OF THE POLICE SURGEON	279-3	26
Receiving Hospitals and Ambulance Stations	279-3	26
Increase in the number of persons treated	2	79
Increase in the medical staff of the Branch Hospitals	279-2	80
Establishment of a ward for the insane	2	280
Report of the City Receiving Hospital	280-3	02
Disposition of patients treated	2	280
Report of cases treated, surgical division	281-2	94
Report of cases treated, medical division	294-2	98
Recapitulation of cases treated	_ 2	298
Tabulated statement of deaths	299-3	301
List of persons brought in dead	5	302
Report of Harbor Receiving Hospital	303-3	318
Disposition of patients treated	3	303
Report of cases treated, surgical division	304-3	313
Report of cases treated, medical division	313-3	316
Recapitulation of cases treated	:	315
Tabulated statement of deaths	317-3	318
Park Receiving Hospital	319-3	326
Disposition of patients treated		319
Report of cases treated, surgical division	320-3	323
Report of cases treated, medical division	324-3	326
Recapitulation of cases treated		326
Tabulated statement of deaths		326
List of persons brought in dead		326
REPORT OF THE CITY AND COUNTY HOSPITAL	327-	469
Summary and disposition of patients treated		327
General summary		328
Report of the Superintendent Physician		334
Discussion of the condition of the Hospital		328
Need of a new City and County Hospital		329
Anomalous position of the Superintendent Physician		330
Subsistence and care of patients		
Explosion of steam boiler		331
Illumination		331
Steam sterilizer		331
Improvement of grounds, etc		332

### CONTENTS.

	CONTENTS.	•
		Pages.
RE	PORT OF THE CITY AND COUNTY HOSPITAL—Continued.	
	Dilapidated condition of the wards	
	Spread of pulmonary diseases and typhoid fever	
	Isolation ward for contagious diseases	
	Subsistence of Twenty-sixth Street Hospital	
	Medical supplies for the Magdalen Asylum	
	Remarks on the Hospital statistics	
	Remarks on the Training School for Nurses	
	Conclusion	334
	STATISTICS:	
	Yearly summary for twenty-six years	335
	Tabulated statement of movement of patients	336
	Civil condition of deceased patients	336
	Ages of deceased patients	337
	Sex of deceased patients	337
	Race of deceased patients	337
	Nativities of deceased patients	338
	Record of births	339
	Record of still-births	339
	Record of Coroner's cases	
	Opportunities for the clinical study of diseases	333
	Nativities of patients	
	Occupation of patients	
	List of donations to Hospital	
	Classified report of medical diseases	
	Classified report of surgical diseases	
	Classified report of diseases of the eye	
	Classified report of gynecological diseases	
	Classified report of obstetrical cases	
	Classified report of causes of death	
	Report of surgical operations	
	Classified report of diseases, out-patient clinic	
	Diagram No. 1—Population of city; total deaths in city; daily	
	average of patients in Hospital for 26 years	425
	Diagram No. 2—Daily average of patients; total expense for 26	
	years	426
	of deaths for 26 years	427
	Diagram No. 4—Total number of deaths; deaths from Tubercu-	121
	losis for 26 years	428
	Diagram No. 5—Total number of deaths; deaths from Diseases	120
	of the Heart and Circulatory System for 26 years	429
	Diagram No. 6—Total number of deaths; deaths from Pneu-	120
	monia for 26 years	430
	Diagram No. 7—Total number of deaths; deaths from Cancer	200
	for 26 years	431
	Report of the Steward	
	Recommendations and suggestions	432
	Tabulated statement of expenditures	
	List of principal articles supplied	
	Prices of "contract" goods supplied	
	Report of the Apothecary	

REPORT OF THE CITY AND COUNTY HOSPITAL—Continued.	Pages.
Tabulated statement of expenditures	440
Tabulated statement of drugs purchased	
Tabulated statement of surgical goods purchased	
Report of the Matron	
Recommendations and suggestions	
Material received and issued	
Report of the San Francisco Training School for Nurses	
General remarks on the School	
Death of Nurse William Hawkins	
Donations of luxuries by Hon. James D. Phelan	
Extending the term of instruction to three years	
Retention of graduates to serve as Head Nurses	
Needs of a separate building for the Nurses' quarters	. 456
List of graduates	. 457-458
Course of lectures and lecturers	. 458-461
Founding of Training School for Nurses	. 462-465
Donations to the Training School	. 465
Contributions to the Training School	. 466
Diagram showing average number of patients to each nurs	е
in American hospitals	. 467
Statistics of the Training School	. 468-469
REPORT OF THE CITY AND COUNTY ALMS HOUSE	. 470-483
Summary and deposition of inmates	
General summary	
Superintendent's report, suggestions, etc	
STATISTICS.	. 473
Statement of expenses	
Nativity of inmates admitted	
Occupation of inmates admitted	
Ages of inmates admitted	
Social condition of inmates admitted	
Race of inmates admitted	
By whose order admitted	
Number of times admitted	
Resume of work done in tailoring department	
Resume of work done in shoemaking department	
Resume of work done in female department	
Statement of area of farm, and stock	
Report of the Medical Department	
Summary of patients	. 480
Nativity of decedents	. 480
Classified report of causes of death	. 481-482
Table showing average number of inmates, total deaths, dis	-
pensary expenses, and percentage of mortality for twelv	е
years	. 483

# STATISTICAL DIVISION.

## MORTUARY STATISTICS.

Table No.	Pages.
1-Classified report of deaths arranged according to months	1- 31
2—Classified report of deaths arranged according to ages	32- 61
3-Classified report of deaths arranged according to race, nativity	
and social condition	62- 91
4-Classified report of deaths arranged according to localities-Su-	
pervisorial wards and public institutions	92-181
5—Classified report of deaths of children under 10 years of age by	
ages and sex	182-187
6-Monthly distribution of deaths by wards and public institu-	
tions	188-189
7—Record of nativities of decedents	190-193
8—Record of ages of decedents	194
9—Record of still-births	195
10—Record of decedents over 90 years of age	196-197
11-Twenty-seven principal causes of death, arranged according to	
sex and race, together with the percentage to total mor-	
tality	198
12-Monthly distribution of mortality for 25 years, arranged ac-	
cording to sex and race	199
13-Estimated population, deaths and death rate per 1,000, for 25	
years	200
14-Estimated population of Mongolians, with deaths by sexes and	
death rate, for 25 years	201
15—Report of interments for the year 1897-98	202

## BOARD OF HEALTH.

HON. JAMES D. PHELAN, MAYOR.

GERALD J. FITZGIBBON, M. D.

HENRY H. HART, M. D.

JOHN F. MORSE, M. D.

JOHN M. WILLIAMSON, M. D.

A. P. O'BRIEN, M. D. - - - HEALTH OFFICER.

EDMOND GODCHAUX - - SECRETARY.

HANDEL H. ZOBEL - - ASST. SECRETARY.

WILL D. GRIFFIN - - - STATISTICIAN.

# STATES TO BUILDING

THE PARTY OF THE PARTY OF

101 101 101 1

CALL AND ADDRESS OF TAXABLE

OF STATE STATE

A WILLIAM WILLIAM OF THE

DESCRIPTION OF THE PERSON.

Marine 1

DESCRIPTION OF

0 = - - 0 0

- William To The State of the S

SET I SITE

- printer a

# SECRETARY'S OFFICE.

SECRETARY,

EDMOND GODCHAUX.

ASSISTANT SECRETARY,

HANDEL H. ZOBEL.

CLERK TO HEALTH OFFICER,

JOHN F. DERHAM.

VACCINATING OFFICER,

E. L. PARAMORE, M. D.

CLERK

FRANK J. STANTON.

MESSENGER.

J. W. BRIER.

STENOGRAPHER,

MRS. M. TURNER.

JANITOR,

B. POSNER

## BUREAU OF STATISTICS.

WILL D. GRIFFIN.....Statistician.

## BUREAU OF FOOD INSPECTION.

JAMES P. DOCKERY	. Chief Food Inspector.
WM. T. WENZELL	Chemist.
RALPH A. GOULD	Assistant Chemist.
JOSEPH LEHANEY	Assistant Food Inspector.
J. H. BREEZE	Assistant Food Inspector.
WM. BRENNAN	Assistant Food Inspector.
F. McGINNEY	Assistant Food Inspector.
J. J. FLANNAGAN	Assistant Food Inspector.
J. J. FOGARTY	Assistant Food Inspector.
W. McHUGH	. Assistant Food Inspector.
P. A. CADOGAN	.Assistant Food Inspector.
J. J. SULLIVAN	. Assistant Food Inspector.
C. M. ERKSON	
BENJ. BEVAN	. Janitor.

# BACTERIOLOGICAL LABORATORY.

JOHN C. SPENCER, M. D. .....Bacteriologist.

A. DESSOUSLAVEY.......Helper.

# GENERAL AND SPECIAL SANITARY INSPECTION.

W. FINNEGAN	Health Inspector, 1st District.
OTTO LUDERS	Health Inspector, 2nd District.
J. W. CROWE	Health Inspector, 3rd District.
W. H. DUREN	Health Inspector, 4th District.
A. B. KINNE	Health Inspector, 5th District.
T. DONOVAN	.Health Inspector, 6th District.
I. DAVID	. Health Inspector, 7th District.
F. E. BENJAMIN	. Health Inspector, 8th District.
J. J. SULLIVAN	.Chief Plumbing Inspector.
THOS. McGRATH	Assistant Plumbing Inspector.
P. F. WARD	Assistant Plumbing Inspector.
WM. KELLY	Assistant Plumbing Inspector.
J. J. CONNOLY	.Assistant Plumbing Inspector.
BEN DAVIS	.Chief Market Inspector.
W. H. JORDAN	
J. L. RIVER	.Assistant Market Inspector.
A. D. TURNER	
T. F. McENROE	
J. T. WASHINGTON	
P. LYDON	
B. R. PORTER	
I. W. O'ROURKE, D. V. S	
A. K. HAPPERSBERGER, M. D	
J. W. CAMERON	
JAS. O'KANE	

# QUARANTINE DEPARTMENT.

WM. P. CHALMERS, M. D	Quarantine Officer.
J. J. HILLIARD	. Messenger.
W. H. MILESTONE	.Captain tug "Gov. Perkins."
J. D. SULLIVAN	.Engineer tug "Gov. Perkins."
J F. GATELY	

## CITY PHYSICIAN. W. S. HEREFORD, M. D.

# ASSISTANT CITY PHYSICIAN. JOHN R. McMURDO, M. D.

# ASSISTANT CITY PHYSICIAN AND POLICE SURGEON CONRAD WEIL, M. D.

# CITY RECEIVING HOSPITAL.

CONRAD WEIL, M. D	Police Surgeon.
F. T. FITZGIBBON, M. D	
EDWIN BUNNELL, M. D	
G. H. THOMPSON, M. D	Assistant Police Surgeon.
J. P. TORMEY, M. D	Assistant Police Surgeon.
C. BUCHER	Steward.
JOS. FOGARTY	Assistant Steward.
JOSEPH MOGAN	Assistant Steward.
ROSE KANE	Matron.
S. M. EDMONDS	Assistant Matron.

# HARBOR RECEIVING HOSPITAL AND AMBULANCE STATION.

E. E. HILL, M. D	.Assistant Police Surgeon.
R. E. HARTLEY, M. D	. Assistant Police Surgeon.
W. B. DEAS, M. D	. Assistant Police Surgeon.
N. J. PENDERGAST	. Ambulance Driver.
GEORGE LILLY	.Ambulance Driver.
MRS. S. B. READ	. Matron.
MRS. E. A. ANDREWS	. Matron.

# PARK RECEIVING HOSPITAL AND AMBULANCE STATION.

W. W. WYMORE, M. DAssistant Po	lice Surgeon
J. T. STAFFORD, M. D Assistant Po	lice Surgeon.
CHARLES KAPLANAmbulance I	Driver
J. W. KELLYAmbulance I	Oriver.
NELLIE E. WYNNE	
ELLEN SWEETMatron.	

# CITY AND COUNTY HOSPITAL.

G. E. SUSSDORFF, M. DSuperintendent Physician.
J. O. HIRSCHFELDER, M. DVisiting Physician.
W. W. KERR, M. DVisiting Physician.
R. A. McLEAN, M. DVisiting Surgeon.
C. N. ELLINWOOD, M. DVisiting Surgeon.
E. K. HOPKINS, M. DResident Physician.
HOLTON C. CURL, M. DInterne.
THOMAS D. MAHER, M. DInterne.
HENRY M. FINE, M. DInterne.
M. R. GIBBONS, M. DInterne.
C. A. TREUHOLTZ, M. DInterne.
C. L. HOFFMAN, M. DInterne.
P. S. BRUGUIERE, M. DInterne.
R. BORLAND, M. D Externe.
A. E. HARDIN, M. DExterne.
OSCAR MANSFELDT, M. D Externe.
P. WILKINSON, M. D Externe.
PAUL R. EDWARDSSteward.
CHARLES EISNERClerk.
WM. M. HICKMANApothecary.
CHARLES A. SEIFERT Assistant Apothecary.
MISS M. PATTONPrincipal Training School and Chie
Nurse.
JAMES O'CONNORDresser.
JOHN M. CAMPBELLDresser.
ERNEST FLOVERNurse.
RICHARD SHERLOCKNurse.
JULIA M. KANENurse, General Operating Room.
JENNIE NICKSONGraduate Nurse.
ELIZABETH BEAUCHAMPPupil Nurse.
MARGARET BERTRAMPupil Nurse.
ROSE BLOOMFIELDPupil Nurse.
ELEANOR CLEMENTSPupil Nurse.
LILY A. CRAIGHANPupil Nurse.
MARY GERTRUDE CUSSENPupil Nurse.
ELIZABETH DUTOTPupil Nurse.
JESSIE R. GREENWOODPupil Nurse.
AMY AGNES HARTPupil Nurse.
MINNIE HEADLEYPupil Nurse.
MARY KELLYPupil Nurse.
ELLEN MULLENPupil Nurse.

GRACE McQUEEN	Pupil Nurse.
JESSIE McQUEEN	Pupil Nurse.
ANNE McLAUGHLIN	
MINNIE McPIKE	Pupil Nurse.
HELENA A. O'BRIEN	Pupil Nurse.
MARGARET SULLIVAN	Pupil Nurse.
ELEANOR E. UNDERWOOD	
JOSEPHINE WILSON	
MARY E. OATMAN	
ANNA M. KEEFE	Probationer Nurse.
AGNES E. O'DONNELL	Probationer Nurse.
LAURA B. STEWART	Probationer Nurse.
JULIA ROWLEY	Probationer Nurse.
BERTHA HENRY	Probationer Nurse.
CATHERINE BENSON	
ANNIE McNEIL	Probationer Nurse.
EMIL HELD	Probationer Nurse.
JOSEPH BENJAMIN TITUS	Day Orderly.
LOUIS J. KRUGER	Night Orderly.
MARY E. BLACK	Matron.
KATE O. BLACK	Assistant Matron.
MICHAEL RYAN	
ALFRED LESLIE McDONALD	
ALBERT ROPER	Second Waiter.
LOUIS B. MEGNER	
WILLIAM F. LENIHAN	
JAMES BERNARD HILL	
DANIEL GRADY	Assistant Third Waiter.
LOUIS LOO	
WILLIAN LAHEY	
WILLIAM ED. LAHEY	
THOMAS GILL	
PATRICK GALLAGHER	
GUSTAVE BRAUN	
PIERRE LANOUGUERE	
ALFRED D. STAGG	
JOHN F. DUNN	
GEORGE BROWN	
PETER TEYSSIER	
ETHAN ALLEN	
B. E. VAN STRAATEN	
MICHAEL FOLEY	First Laundryman.
T. McMANUS	Second Laundryman.
MICHAEL HOWLETT	
CHARLES BROWN	Fourth Laudryman.

CHARLES H. BOGART	.Fifth Laundryman.
JEREMIAH FENTON	. Machinist.
CHARLES GENTH	. Fireman.
PATRICK O'MALLEY	. Coalweigher.
JAMES F. JOHNSON	.Ambulance Driver.
T. B. SUTLIFF	. Gardener.
JOHN FARRELL	.Assistant Gardener.
JOHN McAULIFFE	.Assistant Gardener.
JOSEPH O'HANLON	.Assistant Gardener.
DANIEL RYAN	. Assistant Gardener.
T. F. DILLON	.Day Gatekeeper.
J. WILLIAMSON	. Night Gatekeeper.
WILLIM GARVEY	
J. STAMPER	. Night Watchman.
J. A. WAGNER	
CHARLES O'CONNOR	
SOPHIE KNORP	. Domestic.
LIZZIE JONES	
WILLIAM FARRELL	
HENRY F. LEONARD	
JACOB HENNINGS	. Assistant Mattressmaker.
JAMES S. DOYLE	
GEORGE C. GOULD	
FRANK JOSEPH HAYES	. Assistant Painter.
CHARLES F. CENTLIVRE	. Stableman.
MURDOCK McLEOD	
J. DOUGHERTY	.Janitor General Operating Room.
CLARK W. NOBLE	
W. F. RUMMEL	
HARRY M. TINGLEY	
MARY FENTON	
HENRY SPITZENBERG	
JOHN HENRY BRANNAN	. Ward Tender.
THOMAS CURLEY	. Ward Tender.
ANDREW GARRITY	.Ward Tender.
CHARLES GILLEN	
BERNARD LAVELL.	
JOHN LINEHAN	
MICHAEL McCLOSKEY	
JOHN RILEY	
CHARLES WALDRON	
THOMAS WEIR	
PATRICK WELSH	
JAMES RODGERS	

## TWENTY-SIXTH STREET HOSPITAL.

J. P. KEATING. Steward.

MAX J. POPPER Night Watchman.

BENJ. WALLS. Day Watchman.

GEORGE RUDDICK Nurse.

FRANK BINDT Porter.

PEDRO PENIDA Laundryman.

JOHN ANNERSON Cook.

# CITY AND COUNTY ALMSHOUSE.

E. A. REDDY...... Superintendent. F. B. McCLUNG......Clerk. MRS. C. S. REDDY.......Matron. E. L. WAGNER......Inspector of Dependent Poor. R. P. JULIAN.....Farmer. H. POSNER......Night Police. M. J. REDDY.......Night Watchman. J. J. ORTNER..... Engineer. CHAS. H. LANE.....Laundryman. P. HURLEY.....Shoemaker. JAS. MULROY......Tailor. F. J. O'CONNOR...... Ambulance Driver. WM. RYAN..... Teamster. B. CROWLEY.....Baker. H. E. B. DU CROZET......Chief Cook. JOSEPH ROUX......Second Cook. JULES LACOME......Third Cook. MISS LOUISE BURFEIND..... Stewardess. MRS. MARY CLOSE......Nurse, No. 1 Building. MRS. T. E. ARMSTRONG...... Nurse, No. 1 Building. MISS MAMIE WHITE......Night Nurse, No. 1 Building. JEREMIAH CUDDY.......Nurse, No. 2 Building. VINCENT SAURET......Cook, No. 2 Building. PATRICK O'CONNOR......Night Watchman, No. 2 Building. THOMAS KELLY......Nurse, No. 3 Building. THOMAS KING.......Cook, No. 3 Building. HENRY A. KELLY......Night Watchman, No. 3 Building. MRS. DELIA GIROT......Nurse, No. 4 Building. MISS ANNA BURFEIND......Cook, No. 4 Building.

MRS. MARTHA BEALL......Night Nurse, No. 4 Building.

# THE RESIDENCE AND RESIDENCE AND ADDRESS.

# SUMMERLY AT ME LOCK PTO

Street or Street

# HEALTH OFFICER'S REPORT.

FOR THE

FISCAL YEAR ENDING JUNE 30, 1808.

SAN FRANCISCO, July 1st, 1898.

TO THE HONORABLE, THE BOARD OF HEALTH
OF THE CITY AND COUNTY OF SAN FRANCISCO—

Gentlemen: I have the honor to submit the following report of the Health Department of this City and County for the fiscal year ending June 30th, 1898, and beg leave to call especially to your consideration the improvements which have been made therein during that period, foremost amongst which is the inauguration of the Bureau of Statistics.

During the whole history of this Department it seems that there has been a laxity in regard to the compilation of proper data for formation of correct tabulated statements pertaining to the classification of disease, the scientific nomenclature of death causes and the designation of localities prolific in contagious and infectious diseases, leaving it absolutely impossible to permit of correct comparison through previous years.

After a vast amount of work on the part of the members of this Board, assisted by the untiring efforts of our Statistician, we feel that we can now present to you, and through you the public, in this report all that we have hitherto lacked on this subject.

The first step undertaken was that of establishing a classified list of causes of death. In order that this might be satisfactory, we requested the co-operation of physicians and surgeons of this city to aid us in securing the desired

uniformity in classification. Appended hereto is a copy of the folder distributed throughout the city, and while it may not be entirely free from fault, I feel assured that all fairminded medical men will agree with us that it is certainly a step in the right direction and a vast improvement over the old system.

CLASSIFIED LIST OF CAUSES OF DEATH ADOPTED BY THE SAN FRANCISCO HEALTH DEPARTMENT, AND SUGGESTIONS CONCERNING THE PHYSICIAN'S CERTIFICATE OF THE CAUSE OF DEATH, APPROVED JUNE 15, 1898.

# CONCERNING THE PHYSICIAN'S CERTIFICATE OF CAUSE OF DEATH.

In order to secure an approximate uniformity of classification and nomenclature in the Certificate of the Cause of Death, and to increase the value and comprehensiveness of the vital and mortuary statistics of this City and County, the following Classified List of Causes of Death has been prepared and is now furnished for the information and guidance of the medical practitioner.

This list is based substantially upon the "Provisional Classification and Nomenclature" of the Royal College of Physicians of London, Eng., endorsed by the American Medical Association and the American Public Health Association, and adopted by the Government Medical Services of the United States and Great Britain.

All causes of death are grouped under three classes, as in the "Provisional Nomenclature":

"A"-Deaths from General Diseases.

"B"-Deaths from Local Diseases.

"C"-Deaths from Violence, Misadventure or Negligence.

The certifying physician is concerned only with classes "A" and "B"—Class "C" must be referred to the Coroner, who alone can issue or approve the Certificate of Death.

Previous to the adoption of this Classification and Nomenclature, an obsolete and unsatisfactory system of alphabetical classification has been in use, which has rendered the statistics of the Health Department of but little value to physicians or others interested. The apparent lack of care or attention on the part of physicians when certifying to the cause of death, is evident in many of the Certificates of Death on file in this office. Certain physicians have adopted the habit of assigning, as the cause of death, some prominent symptom of the disease from which the deceased may have suffered. This practice is not only careless and unscientific, but frequently mislead-

ing, and seriously interferes with any attempt at an accurate compilation of statistics.

The following items, taken from certificates on file in the Health Office, are cited in substantiation of the foregoing assertion: Anasarca, Ascites, Albuminuria, Hematemesis, Hemoptysis, Jaundice, Pulmonary Edema, Uremia, Weakness. These are terms of symptoms or complications only, and whenever placed upon the Certificate of Death should be invariably accompanied by the *chief* and *determining* causes with which they may be associated.

For the purpose of preventing in future the frequency of error which has characterized the past, this Department has adopted a new form of Certificate of Death, to which the attention of the physician is particularly directed. This certificate provides space for both the chief and determining and also the contributing and consecutive causes of death, together with the duration of each. It will be admitted that, in a certain proportion of cases, the attending physician may be unable to determine with exactness the chief or primary cause of death. Whenever this occurs the fact should be mentioned on the certificate.

In settlement of life insurance, suits for damage, etc., the duration of the *chief* and *determining* cause of death is required to be stated, as well as the character and duration of the *contributing* and *consecutive* causes. Annoying delays and subsequent complications will frequently be avoided if these causes be fully and clearly stated in the Certificate of Death.

Certificates of Death bearing such terms as Bright's Disease, Kidney Disease, Heart Disease, Brain Disease, Liver Complaint, Debility, etc., will positively not be accepted, but will be referred back to the certifying physician for correction and specialization.

The indefinite and indiscriminate use of the terms Cancer and Tuberculosis, without specifying the organ or organs involved, will be considered sufficient cause for the rejection of the certificate. The records of the Health Office for past years show that in many instances no care whatever has been exercised by the physicians in establishing the location of the organs or parts affected by these two diseases.

It is earnestly requested that wherever possible, proper differentiation be made between Sarcoma and Carcinoma.

Complex terms, such as Typho-malarial fever and Typhoid-pneumonia, have not been given space in this list, as the tendency of modern authorities is toward eliminating them from medical nomenclature. It will be preferable to use single terms, crediting the death to the disease indicated by the major symptoms which have manifested themselves during illness.

The issuance of this scheme of nomenclature must not be construed as being intended to limit the physician in his use of diagnostic terms to such as appear in the printed tables. Regularly recognized synonyms or equivalents will be accepted without hesitation. However, the Health Department trusts that an attempt will be made on the part of the practitioner to conform, wherever possible, to the plan elaborated in this circular, and at the same time to avoid applying to diseases names which are antique and obsolete.

When death follows a surgical operation, the disease, injury or condition which necessitated the operation should always be stated.

Physicians will understand that the Health Department does not claim this classification to be entirely free from fault, but it marks the establishment of a system which, if followed, will render the statistical reports emanating from this office reasonably accurate and intelligible, and the co-operation of the entire medical profession to this end is invited.

#### CLASSIFIED LIST OF CAUSES OF DEATH

Adopted by the Health Department of San Francisco, as Warrant for the Issue of Permit of Burial.

#### CLASS "A"-GENERAL DISEASES

#### SPECIFIC FEBRILE (ZYMOTIC)

Cerebro-spinal meningitis
Diphtheria (Includes Membranous Croup)
Influenza (la Grippe)
Malarial fevers
Measles
Parotitis (Mumps)
Pertussis (Whooping Cough)
Scarlet fever
Smallpox

#### DIARRHEAL

Cholera Cholera infantum Cholera morbus Diarrhea Diarrhea, infantile Dysentery

Typhoid fever Varicella

#### ZOÖGENOUS

Actinomycosis Anthrax Glanders Hydrophobia

#### VENEREAL

Syphilis, acquired Syphilis, congenital

#### SEPTIC

Erysipelas (State seat and cause)

Puerperal septicemia -

Pyemia

Septicemia

Tetanus Trismus neonatorum

(Cause must be stated in every instance)

#### PARASITIC

Intestinal worms

Thrush

Trichinosis

#### DIETETIC

Malnutrition

Inanition

Scurvy

#### CONSTITUTIONAL

Anemia. Chlorosis (State cause)

Carcinoma (Specify part affected, as of breast, liver, stomach, womb, etc.)

Diabetes

Gout

Hemorrhagic diathesis, Hemophilia

Leucocythemia

Purpura hemorrhagica

Rheumatism (State variety)

Rickets

Sarcoma (State part affected, as of breast, liver, etc.)

Tuberculosis (Specify nature of, as Articular, Cerebral, Meningeal, Glandular, Miliary, Pulmonary, etc.)

#### DEVELOPMENTAL

Atelectasis, congenital

Cardiac malformation (Cyanosis)

Icterus neonatorum

Marasmus, infantile

Marasmus, senile

Premature and still births (State probable cause and fetal age) Senility (Accepted only if death is not assignable to definite disease)

Spina bifida

#### CLASS "B",-LOCAL DISEASES

#### NERVOUS SYSTEM

Alcoholism

Apoplexy, cerebral

Brain (Specify disease, as Abscess, Congestion, Softening, Tumor, etc.)

Chorea

Convulsions, infantile

Cocainism

Eclampsia (not puerperal—State cause)

Encephalitis and Cerebritis

Epilepsy

Hydrocephalus

Insanity (State variety and mode of death)

Laryngismus stridulus

Locomotor ataxia

Meningitis, cerebral

Meningitis, spinal

Morphinism

Myelitis

Paralysis (State variety and cause)

Spinal cord (Specify disease of, as Sclerosis, Progressive muscular atrophy, etc.)

#### CIRCULATORY SYSTEM

Angina pectoris

Blood-vessels (State character of disease, as Arterio-sclerosis, Endarteritis, etc. Specify vessels involved, as Aneurism of aorta, Rupture of Varicose veins, etc.)

Embolism and Thrombosis (Specify vessel involved)

Heart (Specify disease of, as Endocarditis, Fatty Degeneration, Hypertrophy, Myocarditis, Pericarditis, Valvular disease of, etc.)

Senile gangrene

#### RESPIRATORY SYSTEM

Asthma

Bronchitis

Croup, catarrhal or inflammatory (Membranous Croup is to be returned as Diphtheria)

Hydrothorax

Laryngitis

Pharyngitis

Pseudo-diphtheria

Pleurisy (State variety, as acute, subacute, purulent [empyema], etc)

Pneumonia (State variety)

Pulmonary congestion

Pulmonary hemorrhage (Cause must be stated)

#### DIGESTIVE SYSTEM

Appendicitis

Enteritis

Entero-colitis

Gallstones (State complications or sequelae)

Gastric hemorrhage (Cause must be stated)

Gastric ulcer

Gastritis

Gastro-enteritis

Hernia (State variety, mode of death and operation, if any) Intestines (Specify disease, as Inflammation, Intussusception,

Ulceration, etc.)

Liver (Specify disease, as Abscess, Cirrhosis, Inflammation, etc.)
Peritonitis (Specify variety, as Tubercular, Traumatic, etc., and
give cause of last mentioned)

#### ABSORBENT AND GLANDULAR SYSTEM

Bronchocele and Goitre

Glands and Lymphatics (Specify organs involved and nature of disease)

Lymphadenoma

Tonsilitis

#### URINARY SYSTEM

Calculus, renal

Calculus, vesical

Cystitis, acute

Cystitis, chronic

Cystic disease of kidney

Nephritis, acute (State variety)

Nephritis, chronic (State variety)

Prostate gland (Specify disease as Abscess, Hypertrophy, Inflammation, etc.)

Pyelitis

Uremia (State cause and mode of death)

#### REPRODUCTIVE SYSTEM

Abortion and Miscarriage (Give cause, mode of death and pe-

riod of gestation)

When they become a server

Childbirth (State conditions causing death, as Eclampsia, Hemorrhage, Placenta previa, Rupture of uterus, etc.)

Diseases of the uterus (Specify nature and cause of)

Diseases of the ovaries (Specify variety, as Abscess, Acute or Chronic Inflammation, Tumor, etc.; mode of death and operation)

Pelvic abscess (State cause)

Pelvic peritonitis (State variety, as Puerperal, Traumatic, etc., and give cause of last mentioned)

Pyosalpinx Salpingitis

#### OSSEOUS AND INTEGUMENTARY SYSTEM

Abscess (Specify variety, as Articular, Cellular, Muscular, Osseous, etc., and state location and cause)

Carbuncle (State location and organs involved)

Caries and Necrosis (Specify variety, and state the bones and joints involved)

Pemphigus

Ulcers (Specify variety, and state location and organs involved)
Gangrene—other than senile (Specify seat or organs involved
and state cause)

#### CLASS "C"-VIOLENT DEATHS.

Deaths from Accident, Misadventure, Negligence, and all forms of Violence, whether intentional, self-inflicted or otherwise, must be reported to the Coroner, who alone is authorized to certify as to the cause and manner of death in these cases. The HEALTH DEPARTMENT is not authorized to issue Burial Permits for them except on the Coroner's authority.

Deaths from the following causes are all to be referred to the Coroner for Certificate. They include—

Anesthesia Hanging
Asphyxiation Kick
Bullet wound Machinery
Burning Poisons

Criminal abortion Ptomaine poisoning

Crushing Railroad or Street car accident
Drowning Run over by other vehicles

Electricity Scalding
Explosion Septic diseases

Exposure Shock following operations

Falls Strangulation
Fungi, mushrooms or toadstools Suffocation.

as well as any form of Homicide, Suicide, or Sudden Death from unknown cause.

We invite your attention particularly to the several maps and charts accompanying the report, as follows:

No. 1—Map showing the location of all deaths from all causes during the year.

No. 2—Map showing the location of fatal cases of Tuberculosis.

No. 3—Map showing the location of fatal cases of Acute Lung Diseases.

No. 4—Map showing the location of fatal cases of Diphtheria, together with the location of reported cases thereof.

No. 5—Map showing the location of fatal cases of Typhoid Fever and Scarlet Fever.

No. 6—Map showing the location of fatal cases of Diarrheal Diseases.

#### CHARTS.

No. 1—Percentage to the Total Mortality from six of the principal causes of death, for thirty-three years.

No. 2—Showing Annual Mortality from all causes and Specific Febrile Diseases for thirty-three years.

No. 3—Showing the Annual Mortality from all causes, of children under five years of age, and from Cholera Infantum, for thirty-three years.

No. 4—Showing the Annual Mortality from Tuberculosis, Pneumonia, and Diseases of the Heart, for thirty-three years.

No. 5—Showing the Annual Mortality from Diphtheria, Typhoid Fever, and Smallpox, for thirty-three years.

No. 6—Showing the Annual Mortality from Scarlet Fever, Measles, and Whooping Cough, for thirty-three years.

No.7—Showing the average reading of the barometer, thermometer, range of temperature, humidity and rainfall, and number of deaths from Tuberculosis, Pneumonia, Bronchitis, Diphtheria, and Typhoid Fever for each month for six years, from July, 1892, to June, 1898, inclusive.

#### BIRTHS.

In the matter of the registration of births, I regret very much to say that there has been a reprehensible lack of cooperation on the part of the physicians of this city in reporting to this office the births occurring in their practice. To such an extent has this neglect been carried that during several months of the past fiscal year the death rate has been vastly larger than the birth rate, as will be shown by our statistics hereto appended.

REPORT OF BIRTHS FOR FISCAL YEAR ENDING JUNE 30th, 1898.

	Male	Female	Total	Twins	RACE.			NATIVITY OF PARENTS.							
MONTHS.					Caucasian	Mongolian	African	United States	Germany	Italy	Ireland	Other Foreign Countries	Mixed Nation- a ities	Unascertained	
1897—July	235	208	443	4	437	6		192	17	13	14	47	149	11	
August	304	298	602	7	589	11	2	228	46	45	22	65	184	12	
September	269	205	474	2	467	7	17.	182	33	28	20	43	161	7	
October	208	212	420	2	416	4		162	32	22	10	50	137	7	
November	248	254	502	4	494	8	1=1	181	34	40	- 33	41	159	14	
December	262	201	463	4	•459	4	17.	194	16	29	30	48	139	7	
1898—January	209	228	437	1	433	4		156	35	34	10	41	158	3	
February	236	. 193	429	3	425	3	1	180	25	25	25	. 39	123	12	
March	208	196	404	5	398	. 6	1	166	18	27	22	42	121	8	
April	208	182	390	2	387	3		133	. 27	29	16	49	132	4	
May	193	196	389	1	383	6		159	27	27	15	44	(111	6	
June	232	184	416	3	.411	5		154	. 26	20	29	46	126	15	
and the same of the					-	1			-	-		-		+	
~0 . 0 100	2812	2557	5369	38	5299	67	3	2087	336	339	246	555	1700	106	
the total and the contract of	11 9		,	10			03		1		2	1 4	110		

ESTIMATED POPULATION, DEATH AND DEATH RATE PER 1,000 FOR TWENTY-FIVE YEARS.

FISCAL YEARS.	Estimated Population.	Births Registered.	Still-Births Registered.	Marriages Registered.	Deaths Registered.
1873–74	200,770	580	291	9,000	4,014
1874–75	230,132	563	295	2,082	4,014
1875-76	272,345	630	306	2,203	
	300,000	811	332		4,791
1876-77	300,000	1,056		2,488	6,180
1877–78	11	1 1	330	2,355	4,977
1878-79	305,000	1,504	287	2,240	4,493
1879-80	233,700	1,340	316	2,183	4,340
1880-81	234,520	1,289	261	2,392	4,287
1881-82	234,520	2,227	330	2,605	5,008
1882-83	250,000	1,667	*	2,687	4,986
1883-84	270,000	1,891	283	1,759	5,000
1884–85	270,000	1,278	238	2,804	5,288
1885-86	280,000	1,504	249	2,651	5,322
1886-87	300,000	1,346	293	2,977	5,359
1887-88	330,000	1,780	301	3,172	6,076
1888–89	330,000	1,631	359	3,605	5,729
1889-90	330,000	2,235	339	3,421	6,378
1890–91	330,000	2,903	369	3,236	- 6,650
1891-92	330,000	4,088	397	3,598	6,911
1892-93	330,000	3,889	341	5,413	6,061
1893-94	330,000	3,894	*	3,200	6,060
1894–95	330,000	3,755	*	3,230	6,059
1895–96	330 000	5,020	*	3,164	5,966
1896-97	360,000	5,159	339	3,126	6,150
1897–98	360,000	5,359	315	3,019	6,544

<sup>\*</sup>Not shown.

STATEMENT OF MARRIAGES, BIRTHS AND DEATHS FOR FISCAL YEARS 1891-92, 1892-93, 1893-94, 1894-95, 1895-96, 1896-97, 1897-98.

MONT	Births registered.	Marriages	Deaths registered	MONTHS.	Births registerea.	Marriages	Deaths registered
1891—July		8 251	580	1892—January	142	288	700
	26		550	February		297	593
Septem	ber 28	3 309	465	March	475	231	579
October	r 23	0 345	554	April	427	301	486
Novem	ber 51	1 355	548	Мау	417	279	530
Decem	ber 36	1 324	800	June	383	350	526
					4088	3598	6911
	i	1					
1892—July		3 269	580	1893—January	333	338	567
	39		450	February	284	245	478
	ber 31		468	March	298	189	529
	33			April	318	336	466
	ber 31		540	May	312	244	514
			565		352	307	452
Decemi	per29	310		June	3889	3413	-
			1		9009	9419	6061
and the							
1893—July			489	1894—January	307	301	607
	28		440	February	270	206	498
test 1	ber 25		468	March	305	250	565
	37	3 278	488	April	400	279	546
	ber 36	2 274	525	May	345	214	490
	oer 32	0 285	503	June	337	312	441
1100				187	3894	3200	6060

### STATEMENT OF MARRIAGES, BIRTHS AND DEATHS-Continued.

MONTHS.	Births registered.	Marringes	Deaths registered	MONTHS.  MONTHS.	Marriages	Deaths registered
1894—July	311	237	489	1895—January 33	257	547
August	361	267	527	February 34	269	493
September	381	291	494	March 27	227	609
October	344	304	518	April 28	273	469
November	288	283	522	May 26	237	426
December	279	306	522	June 29	279	443
_=_1,,,,,,				375	3230	6059
1895—July	272	239	539	1896—January 51	3 239	493
August	349	289	438	February 40		483
September	414	243	460	March 47		528
October	436	323	480	April 45	261	497
November	355	300	496	May 47	186	538
December	359	272	514	June 50	313	500
STATE OF THE PARTY	15		2	502	3164	5966
3/10 J. Wales P. P. 10 J. 1	T			In and an effect.		
1896—July	406	252	505	1897—January 50	700	613
August	462	257	454	February 48	1000	551
September	401	257	466	March 42	T Do	560
October	410	311	506	April 38	111	478
November	362	288	463	May 49	Strong.	465
December	410	278	603	June 41	-	486
				515	3126	3150
1897—July	443	238	473	1898—January 43	7 249	659
August	602	226	426	February 42	236	560
September	474	257	468	March 40	4 243	693
October	420	247	500	April 38	0 237	592
November	502	305	586	May 38	9 239	558
December	463	261	568	June 41	8 281	461
				535	9 3019	6544

THE USE OF ANTI-TOXIN SERUM IN THE TREATMENT OF DIPH-THERIA UNDER THE SUPERVISION OF THE HEALTH DEPARTMENT.

Another link in the chain of progress made by the Department during the past fiscal year is the free distribution of diphtheritic antitoxin to the poor of this city, and it affords me great pleasure to state, as a result, the statistics show a marked decrease in fatalities among those affected with this dread disease. The good resulting is more than emphasized by the fact that the majority of the cases treated by this method were, as a rule, among the very poorest classes in the tenement-house districts, where the surroundings were almost invariably unfavorable, and in consequence almost every case was extremely severe.

The inauguration of this treatment dates from November, 1897, and the only restriction placed upon the distribution of the serum (which we considered necessary in order to prevent extravagance) was the requirement that the physician in attendance certify over his signature that the party for whom the drug was intended was too poor to procure the same at his own expense. In almost every case physicians cheerfully accepted the opportunity, and in this manner your Department has distributed up to the present time about two hundred and ninety-five thousand units of the serum. The accompanying table will show the total number of cases treated, and, through the kindness of attending physicians who, at our request, have generously given us histories of their cases, we are able to show you interesting data in regard to the course of the disease and the result of the treatment.

RECAPITULATION OF CASES TREATED BY PHYSICIANS WITH ANTI-DIPH-THERITIC SERUM, FURNISHED GRATUITOUSLY BY THE SAN FRANCISCO HEALTH DEPARTMENT.

RESULT OF BACTRRIOLOGICAL EXAMINATION.	NO. OF	DEATHS.	PER CENT.
Diphtheria bacilli	`. 88	11	12.5
Pseudo-diphtheria	12		
etc	35	5	14.29
No growth	1		
ilies where other cases had been examined.).	7		
Total	144	16	11.11

# CASES TREATED BY PHYSICIANS WITH ANTI-DIPHTHERITIC SERUM COLLATED FROM THE REPORTS OF THE ATTENDING PHYSICIANS

No	NAME.	Age-Years	LOCATION AND EXTENT OF MEMBRANE.	RESULT OF BACTERIOLOGICAL EXAMINATION.
1	A. S	7	Trachea, glottis and epi- glottis.	Diphtheria bacilli and streptococci
2	A. H	6	Tonsils and pharynx.	Diphtheria bacilli and staphylococci
3	A. K	3	Right tonsil.	Staphylococci and streptococci
4	S	7	Left tonsil.	1st—Streptococci 2nd—Diphtheria bacilli, streptococci and staphylococci
- 1	S	18	Both tonsils.	Diphtheria bacilli
5	w. R	7		
6	*** 16		Tonsils, pharynx and soft palate.	Diphtheria bacilli and staphylococci
7	E. K	8	Naso-pharynx, tonsils and velum palati.	Diphtheria bacilli and staphylococci
8	N. B	11	Tonsils.	Diphtheria bacilli and staphylococci
9	N. B	14	Tonsils and pharynx.	Diphtheria bacilli and staphylococci
10	м. в	37	Tonsils.	Diphtheria bacilli and staphylococci
11	McD	4	Larynx and pharynx	Diphtheria bacilli and staphylococci
12	L. V			Streptococci
13	S. H	5	Fonsils and palate.	Pseudo-Diphtheria
				,

FROM NOVEMBER 19, 1897, TO JUNE 30, 1898.

symptoms and condition following use of serum.    1   1500   Improvement within 18 hours. Pulse and temperature normal within 30 hours				
temperature normal within 30 hours  Improvement within 18 hours. Appetite returned. Pulse and temperature improved	Number of Injections	Amount Inject- ed-Units		RESULT. REMARKS.
returned. Pulse and temperature improved	2	2000		
Improvement within 20 hours. Diphtheritic membrane disappeared within 48 hours. Temperature and pulse normal.  Gradual improvement with recovery in 5 days	1	1500	returned. Pulse and temperature im-	
ritic membrane disappeared within 48 hours. Temperature and pulse normal.  Gradual improvement with recovery in 5 days	1	9000		Recovery
3 3000 Improvement within 10 hours			ritic membrane disappeared within 48 hours. Temperature and pulse normal	
Recovery.  Recovery.				
prising. Improvement within 20 hours. Pulse and temperature normal within 48 hours	3	3000	Improvement within 10 hours	Recovery.
Pulse and temperature normal within 48 hours	1	1000		
hours. Cleared up within 24 hours. Membrane disappeared within 36 hours.  Immediate improvement. Convalescent within 48 hours. Diphtheritic membrane disappeared in 96 hours.  Convalescent within 70 hours. Diphtheritic membrane disappeared on 7th day.  Convalescent on 2nd day. Diphtheritic membrane disappeared on 4th day  Improvement with recovery on the 6th day.  Improvement with recovery on the 6th day.  No "reaction" from the anti-toxin. Patient slept well and case progressed favorably until 3rd day. Increase of temperature with all symptoms of acute laryngitis. Case terminated satisfactorily within a week without any se-			Pulse and temperature normal within	AND DESCRIPTION OF THE PROPERTY OF THE PROPERT
Immediate improvement. Convalescent within 48 hours. Diphtheritic membrane disappeared in 96 hours	1	1500	hours. Cleared up within 24 hours.	os otocos das
1 1000 Convalescent within 70 hours. Diphtheritic membrane disappeared on 7th day  1 1000 Convalescent on 2nd day. Diphtheritic membrane disappeared on 4th day  1 1000 Improvement with recovery on the 6th day  1 1000 Physician's report incomplete. Intubation performed  1 2000 No "reaction" from the anti-toxin. Patient slept well and case progressed favorably until 3rd day. Increase of temperature with all symptoms of acute laryngitis. Case terminated satisfactorily within a week without any se-	2	1300	within 48 hours. Diphtheritic membrane	
membrane disappeared on 4th day  Improvement with recovery on the 6th day  Physician's report incomplete. Intubation performed	1	1000	Convalescent within 70 hours. Diphthe-	
day	1	1000	contaction on and day. Dipitition	
1 2000 Physician's report incomplete. Intubation performed	1	1000	improvement with recovery on the oth	
1 2000 No "reaction" from the anti-toxin. Patient slept well and case progressed favorably until 3rd day. Increase of temperature with all symptoms of acute laryngitis. Case terminated satisfactorily within a week without any se-	1	1000		
tient slept well and case progressed fa- vorably until 3rd day. Increase of tem- perature with all symptoms of acute laryngitis. Case terminated satisfac- torily within a week without any se-	1	2000	I mysician's report incomplete. Intubation	Recovery.
	1	2000	No "reaction" from the anti-toxin. Patient slept well and case progressed favorably until 3rd day. Increase of temperature with all symptoms of acute laryngitis. Case terminated satisfactorily within a week without any se-	

No	N	AME.	Age-Years	LOCATION AND EXTENT OF MEMBRANE,	RESULT OF BACTERIOLOGICAL EXAMINATION,
14	R.	McH	9	Tonsils.	Diphtheria bacilli, staphylococci and streptococci
15	М.	McH.	4	Tonsils, uvula and soft palate.	Diphtheria bacilli, staphylococci and dip- lococci
		•		722	
16	E.	P	4	Tonsils and posterior fau- ces, with ichorous dis-	No examination made. (Member of family of case No. 18.)
17	L.	P	6	charge from nares. Tonsils.	No examination made. (Member of fam-
18	M.	P	11	Throat almost occluded	ily of case No. 18.)
			`	with membrane; nose invaded.	
		P	1	Both tonsils.	No examination made. (Member of fam-
20	D.	M	12	Both tonsils, uvula and pillars.	ily of case No. 18.)
01					The second secon
21	М.	M	6	Both fauces and tonsils covered with membrane.	Diphtheria bacilli and staphylococci
22	C.	н		Tonsils.	Diphtheria bacilli, staphylococci and streptococci
					Streptococci
23	L.	м	11	Both tonsils; cervical glands hard and en- larged.	Staphylococci and streptococci

Number of In-	Amount Inject- ed-Units	SYMPTOMS AND CONDITION FOLLOWING USE OF SERUM.	RESULT.	REMARKS.
		Section 2012 Control of the Control		
2	2000	Immediate improvement under adverse sanitary conditions and lack of proper care. Rapid convalescence	Recovery.	
5	6000	Marked improvement immediately. Swelling reduced, pulse improved. Through lack of proper care and nourishment patient failed and died on the fifth day. The Anti-toxin was beneficial, and under favorable conditions would hope for	Death	Surroundings unfavor- able; no nurse and no means of warming the room in which the father and three chil- dren lived.
		recovery in a similar case		
3	4500	Improvement began in 12 hours and steadily continued until recovery	Recovery.	
9	4000	Quick and complete recovery	Recovery	
		Most marked improvement. A hemorrhage of the nostrils set in, causing exhaustion and death		Treated ten days pre- viously without anti- toxin.
1	1500	Quick and complete recovery	Recovery.	
		The effect of one injection was remarkable. The case practically arrested. Temperature fell at once and in 24 hours the membrane was much thinner. In 2 days the membrane disappeared and temperature normal		
3	4000	Quick and complete recovery. Diphtheritic membrane disappeared within 48 hours	Recovery.	
3		Temperature normal since 3rd injection.  Diphtheritic membrane disappeared about the same time	Recovery.	and the same
1	1000	Immediate improvement. Diphtheritic membrane decreased one-half within 24 hours. On 3rd day Epistaxis severe. Pulse and temperature normal. Some appetite; glands less swollen; throat clean and patient convalescent	Recovery.	

No	NAME,	Age—Years	LOCATION AND EXTENT OF MEMBRANE.	RESULT OF BACTERIOLOGICAL EXAMINATION.
24	н. ғ	6	Both tonsils swollen and covered with membrane.	Diphtheria bacilli and staphylococci
25	E. R		Pharynx, tonsils and fauces; spreading over roof of mouth.	Pseudo-Diphtheria
	- 1-			
26	M			Pseudo-Diphtheria
27	м			Pseudo-Diphtheria
28	м		······	Pseudo-Diphtheria
29	L. G	7	Fauces, tonsils and uvula; muco-purulent discharge from anterior nares.	Pseudo-Diphtheria
30	A. C	9	Tonsils, pharynx, uvula and gums.	Diphtheria bacilli
31	E. C. M.	5	Tonsils.	Streptococci, staphylococci and diplococci.

-						
Number of In-	Amount Inject- ed-Units	SYMPTOMS AND CONDITION FOLLOWING USE OF SERUM.	RESULT.		RE	MARKS.
4	6800	See Clinical Report in full attached here-	Recovery.	7.		
2	4000	First injection did not affect the progress of the membrane. Following day a second injection was made and within 6 hours laryngeal symptoms abated and temperature dropped to normal. Mem-		0		
1	500	brane very persistent  Immediate improvement with rapid con-	Recovery.			70 4 80
1	500	valescence and recovery  Immediate improvement with rapid convalescence and recovery	Recovery.			
1	500	Immediate improvement with rapid convalescence and recovery	Recovery.	-		
1	1500	Within 18 hours patient a little stronger, temperature reduced, pulse stronger, less cyanosis, breathing easier, slight cough, no apparent change in membrane. Following day, child much brighter, pulse 110 and very strong, cervical glands reduced, membrane disappearing and cyanosis entirely disappeared	- "			
2	1500	Within 9 hours after 1st injection temperature normal, pulse 100. Following morning, membrane disappearing, temperature normal, gave 2nd injection and within 20 hours deposit entirely gone, temperature and pulse normal				
1	1000	Improvement within 20 hours, temperature almost normal, breathing easier. Following day patient greatly improved, membrane lessening on Tonsils and entirely disappeared the next day. Temperature normal and case dismissed				

No	NA	ME.	Age—Years	LOCATION AND EXTENT OF MEMBRANE.	RESULT OF BACTERIOLOGICAL EXAMINATION.
32	м.	S	6	Tonsils.	Diphtheria bacilli and staphylococci
33	м.	C	8	Tonsils and uvula.	Diphtheria bacilli and staphylococci
34	J. C	D	2	Tonsils. `	Diphtheria bacilli and staphylococci
35	A. :	L		ă	Diphtheria bacilli, staphylococci, strepto- cocci, diplococci
36	K.	L	4		Pseudo - diphtheria, staphylococci and streptococci
37	0.	L	3		Streptococci and staphylococci
38	F.	н	31/2	Both tonsils, uvula and pharyngeal wall.	Staphylococci and streptococci
39	s.	Y	6	Tonsils, mouth and nos- trils.	Staphylococci and streptococci
40	О.	Y	. 13	Tonsils.	Diphtheria bacilli, staphylococci and streptococci
41	C.	Y		Tonsils.	Streptococci and staphylococci

-				
	Amount Inject- ed-Units	SYMPTOMS AND CONDITION FOLLOWING USE OF SERUM.	RESULT.	REMARKS.
1	1000	Immediate improvement with reduction of temperature and gradual convalescence. Temperature normal and membrane disappeared on 3rd day	Recovery.	
8	3 2700	Membrane disappeared within 24 hours after 3rd injection. Temperature almost normal and gradual improvement till recovery	Recovery.	
3	3 1800	Delirious 24 hours after 1st injection. Improvement within 5 hours after 2nd injection with temperature normal and disappearance of membrane 24 hours thereafter	Recovery.	
1	1000	Immediate improvement with decrease of temperature in 12 hours. Good recovery.	Recovery.	
1	1000	Good recovery. Result very satisfactory.	Recovery.	mer a va
1	1000	Good recovery. Result very satisfactory.	Recovery.	CHAIR THE HE
1	500	See Clinical Report in full attached hereto	Death	
	1000	Decided improvement within 48 hours. Temperature normal, Tonsils free from membrane. On 6th day progressing to convalescence. Diphtheritic membrane entirely disappeared with satisfactory recovery on 13th day	Recovery.	
1	1000	Immediate improvement with tempera- ture normal within 24 hours. Appetite good. Membrane disappeared on 4th day and convalescence rapid	Recovery.	
	1 1000	Immediate improvement, with temperature normal within 24 hours. Appetite good. Diphtheritic membrane disappeared on 3rd day and recovery rapid	Recovery.	manufacture de
-				

No	NAME.	Age-Years	LOCATION AND EXTENT OF MEMBRANE,	RESULT OF BACTERIOLOGICAL EXAMINATION.
42	S	2	Larynx and pharynx.	1st-No growth. 2nd-Staphylococci
43	M. S	4	Tonsils and pharynx.	Diphtheria bacilli, staphylococci and streptococci
44	w. E	13	Tonsils and pharynx.	Staphylococci and streptococci
45	м. м	22	Both tonsils, uvula and posterior wall of pharynx.	Staphylococci and streptococci bacilli
46	A. B	3	Larynx and pharynx.	Diphtheria bacilli
47	R. deV	7	Right tonsil and right side of uvula.	Staphylococci and streptococci
48	м. ғ	11	Fauces, uvula and tonsils.	Staphylococci
49	J. C	5	Tonsils and palatine arches.	Diphtheria bacilli
50	L. A	11	Fonsils, pillars of the fauces, soft palate and nares.	1st—Staphylococci and streptococci 2nd—Diphtheria bacilli and streptococci
51	F	6	Tonsils, pharynx and lar- ynx.	1st—No growth. 2nd—No growth
_			1	

Number of Injections	Amount Inject- ed-Units	SYMPTOMS AND CONDITION FOLLOWING USE OF SERUM.	RESULT.	REMARKS.
2	1500	Lower pulse and decrease of temperature. Intubation 30 minutes after 2nd injection. Died three hours later	Death	This is a case where the anti-toxin was used as a "dernier ressort," being under care twelve hours
3	25	Within one hour temperature was reduced 2 degrees, and so remained for 20 hours. Arose to 102, which after 2nd injection decreased to normal. Membrane sloughing, gave 3rd injection of	Recovery.	only.
		500 units. Recovery on 4th day of disease		
1	1000	Slightly altered. Recovery on the 5th day of disease	Recovery.	04-019 19 -0 -0
1	2000	Gradual disappearance of membrane and improvement of constitutional symptoms	Recovery.	
2	2000	Marked improvement and decrease of temperature from 103 to 100	Recovery.	
2	2000	Diphtheritic membrane disappeared entirely within 24 hours after second injection		Lance Contract
1	1000	Fever and throat symptoms immediately ameliorated and patient began to improve at once, with recovery in 4 days thereafter	Recovery.	
1	1000	Improvement within 24 hours, and continued to recovery	Recovery.	Serum successful.
2		In eight hours pulse had dropped from 148 to 126, and had improved in quality very much. Temperature reduced 2.2 degrees. Membrane diminished in extent and seemed thinner. Following 2nd injection membrane disappeared rapidly. Temperature and pulse normal. Improvement very marked.		of disease; extremely prostrated, pulse thready, nervous symptoms very marked.
1	1000	Immediate improvement with decrease of temperature; less cyanosis and breathing easier	Recovery	Serious case; recovery due to the use of the serum.

No	NAME.	Age-Years	LOCATION AND EXTENT OF MEMBRANE,	RESULT OF BACTERIOLOGICAL EXAMINATION.
52	J. D	5	Fonsils, soft palate and extending into nasal cavity.	Pseudo - diphtheria, staphylococci and streptococci
53	т. н	7	Fauces.	1st-Staphylococci. 2nd-Staphylococci
54	w. o	3	Tonsils.	Staphylococci and streptococci
55	L. O	5	Tongue, roof of mouth and tonsils.	Staphylococci
56	M. M	8	Both tonsils and post- pharyngeal wall.	Staphylococci and streptococci
57	R. A	4	Nose and pharynx.	lst—Staphylococci 2nd—Diphtheria bacilli
58	E	5	Fauces, uvula and ton-	Staphylococci
59	K	. 3	Tonsils and fauces.	Streptococci, staphylococci and pneumo- nococci
60	K	. 5	Tonsils and fauces.	Streptococci, staphylococci and pneumo- nococci
61	F. O	5	Tonsils and pharynx,	Pseudo - diphtheria, streptococci and staphylococci
			-	

Number of In-	Amount Inject-	SYMPTOMS AND CONDITION FOLLOWING USE OF SERUM.	RESULT.	REMARKS.
1	1000	Reduction of temperature to about normal within 12 hours. No increase during term of illness. Membrane disappeared in 3 days		
1	3000	No appreciable result	Recovery.	
1		Improvement with gradual disappearance of deposit. Recovery on 3rd day		
1	500	Improvement with gradual disappearance of membrane. Recovery on 4th day	Recovery.	
1	2000	Immediate and marked improvement. Temperature fell a degree every 12 hours until normal. Recovery on 4th day		
1	1600	Temperature reduced from 102 to 99 with- in 24 hours. Gradual and continued im- provement until 4th day, when patient developed purpura hemorrhagica. The bleeding from mouth and nose was ex- tremely severe.		
2	4000	Rapid improvement in all symptoms. Tonsils, fauces and uvula clear of membrane in 48 hours. This case followed by a well marked paralysis of the soft palate, causing nasal speech		Believed by the physician
2	3500	Continued improvement, with recovery on the 6th day	Recovery.	to be diphtheria, not- withstanding the failure to find the diphtheria bacilli.
1	1000	Died 4 hours after injection of the serum from insufflating its own vomit during a severe convulsion	Death	Believed by the physician to be diphtheria, not- withstanding the failure
2	2500	Within 4 to 6 hours breathing easier, and inclined to sleep. Within 12 hours temperature reduced from 102 to 100. Gradual improvement, with recovery on 4th day after injection of serum		to find the diphtheria bacilli.

### CASES TREATED BY PHYSICIANS WITH ANTI-DIPHTHERITIC SERUM

COLLATED FROM THE REPORTS

No	NAME.	Age-Years	LOCATION AND EXTENT OF MEMBRANE.	RESULT OF BACTERIOLOGICAL EXAMINATION.
62	N	2	Tonsils.	Streptococci
63	R. S	2	Not stated.	Staphylococci
64	E. S	6	Entire larynx and tonsils.	Diphtheria bacilli and staphylococci
65	Mrs. C	54	Both tonsils, posterior wall of pharynx and nasal mucous membrane.	Diphtheria bacilli, staphylococci and streptococci
66	G. J	4	Posterior nasal cavity.	Diphtheria bacilli, diplococci and staphylococci
67	A. P	5	Both tonsils, fauces and larynx.	Diphtheria bacilli

Number of In-	Amount Inject-	SYMPTOMS AND CONDITION FOLLOWING USE OF SERUM.	RESULT.	REMARKS.
1 2	2000	Immediate improvement; patient quieter and slept a good deal. Very little perspiration 8 hours after injection. After 24 hours decided change in temperature, pulse and general condition; symptoms gradually disappeared with recovery about 4th day	Recovery.	
1 2	000	Immediate improvement, with recovery in a couple of days	Recovery.	
2 3	3200	Within twenty hours after first injection was somewhat less stridulent, cyanosis less marked. Twelve hours after 2nd injection patient was completely relieved, no apparent obstruction in larynx. Pulse stronger. Result of serum treatment marvelous.	Recovery.	A very severe case, com- plicated with bronchitis.
1 1	1000	Within 6 hours temperature reduced, respiration less difficult, membrane loosened. Within 48 hours membrane entirely disappeared	Recovery.	
1 2	2000	For a few hours after injection of serum the symptoms increased in severity (dyspnoea, cyanosis, etc.). After that, complexion cleared, respiration more quiet and pulse stronger until 9 hours after administration of serum, when, during brief struggle with nurse in an attempt to have him open his mouth, heart-failure carried him off	Death	Patient very refractory, and for first twenty-four hours case was treated as impending tonsilar abscess.
2 1	1600	Had a favorable enect on the disease as it reduced the symptoms, fever, etc., and caused a localization of the process.  Temperature reduced and pulse improved within 6 hours after injection of serum. Gradual improvement, with recovery in 7 days	- la la característico de la c	

No	NAME.	Age-Years	LOCATION AND EXTENT OF MEMBRANE.	RESULT OF BACTERIOLOGICAL EXAMINATION.
68	J. ப	6	Tonsils, pharynx, larynx and fauces.	Diphtheria bacilli and staphylococci
69	L	4	Tonsils and pharynx.	No examination made. (Member of family of case No. 68.)
70	J. B	6	Tonsils and pharynx.	Diphtheria bacilli
71	J. P	5	Tonsils, pharynx and larynx.	Diphtheria bacilli
72	P	7	Tonsils, pharynx and larynx.	Diphtheria bacilli
73	P	9	Tonsils.	Diphtheria bacilli
74	P	11	Tonsils.	Diphtheria bacilii
75	E. P	13	Tonsils.	Staphylococci and streptococci
76	L. B	14	Tonsils, pharynx, larynx and nasal cavity,	1st—No growth
77	J. P. N.	12	Fonsils.	Staphylococci and streptococci

-				
Number of In- jections	Amount Inject- ed Units	SYMPTOMS AND CONDITION FOLLOWING USE OF SERUM.	RESULT.	REMARKS.
2	2000	Reduction of temperature and improvement of constitutional symptoms, and rapid convalescence. Membrane disappeared on the 4th day		
2	2000	Reduction of temperature and improvement of constitutional symptoms. Rapid convalescence. Membrane disappeared on 4th day	Recovery.	
2	2000	Reduction of temperature and improvement of constitutional symptoms.  Rapid convalescence. Membrane disappeared on the 5th day		
2	2000	Gradual improvement with reduction of temperature. Rapid convalescence. Membrane disappeared on the 5th day		
2	2000	Reduction of temperature and improvement of constitutional symptoms. Membrane disappeared on 5th day		
1	1500	Reduction of temperature and improvement of constitutional symptoms. Membrane disappeared on the sen day		
	1500	Reduction of temperature and improvement of constitutional symptoms. Membrane disappeared on the 5th day		
1	1000	Reduction of temperature and improve- ments of constitutional symptoms. Membrane disappeared on the 5th day		
3	5000	Reduction of temperature and improve- ment of constitutional symptoms. Mem- brane disappeared on the 14th day. Membrane very persistent		
1	1000	Slow but positive beneficial effect. Gradual decline of temperature from 105 on first visit. Membrane persistent	1	
-	1			

			$\overline{}$		
No		NAME,	Age-Years	LOCATION AND EXTEST OF MEMBRANE.	RESULT OF BACTERIOLOGICAL EXAMINATION.
78	C.	A. N.	4	Pharynx, larynx, tonsils and nasal passages.	Diphtheria bacilli, staphylococci, strepto- cocci and diplococci
79	м.	G	3	Larynx, pharynx, trachea and soft palate.	Diphtheria bacilli and staphylococci
80	T.	E. O.	9	Tonsils, uvula and pharynx.	Diphtheria bacilli and staphylococci
81	М.	A	16	Tonsils and uvula.	Pseudo-diphtheria and streptococci
82	Α.	E	. 4	Soft palate, posterior nares and pharnyx.	Diphtheria bacilli
83	C.	L	10	Both tonsils, velum palatinum and sides of uvula.	Diphtheria bacilli and staphylococci

Number of In- jections	Amount Injected ed Units	SYMPTOMS AND CONDITION FOLLOWING USE OF SERUM.	RESULT.	REMARKS.
2	3000	Immediate improvement, with gradual decline of temperature to normal on 3rd day. Within a few hours nasal passages began to clear, and within 3 days were entirely free from membrane. The case was complicated with nephritis and albuminuria.	Death	
3	4000	Effect of serum remarkably prompt and beneficial. Immediate improvement, with decline of temperature and general improvement of constitutional symptoms. Membrane disappeared with recovery on 6th day	Recovery.	
2	2000	Improvement with decline of tempera- ture. Recovery on 16th day after ad- ministration of Antitoxin	Recovery.	
2	2000	Immediate improvement, with decline of temperature 2½ degrees. Twelve hours later, second injection of 500 units. From that time recovery uneventful. Discharged cured on 9th day	Recovery.	
5	10000	After each injection the temperature fell within 3 hours from 1 to 2 degrees, and patient seemed much relieved. The serum treatment exerted a powerful influence for the good in this case. The usual constitutional symptoms were not observed, and if we can judge from the severity of the local symptoms, we would certainly have looked for profound prostration. Edema of throat was intense, and after removal of tube on 8th day it had to be reinserted within 2 hours	Recovery.	Here I gave the last injection of serum, and tube was coughed up on following day and was no longer required; case intubated on second day and recovered on twenty-sixth day of disease.
4	1500	The effects of the injections appeared to be almost immediate. The membrane became loose after the 1st injection, attended by some slight bleeding. The	Recovery.	

No	NAME, i	Age—Years	LOCATION AND EXTENT OF MEMBRANE.	RESULT OF BACTERIOLOGICAL EXAMINATION,
84	c. s	21	Both tonsils and nose; fauces and tonsils swol- len and livid; marked swelling of glands in neck on both sides.	Staphylococci and streptococci
85	M. A. M	8	Both tonsils, anterior pillars of pharynx and soft palate.	Diphtheria bacilli, pseudo-diphtheria and streptococci
86	м. к	17	Both tonsils and uvula.	Diphtheria bacilli and streptococci
87	г. н	3	Tonsils.	Diphtheria bacilli
88	н. в	15	Tonsils and posterior nares.	Staphylococci and streptococci

SYMPTOMS AND CONDITION FOLLOWING USE OF SERUM.	RESULT.	REMARKS.
up, at the same time showing yellow- gray discoloration. This process went on steadily until after the 4th injection (4th day), when membrane disappeared,	-	
and pulse dropped from 1043-5 and 124, respectively, to normal within 48 hours, and patient practically well	Recovery.	Physician reports having used the serum on two other cases during the winter, with only good results, and will not at- tend a case in future un-
pulse with increased volume, and diminution of membrane and diphtheritic fetor. Patient made an uneventful recovery. For 6 days before serum treatment patient had marked paralysis of		less permitted to use the serum.
Immediate improvement. In 18 hours left tonsil and uvula clean; right tonsil covered with membrane, which is loose and puse normal. In 42 hours membrane easily removable. Temperature and entirely disappeared, no subjective complaint and no diphtheritic symptom vis-		
No improvement. Case too far gone. Dyspnoea increased steadily until death, within a few hours. Saw the case on	Death	
	Recovery.	
	membrane seemed to thicken and roll up, at the same time showing yellow-gray discoloration. This process went on steadily until after the 4th injection (4th day), when membrane disappeared, leaving 3 small whitish ulcerations. Recovered on 14th day. Sequelae: Nephritis, lasting 2 months; paralysis of soft palate, lasting 3 months  Immediate improvement. Temperature and pulse dropped from 104 3-5 and 124, respectively, to normal within 48 hours, and patient practically well  Marked decrease in temperature and pulse with increased volume, and diminution of membrane and diphtheritic fetor. Patient made an uneventful recovery. For 6 days before serum treatment patient had marked paralysis of soft palate  Immediate improvement. In 18 hours left tonsil and uvula clean; right tonsil covered with membrane, which is loose and pulse normal. In 42 hours membrane easily removable. Temperature and entirely disappeared, no subjective complaint and no diphtheritic symptom visable, and case dismissed  No improvement. Case too far gone. Dyspnoea increased steadily until death, within a few hours. Saw the case on 3rd day; died on same day	membrane seemed to thicken and roll up, at the same time showing yellow-gray discoloration. This process went on steadily until after the 4th injection (4th day), when membrane disappeared, leaving 3 small whitish ulcerations. Recovered on 14th day. Sequelae: Nephritis, lasting 2 months; paralysis of soft palate, lasting 3 months.  Immediate improvement. Temperature and pulse dropped from 104 3-5 and 124, respectively, to mormal within 48 hours, and patient practically well

No	NAME.	Age—Years	LOCATION AND EXTENT OF MEMBRANE,	RESULT OF BACTERIOLOGICAL EXAMINATION.
89	A. B	5	Both tonsils, pharynx and larynx.	Streptococci
- 11				
90	R. B	3	Right tonsils.	Diphtheria bacilli
91	Mrs. F		Tonsils.	(No examination made.) (Mother of case
92		18 mos	Tonsils, posterior nares and eustachian tubes.	3 examinations showed diphtheria bacilli and staphylococci each time
93	R. B	3	Tonsils, eustachian tubes and nares.	Diphtheria bacilli and staphylococci  1st—Staphylococci
94	Mrs. B	24	Both tonsils.	2nd—Diphtheria bacilli. staphylococci and streptococci
95	M. N	4	No membrane; right ton- sil affected.	Diphtheria bacilli
96	E. G	9	No membrane seen; appeared to be larnygeal.	Diphtheria bacilli, staphylococci, strepto- cocci and diplococci
97	м. ғ	в	Pharmyx and adjoining parts.	Diphtheria bacilli
98	Mrs. G	32	Both tonsils.	2 examinations showed diphther!a bacilli

Number of In-	Amount Injected—Units	SYMPTOMS AND CONDITION FOLLOWING USE OF SERUM.	RESULT.	REMARKS.
1	1000	Immediate improvement. The parents report that he brightened up considerably and was playing around the room about 5 minutes before his death at 4 o'clock p. m. on same day of administration of injection. The above case was moribund before using the Antitoxin, and death resulted from heart-failure.	Death	
1	1000	Immediate improvement, with diminution of diphtheritic symptoms. Result of Antitoxin very satisfactory, though convalescence somewhat slow	Recovery.	
1	2000	Immediate improvement, with fall of temperature and disappearance of exudate	Recovery.	Has a weak heart and de- bilitated.
1	1000	Within 24 hours decided improvement in breathing and general condition. Good appetite, no fever, slept well, and epistaxis disappeared	Recovery.	
1	1003	Greatest improvement the following day. Slept and fed well and was less irritable. Good, steady pulse, and no fever	Recovery.	Just convalescent from pertussis.
1	1000	Great and immediate improvement	Recovery.	Complicated with earache, urticaria, rheumatism, etc.
1	1000	Very mild case. Immediate improvement and recovery	Recovery.	etc.
1	2000	Reduction of temperature and improvement of symptoms. Recovery on 6th day	Recovery.	
2	4000	Improvement in throat, with reduction of temperature. Epistaxis very persistent, and checked only by solution of persulph. of iron	Death	Very delicate child; had spinal disease and stom- ach trouble, with fre- quent vomiting; unable
1	1000	Within 48 hours no appearance of the disease, except extreme redness of throat and tonsils. No fever; pulse normal; eats and sleeps well	Recovery.	to take nourishment.

-	-				
No	1	NAME.	Age—Years	LOCATION AND EXTENT OF MEMBRANE,	RESULT OF BACTERIOLOGICAL EXAMINATION.
99	м.	A	19	Tonsils, pharnyx and uvula.	Diphtheria bacilli
100	В.	G	7	Both tonsils.	Diphtheria bacilli
101	М.	McG	7	Uvula and tonsils.	Diphtheria bacilli and streptococci
102	Α.	N	5	Larynx and tonsils.	Diphtheria bacilli
103	G.	A	. 6	Pharynx, both tonsils, uvula and soft palate:	Diphtheria bacilli
104	R.	A	. 30	Left tonsil.	Diphtheria bacilli
105	Mr	rs. S	38	Tonsils, pharyngeal and laryngeal walls.	Diphtheria bacilli, staphylococci and dip- lococci
106	C.	S	2	Both tonsils and pharyngeal walls.	Diphtheria bacilli and staphylococci

Number of In-	Amount Inject-	SYMPTOMS AND CONDITION FOLLOWING USE OF SERUM.	RESULT. REMARKS.
1	1000	Case very mild, scarcely any constitutional symptoms save slight fever, which immediately fell from 102 to 99	Recovery.
1	1000	Glands of neck seem to be more swollen on the following day; deposit more plentiful on tonsils and breathing not so free. Within 24 hours tonsils cleared off, pulse reduced and improvement in general condition manifest. Uninterrupted convalescence, with speedy recovery	Recovery.
1	2000	No immediate change, other than the pulse appears fuller. In 24 hours coughed up membrane on tonsils. Membrane gradually disappearing from uvula, aphonia less marked, breathing normal. Uneventful convalescence	Stridulous breathing,
1	2000	No amelioration; patient died 2 hours after administration of Anthoxin	Death showing laryngeal involvement; general cyanotic condition; first saw child at 9 a. m., anti-toxin injected at 12 m., died at 2 p. m.
3	5000	Improvement did not begin until 24 hours after last injection. Throat clean on 6th day	
1	5000	Recovered promptly after injection of Antitoxin. On 3rd day throat clean	Recovery.
3	2500	Immediate improvement. In 8 hours temperature normal, and improvement in general condition	
4	3500	Rapid reduction of temperature; pulse less rapid; exfoliation of membrane; marked improvement in the general appearance and condition. (Temperature fell from 104 to normal immediately after injection of Antitoxin)	

No	† N.	AME.	Age—Years	LOCATION AND EXTENT OF MEMBRANE.	RESULT OF BACTERIOLOGICAL EXAMINATION.
107	I. S	5	13	Tonsils and larynx.	No examination made. (Member of family of case No. 106.)
108	D.	s	11	Both tonsils and laryn- geal walls.	No examination made. (Member of family of case No. 106)
109	A. :	в	20	Right tonsil.	2 examinations showed diphtheria bacilli each time
110	м.	в	5	Tonsils, larynx and nares.	Diphtheria bacilli
111	T. ]	в	3	Tonsils.	Diphtheria bacilli shown on 2 examinations
112	A. :	в	13	Tonsils.	1st—Diphtheria bacilli, staphylococci and streptococci
113	I. E	3	9	Tonsils and nares.	Diphtheria bacilli shown on two examinations
114	A. :	в	6	Tonsils, tongue, uvula, nasal cavities and lar-ynx.	Diphtheria bacilli and staphylococci
115	м.	C	6	Tonsils.	Diphtheria bacilli, staphylococci, diplo- cocci
116	E. 1	L	в	Left tonsil.	Staphylococci and streptococci
117	R. :	P	7	Left tonsil.	Diphtheria bacilli and staphylococci

Z	A			
jections	Amount Inject-	SYMPTOMS AND CONDITION FOLLOWING USE OF SERUM.	RESULT.	REMARKS.
2		Cessation of symptoms for 3 days, when they began again. Injected 1,500 units, with the result of rapid disappearance of all symptoms		have been sufficient to immunize her, had she not been exposed con-
3		Exfoliation of membrane and reduction of temperature to normal, where it remained. Uneventful convalescence	- 63	fection; the second in- jection, however, did the
1		Very satisfactory, though complaining of sore throat and earache. Pulse and temperature normal		work.
1		Following morning throat clear, nares freer. No temperature, and pulse normal. Sleeps well and appetite good. Convalescence rapid		
		Membrane cleared off and throat felt more comfortable next morning. Exu- dation disappeared in three days		
1	1000	No fever and complete clearing of mem- brane in throat next day. Temperature normal, pulse 112; convalescence rapid	W 100	
1	1000	Immediate improvement noticed next morning. Slept and eat well and looked much brighter. Breathing greatly relieved and membrane disappeared. Pulse regular and no fever	Recovery.	11124
		Reduction of temperature of 2 degrees a day. Normal on 3rd day; pulse regular. Very great amelioration of symptoms on 4th day; exudate nearly disappeared		One of the most malig- nant cases of diphtheria; would not have recover- ed under any treatment
1	1000	Immediate improvement, with exfoliation of membrane in three days	Recovery.	except anti-toxin.
		Great improvement in condition. Sleeps well; fever entirely disappeared. Convalescence progressing rapidly		
1	1000	Great improvement, with reduction of temperature from 103.5 to normal within 24 hours. Convalescence progressing rapidly	Recovery.	and or an

No.	1	IAME.	Age—Years	LOCATION AND EXTENT OF MEMBRANE.	RESULT OF BACTERIOLOGICAL EXAMINATION.
118	A.	v	5	Both tonsils, pillars and soft palate.	1st—Diphtheria bacilli, staphylococci and streptococci
119	н.	м	5	Pharynx.	Pseudo-Diphtheria
120	C.	R	6	Tonsils and uvula.	Diphtheria bacilli
121	М.	w.,	2	Tonsils and nares.	1st—Diphtheria bacilli and staphylococci 2nd—Staphylococci
122	A.	н	11	Larynx and tonsils.	Diphtheria bacilli
		К МсС	3	Post-nasal cavity, covering pharynx; extending into larynx and trachea.  Tonsils, nares, uvula and bronchi.	Diphtheria bacilli  Diphtheria bacilli
125	Mr	s. P	-	Right tonsil and pharynx.	Diphtheria bacilli
126	A.	w	10	Pharynx, tonsils, uvula and soft palate.	Diphtheria bacilli
127	E.	w	14	Pharynx, tonsils, uvula and soft palate.	Diphtheria bacilli

-			1	
Number of In-	Amount Inject- ed-Unita	SYMPTOMS AND CONDITION FOLLOWING USE OF SERUM.	RESULT REMARKS.	
2	2000	Reduction of temperature from 103 to about normal within 24 hours. Membrane disappeared on 3rd day	Recovery.	
1	2000	Immediate improvement, with disappearance of membrane on 3rd day	Recovery.	
2	3000	No change. Serum not used until 6th day of treatment, morning; 2nd injection at 3 p. m. of same day, and death followed in 6 hours		
1	1000	Reduction of temperature and improvement of constitutional symptoms within 24 hours		
3	3000	Expulsion of membrane within 24 hours after 1st injection; respiration easier. Relapse on following day, which was allayed by another injection. General improvement in all symptoms from that time	ery undoubtedly d	
3	4000	Amelioration of angina and improvement of local trouble. Serum treatment commenced on 5th day	Death Death due to abso of toxin, and conse paralysis of heart.	equent
		Patient less restless for 12 hours after 1st injection. Small quantities of liquid nourishment taken after 1st and 2nd injection; no effect after 3rd injection. Membrane loosening after 1st injection and gradually lessened, but dyspnea very great, causing death	failed to eliminat toxins absorbed.	while ere re- um, it e the
		Reduction of temperature and decrease of membrane within 12 hours; general condition better. Gradual improvement, with recovery in 10 days	and badly ventilate	
		Improvement of general condition, reduction of temperature and disappearance of membrane		
2	1500	Improvement of general condition, reduction of temperature and disappearance of membrane	Recovery.	
-100		the designation of the contraction of the contracti	and their difficulties approaches in	

# Cases treated by physicians with anti-diphtheritic serum ${\tt collated\ from\ the\ reports}$

Z o name	Age-Years	LOCATION AND EXTENT OF MEMBRANE.	RESULT OF BACTERIOLOGICAL EXAMINATION.
128 A. F 129 H. M.		Tonsils and larynx.  Both tonsils, uvula and pharynx.	Staphylococci. (The physician states that the absence of diphtheria baci.ii on examination does not always indicate that it is not a case of diphtheria).  Staphylococci, streptococci and diplococci.
130 J A	28	Both tonsils, anterior pillar of fauces and uvula.	Staphylococci and streptococci
131 J. A	6	Palate, tonsils, fauces, pharynx and nares.	Staphylococci and streptococci
132 T. S	14	Both tonsils.	Diphtheria bacilli and staphylococci
133 T. E 134 A. N.		Fonsils. Tonsils and uvula.	Diphtheria bacilli and staphylococci Diphtheria bacilli, staphylococci and dip- lococci
135 M. B.	4	Pharynx.	Staphylococci
136 C. B	6	Pharynx.	Pseudo-diphtheria and diplococci
137 L. H.	4	Frachea, posterior nares and nose.	Diphtheria bacilli and staphylococci

Number of In-	Amount Inject-	SYMPTOMS AND CONDITION FOLLOWING USE OF SERUM.	RESULT.	REMARKS.
5	6500	Respiration easier, except at afternoon of 2nd day, when intubation was thought necessary. Symptoms disappeared gradually during following 6 days		
1	3000	Reduction of temperature and pulse.  Membrane contracted and disappeared on 2nd day	Recovery.	-
1	2000	General condition very much better. On following day, no membrane can be seen other than a few spots on the ton- sils	Recovery.	
2	3000			Died two days after sec- ond administration of serum.
2	1500	General improvement and reduction of temperature from 1023-5 to 1011-5, then gradually to 982-5	Recovery.	
1	2000	Case was not materially altered, but continued to improve	Recovery.	
1	1000	Convalescence uneventful and patient about on the 12th day	Recovery.	One child had died of the disease in the house pre-
1	500	No untoward symptoms. No reaction, other than rapid amelioration of throat symptoms	Recovery.	viously.
1	2000	Fall of temperature below normal. Signs of general malaise; patient became livid, with slight signs of collapse. Rallied	Recovery.	
z	2000	Temperature lowered several degrees inside of 12 hours. Respiration much easier and longer. Ten hours after 2nd administration of serum the membrane began to detach	Recovery.	

No	NAME		Age-Years	LOCATION AND EXTENT OF MEMBRANE.	RESULT OF BACTERIOLOGICAL EXAMINATION.
138	E. C		6	Tonsils, palate, pharynx and uvula; over the ton- sils was a necrotic mem- brane that discharged a very disagreeable odor.	Diphtheria bacilli and staphylococci
	м. G J. м		4	Uvula, pharynx and ton- sils. Tonsils.	Diphtheria bacilli and streptococci Saphrophytes
141	c. w.	• • • •	6	Both tonsils and borders of velum palati.	1st—Diphtheria bacilli
142	L. K.		4	Tonsils.	Diphtheria bacilli, staphylococci and streptococci
	A. M. L. W.	1	8 58	Larynx and pharynx. Tonsils.	Diphtheria bacilli and staphylococci Diphtheria bacilli and diplococci

# FURNISHED GRATUITOUSLY BY THE HEALTH DEPARTMENT.

OF THE ATTENDING PHYSICIANS.

Number of In- jections	Amount Inject- ed-Units	SYMPTOMS AND CONDITION FOLLOWING USE OF SERUM.	RESULT.	REMARKS.
1	2000	Temperature on day of injection between 101-102, remaining same for 24 hours, then went down to 101, next day to 100.5, then to 100, remaining for 2 days the same, then to 99. The membrane of the palate and pharynx melted like butter in the first 24 hours after the injection and cleared up, whereas the necrotic membrane on the tonsils remained for 4 days more, and everything cleared up on the 6th day	Recovery.	This was one of the worst cases I have seen for a long time, and I was greatly pleased at the good work of the antitoxin.
2	4000	Lessening of croupy symptoms and gen- eral improvement beyond expectations.	Recovery.	T Alberton
2	2400	the second secon	Recovery.	all report to
1	1000	In 20 hours extension of the membrane to left tonsil and to borders of velumpalati. Pulse and temperature unchanged (pulse 120, rectal temperature 102). Following day membrane disappeared from right side; pulse 96, temperature 100.5; and on the next day no membrane and no fever	Recovery.	to the course of
2	2500	General improvement in local and constitutional symptoms	Recovery.	romes a superior
1	2000	Steady improvement from the very first	Recovery.	and the ellow stay.
2	3500	Printed to the second control of the second control of	Recovery.	
		began to disappear, with recovery on	Leccovery.	rd-Joul land
		10th day		Carlos - Cymret
	-	Visit and the second of the second	Le Louis	

# CLINICAL REPORT OF CASE No. 24.

### DIPHTHERIA

TREATED WITH ANTI-DIPHTHERITIC SERUM FURNISHED GRAT-UITOUSLY BY THE SAN FRANCISCO HEALTH DEPARTMENT.

Reported by Dr. L. Pawlicki.

H. F., aged six and a half years, complained of sore throat three days before ! was called in to treat him.

December 22nd, 1897—I found both tonsils swollen and covered with thin white membrane; suspicious discharge from the right nostril and feverish. Temperature, 100 2-5; pulse, 112. The case was at once reported to the Health Officer, and bacteriological examination of the tonsilar swab made by Dr. Spencer, which proved to show diphtheria bacilli. The quarantine of the house was instituted. At noon of the same day, injection of 1,500 units of Mulford's Antitoxin was given; spraying the throat and both nostrils with the solution of Peroxide of Hydrogen was ordered.

December 23rd, 1897—Morning temperature, 99 1-5. Both diphtheritic patches on the tonsils are shrinking and loose. Discharge from the nostril still continues. Second injection of Mulford's Antitoxin, 1,500 units.

December 24th, 1897—Morning temperature, 99 3-5. The membranes on the tonsils both disappeared entirely. Discharge still continues from the nostril. Third injection of 1,800 units of Mulford's Antitoxin. The evening temperature having increased to 100 2-5, a fourth injection of 2,000 units of Mulford's Antitoxin was given.

December 25th, 1897—Morning temperature, 99 3-5. Discharge from nose considerably less; the throat looks well. R. Tinct. Ferri Muriatica, gtt. X, every two hours.

	DATE.	TEMPERA-	SYMPTOMS.
1897-	-December 26	99 1-5	
	December 27	98 4-5	Discharge from nose very slight.
	December 28	99 2–5	
	December 30	98 3-5	No discharge from the nose.
	December 31	98 3-5	
1898-	-January 1	99	
	January 2	100 1-5	R. Quinine Sulph. gr. XII a day.
	January 3	99 2-5	Continue quinine.
	January 4	99	
	January 5	98 3-5	Urine normal.
	January 6	99 1-5	
	January 7	98 3-5	
	January 8	99	
	January 9	99 2-5	
	January 10	99 2-5	
	January 11	98 4-5	
	January 12	98 3-5	
	January 13	99 2–5	Pulse 100; R. Quin. Sulph. gr. XV a day.
	January 14	99 2-5	Afternoon, 100 3-5; evening, 99 3-5.
	January 15	99 2-5	Second bacteriological examination of the nasal discharge revealed no diphtheritic bacilli.
	January 16	99 2-5	Continue Quin. Sulph.
	January 17	99 3-5	House fumigated.
	January 20		As the patient is playful, tongue clean,
			appetite good, sleeps well, and seem- ingly feels comfortable and strong, he was allowed to get up.
	January 21	99 4–5	Pulse, 100. After being up all day yesterday, he feels well, notwithstanding abnormal temperature and pulse depending in no way upon diphtheritic poison in the system.

# CLINICAL REPORT OF CASE No. 38.

## DIPHTHERIA

TREATED WITH ANTI-DIPHTHERITIC SERUM FURNISHED GRAT-UITOUSLY BY THE SAN FRANCISCO HEALTH DEPARTMNET.

Reported by Dr. Edward Storror.

F. H., aged three years six months, complained of sore throat Thursday evening, January 6th, 1898, and I saw him Friday morning.

Both tonsils were tumefied and a few follicles had the characteristic exudate. The surfaces were well swabbed off with pure oxygen peroxide, and 10-drop doses of tincture of iron in glycerine were given every six hours. The child was unable to gargle, and the spraying of the throat was ineffectual, so the swab was used as the most efficient. Temperature, 102; pulse, 130.

Saturday morning, I found that he had passed a restless night, had taken no nourishment during the last twenty-four hours, had passed water but no action of the bowels. Temperature, 102; pulse, 130. Exudate somewhat more abundant, the rounded spots running into patches. The iron to be continued four times during the twenty-four hours, and  $\frac{1}{8}$  gr. Calomel and  $\frac{1}{8}$  gr. Ipecac given for three doses. Milk and broth as nourishment.

Sunday morning, I found the exudate somewhat more profuse, the child fretful, no tumefaction of the parotid or sub-maxillary glands. Bowels had moved twice; refused all nourishment, but had taken a little water. Temperature, 100; pulse, 120. Hot water compresses to the throat and continue the iron and local applications.

Monday morning, the exudate covered both tonsils, the anterior and posterior surfaces of the uvula, the left arch of the return and upon the pharyngeal wall. A very foetid odor of the breath. Respiration, 30, and noisy. Temperature, 99; pulse, 100. Fearing Klebs' Loeffler

bacilli, I removed a piece of the membrane and submitted it to the Board of Health's Bacteriologist for examination. Many of the symptoms of diphtheria being present, and fearing to wait until I received the microscopic report, I procured some Antitoxin from the Board of Health and administered 500 units. The treatment of iron and applications to the throat to be continued. No reaction followed the administration of the Antitoxin; but there was a suppression of urine for twelve hours. This function was reestablished by a hot-water bath.

Tuesday morning the temperature was 97 3-5, pulse 100. Slept restlessly during the night. Drank water occasionally, but would take no nourishment of any kind. The breath had lost its bad odor, but the membrane was as extensive as on the day before. The child, aside from being fretful and peevish, was clear-minded; no vestige of coma; could be coaxed to have local applications made, and was generally tractable, excepting that he would take no nourishment but a very little milk. Whiskey and milk he always vomited.

The report from the Bacteriologist said nothing present in the specimen of membrane but the non-pathogenic Staphylococci.

Wednesday the child was better; had taken a little milk; slept more naturally. Temperature, 98; pulse, 100.

Thursday the exudate was disappearing, the swelling of the tonsils was subsiding, the odor quite gone. The bowels had moved, water had been passed four times during the twenty-four hours. There was a great disinclination to take nourishment. Temperature, 97; pulse, 100.

Friday, the membraneous exudate had quite disappeared, the tumefaction of the tonsils had gone, and, aside from a deeper red, the throat looked well. Temperature, 97; pulse, 100. Aside from being fretful, the child was clear-minded and convalescent.

At 2 a. m. on Saturday morning his mother asked him, when he awaked, if he would have a drink. He said, "No," turned over and died.

# CONTAGIOUS, DISEASES.

At this point in my report it might be of interest to call your attention to the accompanying comparative statement of reported cases and deaths from Diphtheria, Measles, Scarlet Fever and Typhoid Fever for year just ended.

COMPARATIVE STATEMENT OF REPORTED CASES OF AND DEATHS FROM DIPHTHERIA, MEASLES, SCARLET FEVER AND TYPHOID FEVER.

	Total.			189	7.			1898.					
DISEASES.		July	August	September	October	November	December	January	February	March	April	Мау	June
Dishibania													
Diphtheria— Cases reported	736	15	23	41	39	86	61	63	37	59	123	112	77
Deaths	154	5	8									19	5
Deaths	194	J	0	11	1.4	14		20	11	12	24	19	3
Measles-													
Cases reported	11			7		1	2				1		
Deaths	1											1	
Scarlet Fever-							1						
Cases reported	108	8	8	12	7	4	14	27	5	7	9	4	3
Deaths	9		1	2				3	1		1	1	
Typhoid Fever-			10			1							
Cases reported	76		1	1									
Deaths	57	3	5	4	7	5	4	1 7	3	6	2	8	3

### DEPARTMENTS.

The City and County Almshouse, under the management of the present Superintendent, gives very satisfactory evidence during the past fiscal year of the work that has been accomplished. Many improvements have been made, amongst which might be mentioned a well-equipped laundry, morgue, new sanitary latrines, etc., etc. The best proof of successful administration in this department is evidenced by the happy content of the poor of our City and County resident within its boundaries.

The City and County Hospital, under the management of the present Superintendent Physician, has been extremely satisfactory, and this is the more surprising when we stop to consider the many disadvantages under which the executive officer is working. The buildings are old and unsanitary, inadequate for the proper housing of the sick poor, particularly in the winter months; the appropriation is small, and the power of the Superintendent Physician is limited as regards expenditures. In spite of-all these drawbacks, there is very little room for criticism.

The reports of other departments and Inspectors, elaborations of which may be found further on in this volume, are summarized as follows:

Health Inspectors—	
Nuisances abated during the year	2,068
Plumbing Inspectors—	
Nuisances abated during the year	2,724
Milk Inspectors—	
Wagons inspected 7	0,537
Milk inspected, (gals.)3,40	1,149
Laundry Inspector—	
Total inspections	1,750
Market Inspectors—	
Total inspections	9,541

Cigar Factory Inspector—	
Total inspections	757
Bakery Inspector—	
Total inspections	1,366
Chemical Laboratory—	
Total number of analyses	562
Bacteriological Laboratory—	
Total examinations	955

Another subject of moment that I desire to call to your particular attention is the inadequate force of both Market and Plumbing Inspectors. Considering the vast area of this peninsula, and the wide distribution of the various markets throughout the city, as also the concentration of the slaughtering interests at Butchertown, where all meats are prepared for consumption, it is safe to assume that in order to properly supervise and inspect this branch of the Department the force should be doubled. This would insure results that would prove in every way beneficial and satisfactory. Furthermore, regulations regarding the hours of slaughtering might be of service both to butchers and the public at large; it certainly would facilitate thorough inspection on the part of the Inspectors in this Department. The matter might be amicably adjusted by consulting with the wholesale dealers of this city.

While speaking on this subject, it might be well to recall the matter of the United States tuberculin test on cattle, which occupied so much of our time a few months ago, and which, during its application, was of such value in raising the standard of milk, and certainly checking in some degree that great scourge of humanity, Tuberculosis. Lack of funds and the opposition of some of the dairymen compelled us to discontinue this crusade. It is to be hoped that in the coming fiscal year both obstructions will be removed—i. e., that the Supervisors in their generosity will furnish us with the necessary funds, and that the milk producers of our

State will aid us in our efforts gradually to eliminate from their herds diseased cattle.

That the force of Plumbing Inspectors in this Department is inadequate is most emphatically emphasized by the vast number of complaints which are referred to this class of Inspectors. Particularly so has this been the case since the adoption by the Board of Supervisors of the late Plumbing Ordinance. Unfortunately though it be, it is nevertheless a fact that the plumbing systems in the various business houses and residences of this city are extremely bad, are extremely unsanitary, and that great numbers of cases of disease can be directly traced to the unhygienic surroundings in which the people have been forced to live on account of lax laws in regard to matters of this kind.

While the Health Department has been unsuccessful in its efforts to secure a new City and County Hospital and a new Hospital for Contagious Diseases, let it go on record that we are not discouraged, but will as diligently exert all our efforts in the future, as we have in the past, eventually to attain that end, feeling as we do that both the present institutions are a blot on the fame of our fair city.

In conclusion, I might suggest to your Honorable Board that I fear a marked increase in the death rate of this City and County for the coming year, basing my opinion on the fact that during and after the month of May a vast number of United States troops will have been encamped within our limits, and the change of climate, life and surroundings will of necessity result in many deaths amongst the soldiers.

Your attention is directed to the accompanying Financial Statement of the Department, and the Statement of Transcripts and Fees, for the past fiscal year.

Respectfully submitted,

A. P. O'BRIEN, M. D.

Health Officer.

# FINANCIAL STATEMENT-HEALTH DEPARTMENT

HEALTH OFFICE—	TOTAL.	JULY.	AUGUST.	SEPTEMBER.	OCTOBER.
Salaries Expenses—	\$61,073 83	\$5,315 00	\$5,165 00	\$5,398 35	\$5,202 02
Printing	2,884 63	69 50	140 00	119 50	124 50
Stationery	709 94	42 46	17 35	32 66	24 05
Telephones	573 45		47 50	46 70	45 00
Postage	530 00	40 00	40 00	40 00	40 00
Transportation	2,172 25	155 00	165 00	165 00	140 00
Vaccine and fu- migation	886 50	45 00	137 70	49 50	51 50
Investigation	273 70	273 70			
Tuberculin tests	499 40		65 10		50 00
Incidentals	1,587 96	54 85	42 70	43 15	20 57
Quarantine expenses	186 55				
Bureau of Food Inspection	2,199 85	203 75	426 30	166 96	218 07
Chemist's Department	537 45	24 19	74 04	25 57	29 00
Bacteriologist's Department	1,026 63	94	25 65	5 45	64 70
Ambulance Sta- tions	3,463 86	120 83	229 83	167 97	109 92
Total expenses	\$17,532 17	\$1,030 22	\$1,411 17	\$862 46	\$917 30
Grand totals	\$78,606 00	\$6,345 22	\$6,576 17	\$6,260 81	\$6,119 33
CITY AND COUNTY HOS-					
Salaries	\$33,077 15	\$2,662 50	\$2,618 50	\$2,819 90	\$2,866 15
Expenses	58,260 05	4,948 17	4,630 75	4,951 90	4,542 51
Totals	\$91,337 20	\$7,610 67	\$7,399 25	\$7,771 75	\$7,408 66

FOR THE FISCAL YEAR ENDING JUNE 30th, 1898.

				1			
NOVEMBER.	DECEMBER.	JANUARY.	FEBRUARY.	MARCH.	APRIL.	MAY.	JUNE.
\$4,115 00	\$4,235 00	\$4,235 00	\$5,076 <b>66</b>	\$5,443 05	\$5,585 00	\$5,675 00	\$5,628 75
91 50	139 25	190 50	159 00	163 25	161 75	1,256 38	369 50
51 76	51 93	43 93	22 11	37 54	92 19	22 00	271 96
58 35	37 50	37 50	37 50	52 41	88 94	65 50	56 55
40 00	40 00	40 00	40 00	40 00	40 00	40 00	90 00
185 00	174 00	175 00	238 25	185 00	187 50	200 00	202 50
63 00	100 85	79 65	36 00	27 00	36 00	137 60	122 70
135 05		50 00	25 00		50 00	25 00	99 25
35 60	56 85	67 35	40 85	136 70	206 20	115 45	767 69
						78 75	107 80
374 19	104 25	78 00	103 70	73 76	116 00	62 80	272 07
35 76	39 85	34 89	101 55	100 11	29 25	16 18	- 27 06
33 65	251 98	105 50	360 31	55 10	51 70	7 15	64 50
197 12	357 55	203 71	235 30	125 58	314 88	246 22	1,154 95
\$1,300 98	\$1,354 01	\$1,106 03	\$1,399 57	\$996 45	\$1,374 41	\$2,273 03	\$3,506 53
\$5,415 98	\$5,589 01	\$5,341 03	\$6,476 23	<b>\$6,439</b> 50	<b>\$6,959</b> 41	\$7,948 03	\$9,135 28
\$2,786 5	92,750 00	\$2,738 55	\$2,754 50	\$2,786 15	\$2,753 45	\$2,771 70	\$2,769 25
3,877 0	2 4,535 93	4,519 81	4,987 91	5,412 38	5,872 94	4,786 50	5,194 23
\$6,663 5	2 \$7,285 93	\$7,258 36	\$7,742 46	\$8,198 53	\$8,626 39	\$7,558 20	\$7,963 48

# FINANCIAL STATEMENT-HEALTH DEPARTMENT

CITY AND COUNTY ALMS- HOUSE—	TOTAL.	JULY.	AUGUST.	SEPTEMBER.	OCTOBER.
110025—					
Salaries	\$20,240 00	\$1,675 00	\$1,685 00	\$1,685 00	\$1,685
Expenses	56,616 49	4,915 83	5,051 13	4,529 61	4,189
Totals	\$76,856 49	\$6,590 83	\$6,736 13	\$6,224 61	\$5,874
CITY RECEIVING HOS-			1		
PITAL-					
Salaries	\$7,980 00	\$665 00	\$665 00	\$665 00	\$665
Expenses	2,476 00	227 36	180 95	160 30	325
Totals	\$10,456 00	892 36	<b>\$</b> 845 95	\$825 30	\$990
TWENTY-SIXTH STREET					
HOSPITAL—					
Salaries	\$2,660 00	\$185 00	\$225 00	\$225 00	\$225
Expenses	851 67	40 00	7 50	28 50	176
Totals	\$3,511 67	\$225 00	\$232 50	\$253 50	\$401
QUARANTINE DEPART-					
Salaries	<b>\$5,940 00</b>	\$495 00	\$495 00	\$495 00	\$495
Expenses	2,055 08	157 38	138 66	128 50	38
Totals	\$7,995 08	\$652 38	\$633 66	\$623 50	\$533
ITY PHYSICIANS' SALARIES.	\$3,000 00	\$250 00	\$250.00	\$250 00	\$250
DISINTERMENT INSPECTORS'	\$0,000 00	φλου 00	g200 00	6200 00	Ç.00
SALARIES	2,361 37	200 00	200 00	200 00	200
SUPT. CITY CEMETERY SALARY	900 00	75 00	75 00	75 00	75

100th

# FOR THE FISCAL YEAR ENDING JUNE 30th, 1898.

					113771737	DWGWMDWD	NOVEMBED
JUNE.	MAY.	APRIL.	MARCH.	FEBRUARY.	JANUARY.	DECEMBER.	NOVEMBER.
\$1,685 00	\$1,685 00	\$1,685 00	\$1,685 00	\$1,700 00	\$1,700 00	\$1,685 00	\$1,685 00
4,358 59	4,636 17	4,765 16	4,769 40	4,747 78	4,784 53	4,624 64	5,244 27
\$6,043.59	\$6,321 17	\$6,450 16	\$6,454 40	\$6,447 78	\$6,484 53	\$6,309 64	\$6,929 27
\$665 00	\$665 00	\$665 00	\$665 <b>0</b> 0	\$665 00	\$665 00	\$665 00	\$665 00
133 7	186 57	108 43	320 67	237 20	260 95	111 10	223 16
\$798 7	\$851 57	\$773 43	\$985 67	\$902 20	\$925 95	\$776 10	\$888 16
<b>\$</b> 225 00	\$225 00	\$225 00	\$225 00	\$225 00	\$225 00	\$225 00	\$225 00
66 9	15 63	102]55	125 22	56 45	98 2	7 50	126 75
\$291 9	\$240 63	\$327 55	\$350 22	\$281 45	\$323 25	\$232 50	\$351 75
1		•					
6.	- 7777		,	-			
\$495 00	\$495 00	\$495 00	\$495 00	\$495 00	<b>\$495 00</b>	\$495 00	\$495 00
127 90	90 50	635 47	139 05	103 50	132 80	126 10	236 72
\$622 90	\$585 50	\$1,130 47	\$634 05	\$598 50	\$627 80	\$621 10	\$731 72
\$250 00	\$250 00	\$250 00	\$250 00	\$250 00	\$250 00	\$250 00	\$250 00
200 00	161 37	200 00	200 00	200 00	200 00	200 00	200 00
75 00	75 00	75 00	75 00	75 00	75 00	75 00	75 00

# STATEMENT OF TRANSCRIPTS AND PERMITS

# DURING THE FISCAL YEAR

	T	OTAL.		JULY.	Δ	UGUST.	SEI	PTEMBER.	october.	
	Number issued	Fees.	Number issued	Fees.	Number issued	Fees.	Number issued	Fees	Number issued	Fees.
*Certified copies of birth	48	\$57 00	4	<b>\$6</b> 00	8	\$12 00				
*Certified copies of death	263	318 00	26	31 50	17	21 00	17	\$19 50	19	\$19 50
Disinterment permits	855	5,420 00	211	1,940 00	131	1,130 00	32	50 00	86	630 00
**Plumbers' licenses	256	241 00	137	137 00	38	38 00	38	38 00	10	10 00
**Plumbers' permits	971	231 00	82	41 00	91	45 50	93	46 50	69	34 50
Milk permits	161		18		9		19		28	
Cigar factory permits	183									
Excavator wagon permits	24		2		2		2		2	
Laundry permits	239	•••••	40		23		21		17	
Totals	2998	\$6,267 00	520	\$2,155 50	319	\$1,246 50	222	\$154 00	231	\$694 00

<sup>\*</sup>No charge made to widows of deceased soldiers and sailors, nor to Consuls of foreign governments.

<sup>\*\*</sup>Plumbers' Fee law abolished in January, 1898.

# ISSUED AND FEES COLLECTED

ENDING JUNE 30, 1898.

	1						1						1		
NO	VEMBER.	DECEMBER.		JANUARY.		FEBRUARY.		MARCII.		APRIL.		MAY.		JUNE.	
Number issued	Fees	Number issued	Fees	Number issued	Fees.	Number issued	Fees.	Number issued	Fees	Number issued	Fees.	Number issued	Fees	Number issued	Fees
7	\$10 50	3	<b>\$4 5</b> 0					18	\$15 00	2	<b>\$3</b> 00	1	<b>\$</b> 1 50	3	\$4 50
28	36 00	18	21 00	21	\$24 00	21	\$24 00	25	31 50	18	27 00	28	34 50	25	28 50
149	1,090 00	15	20 00	29	30 00	15	20 00	39	60 00	72	340 00	33	20 00	43	90 00
9	9 00	5	5 00	4	4 00	4		1		4		4		2	
49	24 50	48	24 00	30	15 00	37		111		110		126		125	
7		11		8		11		18		13		6		13	
						47		48		42		28		18	
2		2		2		2		2		2		2		2	
2				68		39		16		5		••••		8	
253	\$1,170 00	102	\$74 50	162	\$73 00	176	\$44 00	278	\$106 50	268	\$370 00	228	<b>\$5</b> 6 00	239	\$123 00

METEOROLOGICAL

# TAKEN AT THE WEATHER BUREAU STATION, SAN FRANCISCO,

		*BAROMETE	R.	Т	Average		
MONTHS.	Highest.	Lowest.	Monthly Average.	Maxi-	Mini- mum.	Monthly Average.	Dew Point.
1897.							
July	30.105	29.816	29.954	82	47	58.2	50.8
August	30.128	29.846	29.969	70	49	57.6	53.0
September	30.128	29.789	29.998	92	50	60.8	52.4
October	30.213	29.765	30.033	85	48	58.4	48.7
November	30.348	29.906	30.158	68	44	53.1	44.8
December	30.499	29.832	30.220	63	39	50.7	41.2
1898.		11.5					
January	30.353	29.871	30.166	59	36	46.7	37.6
February	30.367	29.677	30.120	70	43	52.6	46.2
March	30.464	29 746	30.077	74	40	51.2	40.5
April	30.302	29.577	30.046	87	44	54.4	45.0
May	30.152	29.649	29.988	63	46	52.6	46.8
June	30.180	29.766	29.954	89	49	59.0	50.3
Sums	373.239	357.240	260.683	902	535	855.3	557.3
Means	30.270	29.770	30.057	75	45	54.6	46.1

Kindly furnished by W. H. HAMMON, Local Forecast Official, in Charge

<sup>\*</sup>Barometer corrected for temperature and elevation above sea level (153 feet).

# OBSERVATIONS

# CAL., DURING THE YEAR ENDING JUNE 30, 1898.

RELATIVE 1	HUMIDITY—I	PER CENT.		WINDS.		CLOUDINESS.	RAIN.
Highest.	Lowest.	Monthly Average.		Maximum Hourly Vel., Miles	Average Hourly Vel., Miles	Monthly Average.	Inches.
7	db r —			1 1 1 1	1 4 1 1	3 2 days	0
100	54	84.4	w	39	14.3	3.0	.00
100	55	90	w	36	14.1	- 4.6	.00
100	30	81.4	w	37	11.8	3.7	.10
100	26	77.0	w	37	9.7	3.1	1.70
100	40	78.5	w	29	7.4	5.6	1.05
100	41	68.5	N	34	6.7	4.5	1.22
							100
100	32	72.1	N	32	7.5	5.6	1.12
100	45	81.8	w	36	8.3	5.2	2.13
100	21	72.0	w	40	10,4	4.3	0.24
100	17	77.7	s.w.	42	12.3	4.1	0.19
100	62	84.3	s. w	36	13.3	5,9	1.44
100	20	79.7	s.w	40	13.1	3.7	0.19
	-						
1,500	443	947.4	w	438	128.9		0.00
1,:00	37	78.9				53.2	9.38
100	37	78.9	w	86	10.7	4.4	0.78

United States Weather Bureau, San Francisco, Cal.

# REPORT OF QUARANTINE OFFICER.

San Francisco, July 1, 1898.

To the Honorable the Board of Health
Of the City and County of San Francisco—

Gentlemen: I have the honor to submit the following report for the fiscal year ending June 30th, 1898:

MONTHS.	NUMBER OF VESSELS	DUES.	RECEIPTS.	BALANCE DUE CITY.
1897—July	45	\$312 50	\$135 00	\$177 50
August	51	332 50	370 00	
September	50	320 00	77 50	242 50
October	47	312 50	147 50	165 00
November	43	310 00		310 00
December	42	307 50	225 00	82 50
1898—January	38	255 00	305 00	
February	52	340 00	165 00	175 00
March	35	210 00		
April	45	267 50	340 00	490 00
May	59	352 50		_
June	61	410 00		. 410 00
	568	\$3,730 00	\$1,765 00	\$2,052 50

# SHIPS QUARANTINED FROM JULY 1 TO JUNE 30, 1898.

DATE.	VESSEL.	OWNER.	RELEASED.
1897.	11111111	- 10 17	1
July 2	Am. Stmr. Acapulco	P. M. S. S. Co	Released July 3rd.
July 4	Am. Stmr. San Jose	P. M. S. S. Co	Released July 5th.
1 - 1	Am. Stmr. City of Syd- Sydney Am. Stmr. San Juan	P. M. S. S. Co P. M. S. S. Co	Released July 12th. Released, no date.
July 15	Br Ship Annie Maud	Meyer, Wilson & Co	Released July 19th.
July 20	Am. Stmr. Colon	P. M. S. S. Co	Released July 21st.
July 28	Am. Stmr. Newport	P. M. S. S. Co	Released July 29th.
Nov. 20	Am. Stmr. City of ParaBr. Ship Toxteth	P. M. S. S. Co	Released Aug. 10th. Released Aug. 16th. Released Nov. 25th.
1898.			
	Br. Stmr. Doric		Released Feb. 29th.
March 22	Br. Stmr. Belgic	O. &. O. S. S. Co	Released, no date.
April 18	Br. Stmr. Venus	O. &. O. S. S. Co	Released April 22d.
April 25	Br. Ship Glenard	Cutter & Mosley	Released April 25th.
June 7	Br. Stmr. Belgic	O. &. O. S. S. Co	Released June 7th.
June 18	Br. Stmr. Newport	P. M. S. S. Co	Released, no date.

# EXPENSE OF QUARANTINE DEPARTMENT.

MONTHS.	Salaries		Rent		Vessels	Ponoutina	Telephone		Water		Materials.	W	Printing and Stationery.	Totals	
1897—July	\$495	00	\$40	00	\$20	00	\$22	50	\$8	00	\$54	28		\$639	28
August	495	00	_ 40	00	20	00	22	50	8	00	48	16		633	66
September	495	00	40	00	20	00	22	50	8	00	38	00		623	50
October	495	00	40	00	20	00	22	50	8	00	8	00	\$12 00	605	50
November	495	00	40	00	20	00	22	50	8	00	22	22	72 00	679	72
December	495	00	40	00	20	00	22	<b>5</b> 0	8	00	35	60		621	10
1898—January	495	00	40	00	20	00	22	50	8	00	62	80	11 50	659	80
February	495	00	40	00	20	00	22	50	8	00				585	50
March	495	00	40	00	20	00	22	<b>5</b> 0	8	00	51	55		637	05
April	495	00	40	00	20	00	22	<b>5</b> 0	8	00	512	17	25 00	1,122	67
May	495	00	40	00	20	00	22	<b>5</b> 0	8	00				585	50
June	495	00	40	00	20	00	22	50	8	00	20	00	9 00	614	50
	\$5,940	00	\$480	00	\$240	00	\$270	00	\$96	00	\$852	00	\$12) 50	\$8,008	28

This department, in making its annual report, desires to call attention to the attempted usurpation of the powers of the State of California relative to Quarantine, as set forth in the Political Code of the State of California, Sections 3009 to 3032, by the Marine Hospital Service of the United States and given support by the Secretary of Treasury at Washington, D. C.

After much inquiry personally conducted in Washington, D. C., and at this port, I find that the assistance of the Secretary of Treasury was obtained by misrepresentation on the part of M. J. Roseneau, M. D., in charge of the United States Quarantine Station at Angel Island.

On information and belief, I am further convinced that a secret system of reporting Quarantine matters at this port has been conducted between M. J. Roseneau, M. D., and Walter Wyman, M. D., of the Marine Hospital Service, stationed at Washington, D. C., where certain charges against the State Quarantine Officer were maliciously invented and given as facts to the Federal authorities at Washington, to influence what authority they may possess in furthering the interest of the Marine Hospital Service and against the State.

I am still further convinced that the Marine Hospital Service at this port has attempted to influence the press of San Francisco in its object to insult your legally appointed officer and the laws of the State of California.

The reason for the alleged conduct of the Marine Hospital Service is the result of a preconcerted action on the part of the service, emanating in Surgeon-General Wyman, to gain control of Quarantine throughout the United States, both land and sea.

The Surgeon-General of the Marine Hospital Service bases his action on personal grounds and influence, and attempts to construe the Congressional Act of February, 1893, as granting him absolute power, where such Act specifically states that there shall be aid and co-operation.

This false construction by Surgeon-General Wyman has

involved this department in many legal complications, which at present are pending in the courts, has interfered with the commercial interests of this port, and has deprived the General Fund of the City and County of San Francisco's treasury of money due under Section 3020 of Political Code.

A brief review of the actions of M. J. Roseneau, M. D., who poses as the Federal Quarantine Officer, will show the autocratic position he assumes.

1st. A positive refusal on his part to recognize the authority or deliberations of the Board of Health of San Francisco. Explanatory of this charge I refer to a resolution of the Board of Health which declared Hongkong. Hiogo, Shanghai and Nagasaki infected ports, and where all Oriental steerage passengers and mails, arriving from above ports, be removed to the Quarantine station for fumigation. The pseudo-Quarantine Officer refused to accept the mail, giving as a reason his individual opinion, against that of the Board of Health and Quarantine Officer, that it was unnecessary.

2nd. Taking suspected cases from the Pacific Mail S. S. Co.'s dock, after the vessel had entered the Custom House, and was annexed to the State wharf and contiguous to

municipal property.

3rd. Refusing to permit the local authorities to hold an autopsy on a suspected case arriving on the steamship San Juan, July 11th, 1897. In this instance he declared that he had not the necessary instruments to hold a post mortem, and when the Quarantine Officer left the vessel to obtain the necessary instruments ashore, he illegally ordered the vessel to Angel Island Quarantine Station, where a hurried post mortem was held, and the body disposed of immediately, as I believe, to conceal any information that the local authorities required, and to which legally they were entitled.

4th. Unnecessarily detaining vessels by a neglect of attention, and in many cases ordering vessels to the Angel

Island Quarantine Station for fumigation, where such detention and fumigation were medically considered absolutely unnecessary and unwarranted.

5th. Insulting the State laws, which require an inspection by the State Quarantine Officer within certain defined limits, by telling the masters to pay no attention to the State Quarantine Officer's order to proceed beyond the Quarantine limit.

6th. Sealing the bills of health, which the State law requires to be inspected by the State Quarantine Officer.

7th. Maliciously and intentionally violating the confidence and deliberations of a consultation with the San Francisco Board of Health solicited by himself.

8th. Urging and influencing the Custom authorities to cause the arrest of the State Quarantine Officer while in the legal discharge of his duties. While this presumptuous authority has not caused any arrest, it has added to the spiteful indignations east upon the laws of the State of California and her Executive Officer, and has attempted to ridicule the good intention of the State in preserving her citizens from disease, and while the legal value of such an order is confined to the mythical Wyman-Roseneau code, with its would-be penalty, your Officer has earnestly worked to carry out the intention of the State—that is, the protection of its citizens.

To the above I desire to add that I am in possession of numerous complaints, entered in this department, of the destruction of property by fumigation, belonging to those detained at the Angel Island Quarantine Station. I have personally witnessed the property of quarantined passengers, which had been destroyed by fumigation, comprising clothing, shoes, bric-a-brac, etc., by the incompetency of those in charge, and the crude and unscientific machinery used to fumigate.

Respectfully submitted,

WM. P. CHALMERS, M. D., Quarantine Officer.

# REPORT OF THE CHEMIST.

San Francisco, July 1st, 1898.

To the Honorable the Board of Health

Of the City and County of San Francisco-

Gentlemen: I have the honor to submit herewith the report of the work accomplished in your Chemical Department during the fiscal year 1897-98.

The work embraces mainly the analyses of foods and the investigations necessary to establish the extent of adulteration thereof. Several special investigations vital to the health of the community have been carried out and are given in this report.

In all, 562 separate samples have been analyzed during the year, the substances analyzed being the more common articles of food, such as one purchases on the open market, and might be called, generally speaking, prepared foods.

When it is considered that this department has been handicapped in many ways by the lack of space in which to work, and a thorough equipment of apparatus which is absolutely requisite for some investigations, and the constant need it has had of more men qualified to carry out investigations, it will be appreciated that no small amount of work has been done.

Crowded and hampered as it has been, it is evident that a wholesome good has been accomplished by the department in the regulation of and stopping to a considerable extent the sale of adulterated food.

In order to place before your honorable body the most imperative needs of this department, I beg to make the following suggestions:

The Chemical Laboratory should be enlarged or given a new room which is well lighted and from which the noxious gases could be easily excluded.

It should have a better equipment of technical apparatus. This equipment should include all the conveniences of a modern laboratory, such as water, gas and electric connec-

tions, and more suitable work benches that we at present have.

The increasing of the equipment already on hand, according to the suggestions offered above, would render this department one of the most efficient of its kind in the United States, and great good could be expected from it in checking the alarming and ever-present adulteration of food.

In conclusion, I would say, while I have been associated with Prof. W. T. Wenzell, the official Chemist, as Assistant Chemist during the life of the Laboratory, and have performed most of the chemical work, it has been done entirely under his direction and by his methods. Consequently the credit for the success of the Chemical Department is largely due to him.

## ANALYSES OF CATSUP.

Of four samples of tomato catsup submitted and analyzed, only one was found to be up to the official standard for catsup—namely: Total solids, 20 per cent.; no foreign coloring matter, and not more than four ounces of salicylic acid for 60 gallons.

In connection with the adoption of a standard for catsup by your Honorable Board, the question as to the amount of salicylic acid that might be permitted therein was investigated. The report that was rendered at that time is given below.

THE ACTION OF SALICYLIC ACID UPON THE DIGESTIVE PROCESS.

That salicylic acid retards fermentative processes outside of the living organisms is a fact well established. It is, therefore, not unreasonable to suppose that a similar effect would follow when this agent is introduced into the stomach, thereby impairing to some extent the proteolytic action of the gastric juice. To this effect should also be added the action of the drug itself upon the animal economy.

In order to determine the question at issue, the following experiments were instituted:

An artificial digestive fluid was prepared, to which the white of an egg, previously boiled and properly comminuted, was added. This mixture was subjected to digestion both with and without salicylic acid.

The solution or liquid was constituted as follows:

100 c. c. of acid solution of 2 per cent HCl.1 gram of Armour's Pepsin.1 gram of the coagulated white of egg.

Three flasks were prepared. Number 1 having no salicylic acid; number 2, .05 grams of salicylic acid; number 3, .10 grams salicylic acid.

The flasks were exposed in a thermostat to a temperature of 100 degrees Fahrenheit for five and one-half hours, and were frequently agitated during the digestion. At the expiration of the stated time the digested fluids were passed through weighed filters; the contents of the filters were washed, dried and weighed.

The results of the experiments were as follows:

Filter from the blank experiment No. 1—		
Weight of filter and contents after drying	.2431	grams
Weight of filter	.2427	grams
TT- 114-111	0004	
Undigested residue  Filter from flask containing .05 grams of salicylic acid No. 2:	.0004	grams
	0405	
Weight of filter and contents after drying		
Weight of filter	.2372	grams
Undigested residue	.0053	grams
Filter from flask containing .10 grams of salicylic acid No. 3;		8
Weight of filter and contents after drying	.2482	grams
Weight of filter	.2394	grams
Undigested residue	.0088	grams

On substracting the amount of undigested albumen of the blank experiment from the albumen residue of the other two experiments, the absolute amounts of undigested albumen in the latter were demonstrated as follows:

These amounts represent albumen dried at a temperature of 212 degrees Fahr.; the albumen of the egg is composed, in 100 parts, of approximately 15 parts of albumen and 85 parts of water. It is necessary, therefore, to convert the dried albumen into normal white of egg, as follows:

$$\frac{.0049 \times 100}{15} = .0326 \text{ grams of white of egg.}$$

$$\frac{.0084 \times 100}{15} = .0560 \text{ grams of white of egg.}$$

On multiplying these respective amounts by 100, the percentage amounts of the undigested albumen will be obtained as follows:

.0326 x 100 equals 3.26, the percentage amount of undi-

gested albumen from the use of .05 grams of salicylic acid. .0560 x 100 equals 5.60, the percentage amount of undigested albumen from the use of .10 grams of salicylic acid.

The matter may be considered from another standpoint.

If a digestive fluid will digest 100 parts by weight of coagulated albumen in the absence of salicylic acid, then a liquid of a similar volume containing .05 grams of salicylic acid will digest 96.74 per cent. of the albumen, and a liquid containing .10 grams of salicylic acid will digest 94.40 per cent. of coagulated albumen.

And now we may consider the quantitative relations:

.05 grams = .77 grains. .10 grams = 1.54 grains. 100 c. c. = about 3 fluid ounces.

Query: How much salicylic acid would a person ordinarily consume during a meal?

If an average of one ounce of catsup (two tablespoonfuls) be consumed, then the amount of salicylic acid would be about .77 divided by 3, or .26 grains of salicylic acid in a catsup containing .05 grams to 100 c.c.

Then, again, if the catsup contains .10 grams salicylic acid to 100 c.c., the amount of salicylic acid consumed in two tablespoonfuls of catsup would be 1.54 divided by 3, or .51 grains of salicylic acid.

These facts I present to your honorable body, from which you can form your opinion if such quantities are prejudicial to human health.

I would, in conclusion, also remark that there is a difference of opinion among manufacturers of tomato catsup as to the amount of salicylic acid necessary for its preservation.

Some manufacturers say four ounces of the acid to sixty gallons of catsup. Others say it should be eight ounces to sixty gallons.

If catsup contains .05 grains to 100 c.c., this amount falls within the limit of four ounces to sixty gallons.

If .10 grams to 100 c.c. are present in the catsup then the ratio will be eight ounces to sixty gallons.

The following tabulated statement shows the itemized analyses:

# CATSUP ANALYSES.

REMARKS.		Sample not received.		Pure,	A fair imitation.	Not enough for analysis.	
coloring.			Aniline	None			
BORAK. (BORACIC ACID).	Considerable.		None	None			
SALICYLIC ACID.	Considerable		2 per cent	None			
FROM WHOM PURCHASED.		Sample not received.	J. H. Claussen, Taylor and Geary	None None. Pure.	Wood & Williams, Pacific Canning Co	Worcestershire sauce City and County Hospital Not enough for analysis.	
DESCRIPTION OF SAMPLE.	4 Royal Club tomato catsup	145 Tomato catsup	322 Tomato catsup	335 Tomato ketchup	52 Worcestershire sauce	Worcestershire sauce	
No.	4	145	333	335	35	86	

### CONDENSED MILK.

In the analyses of products of milk that are intended for use as a substitute for fresh cow's milk, two distinct articles are commonly met with, one sold under the name of condensed milk, and the other known by one of two names, sterilized cream or evaporated cream.

By condensed milk is usually understood cow's milk mixed with cane sugar in certain proportions which has been evaporated to the consistency of a more or less thick syrup.

Sterilized or evaporated cream is defined by the trade as cow's milk which has been evaporated to a creamy consist-

In tabulating the analyses of these products the two classes have been segregated.

Twenty-two samples of condensed milk have been analyzed during the year. Of this total number 15, or 68 per cent., were found to be below the standard adopted by your honorable body for such products.

These samples included thirteen different brands of condensed milk, three of which were Californian products. Each of the California-made brands were below the official standard, while of the remaining ten brands one-half were found to be below the standard.

That condensed milk made in our own State should show a higher proportion of inferior products than that which is of Eastern manufacture is a fact that gives but little credit to our producers.

It will be seen that most of these samples are but slightly below the standard when absolute amounts are considered. This slight difference is undoubtedly caused by indifferent manufacture and could be easily remedied. In some cases, however, as much as 88 per cent. difference is noticed. Such small amounts of butter fat as are shown in numbers 323, 301, 305, 621 and 193 show unmistakably that the samples were made from skim milk. When such articles are sold as condensed milk, and no statement is made to disclose their nature, the act of selling should be considered unlawful.

# CONDENSED MILK

=			
No.	DESCRIPTION OF SAMPLE.	BY WHOM MANUFACTURED.	FR M WHOM PURCHASED.
	100 0		
902	Western brand condensed milk	American Condensed	
200	minima de la constanta de la c		Dodge, Sweeney & Co
386	••••••		
412	Western brand condensed milk		A Chawl
333	Western brand condensed milk		A. Shawl
		Milk Co	Irvine Bros
387	•••••		
401	American brand condensed milk	American Condensed Milk Co	C. A. Parkin & Co
400	American brand condensed milk	American Condensed	
000	Golden C brand condensed milk	Milk Co	P. H. Rulff
323		Milk Co	J. A. Claussen
301	Golden C brand condensed milk		or all ordanochimics.
305	Golden C brand condensed milk	Milk Co	Hoger Bros
		Milk Co	J. Hurley
621	Golden C brand condensed milk		Weinstadt & Hegerherst.
622			
022			•••••
623	'		
624			TT CLARA
627	First Prize brand condensed milk.		W. Steimke
630	Magnolia brand condensed milk		Grocery and Market
632	Champion brand condensed milk		McCoy & Son
635			
	Darling brand condensed milk		
	American brand condensed milk	American Condensed	
644	American brand condensed milk	Milk Co	Smith's Cash Store
193	Conqueror brand condensed milk		Lincoln Bros

# NALYSES.

			DED CE	VT			
			PER CE	AT.			
ADDRESS.	Water and loss at 100 deg. C.	Milk sugar	Cane sugar	Albuminoids	Butter fat.	Ash	REMARKS.
	loss g. C.	-		ds.	<u>:</u>		
116 Market	24.17	14.12	44.75	9.77	5.32	1.87	33.5 per cent. below official standard in butter fat.
	26.19	9.97	45.95				Butter fat fully up to official standard.
Devisadero-Bush	27.60	15 40	41.90	8.19	5.43	1.48	32.1 per cent. below official standard in butter fat.
421 Stockton	27.75	8.80	46.34	8.60	6.93	1.58	13.4 per cent. below official standard in butter fat.
	24.85	10.27	46.24	8 31	8.82	1.51	Butter fat fully up to official standard.
3010 Sixteenth	27 03	13.56	44.49	8,35	4.77	1.80	40.4 per cent. below official standard in butter fat.
301 Hayes	27.82	13.29	42.58	9.71	4.74	1.86	40.7 per cent. below official standard in butter fat.
Taylor-Geary	19.83	16.14	49.89	11.11			88.3 per cent. below official standard in butter fat.
Turk-Hyde	26.28	19.37	38 36				85.5 per cent. below official standard in butter fat.
Hayes-Webster	26.97	16.14	42.32	10.93	1.39	2,25	32 6 per cent. below official standard in butter fat.
Bush-Pierce	25.54	18.83	40.52				77.0 per cent. below official standard in butter fat.
***************************************	23.63	14 12	43.33		1		Official standard.
***************************************	20.67	15.40	42.96				Butter fat fully up to official standard.
•••••••••	28.10	12.21	40.44				Butter fat fully up to official standard.
Oak-Devisadero	26.19	16.95	37.06				7.0 per cent. below official standard in butter fat.
1415 Stockton	27.30	15.40	39.08				26.0 per cent. below official standard in butter fat.
154-58 Ninth	27.98	13.03	37.14				4.7 per cent, below official standard in butter fat.
*******************	23.96	14.73	39.10				Butter fat fully up to official standard.
249 Third	28.85	13.56	39.51				6.2 per cent. below official standard in butter fat.
***************************************	25.78	12.79	38.82				Butter fat fully up to official standard.
27 Market	26.52	14.73	42.42	7.70	7.05		12.0 per cent. below official standard in butter fat.
222 Sixth		• • • • •		••••	1.10		36.2 per cent. below official standard in butter fat.

During the year eleven samples of sterilized or evaporated cream eight brands, two of which were California-made goods. Of the eight brand of California manufacture was below the standard, while only In connection with this subject some comment on the use of the term

STERILIZED OR EVAPORATED

No.	DESCRIPTION OF SAMPLE.	BY WHOM MANUFACTURED.	FROM WHOM PURCHASED.
385 384 629	"99" brand evaporated cream "99" brand evaporated cream "99" brand evaporated cream  "99" brand evaporated cream	Milk Co	Smith's Cash Store American Condensed Milk Co American Condensed Milk Co C. A. Parkins
626 628 633 634	Lily brand sterilized cream		McCoy & Son
	Monroe brand condensed milk		Wreden & Hencken

### EVAPORATED CREAM.

were submitted and analyzed. The total number of samples embraced brands, three were found to be below the official standard. Each one of Eastern origin was deficient in butter fat. cream may not be amiss.

# CREAM ANALYSES.

		PE	R CENT	r.		
ADDRESS.	Water and loss at 100 deg. C.	Milk sugar	Albuminoids	Butter fat	Ash	REMARKS.
27 Market	79.90	9.28	5.90	3 95	.97	50.6 per cent. below official standard in butter fat.
Novato, Cal	81.21	6.27	6.03	5.56	.93	30.5 per cent. below official standard in butter fat.
Novato, Cal	82.31	6.22	5.51	5.09	.87	36.4 per cent. below official standard in butter fat.
3010 Sixteenth	83.19	6.56	5.25	4.25	.75	47.0 per cent. below official standard in butter fat.
	70.00	12.21	7.43	8.94	1.42	Butter fat fully up to official standard.
	66.32	12.55	9.54	10.04	1.55	Butter fat fully up to official standard.
	66.03	13.14	8.93	10.32	1.58	Butter fat fully up to official standard.
154-58 Ninth	68.91	14.12	8.09	7.60	1.28	5 per cent. below official standard in butter fat.
	65.28	15.06	9.10	9.05	1.51	Butter fat fully up to official standard.
• • • • • • • • • • • • • • • • • • • •	66.94	13.56	8.49	9.51	1.50	Butter fat fully up to official standard.
McAllister-Franklin .	72.22	12.02	7.78	6.67	1.31	16.3 per cent. below official standard in butter fat.
	68.33	4.37	4.40	22.28	.62	So-called natural cream.
••••••	71.77	6.10	4.37	17.32	.44	So-called natural cream.

Viewed in the light of these analyses it will be seen that the term *cream* when applied to such products is a misnomer.

By cream is understood a substance derived from cow's milk, the average composition of which is given as containing 23 per cent. of butter fat. If, then, we are given a sample of sterilized cream we should have a substance the composition of which would be approximately that of average fresh cream. On the other hand, if we purchase evaporated cream, we should have a higher percentage of butter fat than we would obtain in average fresh cream, according to the amount of evaporation which the cream had undergone.

Clearly, the samples of "cream" analyzed do not come up to the name under which they are sold.

They are nothing more than fresh milk which has been concentrated in varying proportions, even the best of them not approaching fresh cream in richness in butter fat.

These remarks apply to all but the last three samples. Number 639 is sold as condensed milk, and is clearly within the meaning of the law, although it is 16 per cent. below the established standard. Numbers 359 and 631 are samples of natural cream, and certainly approach more closely to it than do the "sterilized" or "evaporated" creams.

# INVESTIGATION OF THE CITY'S GAS SUPPLY.

Regarding the gas supply of San Francisco, I would state, after referring to the analyses embodied in this report, that the average of three analyses made of the gas supplied by the Pacific Gas Improvement Company show that the gas contains 24.33 per cent. of carbon monoxide.

A similar analysis of the gas furnished by the San Francisco Gas and Electric Company shows that this gas contains an average of 16.44 per cent. of carbon monoxide.

# AS ANALYSES.

Nitrogen.	œ 35	9.9	10.9	10.4	5.36	8.81
Hydrogen.	35.0	35.5	31.4	34.1	35 55	34.74
Methyline.	91.6	30.6	21.2	22.1	30.41	31.81
Carbon Monoxide.	24.7	15.6	24.1	24.2	18.58	15.15
Oxygen	0.0	0.0	0.0	0.0	0.00	0.00
Hydro- Carbons.	7.0	6.4	6.6	6.4	7.07	6.56
Carbon dioxid	es ro	2.0	es ∞	8.	3.03	2.93
PROM WHAT SOURCE.	Paoffic Improvement Co.'s main	as taken from jet in office of Gas and Water Inspector	Pacific Improvement Co.'s main	Pacifić Improvement Co.'s main	S. F. Gas and Electric Co.'s main.	<u> </u>
" DESCRIPTION OF SAMPLE.	Gas taken from jet in office of Chief Food Inspector	Gas taken from jet in office of Gas and Water Inspector	Gas taken from jet in office of Chief Food Inspector	Gas taken from jet in office of Chief Food Inspector	Gas taken from jet in office of Gas and Water Inspector	Gas taken from jet in office of Gas and Water Inspector
No.	650	651	91	36	93	94

These results show that the gas of the Pacific Gas Improvement Co. contains one-third more of carbon monoxide. As both gases are mixtures of carburetted water gas and coal gas, and as gas containing any desirable amount of carbon monoxide can easily be obtained by admixture, there is no reason why the two companies should not supply a gas of analogous composition.

### WATER GAS VERSUS COAL GAS.

The gas known as water gas has been known for many years, but has only within the last twenty-five years risen to the important position it now occupies.

Water gas is generally obtained by the decomposition of water or steam in contact with incandescent carbon in the form of anthracite coal or coke. The process may be divided into two distinct operations: first in the formation of carbonic acid and liberation of hydrogen, two oxygen atoms from the water combining with one atom of carbon to form carbonic acid, the four atoms of hydrogen being set free as explained by the following symbolic reaction: 2 H2 O + C. = CO2 + H4.

The second stage of the operation is explained on the theoretical assumption that the carbonic acid thus formed in the presence of an excess of the incandescent carbon will take to itself another atom, the carbonic acid to be reduced to carbon monoxide, thus CO2 + C = 2CO. So that the main and final result would be hydrogen and carbon monoxide equal volumes each. It is from these theoretical grounds that the present system for improved illuminating gas was evolved.

The following average analyses made by Professor Crum Brown of the University of Edinburgh in 1896, of water gas from two separate works, give its usual composition.

	PER CENT.		
	First.	Second.	
Carbonic acid	10.9	5.5	
Oxygen	0.0	0.0	
Carbon monoxide	35.5	41.2	
Hydrogen	50.5	50.9	
Nitrogen	3.4	2.1	
	100.0	100.	

The analysis shows that the gas still contains a considerable amount of unconverted carbonic acid.

Carbon monoxide is a colorless and odorless gas. As a fuel it is more valuable than hydrogen because it carries more heat than water vapor. Whilst, therefore, water gas is a good fuel, it is of no use as an illuminating agent. If, however, it is mixed with some gas or vapor rich in illuminants or heavy hydro-carbons (containing relatively large proportions of carbon) a stronger illuminating flame can be obtained. Amongst the so-called illuminants are classed the heavy hydro-carbons ethylene, acetylene, propylene, butylene, benzine and other hydro-carbon vapors, which yield light; but the illuminating power of the gas depends principally upon the amount of ethylene it contains, which, during the combustion of the gas, become dissociated into marsh gas and carbon, the solid particles of which becoming incandescent emit white light. In gas analysis the heavy hydro-carbons here referred to are classed together as illuminants.

Water gas when enriched with oil gas is called carburetted water gas. In making carburetted water gas by modern methods, the oil gas is not made separately and then

added to the water gas; but the oil (petroleum) itself is sprayed into the hot crude water gas in a chamber called a carburetter. This oil is immediately vaporized, and being thereupon strongly heated in a super-heater decomposes, generating oil gas ready mixed with water gas. This crude carburetted water gas has to be purified from tarry matters, sulphur compounds and carbonic acid in the same manner as crude coal gas, when it then constitutes the illuminating gas which is at the present time supplied to consumers in New York by the Consolidated Gas Company; Philadelphia, by the United Gas Improvement Company; Boston, by the Boston Gas Light Company; Chicago, by the United Gas Improvement Apparatus Company.

The following table represents (officially obtained) analyses of illuminating gas used in the above-named cities:

	PER CENT.						
Lauring Services	New Yerk, 1897.	Chicago, 1897.	Boston, 1896.	hiladelphia			
Carbonic acid	2.6	3.8	. 2.13	.14			
Illuminants	13.6	14.6	10.15	12.82			
Oxygen	. 7	0.0	.21	0.06			
Carbon monoxide	20.01	28.0	20.48	28.26			
Hydrogen	29.5	35.6	40.41	37.20			
Marsh gas	19.9	17.0	20.77	18.88			
Nitrogen	4.3	1.0	4.35	2.64			
	100.0	100.0	100.00	100.00			

The illuminating gas used in Boston is a mixture of carburetted water gas and coal gas. In New York, Chicago and Philadelphia carburetted water gas is in general use, as the high percentage amount of carbon monoxide plainly shows. There seems to be no objection to the introduction of carburetted water gas in these cities, as a clean, brilliant and high candle-power gas is preferred.

Advantages claimed for carburetted gas:

- (1). That it is the cheapest and best gas that can be made.
- (2). That it furnishes consumers of gas a higher candle-power (28-30) than any other.
- (3). That it is absolutely free from smoke and burns with a brilliant flame.
- (4). That on mixing a high-candle water gas with ordinary coal gas the candle-power of the mixed gas is raised to a desirable point, and a freedom from smoke is secured.

The disadvantages charged to carburetted gas:

There is only one, and it is unquestionably a serious one—the presence of a large proportion of carbon monoxide derived from water gas.

Coal gas is made by the destructive distillation of bituminous coal. It contains a comparatively small proportion of carbon monoxide, and is greatly inferior as an illuminating agent to carburetted water gas. On account of the smoky character of the flame, caused by its imperfect combustion and the generation of obnoxious sulphur products, it produces the unavoidable destruction of decorations on the walls and ceilings of rooms. This form of illuminating gas is yet in use in Louisville and Cincinnati, and most likely in many of the smaller cities.

The following table gives the composition of purified coal gas in the general localities mentioned. (1) Chemnitz, Saxony, (2) ordinary London gas, (3) London cannel-coal gas, (4) San Francisco Gas Light and Electric Company:

telect to will add then some unit of eliterapping recent and

the state of the s

ILI III III III III III III III III III	PER CENT.						
10-11-11-11	No. 1.	No. 2.	No. 3.	No. 4.			
Carbonic acid	1.08	0.7	0.1	2.0			
Oxygen	0.41	0.0	0.0	0.5			
Carbon monoxide	4.45	7.5	6.8	6.8			
Hydrogen	51.29	46.0	27.7	57.0			
Illuminants	4.91	3.8	13.0	5.6			
Marsh gas	36.45	39.5	50.0	23.0			
Nitrogen	1.41	0.5	0.4	5.1			
PL	100.0	100.0	100.0	100.0			

On comparing the above analyses, it will be seen that whilst the gas made from cannel coal, on account of its percentage of illuminants, gives a higher grade of candle power, yet on account of deficiency in hydrogen it is open to the objection that the flame must be exceedingly smoky and sooty, and should therefore be declared a nuisance.

MIXTURES OF CARBURETTED GAS AND ORDINARY COAL GAS.

Since the introduction of water gas, which is on account of its cheaper production, greater candle power and improvement in other ways, corporations not desiring to close their coal gas works have adopted the plan of mixing the two gases, with evident satisfaction to themselves and the consumers. The two local gas companies are supplying this city with a gas consisting of a mixture of carburetted water gas and common coal gas.

The two gases are capable of admixture to make a gas of any intermediate candle power, and will furnish a gas greatly in advance, as far as illuminating effects are concerned, to that of common coal gas.

A perusal of the following tables gives data regarding the vexed question of gas asphyxiation in San Francisco, whether suicidal or accidental. The increase of gas asphyxiation seems apparently to keep pace with the list of total suicides, noting a few exceptions. The table further shows that deaths by accidental asphyxiation have exceeded

deaths by suicidal asphyxiation during the stated twenty-five years, excepting last year.

RECORD OF TWENTY-FIVE YEARS.

COMPARATIVE TABLE OF SUICIDES AND GAS ASPHYXIATIONS IN SAN FRANCISCO

COMPILED FROM MUNICIPAL REPORTS.

						-			
PERIOD OF TWENTY-FIVE YEARS.	Total Suicides by Various Causes	Total Gas Asphyxiation	Asphyxiation by Suicide	Asphyxiation by Accident	Asphyxiation by Murder	Asphxiation by Un- known Causes	Percentage of Total Gas Asphyqiations	Percentage of Accidental Asphyxiations	Percentage of Suicidal Asphyxiations
1872-73	38								
1873-74	59	2		2			3.4	3.4	6.0
1874-75	58	8	3	4		1	12.1	5.2	0.0
1875-76	56	4		4		.1	7.1	7.1	0.0
1876-77	75	3		3			4.0	4.0	0.0
1877-78	103	2	1	1			1.9	1.0	1.0
1878-79	86	1			1		1.2	0.0	0.0
1879-80	90	4	۸	4			4.4	4.4	0.0
1080-81	72	2		2			2.8	2.8	0.0
1881-82	72	6	1	5			8.3	7.0	1.4
1882-83	80	1	1			11	1.2	0.0	1.2
1883-84	85	12	2	10			14.1	11.8	2.4
1884-85	83	12	4	7	1		14.4	8.4	4.8
1885-86	86	12	2	10			14.0	11.6	2.3
1886-87	76	9	1	8			11.8	10.5	1.3
1887-88	82	9	2	6		1	11.0	7.3	2.4
1888-89	66	16	1	14		1	24.2	21.2	1.5
1889-90	96	22	7	15			22.9	15.6	7.3
1890-91	75	6		6			8.0	6.0	0.0
1891-92	112	31	6	25			27.7	22.3	5.4
1892-93	122	48	22	25		1	39.4	20.5	18.3
1893-94	125	- 32	9	23			25.6	18.4	7.2
1894-95	119	38	9	28		1	31.9	23.8	7.5
1895-96	148	45	23	15	3	4	30.4	10.1	15.5
1896-97	178	62	. 42	16	1	3	34.8	9.0	23.6
Totals	1242	386	136	233	6	12			
Average of percentage			••••		••••	• • • •	31.0	18.7	10.9

#### COMPARISON WITH OTHER CITIES.

COMPARATIVE TABLE OF SUICIDES AND GAS ASPHYXIATIONS FOR NEW YORK,
PHILADELPHIA AND SAN FRANCISCO.

1896.	Total Suicides from Various Causes	Total Gas Asphyxia- tions	Asphyxiations by Accident	Asphyxiations by Suicide	Percentage of Total Gas Asphyxiations	Percentage of Accidental Asphyxiations	Percentage of Suicidal Asphyxia-
New York	384	90	55	35	23.4	14.3	9.1
Philadelphia	133	33	23	10	24.4	17.3	7.5
San Francisco	178	62	42	16	34.8	9.0	23.6

Many of these accidental casualties were doubtless due to imperfect gas fixtures, and it should be made incumbent upon the gas companies to make a thorough inspection of the keys to burners before turning on the gas in any building. The keys should not only be in perfect order, but the kind of burner that stops burning when the gas is turned off.

Dr. Strache, in Vienna, refers to the various methods of securing freedom from fatal consequences, such as a self-closing burner, which requires to be warmed by the match before the gas can escape, and which closes by cooling should the gas be blown out accidentally. He also suggests the use of spongy platinum to make self-lighting burners, so that the escaping gas would ignite in flames and thus prevent accidents.

Regarding the mania now in vogue in resorting to gas asphyxiation for committing suicide but little can be said, as common coal gas is as destructive to life as carburetted water gas. It is merely a question of time. Then, again, the avenues open to any one who is determined to end his life are many, and it is commonly a matter of indifference to a person suicidally inclined whether it be illuminating gas or some other agent.

The poisonous action of illuminating gas depends almost entirely upon carbon monoxide which it contains. This gas unites with the haemoglobin of the blood, and thus prevents the supply of oxygen to the various parts of the body. Investigations on the effect of carbon monoxide were made by Dr. John Huldane, and the results published in the "Journal of Physiology," Volume XVIII.

The symptoms produced by carbon monoxide in a healthy and normal individual resemble closely those produced by the atmosphere in which the oxygen tension is considerably diminished by the reduction of atmospheric pressure; in other words, by the reduction of the oxygen percentage. Palpitation, fullness in the head, together with a tendency to impairment of the senses, and loss of power of limbs, are the characteristic symptoms produced both by carbon monoxide and a diminished supply of oxygen in the air breathed. In the earlier stages of carbon monoxide poisoning these symptoms only occur after exertion. It is also characteristic of a moderately-diminished oxygen supply in the blood, as shown by the records of mountain travelers. The experiments further prove that none of these symptoms occur until the blood is saturated to a considerable extent with carbon monoxide, and that both the increase and decrease of the symptoms during and after the inhalation of moderate quantities of the gas run parallel with the changes in the saturation of the blood. In proportion as the saturation increases the symptoms increase; in proportion as the saturation diminishes the symptoms diminish.

As was shown in repeated experiments, the symptoms do not become appreciable until the blood is about one-third saturated, so that the oxygen in the blood is reduced by one-third. Now, this is just what might be expected on the hypothesis that those symptoms are due to the want of oxygen. The symptoms produced by a one-third saturation of the corpuscles with carbon monoxide should therefore correspond to those experienced by mountaineers at an elevation of about 18,000 feet, or by a person breathing air

in which the oxygen percentage is reduced to a pressure of 10.5 inches.

Any proportion of carbon monoxide in air 0.02 per cent. (1-5000) is without action, and a person can inhale such contaminated air for any length of time; 0.045 per cent. (about 1-2000) in air begins to have an appreciable effect, but can be inhaled for four hours without any marked effect. Twenty-one hundredths of 1 per cent. (about 1-500) produce very marked symptoms, and such a mixture when inhaled for about seventy-five minutes will produce strongly marked poisonous effects.

The affinity of carbon monoxide for haemoglobin is about 143 times that of oxygen; it is not oxidized within the body, and cannot be got rid of excepting by displacement by oxygen.

In conclusion I would say that I have used every effort to collect data, but it seems that gas companies, as a rule, are very reticent in giving out information.

## SUPPLEMENTAL GAS ANALYSES.

In accordance with the policy of your honorable body analyses of gas supplied to the City have been made from time to time. The analyses are given in full below: GAS ANALYSES.

		100.0	100.0	0 001	0.001	100.0	100.0	100.00	100.00
-	Total	100	100	100	100	100	100	100	
	Nitrogen	9.7	9.8	œ 70	9.7	10.0	11.6	8.64	10.11
	Hydrogen	34.2	33.4	35.0	30.1	36.1	34.6	37.71	41.49
	Methane	30.7	8.68	33.3	37.5	19.5	19.8	29.10	25.09
PER CENT.	Carbon monoxid	25.7	25.0	16.2	15.2	25.6	25.2	15.64	14.42
	Oxygen	0.0	0.0	0.0	0.0	0.0	0.0	0.00	00.0
	Hydro-carbons	6.0	8.	6.6	8.8	0.9	8.8	5.94	5.73
	Carbon dioxid	3.6	85 63	1.4	1.7	es ∞	3.0	2.97	3.16
	MANUFACTURED BY	Pacific Gas Improvement Co.	Pacific Gas Improvement Co.	S. F. Gas and Electric Co	S. F. Gas and Electric Co	Pacific Gas Improvement Co.	Pacific Gas Improvement Co	S. F. Gas and Electric Co	S. F. Gas and Electric Co
	FROM WHAT SOURCE.	Jet in Chemical Laboratory Pacific Gas Improvement Co.	Jet in Chemical Laboratory		Jet in office of Gas and Water Inspector.	Jet in Chemical Laboratory		Jet in office of Gas and Water Inspector	Jet in office of Gas and Water Inspector
	No.	86	66	100	101	145	146	147	148

SAMPLES OF

Fifteen samples of honey were analyzed. The tabulated statement The adulterant in most cases is glucose, while in two cases plain from the analyses.

Most, if not all, of these honeys were produced in California, and are we are under of fighting internal as well external forces as regards

HONEY

			ZATION,
No.	. DESCRIPTION OF SAMPLE. FROM WHOM PURCHASED.	Direct	Indirec:
102	Pure food	2.5	- 7.7
104	Pure high grade honey, extra qual. Stulz Bros., 1931 Fillmore	+71.7	+44.0
107	Pure San Diego white sage honey John Bulotti, 2201 Steiner	+39.5	+37.5
109	Honey	18.6	-27.4
110	Honey	15.0	-29.3
112	Honey	24.0	-31.4
113	Honey	14.8	-25.5
116	California honey	+18.0	+17.3
117	Honey	_14.4	-23.9
118	Honey Paul Krebs, 2300 Sutter	+44.2	+39.4
120	Fine California honey	. +15 0	+10.0
123	Honey	+ 2.3	-4.2
124	Honey	-19.5	-24.5
127	Honey	-16.3	-25.1
128	Pure high grade honey, extra qual. Levin Bros., 134 Sixth	+65.5	

#### HONEY.

following shows that 6, or 40 per cent. of the total, were adulterated. substitution of cane sugar syrup and commercial glucose is evident

so designated on the label, which is another evidence of the necessity adulterated foods.

#### ANALYSES.

	1	•				1
			PER CE	INT.		and the state of t
TEMPERATURE, CENTIGRADE, DEGREES.	Cane sugar	Reducing sugar	Water and loss at 100 deg. C.	Not determined	Ash	REMARKS.
16	3.82	65.79	29.16	1.07	.16	Pure honey.
16	20.36	40.81	21.14	17.47	.22	Came sugar syrup and commercial glucose.
16	1.47	65.79	22.23	10.03	.42	Honey adulterated with glucose.
16	6.47	71.42	21.06	.94	.11	Pure honey.
16	10.51	71.42	16.68	1.30	.09	Pure honey.
16	5.44	73.53	16.03	4.92	.08	Pure honey.
16	7.86	70.42	17.53	4.13	.06	Pure honey.
16	.51	65.79	20.72	12.82	.16	Honey adulterated with glucose.
16	6.98	75.75	14.41	2.71	.15	Pure honey.
16	4.67	66.66	17,13	11.32	.22	Honey adulterated with glucose.
16	3.67	68.49	19.45	8.23	.16	Honey adulterated with glucose.
16	4.42	68.02	23.36	4.28	.12	Pure honey.
16	3.67	70.42	15.67	10.16	.08	Pure honey.
16	6.47	71.42	13.87	8.17	.07	Pure honey.
16	20.58	37.60	26.12	15.48	.22	Cane sugar syrup and commercial glucose.

#### JELLY.

Nine samples of jelly of different kinds were analyzed, every one of which proved to be pure and as represented.

This certainly shows that the work of the Department in investigating and vigorously prosecuting adulteration of jelly has accomplished a wholesome good in improving the quality of the article in question.

That the improvement is certain is shown by the fact that all of the samples analyzed were of the pack which was put up after the reports on jelly had been presented in March and April of the fiscal year 1896-97.

It is hoped that the improvement during the next year may be even more marked.

#### JELLY ANALYSES.

Number.	DESCRIPTION OF SAMPLE.	FROM WHOM PURCHASED.	RESULTS OF ANALYSIS.
215	Apple jelly		Pure apple jelly.
216	Currant jelly		Pure currant jelly.
217	Currant jelly		Pure currant jelly.
349	Blackberry jelly		Pure blackberry jelly.
350	Raspberry jelly		Pure raspberry jelly.
240	Currant jelly		Pure currant jelly.
241	Currant jelly		Pure currant jelly.
242	Currant jelly		Pure currant jelly.
239	Black currant jelly		Pure currant jelly.

#### MILK.

One hundred and ninety-seven samples of milk were submitted during the year.

Of this total number 160 samples were taken at the order of the Chief Food Inspector, and were collected during a period of some four or five days. The samples were taken from wagons, milk-stands, hotels and restaurants. Owing to unavoidable delay 33 of the samples soured before they could be tested; of the remaining 127 examined 18, or only 14 per cent., were found below the standard, of 3.2 per cent. of butter fat, adopted by your honorable body.

This is a remarkable showing when it is considered that at the time these samples were taken the milk supply of the City was without inspection other than occasional raids, the Food stations having been closed.

The other samples analyzed were submitted on complaint of private parties. The samples numbered 37. Analysis showed that 16 per cent. of those complained of were below the established standard in butter fat.

In the light of the information given by these analyses it would seem that in the majority of cases adulteration is practiced by the keepers of milk-stands and restaurants, and not by the dairy people themselves.

The fact that 16 per cent. of the complaints received had foundation, and only 14 per cent. of the total taken from all sources were below the standard, would seem to bear out the fact that adulteration was practiced between the dairyman and consumer.

## MILK ANALYSES.

No.	DESCRIPTION OF	FROM WHOM FURCHASED.	Butter fat, per cent	REMARKS
	Milk	Mrs. Herbert, 6 Mint.	3.00	•
357	Milk	Newbauer, 2822 Pine	2.60	
	Milk		4.00	
417			3.80	Butter-fat above official standard.
418			4.00	Butter-fat above official standard.
419			4.00	Butter-fat above official standard.
	Milk		3.20	Butter-fat of official standard.
	Milk		3.80	
	Milk		3.80	Butter-fat above official standard.
	Milk		3.80	Butter-fat above official standard.
424			4.00	Butter-fat above official standard.
425		- 1 111	3.60	Butter-fat above official standard.
426			4.20	Butter-fat above official standard.
427	Milk		3.60	Butter-fat above official standard.
428	Milk		3.40	
429			4.00	
430			3.40	Butter-fat above official standard.
431	Milk		4.00	Butter-fat above official standard.
432	Milk		4.00	Butter-fat above official standard.
433	Milk		3.80	Butter-fat above official standard.
434			3.40	Butter-fat above official standard.
435	Milk		3.80	Butter-fat above official standard.  Butter-fat above official standard.
436	Milk		4.00	Butter-fat above official standard.  Butter-fat above official standard.
437			4.00	Butter-fat of official standard.
438			3.20	
439			3.40	
			3.80	
441	Milk		3.20	Butter-fat of official standard.

No.	DESCRIPTION OF	FROM WHOM FURCHASED.	Butter fat, per cent	REMARKS.
442	Milk		3.60	Butter-fat above official standard.
443	Milk		3.60	Butter-fat above official standard.
444	Milk		4.00	Butter-fat above official standard.
445	Milk	· · · · · · · · · · · · · · · · · · ·	3.60	Butter-fat above official standard.
446	Milk		4.00	Butter-fat above official standard.
447	Milk		3.20	Butter-fat of official standard.
440		A. Pontacq, 211 Bur-	2.20	Dutter fot 6
	Milk	[lington street.	5.00	to p. c. sen ometar standard
	Milk	•••••		
	Milk	• • • • • • • • • • • • • • • • • • • •	• • • • •	Sample soured.
	Milk		••••	Sample soured.
	Milk		••••	Sample soured.
	Milk			Sample soured.
	Milk			Sample soured.
			3.20	Butter-fat of official standard.
	Milk		3.60	Butter-fat above official standard.
	Milk		3.20	Butter-fat of official standard.
			3.80	Butter-fat above official standard.
			3.20	Butter-fat of official standard.
			3.20	Butter-fat of official standard.
			3.80	Butter-fat above official standard.
			3.20	Butter-fat of official standard.
				Sample soured.
				Sample soured.
				Sample soured.
	Milk			Sample soured.
				Sample soured.
		- ()		

No.	DESCRIPTION OF	FROM WHOM PURCHASED.	Butter fat, per cent	REMARKS.
				G
	Milk			Sample soured.
	Milk			Sample soured.
471	Milk			Sample soured.
	Milk			Sample soured.
				Sample soured.
				Sample soured.
	Milk			Sample soured.
	Milk			Sample soured.
	Milk			Sample soured.
	Milk			Sample soured.
479	Milk			Sample soured.
480	Milk	• • • • • • • • • • • • • • • • • • • •		Sample soured.
481	Milk			Sample soured.
482	Milk			Sample soured.
483	Milk			Sample soured.
484	Milk			Sample soured.
485	Milk			Sample soured.
486	Milk			Sample soured.
487	Milk			Sample soured.
488	Milk			Sample soured.
489	Milk			Sample soured.
490	Milk			Sample soured.
491	Milk		4.00	Butter-fat above official standard.
499	Milk		3.60	Butter-fat above official standard.
498	Milk		3.20	Butter-fat of official standard.
49-	Milk		3.80	Butter-fat above official standard.
49	Milk		3.20	Butter-fat of official standard.
496	Milk		3,40	Butter-fat above official standard.

MILK ANALYSES-CONTINUED.

497         Milk         4.20         Butter-fat above off           498         Milk         4.00         Butter-fat above off           499         Milk         3.80         Butter-fat above off           500         Milk         J. Tscheiner, San Bruno Road         2.80         Butter-fat 12½ p. c. 1           501         Milk         3.60         Butter-fat above off           502         Milk         4.10         Butter-fat above off           503         Milk         3.20         Butter-fat above off           504         Milk         3.40         Butter-fat above off           505         Milk         3.20         Butter-fat above off           506         Milk         3.20         Butter-fat above off           507         Milk         3.80         Butter-fat above off           508         Milk         4.20         Butter-fat above off           509         Milk         3.40         Butter-fat above off           510         Milk         3.40         Butter-fat above off           511         Milk         3.40         Butter-fat above off           512         Milk         3.60         Butter-fat above off           513         Mi	cial standard.  cial standard.  cl. off'l standard.  cial standard.
498         Milk         4.00         Butter-fat above off           499         Milk         3.80         Butter-fat above off           500         Milk         J. Tscheiner, San         Butter-fat 12½ p. c. 1           501         Milk         3.60         Butter-fat above off           502         Milk         4.10         Butter-fat above off           503         Milk         3.20         Butter-fat above off           504         Milk         3.40         Butter-fat above off           505         Milk         3.20         Butter-fat above off           506         Milk         3.80         Butter-fat above off           508         Milk         4.20         Butter-fat above off           509         Milk         3.40         Butter-fat above off           510         Milk         3.40         Butter-fat above off           511         Milk         3.40         Butter-fat above off           512         Milk         3.60         Butter-fat above off           513         Milk         3.60         Butter-fat above off           514         Milk         4.60         Butter-fat above off	cial standard.  cial standard.  cl. off'l standard.  cial standard.
499         Milk         3.80         Butter-fat above off           500         Milk         J. Tscheiner, San         2.80         Butter-fat 12½ p. c. l           501         Milk         3.60         Butter-fat above off           502         Milk         4.10         Butter-fat above off           503         Milk         3.20         Butter-fat above off           504         Milk         3.40         Butter-fat above off           505         Milk         3.20         Butter-fat above off           506         Milk         3.20         Butter-fat above off           507         Milk         3.80         Butter-fat above off           508         Milk         4.20         Butter-fat above off           509         Milk         3.40         Butter-fat above off           510         Milk         4.00         Butter-fat above off           511         Milk         3.60         Butter-fat above off           512         Milk         3.60         Butter-fat above off           514         Milk         4.60         Butter-fat above off	cial standard. el. off'l standard. cial standard.
500         Milk         J. Tscheiner, San Bruno Road         2.80         Butter-fat 12½ p. c. 1           501         Milk         3.60         Butter-fat above off           502         Milk         4.10         Butter-fat above off           503         Milk         3.20         Butter-fat above off           504         Milk         3.40         Butter-fat above off           505         Milk         4.40         Butter-fat above off           506         Milk         3.20         Butter-fat above off           507         Milk         3.80         Butter-fat above off           508         Milk         4.20         Butter-fat above off           509         Milk         3.40         Butter-fat above off           510         Milk         4.00         Butter-fat above off           511         Milk         3.40         Butter-fat above off           512         Milk         3.60         Butter-fat above off           513         Milk         4.60         Butter-fat above off	el. off'l standard. cial standard.
Bruno Road   2.80   Butter-fat 12½ p. c. 1   501   Milk   3.60   Butter-fat above off     502   Milk   4.10   Butter-fat above off     503   Milk   3.20   Butter-fat above off     504   Milk   3.40   Butter-fat above off     505   Milk   4.40   Butter-fat above off     506   Milk   3.20   Butter-fat above off     507   Milk   3.80   Butter-fat above off     508   Milk   4.20   Butter-fat above off     509   Milk   3.40   Butter-fat above off     510   Milk   3.40   Butter-fat above off     511   Milk   3.60   Butter-fat above off     512   Milk   3.60   Butter-fat above off     513   Milk   4.60   Butter-fat above off     514   Milk   4.60   Butter-fat above off     515   Milk   4.60   Butter-fat above off     516   Milk   4.60   Butter-fat above off     517   Milk   4.60   Butter-fat above off     518   Milk   4.60   Butter-fat above off     519   Milk   4.60   Butter-fat above off     510   Milk   4.60   Butter-fat above off     511   Milk   4.60   Butter-fat above off     512   Milk   4.60   Butter-fat above off     513   Milk   4.60   Butter-fat above off     514   Milk   4.60   Butter-fat above off     515   Milk   4.60   Butter-fat above off     516   Milk   4.60   Butter-fat above off     517   Milk   4.60   Butter-fat above off     518   Milk   4.60   Butter-fat above off     519   Milk   4.60   Butter-fat above off     510   Milk   4.60   Butter-fat above off     511   Milk   4.60   Butter-fat above off     512   Milk   4.60   Butter-fat above off     513   Milk   4.60   Butter-fat above off     514   Milk   4.60   Butter-fat above off     515   Milk   4.60   Butter-fat above off     516   Milk   4.60   Butter-fat above off     517   Milk   4.60   Butter-fat above off     518   Milk   4.60   Butter-fat above off     519   Milk   4.60   Butter-fat above off     510   Milk   4.60   Butter-fat above off     511   Milk   4.60   Butter-fat above off     512   Milk   4.60   Butter-fat above off     513   Milk   4.60   Butter-fat above off     514   Milk   4.60   Butter-fat above off     515   Milk   4.60	cial standard.
502         Milk         4.10         Butter-fat above off           503         Milk         3.20         Butter-fat of officia           504         Milk         3.40         Butter-fat above off           505         Milk         4.40         Butter-fat above off           506         Milk         3.20         Butter-fat above off           507         Milk         3.80         Butter-fat above off           508         Milk         4.20         Butter-fat above off           509         Milk         3.40         Butter-fat above off           510         Milk         4.00         Butter-fat above off           511         Milk         3.60         Butter-fat above off           512         Milk         3.60         Butter-fat above off           513         Milk         4.60         Butter-fat above off	
503         Milk         3.20         Butter-fat of officia           504         Milk         3.40         Butter-fat above off           505         Milk         4.40         Butter-fat above off           506         Milk         3.20         Butter-fat above off           507         Milk         3.80         Butter-fat above off           508         Milk         4.20         Butter-fat above off           509         Milk         3.40         Butter-fat above off           510         Milk         3.40         Butter-fat above off           511         Milk         3.60         Butter-fat above off           512         Milk         3.60         Butter-fat above off           513         Milk         4.60         Butter-fat above off	Mal standard
504         Milk         3.40         Butter-fat above off           505         Milk         4.40         Butter-fat above off           508         Milk         3.20         Butter-fat of officia           507         Milk         3.80         Butter-fat above off           508         Milk         4.20         Butter-fat above off           509         Milk         3.40         Butter-fat above off           510         Milk         3.40         Butter-fat above off           511         Milk         3.40         Butter-fat above off           512         Milk         3.60         Butter-fat above off           513         Milk         4.10         Butter-fat above off           514         Milk         4.60         Butter-fat above off	dar standard.
505         Milk         4.40         Butter-fat above off           506         Milk         3.20         Butter-fat of officia           507         Milk         3.80         Butter-fat above off           508         Milk         4.20         Butter-fat above off           509         Milk         3.40         Butter-fat above off           510         Milk         4.00         Butter-fat above off           511         Milk         3.40         Butter-fat above off           512         Milk         3.60         Butter-fat above off           513         Milk         4.10         Butter-fat above off           514         Milk         4.60         Butter-fat above off	standard.
506         Milk         3.20         Butter-fat of officia           507         Milk         3.80         Butter-fat above offi           508         Milk         4.20         Butter-fat above offi           509         Milk         3.40         Butter-fat above offi           510         Milk         4.00         Butter-fat above offi           511         Milk         3.40         Butter-fat above offi           512         Milk         3.60         Butter-fat above offi           513         Milk         4.10         Butter-fat above offi           514         Milk         4.60         Butter-fat above offi	cial standard.
507         Milk         3.80         Butter-fat above offf           508         Milk         4.20         Butter-fat above offf           509         Milk         3.40         Butter-fat above offf           510         Milk         4.00         Butter-fat above offf           511         Milk         3.40         Butter-fat above offf           512         Milk         3.60         Butter-fat above offf           513         Milk         4.10         Butter-fat above offf           514         Milk         4.60         Butter-fat above offf	cial standard.
508         Milk         4.20         Butter-fat above offi           509         Milk         3.40         Butter-fat above offi           510         Milk         4.00         Butter-fat above offi           511         Milk         3.40         Butter-fat above offi           512         Milk         3.60         Butter-fat above offi           513         Milk         4.10         Butter-fat above offi           514         Milk         4.60         Butter-fat above offi	standard.
509         Milk         3.40         Butter-fat above off           510         Milk         4.00         Butter-fat above off           511         Milk         3.40         Butter-fat above off           512         Milk         3.60         Butter-fat above off           513         Milk         4.10         Butter-fat above off           514         Milk         4.60         Butter-fat above off	oial standard.
510       Milk       4.00       Butter-fat above off         511       Milk       3.40       Butter-fat above off         512       Milk       3.60       Butter-fat above off         513       Milk       4.10       Butter-fat above off         514       Milk       4.60       Butter-fat above off	cial standard.
511       Milk       3.40       Butter-fat above offi         512       Milk       3.60       Butter-fat above offi         513       Milk       4.10       Butter-fat above offi         514       Milk       4.60       Butter-fat above offi	cial standard.
512       Milk       3.60       Butter-fat above offi         513       Milk       4.10       Butter-fat above offi         514       Milk       4.60       Butter-fat above offi	cial standard.
513 Milk	cial standard.
514 Milk 4.60 Butter-fat above offi	cial standard.
	cial standard.
	cial standard.
515 Milk 3.60 Butter-fat above offi	cial standard.
516 Milk 4.00 Butter-fat above offi	cial standard.
517 Milk	el. off'l standard.
518 Milk 3.60 Butter-fat above offi	cial standard.
519 Milk 4.00 Butter-fat above offi	cial standard,
520 Milk 4.20 Butter-fat above offi	ial standard.
521 Milk 3.60 Butter-fat above offi	~ COLLEGE CAS
522 Milk 4.20 Butter-fat above offi	
523 Milk 3.20 Butter-fat of official	cial standard.
	cial standard.

No.	DESCRIPTION OF	FROM WHOM PURCHASED.	Butter fat, per cent	REMARKS.
524	Milk		3.80	Butter-fat above official standard.
525	Milk		3.80	Butter-fat above official standard.
526	Milk		3.60	Butter-fat above official standard.
527	Milk		4.00	Butter-fat above official standard.
528	Milk		3.80	Butter-fat above official standard.
529	Milk		4.20	Butter-fat above official standard.
<b>53</b> 0	Milk		14.00	Butter-fat greatly ab've off'l standard.
531	Milk		3.60	Butter-fat above official standard.
532	Miık		3.80	Butter-fat above official standard.
533	Milk		3.60	Butter-fat above official standard.
534	Milk		3.60	Butter-fat above official standard.
535	Milk		4 00	Butter-fat above official standard.
536	Milk		3.40	Butter-fat above official standard.
537	Milk		3.40	Butter-fat above official standard.
538	Milk		4.20	Butter-fat above official standard.
539	Milk		3.20	Butter-fat of official standard.
540	Milk		3.20	Butter-fat of official standard.
541	Milk		3.40	Butter-fat above official standard.
542	Milk	Denver Dairy wg'n	2.80	Butter-fat 12.5 p. c. bel. off'l standard.
543	Milk	Sieman & Russ Bakery	2.40	Butter-fat 25 p .c. bel. official standard.
544	Milk		3.40	Butter-fat above official standard.
545	Milk	Golden West Dairy	3.00	Butter-fat slightly bel. off'l standard.
546	Milk		3.40	Butter-fat above official standard.
547	Milk	J. Bohner	2.80	Butter-fat 12.5 p. c. bel. off'l standard.
548	Milk		3.60	Butter-fat above official standard.
549	Milk		3.40	Butter-fat above official standard.
550	Milk	A. Swiss, R'st'nt	2.40	25 per cent. below official standard.
-				

No.	DESCRIPTION OF	FROM WHOM PURCHASED.	Butter fat, per cent	REMARKS.
551	Milk		4.20	Butter-fat above official standard.
552	Milk	H. H. Hjul, R'st'nt	2.80	Butter-fat 12.5 p. c. bel. off'l standard.
553	Milk	J. E. Hamer, R'nt	3.00	Butter-fat nearly up to off'l standard.
554	Milk		0.00	7-11-11-11-11-11-11-11-11-11-11-11-11-11
==0		Restaurant	2.20	The second of th
			4.00	Butter-fat above official standard.
559			3.80	Butter-fat above official standard.
		• • • • • • • • • • • • • • • • • • • •	3.80	Butter-fat above official standard.
561 562	A4T-114F	Jewel Bros., 1306	3.00	Butter-fat nearly up to off'l standard.
00%	WITE	Turk	3.80	Butter-fat above official standard.
563	Milk		3.60	Butter-fat above official standard.
564	Milk		3.60	Butter-fat above official standard.
565	Milk		3.60	Butter-fat above official standard.
566	Milk	Hermanson, 12 Clay	9 00	The the Col 101/
F.05		street	2.80	272 27 07 10 10 11 2 20 11 12 12 12 12 12 12 12 12 12 12 12 12
1	Milk		3.60	
568	ATTIES	Scheffele, 129 4th	2.00	Butter-fat 37½ p. c. bel. off'l standard.
	Milk		3.20	Butter-fat of official standard.
570	Milk	Anton Lee, R'st'nt, 122 Fourth street	1.20	Butter-fat 60 p. c. bel. off'l standard.
571	Milk		4.20	Butter-fat above official standard.
572	Milk		3.80	Butter-fat above official standard.
573	Milk		3.60	Butter-fat above official standard.
574	Milk		4.00	Butter-fat above official standard.
575	Milk		3.80	Butter-fat above official standard.
576	Milk	.,	3.80	Butter-fat above official standard.
577	Milk		3.80	Butter-fat above official standard.
578	Milk		3.40	Butter-fat above official standard.
579	Milk		8.60	Butter-fat above official standard.

No.	DESCRIPTION OF	FROM WHOM PURCHASED.	Butter fat, per cent	REMARKS.		
580	Milk	Leipsic Bros., 1407 Bu-		Butter-fat 18.7 bel. official standard.		
581	Milk	chanan St., wagon	2.60 4.00			
582	Milk		8.50	Very rich milk.		
586	Milk		4.60	Butter-fat above official standard.		
587	Milk		3.40	Butter-fat above official standard.		
<b>5</b> 88	Milk		3.60	Butter-fat above official standard.		
589	Milk		3.40	Butter-fat above official standard.		
590	Milk		4.40	Butter-fat above official standard.		

## MILK ANALYSES-CONCLUDED.

No.	DESCRIPTION OF SAMPLE.	FROM WHOM PURCHASED.	Sp. Gravity at 60 deg. F.	Butter fat	Solids not fat	REMARKS.
360	Milk	Do = Just 12	1.032	4 75	9 10	Rich milk.
			1.034		0	Rich milk.
	Milk					Very rich milk.
376	Milk	H. Lottman, 928 York St				Very defic'nt in but'r-fat.
		John Brown, Market St	1,030		7.96	
				10 00		Very rich milk.
380	Milk					Rich milk.
381	Milk					Rich milk.
	Milk			10.00		Very rich milk.
410	Milk	F. San, 2713 Diamond	1.033	2.60	8.92	Deficient in butter-fat.
227	Milk					No cause for complaint.
592	Milk	W. F. Brownton, 1002 P'lk	1.028	2.20	7.58	35 p. c. below standard
596	Milk		1.034	3.80	9.40	Above standard.
597	Milk		1 033	4.00	9.19	Above standard.
<b>5</b> 98	Milk					Referred to bacteriologist.
600	Milk	Almshouse	1.026	2.00	7.04	371/2 p. c. below standard.
603	Milk	•••••		4.40		Above standard.
	Milk		1.030	4.40	8.52	Above standard.
647	Milk		1.028	3.00	7.74	61/4 p. c. below standard.
649	Milk	0.50	1 029	2.00	7.79	40 p. c. below standard.
33	Cream				1.77	No cause for complaint.
329	Milk			6.10		Rich milk.
328	Milk	Almshouse		2.60		Below standard.
355	Milk			3.40		Above standard.
290	Milk			5.52		Above standard.
	1	T.	1		1	

THE RESIDENCE PROPERTY OF STREET, AND ADDRESS OF THE PARTY OF THE PART

#### OLIVE OIL.

Fifty-seven samples of oil purchased for olive oil were analyzed during the year. Of the total number of samples of oil examined 33 1-3 per cent. were found to be plain substitutions of other oils for olive oil.

In the fifty-seven samples there were twenty-six different brands of oil, just one-half of which were substitutions.

It is a rather interesting fact that there were no samples which showed the presence of a foreign oil mixed with olive oil, thus showing that the consumer obtains pure olive oil or else an oil which has been substituted wholly for olive oil.

The oil most used in this substitution is cotton seed oil with sometimes a small amount of some rank tasting oil to give an imitation of the true olive oil flavor and at the same time to mask the insipidness of the cottonseed oil.

The question as to the comparative value of olive oil and some of the more common oils which masquerade as olive has been briefly dealt with in one of the monthly reports. It is given below in full:

"Regarding the uses of the fixed oil of mustard and cotton seed oil as articles of food, I beg to say that mustard-seed oil is used largely in India for cooking purposes. It is a yellow, bland oil, having a greenish cast from the presence of chloraphyll, is free from any pungency, and has but little tendency to become rancid. It consists of stearin and olein, together with the glyceride of Erucic acid. What influence the latter may have upon digestion I am not prepared to answer, and neither have I been able to obtain any data as to the amount of this substance present.

"The cotton-seed oil, which is so extensively used as a substitute for olive oil, is also almost exclusively used for preserving sardines, which were formerly immersed in pure

olive oil. Cotton-seed oil does not turn rancid, and its flavor bears some resemblance to linseed oil, and does not bear even remotely any resemblance to the flavor of pure olive oil. Cotton-seed oil consists of olein and palmitin, and resembles in constitution olive oil, which also contains olein and palmitin, with a small percentage of stearin.

"In conclusion, I would offer the suggestion that inasmuch as oil of mustard contains a substance whose physiological action is not known, that this oil should be condemned as an adulteration of cotton-seed oil. And also that in my judgment the cotton-seed should be considered harmless, and as fully digestible as olive oil."

OLIVE OIL

No.	DESCRIPTION OF ARTICLE.	Index of refraction at 15 degrees 5 C	Iodin Number.	Saponification Number	Specific Gravity at 60 deg. F.
11	( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	-11		-	
221		1.46827	90.5	190.0	.915106
222	Extra Refined California Olive Oil, J. Revalk, San Francisco	1.47230	104.6	192.8	.920916
223	Fine Lucca Oil, Lucca Oil Co., London	1.47230	108.3	194.9	.923564
224	Huile Vierge Surfine Raffinee, De Bossel Fils, Marseille	1.47230	109.9	193.5	.919643
225	• • • • • • • • • • • • • • • • • • • •	1.47184	82.8	188.6	.915704
230		1.46948	89.7	188.6	.916720
231		1.46873	90.5	187.9	.917599
232		1.46709	92.4	188.6	.914022
233		1.46949	92.1	189.3	.917133
234		1.46860	88.5	187.2	.916763
235		1.46864	87.8	189.3	.914317
236		1.46758	91.7	188.6	.916647
237		1.46879	89.0	188.8	.916846
238		1.46879	89.9	187.9	.916490
249	Extra Quality Huile d'Olive, A. Durand & Fils, Bordeaux	1.47374	112.6	194.1	.921866
251	•••••	1.46914	82.4	189.3	.91566
253		1.47120	82.3	188.7	.915239
255		1.46793	81.4	190.4	.91625
257		1.46847	82.1	191.0	.91593
259	Extra Quality Huile Vierge, A. Durand & Fils, Bordeaux	1.47385	115.7	192.4	.92223
261		1.46805	84.2	187.6	.91606
263	••••••	1.46846	84.7	187.9	.91573
266		1.46885	82.3	189.0	.91603
268		1.46875	82.1	190.7	.91570

#### ANALYSES.

Thermal Degree	BAUDOIN'S TEST.	BRULLI'S TEST.	BECHI'S TEST.
43.8	Negative	Light lemon yellow	Very slight change
68.7	Negative	Dark orange red	Deep reddish brown
77.7	Negative	Dark orange red	Deep reddish brown
69.1	Negative	Dark orange red	Deep reddish brown
40.0	Negative	Light lemon yellow	Slight change
42.7	Negative	Light orange	Slight change
43.3	Negative	Light orange	Slight change
43.8	Negative	Dark orange	Slight change
42.7	Negative	Dark orange	No change
40.8	Negative	Light lemon yellow	No change
41.6	Negative	Light lemon yellow	No change
44.2	Negative	Light orange	No change
43.3	Negative	Not enough sample for all qualitative tests	
42.2	Negative	Light orange	No change
68.0	Negative	Deep orange red	Dark red
39.4	Negative	Lemon yellow	Lemon yellow
37.5	Negative	Lemon yellow	Lemon yellow
40.5	Negative	Lemon yellow	Lemon yellow
40.5	Negative	Lemon yellow	Lemon yellow
(m) 1			
70.0	Negative		Dark orange red
40.8	Negative	Dark lemon yellow	Reddish yellow
39.7	The same of the sa	Light lemon yellow	Lemon yellow
42.7	Maria De	Light lemon yellow	Lemon yellow
40.2	Negative	Light lemon yellow	Lemon yellow

No.	DESCRIPTION OF ARTICLE.	HAUCHECORN'S TEST.	H <sub>2</sub> SO <sub>4</sub> and HNO <sub>3</sub> TEST.
221			
	Extra Refined California Olive Oil, J. Re-	Light lemon yellow	Dark yellow
~~~	valk, San Francisco	Deep orange	Dark red
223	Fine Lucca Oil, Lucca Oil Co., London	Dark red	Dark red
224	Huile Vierge Surfine Raffinee, De Bossel Fils, Marseille	Deep orange	Dark red
225		Dark lemon yellow	Light yellow
230		Light lemon yellow	Light yellow
231		Light lemon yellow	Light yellow
232		Orange	Light straw
233		Orange	Dark straw
234		Lemon yellow	Dark straw
235		Light lemon yellow	Light yellow
236		Light orange	Light straw
237			• • • • • • • • • • • • • • • • • • • •
238		Light lemon yellow	Light yellow
249	Extra Quality Huile d'Olive, A. Durand & Fils, Bordeaux	Deep orange red	Dark red
251		Light lemon yellow	Light yellow
253		Light lemon yellow	Light yellow
255		Light lemon yellow	Light yellow
257		Light lemon yellow	Light yellow
259	Extra Quality Huile Vierge, A. Durand & Fils, Bordeaux	Light orange	Dark reddish brown
261		Light orange	Light brown
263		Lemon yellow	Old straw color
266		Lemon yellow	Light straw
268		Lemon yellow	Light straw
_			

## ANALYSES-Concluded.

		REMARKS.			
Red. Orange.		Green.			
Strong	Distinct	Distinct	Olive oil.		
Distinct, narrow		None	Cottonseed oil with about 3 per cent. mustard oil. Cottonseed oil with about 5 per cent. mustard oil.		
None	None	None	Cottonseed oil.		
Strong	Faint	Distinct	Olive oil.		
Strong	Faint	Distinct	Olive oil.		
Strong	Faint	Distinct	Olive oil.		
Strong	Faint	Distinct	Olive oil.		
Strong	Faint	Distinct	Olive oil.		
Strong	Faint	Distinct	Olive oil.		
Strong	Faint	Distinct	Olive oil.		
Strong	Faint	Distinct	Olive oil.		
Strong	Faint	Distinct	Olive oil.		
Strong	Faint	Distinct	Olive oil.		
None	None	None	Cattongood oil		
Distinct		Distinct			
Strong		Distinct			
Distinct		Faint			
Distinct	None	Distinct	Olive oil.		
None	None	None	Cottonseed oil.		
Strong	Very faint	None	Olive oil.		
Very distinct	None	Very distinct	Olive oil.		
Distinct	None	Faint	Olive oil.		
Distinct	None	Distinct	Olive oil.		

OLIVE OIL

No.	DESCRIPTION_OF ARTICLE	Index of refraction at 15 degrees 5 C	Iodin Number.	Saponification Number	Specific Gravity at 60 deg. F.
270	Pure Virgin Italian Olive Oil, D. Bertondi, Lucca, Italy	1.47229	112.0	191.4	.921999
272	•••••	1.46973	82.9	191.9	.916203
274		1.46982	84.1	189.6	.916025
277	Pure Virgin Italian Olive Oil, D. Bertondi, Lucca, Italy	1.47229	112.6	191.7	.920234
279		1.46757	82.6	188.6	.915850
281		1.46909	84.0	190.4	.915801
283		1.46909	81.8	190.3	.915911
285		1.46973	82.0	192.1	.916280
287	Extra Sublime Cream Lucca Olive Oil	1.47292	99.6	194.2	.919393
289		1.47037	84.3	191.3	.916237
291		1.47068	80.8	190.7	.915763
295		1.47011	81.0	192.1	.915852
297		1.47037	81.5	192.8	.916077
299		1.47100	81.9	192.1	.916886
302	Huile Vierge Surfine Raffinee, De Bossel Fils, Marseille	1.47484	112.8	195.6	.921956
306	••••••	1.47100	83.4	192.1	.916482
308	Fine Lucca Oil, Puritan Oil Co., London	1.47484	113.3	194.9	.922185
310		1.46973	81.7	191.1	.916232
312	Fine Lucca Oil, Dominico Gianini, Naples, Italy	1.47354	114.0	196.3	.922208
314		1.46973	85.4		.916097
316	Extra Quality Huile d'Olive, A. Durand & Cie, Bordeaux	1.47230	111.0	194.9	.918835
318		1.46846	85.9	189.2	.916173
320		1.46909	83.6	189.2	.916117

## ANALYSES-CONTINUED.

Thermal Degree	BAUDOIN'S TEST.	BRULLI'S TEST.	BECHI'S TEST.
71.3	Negative	Dark orange red	Dark orange red
37.7	Negative	Lemon yellow	Lemon yellow
40.5	Negative	Lemon yellow	Dark lemon yellow
68.0	Negative	Dark orange red	Dark red
38.0	Negative	Lemon yellow	Lemon yellow
39.7		Lemon yellow	
38.0	Negative	Lemon yellow	Lemon yellow
38.6	Negative	Lemon yellow	Light lemon yellow
54.7	Negative	Dark orange red	Very dark red
44.7	Negative	Deep lemon yellow	Light lemon yellow
40.0	Negative	Light lemon yellow	Light lemon yellow
39.4	Negative	Light lemon yellow	Light lemon yellow
41.6	Negative	Light lemon yellow	Light red (duplic)
40.2	Negative	Dark orange red	Light lemon yellow
72.0	Negative	Dark orange red	Very dark red
40.5	Negative		Yellowish red (duplic)
70.5	Negative	Dark orange red	Very dark red
41.1	Negative	Light lemon	Reddish yellow (dup.)
75.8	Negative	Dark orange red	Very dark red
40.5	Negative	Lemon yellow	Light lemon yellow
66.1	Negative	Dark red	Very dark red
44.4	Negative	Lemon yellow	No change
40.0	Negative	Lemon yellow	No change

## OLIVE OIL

No.	DESCRIPTION OF ARTICLE.	HAUCHECORN'S TEST.	H,S O4 and HNO2 TEST.
270	Pure Virgin Italian Olive Oil, D. Bertondi, Lucca, Italy	Dark orange	Light reddish brown.
272		Dark lemon yellow	Dark straw
274		Dark lemon yellow	Dark straw
277	Pure Virgin Italian Olive Oil, D. Bertondi, Lucca, Italy	Light orange red	Dark red
279		Dark lemon yellow	Dark straw
281		Dark lemon yellow	Dark straw
283		Dark lemon yellow	Dark straw
285		Light lemon yellow	Dark straw
287	Extra Sublime Cream Lucca Olive Oil	Dark orange red	Dark red
289		Light lemon yellow	Dark straw
291		Light lemon yellow	Dark straw
295		Light lemon yellow	Dark straw
297		Light lemon yellow	Dark straw
299		Light lemon yellow	Light straw
302	Huile Vierge Surfine Raffinee, De Bossel Fils, Marseille	Dark orange	Dark red
306		Lemon yellow	Light straw
308	Fine Lucca Oil, Puritan Oil Co., London	Dark orange	Dark red
310		Dark lemon yellow	Dark straw
312	Fine Lucca Oil, Dominico Gianini, Naples, Italy	Dark orange	Dark red
314		Light lemon yellow	Light straw
316	Extra Quality Huile d'Olive, A. Durand & Cie, Bordeaux	Dark orange red	Dark brownish red
318		Lemon yellow	Dark straw
320		Lemon yellow	Light straw

## ANALYSES-CONCLUDED.

Red. Orange. Green.  Distinct. None. None. Cottonseed oil with about 5 per cent. mustard oil.  Distinct. Weak. Distinct. Olive oil.  Weak. None. None. Cottonseed oil with about 5 per cent. mustard oil.  Olive oil.  Weak. Distinct. Olive oil.  Strong. None. Distinct. Olive oil.  Strong. None. Distinct. Olive oil.  Strong. None. Distinct. Olive oil.  Strong. Weak. Distinct. Olive oil.
Red. Orange. Green.  Distinct. None. None. Cottonseed oil with about 5 per cent. mustard oil.  Distinct. Weak. Distinct. Olive oil.  Weak. None. None. Cottonseed oil with about 5 per cent. mustard oil.  Strong. None. Distinct. Olive oil.  Strong. None. Distinct. Olive oil.  Strong. None. Distinct. Olive oil.  Strong. Weak. Distinct. Olive oil.
Distinct.  None.  Faint:  Olive oil.  Olive oil.  Weak.  None.  None.  Cottonseed oil with about 5 per cent. mustard oil.  Strong.  None.  Distinct.  Olive oil.  Strong.  None.  Distinct.  Olive oil.  Strong.  None.  Distinct.  Olive oil.  Strong.  Weak.  Distinct.  Olive oil.
Distinct.  None.  Faint:  Olive oil.  Olive oil.  Weak.  None.  None.  Cottonseed oil with about 5 per cent. mustard oil.  Strong.  None.  Distinct.  Olive oil.  Strong.  None.  Distinct.  Olive oil.  Strong.  None.  Distinct.  Olive oil.  Strong.  Weak.  Distinct.  Olive oil.
Distinct  Weak  None  None  Strong  None  Distinct  Cottonseed oil with about 5 per cent. mustard oil.  Olive oil.  Strong  None  Distinct  Olive oil.  Strong  Weak  Distinct  Olive oil.
Weak       None       None       Cottonseed oil with about 5 per cent. mustard oil.         Strong       None       Distinct       Olive oil.         Strong       Weak       Distinct       Olive oil.         Strong       Weak       Distinct       Olive oil.
Strong
Strong None Distinct Olive oil.  Strong Weak Distinct Olive oil.
Strong Weak Distinct Olive oil.
Distinct Distinct Olive oil.
DistinctNoneNoneCottonseed oil with about 5 per cent. mustard oil.
DistinctNoneNoneOlive oil.
None
Distinct None
Strong Strong Olive oil.
Heavy Slight Olive oil.
None
Heavy Distinct Olive oil.
Distinct None None Cottonseed oil with about 10 per cent. mustard oil.
Heavy Distinct Olive oil.
None
Heavy Prominent Olive oil.
None
Rather heavy None Slight Olive oil.
Rather heavy None Slight Olive oil.

OLIVE OIL

No.	DESCRIPTION OF ARTICLE.	Index of refrac- tion at 15 de- grees 5 C	Iodin Number.	Saponification Number	Specific Gravity at 60 deg. F.
324		1.46973	83.3	190.3	.916775
326		1.47024	82.9	191.1	.916163
330		1.47037	82.5	190.0	.916815
	Huile d'Olive Surfine Raffinee, De Bossel Fils, Marseille	1.47484	111.3	192.8	.921437
337	Extra Quality Huile d'Olive, A. Durand & Cie. Bordeaux	1.47424	116.2	192.8	*
339	Huile d'Olive, J. D. Luvet, Bordeaux	1.47421	117.6	194.5	.921826
340	Fine Salad Oil, Phila. Mfg. Co., S. F	1.47459	111.2	192.4	.919490
342	Eagle Salad Oil, Cal. Oil Refinery, S. F	1.47293	115.9	192.5	.921531
344	Huile d'Olive Surfine Raffinee, Vidoq, Marseille	1.47484	114.6	192.0	.922052:
346	Extra Refined California Olive Oil, J. Revalk, San Francisco	1.47293	103.6	191.1	.920386
351		1.46782	74.9	191.3	.915647
352	•••••	1.47354	111.2	186.5	.907312
353	•••••	1.47352	97.9	174.6	.914880
354	••••••	1.46975	97.1	188.2	.918259

<sup>\*</sup>Not enough for determination.

## ANALYSES-CONCLUDED.

Thermal Degree	BAUDOIN'S TEST.	BRULLI'S TEST.	BECHI'S TEST.
40.5	Negative	Light lemon yellow	Light lemon yellow
42.7	Negative	Light lemon yellow	Light lemon yellow
39.1	Negative	Light lemon yellow	Light lemon yellow
69.4	Negative	Dark red	Very dark red
70.2	Negative	Dark red	Very dark red
60.0	Negative	Dark red	Very dark red
66.3	Negative	Dark red	Very dark red
72.0	Negative	Dark orange red	Dark brown
72.2		Very dark orange red	Dark brown
58.0	Negative	Dark orange red	Dark brown
38.3	Negative		Dark reddish brown
62.2	Crimson	Orange red	Greenish yellow
51.1	Negative		Dark red
55.5	Negative	Dark orange red	Dark reddish brown

OLIVE OIL

No.	. DESCRIPTION OF ARTICLE.	HAUCHECORN'S TEST.	H <sub>2</sub> SO <sub>4</sub> and HNO <sub>3</sub> TEST.
324		Light lemon yellow	Old straw
326		Light lemon yellow	Old straw
330		Light lemon yellow	Old straw
332	Huile d'Olive Surfine Raffinee, De Bossel Fils, Marseilles	Dark orange red	Dark brownish red
337	Extra Quality Huile d'Olive, A. Durand & Cie, Bordeaux	Dark red	Very dark brown red
339	Huile d'Olive, J. D. Luvet, Bordeaux	Dark orange red	Dark brownish red
340	Fine Salad Oil, Phila. Mfg. Co., S. F	Dark orange red	Dark brownish red
342	Eagle Salad Oil, Cal. Oil Refinery, S. F	Dark orange	Dark brownish red
	Huile d'Olive Surfine Raffinee, Vidoq, Marseille	Very dark orange red.	Dark brownish red
346	Extra Refined California Olive Oil, J. Revalk, San Francisco	Dark orange	Dark brownish red
351	•••••	Light lemon yellow	Dark brownish red
352		Deep orange red	Dark orange red
353		Dark orange red	Dark red
354		Dark lemon to light orange	Light brown

# A NALYSES-CONCLUDED.

SP	ECTROSCOPIC ABSORPTIO				
Red.	Red. Orange.		REMARKS.		
iteu.	Orange.	Green.			
Heavy	Distinct	Distinct	Olive oil.		
Heavy	Distinct	Distinct	Olive oil.		
Strong	Weak	Distinct	Olive oil.		
			Take the second		
Very faint	None	None	Cottonseed oil with about 5 per cent. mustard oil.		
None	None	None			
Very faint	None	None	Cottonseed oil.		
Very faint	None	None	Cottonseed oil.		
Very faint	None	None	Cottonseed oil.		
Wools	Nome	None			
weak	None	None	Cottonseed oil.		
Moderate strong	None	None	Cottonseed oil with about		
None	None	None	5 per cent. mustard oil.		
		None			
		Strong			
			T. A		
Distinct	Distinct	Distinct	-		
	1		l ,		

BLACK

Thirty-two samples of black pepper were submitted and analyzed. of samples analyzed, 9, or 28 per cent., were found to be pure pepper. as is seen by reference to the table of analyses:

BLACK PEPPER

		•	
No.	DESCRIPTION OF SAMPLE.	BY WHOM MANUFACTURED.	FROM WHOM PURCHASED.
1 2	Champion Strictly Pure Pepper	Jones Paddock Co., 26-28 Front street	E. & G. Getz, 107 Sixth Levin Bros., 134 Sixth
3	Cliff House Pepper	Western M'f'g Co., S. F	Wright & Gaw, 206 Sixth
4			
5			
6			
7			
8	Champion Strictly Pure Pepper	Jones Paddock Co., 26-28 Front street	Crowe & Hutchinson, 249 3rd
9	Continental Spices Pepper		J. Joost, 138 Third
10	Strictly Pure Ground Pepper.		Montgomery & Co., 118 3rd
11	Thistle Brand Pure Pepper		Cluff Bros., 40-42 Fourth
12	Our Favorite Strictly Pure Pepper McCarthy Bros. Best Ground	Columbia M'f'g Co., S. F	Co-operative Co., 110 Fourth
14	Pepper  Red Seal Roller Process Pepper	McCarthy Bros., 113 Front	
15			

#### PEPPER.

The results are set forth in the following table. Of the total number The remaining 23 samples were more or less mixed with wheat flour,

#### ANALYSES.

				7	The state of the s
OLEORESIN	PIPERINE	ASH	Pe O4IN ASH	MICROSCOPICAL EXAMINA- TION.	REMARKS.
			-	11 y 1011	
2.95 4.06	3.60 1.69	3.90 4.26	15.66 25.73	Wheat starch small. Wheat starch consid.	Contains small amount wheat flour Contains consid. am't wheat flour
2.17	3.13	3.06	21.42	Wheat starch consid.	Contains consid. am't wheat flour
2.24	2.68	4.00	10.37		Is inferior grade, otherwise pure
2.25	3,25	3.56	10.33		Pure Black Pepper
2.36	3.66	3.96	9.65		Pure Black Pepper
2.44	2.90	3.76	11.02		Pure Black Pepper
- 100		-	No.		the second second
3 01	2.50	4.22		Wheat starch consid.	Contains consid. am't wheat flour
4.60	1.43	3.60	27.36	Wheat starch heavy.	Contains large amount wheat flour
2.71	4.66	3.80	10.53	Wheat starch small.	Contains small amount wheat flour
2.62	4.27	3.97	9.89	Wheat starch small.	Contains small amount wheat flour
4.53	1.00	5.20	23.12	Wheat starch v. h'vy.	Contains large amount wheat flour
4.40	2.37	4.20	24.30	Wheat starch v. h'vy.	Contains large amount wheat flour
3.02	4.70	4.05	9.63	Wheat starch small.	Contains small amount wheat flour
3.27	5.15	3.72	10.92		Pure Black Pepper
	1				

## BLACK PEPPER

	DESCRIPTION OF SAMPLE.	BY WHOM MANUFACTURED.	FROM WHOM PURCHASED.
16	Blue Seal Roller Process Pepper compound		Holzhausen & Bro., 633 Larkin
17	Gilt Edge Pepper	Washington M'f'g Co., 17-19 Front street	C. H. Venker & Co., Geary and Hyde
18			
19			Bibo, Newman & Ikenberg,
20	Pepper		
21			•••••••••••••••••••••••••••••••••••••••
22			
23			
24	Strictly Pure Spices Pepper		Bunneister, Bush and Polk
25	Blue Seal Roller Process Pepper compound		Heide & Pfahlert, 1600-02 Larkin
26	Pepper	Enterprise Mills	Chas. Alleman, 1126 Larkin
27	Strictly Pure Spices		H. C. Schultze, Post-Larkin
28	A. Simon Best Pepper		A. Simon, Larkin-O'Farrell
29	Phoenix Pure Pepper	Thierbach & Kroeger, 306-308 Battery street	
30	Blue Seal Roller Process Pepper compound	Eagle Manufacturing Co	F. W. Reichers, 601 Larkin.
	Challenge Ground Pepper		Sandbeck & Sverdrup, 1001 Larkin
32	Tellichery Pepper	Tillman & Bendel, S. F	Claus Alpers, Pine and Polk.

### ANALYSES-Concluded,

		1			
OLEORESIN	PIPERINE	мян	P2 O4 IN ASH	MICROSCOPICAL EXAMINATION.	REMARKS.
3.83	3.67	4.24	12.89	Wheat starch consid.	Contains consid. am't wheat flour
3.37	3.67	3.56	11.13	Wheat starch small.	Contains small amount wheat flour
2.47	3.70	3.80	9,58		Pure Black Pepper
					1
3,22	3.25	3.44	11.71	Wheat starch small.	Contains small amount wheat flour
5.10	1.41	5.31	18.41	Wheat starch v. h'vy.	Contains consid. am't wheat flor-
3.30	4.88	3.97	9.66		Pure Black Pepper
3.24	5.24	3.89	8.44		Pure Black Pepper
3.57	5.19	4.71	13.83		Pure Black Pepper
3.72	3.64	4.38	16.94	Wheat starch consid	Contains consid. am't wheat flour
		1-7	1		Total Company
				-001/-	
3.85	3.32	3.65	17.17	Wheat starch consid.	Contains consid. am't wheat flour
4.56	2.48	4.29	24.83	Wheat starch v. h'vy.	Contains large amount wheat flour
3.51	3.77	4.32	23.46	Wheat starch v. h'vy.	Contains consid. am't wheat flour
4.50	2.27	5.04	20.05	Wheat starch v. h'vy.	Contains consid. am't wheat flour
		-			
3.08	5.42	3.65	10.05	Wheat starch small.	Contains small amount wheat flour
4.00	3.10	3.59	19.66	Wheat starch heavy.	Contains consid. am't wheat flour
4.51	1.80	4.48	27.98	Wheat starch v. h'vy.	Contains v. large am't wheat flour
3.03	4.98	3.67	1		Contains small amount wheat flour
		1			

#### TEA AND COFFEE.

On account of lack of proper facilities, no chemical or physical analyses of tea and coffee have been made, although some sixteen samples were submitted.

Such disposition as has been made of those samples submitted is shown in the accompanying table:

#### TEA AND COFFEE ANALYSIS.

No.	THE CONTRACT OF CONTRACT		
NO.	DESCRIPTION OF SAMPLE.	FROM WHOM PURCHASED.	REMARKS.
45	Uncolored Japan Tea.		No facilities for analysis of tea.
73	Black Tea		No facilities for analysis of tea.
76	Black Tea		No facilities for analysis of tea.
197	Black Tea		No facilities for analysis of tea.
198	Black Tea		No facilities for analysis of tea.
199	Black Tea		No facilities for analysis of tea.
201	Black Tea		No facilities for analysis of tea.
202	Black Tea		No facilities for analysis of tea.
203	Black Tea		No facilities for analysis of tea.
196	Green Tea		No facilities for analysis of tea.
210	Green Tea		No facilities for analysis of tea.
200	Gunpowder Tea		No facilities for analysis of tea.
72	Roasted Coffee		Pure.
211	Roasted Coffee	House of Correction	Screenings of coffee.
407	Roasted Coffee		Pure.
602	Roasted Coffee	Almshouse	Costa Rica coffee, inferior grade.
70 1	Hardware Committee	k	

#### TOXICOLOGICAL ANALYSES.

Fifteen cases of suspected poisoning were investigated. The examinations showed that there was no cause for complaint in a single case. The following is the tabulated statement of the analyses:

#### TOXICOLOGICAL ANALYSES.

No.	DESCRIPTION OF SAMPLE.	STBMITTED BY.	RESULT OF ANALYSES.	
0		COLUMN TWO DAY OF		
218	Canned Hominy	John Doe	No metallic poison.	
228	Bread	Officer Anderson	Contains no poisons.	
206	Milk	Otto Makowsky	Contains no tyro-toxicon.	
583	Coffee and Milk	Board of Supervisors	Contains no poisons.	
591	Condensed Milk	Henry Praugeur	Contains no poisons.	
595	Butter	Henry Hollman	Accidental coloring matter.	
646	Milk	Dr. A. P. O'Brien	Contains no tyro-toxicon.	
372	Raspberry Jelly	De Witt & Co	Contains no lead or tin.	
138	Fresh Strawberries	J. P. Dockery	Contains no arsenic.	
139	Fresh Strawberries	J P. Dockery	Contains no arsenic.	
140	Fresh Strawberries	J. P. Dockery	Contains no arsenic.	
141	Fresh Strawberries	J. P. Dockery	Contains no arsenic.	
142	Fresh Strawberries	J. P. Dockery	Contains no arsenic.	
143	Fresa Strawberries	J. P. Dockery	Contains no arsenic.	
144	Fresh Strawberries	J. P. Dockery	Contains no arsenic.	
	E-1-7		NI - CHEST TO THE	

#### VINEGAR.

One hundred and nine samples of vinegar of different kinds were analyzed, embracing 45 samples of Cider Vinegar, 56 samples of White Wine Vinegar, 7 samples of Red Wine Vinegar and 1 sample of Malt Vinegar.

Of this total number, 15 samples were found to be as represented, an equivalent of only 13 per cent.

Of the separate kinds, 9 samples of Cider Vinegar or 20 per cent. were found to be Pure Cider Vinegar; 4 samples or 7 per cent. were was pure, showing a percentage of 14 in 100. The one sample of Malt found to be pure White Wine Vinegar; 1 sample of Red Wine Vinegar Vinegar was pure.

The bulk of the adulterated samples was found to be made up of matter. Several samples were made from fruit refuse. A few samples

It seems remarkable that a dearth of pure wine vinegar could be such a statement.

The same could be said, but to a smaller extent, in regard to Cider

ANALYSES OF

No.	DESCRIPTION OF SAMPLE.	FROM WHOM PURCHASED.	Acid as Acetic	Total Solids
250	Wht. wine vinegar	E. W. Buck, N. E. Cor. Hayes and Gough.	3.54	.27
252		L. Lebenbaum & Co., Sutter St	4.36	.72
254	Cider vinegar		4.68	1.44
256	Cider vinegar	H. Holman (Royal Tea Co.), 2805 Mission	5.15	.18
258	Cider vinegar		4.58	1.64
260	Cider vinegar	Saudbeck & Sverdrup, 1001 Larkin street	3.84	.19
262	Cider vinegar	Stultz Bros., 1931 Fillmore street	4.53	.14
264	Cider vinegar	R. G. Schroeder, S. W. Clay and Fillmore.	6.48	.72
267	Cider vinegar	D. Von der Mehden, Mission and Fourth	4.35	.59
269	Cider vinegar	M. B. Ward, Post and Devisadero streets.	5.10	.17
271	Cider vinegar	Henry Waller, 1701 Devisadero street	5.82	.24
273	Cider vinegar		4.72	1.27
275	Cider vinegar	Montgomery & Co., 1645 Polk street	5.31	.39
278	Cider vinegar	F. W. Meyer & Co., Devisadero and Geary.	5.40	.74
280	Cider vinegar		5.61	1.57
282	Cider vinegar	B. Donnelly, N. W. Bush and Fillmore	4.76	.52
284	Cider vinegar	٠.	5.91	1.59
286	Cider vinegar	A. Shawl, N. E. Devisadero and Bush sts.	2.88	2.81
288	Cider vinegar	A. Simon, 801 Larkin street	5.46	.61
290	Cider vinegar	W. Boyer, 835 Hayes street	7.56	.34
292	Cider vinegar	H. Schlesselman & Co., 1300 Hayes street.	5.55	.65
296	Cider vinegar	Downing Bros., 1100 Devisadero street	4.02	.60
		30.00		9

Spirit Vinegar, some of which were colored with foreign coloring were pure vinegar, but had been watered.

found in California, but the analyses made would seem to bear out

### Vinegar.

#### VINEGAR.

Ash	Water and loss at 100 deg. C.	REACTION ASH.	PHOSPHORIC ACID.	REMARKS.
.05	99.68	Neutral	Traces	Spirit v'gar, acid weak, colored
.11	99.17	Alkaline	Fair	Not cider vinegar.
. 33	98.23	Quite alkaline	Considerable	Cider vinegar.
.05	99.77	Slightly alkaline	Slight	Spirit vinegar, colored.
.29	98.07	Slightly alkaline	Considerable	Cider vinegar.
.06	99.75	Neutral	Slight	Spirit vinegar, acid weak.
.04	99.82	Quite alkaline	Fair	Spirit vinegar, colored.
.10	99.18	Quite alkaline	Small	Not cider vinegar.
.12	99.29	Quite alkaline	Small	Not cider vinegar.
.06	99.77	Alkaline	Small	Spirit vinegar.
.07	99.69	Alkaline	Small	Spirit vinegar, colored.
.38	98.35	Very alkaline	Considerable	Cider vinegar,
.06	99.55	Alkaline	Fair	Spirit vinegar, colored.
.12	99 14	Very alkaline	Fair	Not cider vinegar.
.27	98.16	Very alkaline	Considerable	Cider vinegar.
.09	99.39	Quite alkaline	Good	Not cider vinegar.
. 29	98.12	Very alkaline	Considerable	Cider vinegar.
.05	97.14	Neutral	Good	Not cider vinegar, acid weak.
.09	99.30	Quite alkaline	Heavy	Not cider vinegar.
.03	99.63	Quite alkaline	Faint	Spirit vinegar.
.03	99.32	Quite alkaline	Faint	Spirit vinegar, colored.
.09	99.31	Alkaline	Faint	Spirit vinegar, colored.
			1	
	1	1		

# ANALYSES OF

No.	DESCRIPTION OF SAMPLE.	FROM WHOM PURCHASED	Acid as Acetic	Total Solids
298	Cider vinegar	Gallagher Bros., 1811 Devisadero street	4.95	.46
300	Cider vinegar		5.23	1.46
303	Cider vinegar	J. J. Carroll, S. E. Fell and Webster sts	4.10	.14
304	Cider vinegar	J. Hurley, S. E. Hayes and Webster sts	4.53	.16
307	Cider vinegar		5.07	1.32
309	Cider vinegar	Bruce Bros., 1247 Folsom street	5.79	.31
311	Cider vinegar	McCoy & Nesbitt, 3002 Sixteenth street	4.71	.31
313	Cider vinegar	John J. Moran, 2931 Sixteenth street	5.09	.29
315	Cider vinegar	Wm. H. Armstrong, 1723 Market street	6.06	.53
317	Cider vinegar	J. Hough, 3999 Seventeenth street	2.85	.57
319	Cider vinegar	F. W. Riechers, 601 Larkin street	4.32	.24
321	Cider vinegar	J. H. Claussen, N. E. Taylor and Geary	5.31	.16
325	Cider vinegar	Stultz Bros., Sixteenth and Valencia sts	5.49	.24
327	Cider vinegar	J. H. & H. Mangels, 237-239 Hayes street	7.23	.21
331	Cider vinegar	Fred Stuermer, 1320 Fillmore street	4.23	.23
334	Cider vinegar	Irvine Bros., 1421 Stockton street	6.90	.52
336	Cider vinegar	I. L. Phillips, 71 Ninth street	4.10	.52
338	Cider vinegar	Wallmann Bros., 1743 Ellis street	4.50	.36
341	Cider vinegar	Bernard F. Bruse, 1061 Golden Gate Ave	4.28	.13
343	Cider vinegar		4.71	1.36
345	Cider vinegar	Herman Gaerdes, 1825 Powell street	3.90	.20
347	Cider vinegar	Roehr & Eggers, Fourteenth street	4.23	.58
348	Cider vinegar	State Prison, San Quentin	4.15	1.79
402	Cider vinegar		6.18	2.02
383	Malt vinegar		5.61	3.88
403	Vinegar	Board of Supervisors, Sup. to Pub Inst	3.06	.32
34	Wht. wine vinegar	R. G. Schroeder, cor. Fillmore and Clay	7.23	.15
35	Wht. wine vinegar		4.47	1.63

#### VINEGAR-CONTINUED.

Ash	Water and loss at 100 deg. C.	REACTION ASH.	PHOSPHORIC ACID.	REMARKS.
.08	99.46	Alkaline	Faint	Spirit vinegar, colored.
.37	98.17	Quite alkaline	Heavy	Cider vinegar.
.04	99.82	Alkaline	Light	Spirit vinegar.
.04	99.80	Alkaline	Light	Spirit vinegar.
.34	98.34	Very alkaline	Heavy	Cider vinegar.
.10	99.59	Alkaline	Light	Spirit vinegar, colored.
.08	99.61	Alkaline	Good	Spirit vinegar, colored.
.07	99.64	Alkaline	Light	Spirit vinegar, colored.
.11	99.36	Alkaline	Small	Not cider vinegar.
.14	99.29	Very alkaline	Considerable	Not cider vinegar, acid deficient.
.07	99.69	Alkaline	Considerable	Spirit vinegar, colored.
.05	99.79	Alkaline	Good	Spirit vinegar, colored.
.03	99.73	Alkaline	Light	Spirit vinegar, colored.
.03	99.76	Alkaline	Good	Spirit vinegar, colored.
.05	99.72	Quite alkaline	Slight	Spirit vinegar, colored.
.12	99.36	Alkaline	Heavy	Not cider vinegar.
.13	99,35	Very alkaline	Fair	Not cider vinegar.
.06	99.58	Quite alkaline	Faint	Not cider vinegar.
.08	99.79	Very alkaline	Fair	Spirit vinegar, colored.
.10	98.54	Very alkaline	Fair	Cider vinegar.
.05	99.75	Alkaline	None	Spirit vinegar, acid weak.
.11	99.31	Alkaline	Fair	Not cider vinegar.
.34	97.87	Very alkaline	Considerable	Cider vinegar, colored.
.28	97.70	Very alkaline	Heavy	Cider vinegar.
.22	95.90	Very alkaline	Heavy	Malt vinegar.
.07	99.61	Alkaline	Faint	Spirit vinegar, colored.
.03	99.82	Alkaline	Small	Spirit vinegar.
.36	98.01	Very alkaline	Very heavy	Pure wine vinegar.

#### ANALYSES OF

No.	DESCRIPTION OF SAMPLE.	FROM WHOM PURCHASED.	Acid as Acctic	Total Solids
36	Red wine vinegar	H. Schroder & Co., 2420 California street	5.73	.30
37	Wht. wine vinegar	J. C. Nobman, California and Fillmore	7.26	.14
38	Wht. wine vinegar	Rosenstein & Schoenholz, Geary and Oct'a	7.41	.15
39	Wht. wine vinegar	B. Donnelly, Bush and Fillmore streets	4.86	.14
40	Wht. wine vinegar	J. Robinson & Co., 1635 Post street	7.20	.13
41	Wht. wine vinegar	Otto Gramlow, S. E. Sutter and Laguna.	4.98	.15
42	Wht. wine vinegar		4.35	1.64
43	Red wine vinegar	Julius Feiss & Co., S. E. Polk and Ellis	5.13	.15
44	Wht. wine vinegar	C. H. Hoecker & Co., Polk and O'Farrell.	6.08	.46
45	Wht. wine vinegar	J. H. Witte, 1600 Bush street	4.83	.18
46	Wht. wine vinegar	Claus Otter, Post and Octavia streets	6.90	.15
47	Wht. wine vinegar	F. A. Kaiser, 942 Fillmore street	8.67	.21
48	Wht. wine vinegar	E. J. Hons, S. W. McAllister and Webster.	4.65	.28
49	Wht. wine vinegar	E. Rohde & Co., 1003 McAllister	4.65	.43
50	Wht. wine vinegar	E. A. Hoenboken, 901 McAllister street	7.17	.14
51	Wht. wine vinegar	Wreden & Hencken, McAllister & Fr'kl'n.	6.12	.10
52	Wht. wine vinegar	J. Lillianthal & Co., McAllister & V. Ness.	5.94	.16
53	Wht. wine vinegar	Mohrman & Diercks, Van Ness and Turk.	5.25	.10
54	Wht. wine vinegar	J. Vollmer & Co., 737 Turk street	4.47	.30
55	Wht. wine vinegar	J. Falk, 234 Van Ness	6.75	.16
56	Wht. wine vinegar	J. H. C. Baden, Devisadero and Fell	4.47	.78
57	Wht. wine vinegar	H. Schlussilmann, Hayes and Devisadero.	5.10	.16
58	Wht. wine vinegar	Dannemarc & Whordru, Page and Scott	7.29	.17
59	Wht. wine vinegar	Peters Bros., 798 Haight street	4.56	.55
60	Wht. wine vinegar	Julius Berendsen, Devisadero and Fulton.	5.28	.45
61	Wht. wine vinegar	H. C. Becker, Fillmore and Fulton streets.	6.63	.25
62	Wht. wine vinegar	F. Koch, Buchanan and Fulton streets	4.71	.32
63	Red wine vinegar	D. F. Burke, Van Ness and Fulton	5.49	.20

#### VINEGAR-CONTINUED.

Ash	Water and loss at 100 deg. C.	REACTION ASH.	PHOSPHORIC ACID.	REMARKS.
.05	99.65	Faintly alkaline	Small	Mixed vinegar.
.03	99.83	Alkaline	Very small	Spirit vinegar.
.03	99.82	Faintly alkaline	Traces	Spirit vinegar.
.04	99.82	Alkaline	Very small	Spirit vinegar.
.03	99.84	Alkaline	Very small	Spirit vinegar.
.09	99.76	Alkaline	Small	Spirit vinegar.
.18	98.18	Very alkaline	Very heavy	Pure wine vinegar.
.02	99.83	Alkaline	Small	Spirit vinegar, colored.
.05	99.49	Alkaline	Fair	Mixed vinegar.
.05	99.77	Alkaline	Small	Spirit vinegar, colored.
.03	99.82	Alkaline	Small	Spirit vinegar.
.04	99.75	Alkaline	Small	Spirit vinegar.
.06	99.66	Alkaline	Fair	Mixed vinegar.
.09	99.48	Quite alkaline	Good	Mixed vinegar.
.03	99.83	Alkaline	Small	Spirit vinegar.
.03	99.87	Alkaline	Small	Spirit vinegar.
.06	99.78	Alkaline	Small	Spirit vinegar, colored.
.02	99.88	Alkaline	Small	Spirit vinegar.
.06	99.64	Alkaline	Very small	Mixed vinegar.
.05	99.79	Alkaline	Small	Spirit vinegar.
.13	99.09	Alkaline	Heavy	Not pure wine vinegar, colored.
.03	99.81	Alkaline	Good	Mixed vinegar.
.04	99.79	Alkaline	Good	Mixed vinegar.
.07	99.38	Alkaline	Good	Not pure wine vinegar, colored.
.07	99.48	Alkaline	Fair	Not pure wine vinegar, colored.
.06	99.69	Alkaline	Good	Not pure wine vinegar, colored.
.07	99.61	Alkaline	Good	Not pure wine vinegar.
.03	99.77	Alkaline	Fair	Mixed vinegar, colored.

_			ANALYSES OF
No.	DESCRIPTION OF SAMPLE.	FROM WHOM PURCHASED.	Total Solids
64	Wht. wine vinegar	Louis Schonefelt, Gough and Fulton 4.5	6 .43
65	Wht. wine vinegar	8.9	4 1.12
66	Wht. wine vinegar	J. J. Meyer, Laguna and Hayes streets 4.23	3 .39
67	Wht. wine vinegar	J. H. & H. Mangels, Franklin and Hayes. 6.48	3 .70
68	Wht. wine vinegar	C. H. Drewes, Polk and Hayes streets 3.33	.63
69	Wht. wine vinegar	C. W. Thompson, 500-504 Hayes street 4.20	.29
70	Wht. wine vinegar	Cluff Bros., 401 Hayes street 6.54	.18
71	Red wine vinegar	Lawler & Son, Gough and Oak streets 6.09	.32
72	Wht. wine vinegar	George Schomer, Market and Pearl 5.16	.11
73	Wht. wine vinegar	M. Bell & Co., 125 Herman street 4.85	.14
74	Wht. wine vinegar	Robinson & Knox, 1930 Market street 4.59	.27
75	Wht. wine vinegar	Mahoney & Mahoney, 1742 Market street 3.00	.66
76	Wht. wine vinegar	M. Meyerhof, Geary and Mason streets 516	.14
77	Wht. wine vinegar	Meyer & Kohn, 105 Stockton street 4.41	.31
78	Wht. wine vinegar	Rathjen Bros., 21 Stockton street 4.65	.41
79	Wht. wine vinegar	L. Lebenbaum & Co., 222 Sutter street 6.54	.29
80	Red wine vinegar	Goldberg, Bowen & Co., 215 Sutter street. 4.98	.26
81	Wht. wine vinegar	C. A. Parkin & Co., 3010 Sixth street 4.80	.12
82	Wht. wine vinegar	J. E. Thorn, 496 Valencia street 4.98	.12
83	Red wine vinegar	5.94	2.07
84	Wht. wine vinegar	J. D. Heise & Co., Valencia and Sixteenth 3.51	.17
85	Wht. wine vinegar	Mrs. Powell, 3039 Sixteenth street 3.99	.53
86	W. and R. vinegar	6.00	1.41
87	Red wine vinegar	P. O'Brien, 2044 Howard street 4.47	.50
88	Wht. wine vinegar	Fred Rippe, Howard and Sixteenth streets 4.35	.37
89	Wht. wine vinegar	Von de Mehden Bros, Sixteenth and Flsm. 4.14	.24
90	Wht. wine vinegar	Bruns Bros., Sixteenth and Mission 4.23	.43
411	Wine vinegar	Shawl, N. E. Devisadero and Bush 4.71	.15
413	Wine vinegar	Kruse & Bellmer, S. E. Turk and Larkin. 4.68	.18
414	Wine vinegar	Carston J. Hink, S. E. Oak and Laguna 6.90	.21
557	Wine vinegar	Peters Bros	.45
	1		

Ash	Water and loss at 100 deg. C.	REACTION ASH.	PHOSPHORIC ACID.	REMARKS,
.16	99.41	Alkaline	Good	Not pure wine vinegar.
.16	98.72	Alkaline	Heavy	Pure wine vinegar.
.07	99.54	Alkaline	Small	Wine vinegar, watered.
.20	99.10	Alkaline	Heavy	Not pure wine vinegar, colored.
.13	99.24	Alkaline	Heavy	Wine vinegar, watered.
.09	99.62	Quite alkaline	Good	Wine vinegar, watered.
.04	99.78	Alkaline	Small	Spirit vinegar.
.02	99.66	Alkaline	Small	Fruit vinegar, colored.
.02	99.98	Alkaline	Small	Spirit vinegar.
.03	99.83	Alkaline	Small	Spirit vinegar.
.04	99.69	Alkaline	Small	Fruit vinegar.
.19	99.15	Quite alkaline	Heavy	Wine vinegar, watered.
.04	99.82	Alkaline	Fair	Spirit vinegar.
.05	99.64	Alkaline	Small	Mixed vinegar.
.08	99.51	Alkaline	Good	Mixed vinegar.
.07	99.64	Alkaline	Good	Mixed vinegar.
.07	99.67	Alkaline	Fair	Mixed vinegar.
.04	99.84	Alkaline	Fair	Spirit vinegar.
.04	99.84	Alkaline	Fair	Spirit vinegar.
.32	97.61	Very alkaline	Very heavy	Pure wine vinegar.
.03	94.84	Alkaline	Small	Spirit vinegar.
.07	99.39	Quite alkaline	Good	Wine vinegar, watered.
.10	98.49	Very alkaline	Heavy	Pure wine vinegar.
.07	99.43	Quite alkaline	Good	Not pure wine vinegar.
.14	99.49	Aikaline	Heavy	Not pure wine vinegar.
.03	99.73	Alkaline	Small	Spirit vinegar.
.08	99.49	Alkaline	Fair	Mixed vinegar.
.04	99.81	Alkaline	Small	Spirit vinegar.
.03	99.79	Alkaline	Small	Spirit vinegar.
.03	99.76	Alkaline	Small	Spirit vinegar.
.07	99.48	Alkaline	Very small	Not pure wine vinegar:

#### INVESTIGATION OF THE CITY WATER SUPPLY.

In accordance with the policy and under the direction of your honorable body the water supply from the following sources was thoroughly investigated: Inlet to Laguna Honda Reservoir, University Mound Reservoir, Clarendon Heights Reservoir, College Hill Reservoir, Lombard Street Reservoir, Francisco Street Reservoir.

The tabulated report herewith presented, not only demonstrates the condition of our water supply at the present time, but also shows the beneficial effects of water aeration and filtration to which the water had been subjected. In every instance the amount of albuminoid ammonia will be seen to have been reduced to a remarkable extent when compared with the analysis of the original source of supply. There can be no question of the value of aeration improvised by the Water Company. The Chief Engineer states that each reservoir will have aerators and filters supplied where they do not exist, and extended where they are not adequate to carry out their proposed system.

Your attention is also directed to table No. 1, exhibiting comparative analyses of water from reservoirs made for your Board for 1896, with those made the subject of the present report. A casual examination of the report and comparison with the tables will show the manifest advantages of water aeration in the College Hill and Clarendon Heights reservoirs, showing the remarkable reduction of 83 to 84 per cent, in albuminoid ammonia.

The source of the water, the peculiar odor and flavor of which is complained of, is Lake San Andreas, from which, generally late in the Fall, the City's supply is principally obtained. It is the intention of the Chief Engineer to remedy this defect by bringing water from mountain brooks to the lake. This plan, when successfully carried out, if supplemented by thorough aeration, will in my judgment lessen the frequent complaints about bad water. Taken all in all, I can conscientiously assert that the water supply of San Francisco, considered from a chemical standpoint, is wholesome, and is in nowise injurious to health.

WATER ANALYSES.

					PART	PARTS PER 100,000 PARTS.	00 PARTS.		
No.	TAKEN PROM	GOUROR OF SUPPLY.	TREATMENT.	TOTAL	CHLORIN AS CHLORIDS.	FRE	ALBUM- INOID AMMONIA.	NITRATES	OXIDIZABLE ORGANIC MAT- TER.
605	605 Lake Honda (inlet)	Lake San Andreas		19.20000	4.64000	00300	00900	None	2.20000
909	606 Lake Honda (inlet)	Lake San Andreas	Filtered	19.70000	4.64000	.00132	.00512	None	1.60000
607	607 University Mound Reservoir	Crystal Springs		26.00000	4.64000	:00212	.00492	None	1.80000
809	608 University Mound Reservoir	Crystal Springs	Filtered.	39.30000	4.64000	.00132	.00392	None	1.80000
609	609 College Hill Reservoir	Lake San Andreas		18.80000	4.64000	.00148	.00644	None	2.85000
610	610 College Hill Reservoir	Lake San Andreas	Aerated	18.70000	4.64000	.00160	.00416	None	[1.66500
611	611 Clarendon Heights Reser-	0 1 20							
	volr	Crystal Springs	Aerated	26.20000	4.93000	.00120	.00252	None	2.94000
612	612 Lombard Street Reservoir	Lake San Andreas		26.40000	4.64000	66700	.00412	None	[2.64000
613	613 Laguna Honda Reservoir	Lake San Andreas		15,10000	4.35000	96000*	.00488	None	12.64000
614	614 Francisco Street Reservoir Lake San Andreas	Lake San Andreas		30.40000	5.22000	.00350	.00440	Trace	2.64000
		edi edi	-109						
		DO NOT THE PARTY OF THE PARTY O				10			

#### TABLE No. I.

TABLE SHOWING COMPARATIVELY THE RESULTS OF ANALYSES OF THE WATERS TAKEN FROM THE RESERVOIRS OF THE WATER COMPANY.

reservoirs.		Free Ammonia.	Albuminoid Ammonia	Oxidizable Organic Matter.	Total Solids
Laguna Honda Reservoir	1896	.00800	.02200	1.7750	15.8000
	1897	.00096	.00480	2.6000	19.2000
University Mound Reservoir	1896	.00400	.01240	1.2250	30.0000
	1897	.00132	.00392	1.6650	18.7000
College Hill Reservoir	1896	.00520	.02560	.7000	13.0000
	1897	.00160	.00116	1.6650	18.7000
Clarendon Heights Reservoir	1896	.00560	.01640	1.0000	31.0000
	1897	.00120	.00252	2.9400	26.2000
Lombard Street Reservoir	1896	.01120	.01500	1.1250	28.0000
	1897	.00229	.00412	2.6400	26.4000
Francisco Street Reservoir	1896	.00520	.02240	1.1200	0.0000
	1897	.00350	.00440	2.6400	26.4000

#### SUPPLEMENTAL REPORT ON WATER SUPPLY.

This report embodies a continuation of the sanitary analyses of the water supply of this city. The waters of the lakes from which the reservoirs receive their supplies have been analyzed, and the results are herewith presented to you, amplified with addenda, in order to place prominently before you the value of water aeration and filtration.

The report gives three tables, illustrating the scope of the analyses and its bearing toward the sanitation of our water supply.

Table No. 1 gives the number of the analyses. It gives results of each analysis, calculated to parts in 100,000 parts.

TABLE NO. I.

SANITARY ANALYSES OF WATER CALCULATED TO PARTS IN 100,000 PARTS.

No. Description of sample. Treatment of sample.	Free Ammonia.	Albuminoid Ammonia.	Nitrates.	Chlorin as Chlorids.	Oxidizable Organic Matter.	Solids.	
615 Laguna Honda Reservoir Supply Filtered through a patent filter.	.00106	.00208	None.	4.35000	2.04100	2.04100 15.00000	
816 Lake Merced Water	08100.	.00620	None.	10.44000	4.24000	25.30000	
617 Lake San Andreas	.00132	.00620	None.	4.64000	5.00000	5.00000 15.60000	
618 Crystal Springs Lake Water Filtered through a patent filter.		.00756	None.	4.64000	4.24000	22.40000	
620 College Hill Reservoir Supply Filtered through a patent filter.	00106	.00360	None.	5.80000	3.12000	21.00000	
640 College Hill Reservoir Supply	.00100	00380	None.	4.64000	1,16000	21.30000	
641 Golden Gate Park Pump Station	010000	.00400		6.96000	3.43200	29.60000	•
642 Golden Gate Park Pump Station	.10000	.00400		6.96000	3.43200	29.60000	
643 Spring Water from Mill Valley	.001864	.0039	None.	3.77000	1.80000	28.30000	
		4					
	the sugar annual and the state of manual annual ann		And the Personal Property lies	The state of the s	-	-	

Table No. 2 gives the most important constituents of each water in a sanitary point of view. The analyses of the water from the source of supply and that of the reservoirs are placed side by side for comparison. It will be seen that in two cases out of nine there is a noticeable, and in some cases a large diminution of three important constituents, and in these two cases the increase of ammonia was owing to the oxidation of an equivalent amount of albuminoids.

The table plainly shows the beneficial effects of aeration in effecting the oxidation of nitrogenous organic matter into comparatively innocuous ammonia and carbonic acid, thereby causing a reduction of 33, 66 and 31 per cent. of albuminoid ammonia, and of 33, 66 and 31 per cent. of organic matter.

TABLE No. II.

TABLE SHOWING BENEFICIAL EFFECTS OF WATER AERATION.

RESERVOIR.	Free Ammonia.	Albuminoid Ammonia.	Oxidizable Organic Matter.
Water from Lake San Andreas Water from College Hill Reservoir,	.001320	.006200	5.000000
aerated	.601600	.004160	1.665000
Difference	+ .000280	002040	-3.335000
Water from Crystal Springs	.001280	.007560	4.240000
Water from Clarendon Heights	.000120	.002520	2.940000
Difference	001160	005040	_1.300000
Water from Crystal Springs	.001280	.007560	4.240000
Water from University Mound Reservoir	.002120	.004920	1.800000
Difference	+.000840	002640	-2.440000

Table No. 3 shows the effects of patent filters, which are placed in restaurants, hotels, and many of the private residences.

This is also a table of comparison, and exhibits that good results may follow by their use, as they not only furnish clear and transparent water, but are also effective for reducing the amount of nitrogenous organic matter to a greater or less extent, according to the kind of filter used. The water obtained at 807 Market street shows an inexplicable amount of organic matter.

TABLE NO. III.

TABLE SHOWING RESULTS DERIVED FROM THE USE OF PATENT FILTERS.

RESERVOIR.	Free Ammonia.	Albuminoid Ammonia.	Oxidizable Organic Matter.
Water from Laguna Honda Reservoir Filtered water from premises 436 Oak	.000960	.004880	2.600000 2.041000
Difference	+.000100	002500	559000
Filtered water from premises 432 Oak Water from College Hill Reservoir	.001600	.004160	1.665000 1.660000
Difference	000600	000360	005000
Water from Artesian Well	.001600	.004160	1.665000 3.120000
Difference	000536	000560	+1.455000

The analyses of water from two wells from the pumping station at Golden Gate Park is also given. This water may be regarded as a purer water than that obtained at this season of the year from the lakes of the Spring Valley Water Co.

#### MISCELLANEOUS WATER ANALYSES.

Ten samples of water from miscellaneous sources were submitted for analysis during the year.

The disposition made of them is as follows:

MISCELLANEOUS WATER ANALYSES.

				P.	PARTS PER 100,000 PARTS.	000 PART	φά	
	DESCRIPTION OF SAMPLE.	вт whom submitted.	Free Ammonia	Albuminoid Ammonia.	Chlorin as Chlorids.	Nitrates.	Oxidizable Organic Matter.	Total Solids.
	Well water from 1310 Golden Gate	Well water from 1310 Golden Gate L. Levy, 1310 Golden Gate Ave	0900.	.1016	8.4000	.0160		126.000
	Well water from 1310 Golden Gate L. Levy, 1310 Golden Gate Ave	L. Levy, 1310 Golden Gate Ave	4000.	.00358	7.8750	.00025	.00025 113.7000	113.7000
	Well water	P. S. Fay.	.001332	.001000		00000	1.80000	6.0400
44	Spring V. W. Co. Tank in house	Spring V. W. Co. Tank in house Mrs. J. H. Crocker, Wash. & L'gna	002200	.01000	4.64000	00000	5.10000	35.0000
W2	Spring V. W. Co. Main, Crystal Sp.	Spring V. W. Co. Main, Crystal Sp Mrs. J. H. Crocker, Wash. & L'gna	90100.	.00400	4.64000	00000	3.00000	22.9000
-2	Spring Valley water	G. S. Fife, 1101 California	*	*	*	*		
	Spring Valley water	James Miller, 9 Clyde street	*	*	*	*		
	Water	Sam Hoff	+	+	+	+		:
-	Water	Dr. Hill	+	+	+-	+		:
	Water	Water	+	+	+	+		

\*Previously analyzed.

†Not enough for analyses.

#### MISCELLANEOUS ANALYSES.

Twenty-six samples of miscellaneous articles have been received and reported on. Most of these samples were of food intended as supplies for public institutions. The results of the analyses are given below. It might be remarked that the food intended for public institutions was of good character throughout:

No.	DESCRIPTION OF SAMPLE.	FROM WHOM PURCHASED.	RESULT OF ANALYSES.
208	Pie grapes		No preservatives, put up in cane-sugar syrup.
388	Pie peaches		No preservatives, put up in cane-sugar syrup.
389			No preservatives, no col-
276	Cove oysters		No cause for complaint.
392	Syrup		Cane-sugar syrup.
391	Baking powder		Cream of tartar baking
	7	The second second	powder of good strength
393	Cracked wheat		Clean and clear, entire
	100000000000000000000000000000000000000		wheat.
394	Tapioca		Pure, clean and clear.
395	Sago		Pure, clean and clear.
397	Rice		Pure, clean and clear.
398			Pure, clean and clear.
399			Pure, clean and clear.
404	opire peabilities.	• • • • • • • • • • • • • • • • • • • •	Pure, clean and clear.
408	V CI IIII COIII		Pure, clean and clear. Pure corn starch.
405	Baarary Bear Christinini		Pure corn starch.
406	COLI DEGLECIATION	Dr. I. W. O'Rourke	Pure salt.
396	Dait	Di. 1. W. O Rourke	No cause for complaint.
648	Crushed barley	Dr. J. F. Morse	Oxalic acid.
555	CHILITOWN BUDDOUNCERS	Columbia Auction House.	Not fit for human food.
		Columbia Auction House.	Not fit for human food.
556	Sonoma pickles	Columbia Auction House.	
585	LICUL CONGCOUNTITION	75 TO -1 077 113	Good grade small l'f tob.
95	Enterprise salmon	Mrs. Barker, 255 Athens	Cans resoldered, contents
		Wa Danaka	decomposed.
	Lime-juice tablets	Mr. Deneke	
97	Supposed water	A. H. Kennison	Ditch water.

Respectfully submitted,

RALPH A. GOULD, Acting Chemist.

## BACTERIOLOGIST'S REPORT.

San Francisco, July 1st, 1898.

To the Honorable the Board of Health
Of the City and County of San Francisco—

Gentlemen: Herewith I have the honor to submit the tabulated record of the work done in the Bacteriological Laboratory for the fiscal year 1897-98. It is a matter of gratification that the medical profession is apparently of one mind in its appreciation of the aid to diagnosis afforded to it by the Laboratory. We have endeavored to stimulate in the minds of the members of the profession the value of subsequent examination in cases of patients in whose throats the Klebs-Loeffler bacilli have been found, in order that it may be determined as nearly accurately as possible when the bacilli have disappeared from the air-passages, and correspondingly when it may be safe to raise the quarantine in such a case. Although literature has been prepared and distributed, calling the attention of the necessity of such examinations, very few members of the profession seem to realize their importance, judging by the very few who avail themselves of the opportunity. With a view of heightening the efficiency of this Department, and broadening its scope of usefulness, I would respectfully suggest that at some period in the near future a system be inaugurated by which the sputum of individuals suspected of having pulmonary tuberculosis may be examined at the Laboratory; also, that the so-called Widal test be made at the Laboratory, thus enabling Physicians to make an early diagnosis of typhoid fever. With these recommendations it would seem that the Laboratory as at present situated has reached nearly the maximum degree of efficiency to the City's Health Department.

TABULATED STATEMENT OF THE WORK OF THE LABORATORY.

		THR				MILK			VATER		Т	ISSUE.
MONTH.	Number examined	Diphtheria	Pseudo-diphtheria	Other infections	Number specimens	Condemned	Passed	Number samples examined	Harmless	Dangerous	Number of specimens examined	Passed
	:	:		$\vdots$	ex-	100	:	- B	:-	:	: 50	70
1897—July	11		2	9								
August	29	7	2	20	4	1	3	1		1	16	16
September	39	12	7	20	1		1	2	1	1	32	30 2
October	40	12	12	16	1	1		3	3			
November	115	51	18	46				4	4			
December	124	56	18	50	3	,	3	3	3			
1898—January	126	38	9	79	. 4		4				16	15 1
February	52	8	7	37	2		2	1	1			
March	53	15	8	30		A .	,					
April	97	50	9	38				.,	7.0.		1	1
May	97	51	6	40								
June	75	26	7	42						• • • •	3	3
Total	858	326	105	427	15	2	13	14	12	2	68	65 3
Percentage		.38	.12	.50		.13	.87		.87	.13		.96 .04

Very respectfully,

JOHN C. SPENCER, M. D.,

City Bacteriologist.

## REPORT OF BUREAU OF FOOD INSPECTION.

San Francisco, July 1, 1898.

To the Honorable the Board of Health
Of the City and County of San Francisco—

Gentlemen: I have the honor to submit the following report for the fiscal year ending June 30, 1898:

During the months of July, August, September and October the inspection of Milk proceeded on the same lines as in the preceding year, viz.: at the four Food Inspection Stations, located as follows: Station No. 1, on Clay street wharf, in charge of two Deputy Food Inspectors: the average number of wagons inspected daily at this station was ninety-four; average number of gallons of milk inspected daily 8732. Station No. 2, located at Fourth and Berry streets, in charge of two Deputies: average number of wagons inspected daily 49; average number of gallons of milk inspected daily 2681. Station No. 3, located on Army and Alabama streets, in charge of four Deputies: average number of wagons inspected daily 385; average number of gallons of milk inspected daily 15,266. Station No. 4, located on Geary street and Central avenue, in charge of two Deputies: average number of wagons inspected daily 43; average number of gallons of milk inspected daily 1,052.

In my last annual report I explained the great benefits to be derived from the successful operation of the Food Inspection Stations, the necessity of increasing the facilities of the Bureau of Food Inspection, particularly the Laboratory, the carrying on of the tuberculin test amongst the numerous dairy herds in this county, and the absolute necessity of having an Assistant  $\Lambda$ ttorney connected with the department. To further those ends I submitted a state-

ment, designating the amount of money required to successfully carry on the work as outlined by your honorable body. The Honorable Board of Supervisors, however, did see fit to accede to your request in this matter, and as a result the annual appropriation was inadequate for the continuance of this system of inspection. Consequently on November 1st the Food Inspection Stations were abolished, all Deputy Food Inspectors dismissed and the administering of the tuberculin test brought to an end. The result of this retrenchment was that the department was crippled, and the many beneficial movements under way had to be abandoned.

I have at various times pointed out the crying need of a special attorney for the department, in line with the experience and practice of all progressive cities of the union, to the end that all offenders against the Pure Food Laws would be properly prosecuted, for without the assistance of such an official it would be useless to expect effective work. The importance of such legal assistance is practically and fully demonstrated from the fact that during the month of December eighteen warrants were sworn to for the arrest of merchants who had sold adulterated Olive oil. The cases were called in Judge Campbell's Court, and on account of an error in drawing the complaints the same were set aside, with instructions to have proper complaints filed. I reported the matter to the Health Officer, and was instructed to communicate with Assistant District Attorney Joseph J. Dunne, who had kindly volunteered to assist the Health Department whenever his time would permit. Owing to Mr. Dunne's unavoidable absence from the city I was unable to consult him. Immediately on his return, however, I explained the exact status of the cases to him, and he informed me that it would be advisable not to proceed with any of those cases until such time as a decision would be rendered in the Hartter and Feusier cases, said cases having been appealed to the Superior Court.

On June 15th I was instructed to proceed immediately

with the prosecution of the Adulterated Olive Oil cases. Assistant District Attorney Joseph J. Dunne drew up proper complaints for the arrest of eight dealers, the same were sworn to before Police Judge C. T. Conlan. Shortly after his Honor informed the Health Officer that the cases were outlawed, and hence he could not issue warrants for the arrest of merchants in these particular cases. His Honor also stated that as these same parties were arrested before, and the complaints were defective they could not be again arrested for the same offense. In the month of March, Superior Judges Wallace, Cook and Dunne, sitting in banc, rendered a decision, which upon imperfect appreciation seemed to be pregnant with embarrassment for the Health Department; but the embarrassment, fortunately, was dissipated upon a clearer understanding of the decision. Subsequently, upon the appeals of the Hartter and Feusier cases, Assistant. District Attorney Dunne made the following argument:

IN THE SUPERIOR COURT OF THE STATE OF CALIFORNIA, IN AND FOR THE CITY AND COUNTY OF SAN FRANCISCO.

THE PEOPLE OF THE STATE OF CALIFORNIA,

VS.

LOUIS HARTTER.

THE PEOPLE OF THE STATE OF CALIFORNIA,

VS.

LOUIS FEUSIER.

## BRIEF FOR THE PEOPLE IN REPLY-PURE FOOD CASES.

I observe from the printed brief herein that some misconception exists in the mind of counsel concerning the number of defendants involved. He describes this case as "People of the State of California vs. Six Defendants"; but there are not, however, any other defendants before the Court than those whose names appear in the caption of this brief. The cases of sundry other defendants, which have

heretofore been pending in this Court, have been disposed of by the Court in one way or another, leaving only the Harter and Feusier cases undisposed of. Inasmuch as this is not a moot Court, I shall not criticise cases not pending before the Court, but shall confine my remarks to the Harter and Feusier cases only.

#### JURISDICTION.

This prosecution was had under the statute of March 26th, 1895; and that this act is within the police power of the Legislature, and is constitutional, there can be no question. Health being the sine qua non of all personal enjoyment, it is not only the right, but also the duty of the State to pass such laws as may be necessary for the preservation of the health of the people.

(Powell vs. Com., 114 Pa. St., 294; s. c. 127 U. S., 678; People vs. Cipperly, 37 Hun., 324, decided in Court of Appeals, upon the grounds stated in the dissenting opinion of Learned, J., in the court below, 101 N. Y., 634; State vs. Groves, 2 Atl. Rep (R. I.), 784; State vs. Smith, 14 R. I.. 100; s. c. 51 Am. Rep., 344; Con vs. Evans, 132 Mass., 11; Con vs. Smith, 130 Mass., 444; Com. vs. Wentworth, 118 Mass., 441; State vs. Newton, 45 N. J. L., 469; s. c. 50 N. J. L., 534; Pierce vs. State, 63 Md., 592; Butler vs. Chambers, 36 Minn., 69; State vs. Addington, 12 Mo. App., 214; s. c. 77, Mo., 117; Phillip vs. Lee, 75 Ill., 334; Bainbridge vs. State, 30 Ohio St., 264; United States vs. Bayaud, 16 Fed Rep., 384; State vs. Campbell, 64 N. H., 402; People vs. West, 44 Hun., 162; s. c. 106 N. Y., 296; State vs. Aronsberg, 105 N. Y., 123; s. c. 59 Am. Rep., 483.)

With reference to the Marx case, decided in 99 N. Y., 377, I may be permitted to suggest that the statute there was held void, because instead of being designed to suppress adulteration, its object was to prohibit one in ustry in order to foster another.

It is claimed, however, that under the text of Section 5 of the California statute, a Police Court, upon a judgment of conviction, under the act, may impose a penalty greatly in excess of the jurisdiction of the Court; but it must be pointed out that Section 5 of the Pure Food Act establishes a well-marked distinction between the penalty proper and the "necessary costs and expenses" incidental to prosecutions under the act. I presume that no serious contest will be made of the proposition that costs and expenses are the necessary disbursements incurred by the parties in the prosecution or defense of an action or process at law and in equity; and that they form no part of the relief sought, but are a mere incident of the judgment, and when not included in it are lost.

(4 Am. & Eng. Ency. of Law, 313; 5 Ency. of Pl. & Pr., 109.)

The distinction, I submit, between a penalty on the one hand and

costs upon the other is so well defined by the language of this statute that any additional discussion of that distinction would be supereorgatory. And if there is a proposition well settled in the law of jurisdiction, it is that costs are never considered in determining jurisdiction.

(Watson vs. Ward, 27 Minn., 29; 12 Am. & Eng. Ency., 284; Gray vs. Dougherty, 25 Cal., 266; Votern vs. Reese, 20 Id., 89; Bradley vs. Kent, 22 Id., 169; Skillman vs. Lachman, 23 Id., 199; Bolton vs. Landers, 27 Id., 106; Mansfield vs. Johnson, 30 Id., 545; Greenbaum vs. Martinez, 86 Id., 456.)

It would, indeed, shock the legal mind to be compelled to measure jurisdiction by a merely collateral and purely incidental feature like costs and expenses; and it would seem, reasoning from the analogies of the law in kindred cases, that the test of jurisdiction should be the substantial penalty attached to the violation of the statute, and not mere costs and expenses, which are collateral and incidental. I submit, therefore, that the jurisdiction of the Police Court is to be measured and determined by the penalty attached to a violation of the act, and not by the cost of the analysis; and when the jurisdiction of the Police Court is tested by this standard, it is plain that the judgment attacked here is clearly within the jurisdiction of the Court.

This objection is not a new one. In the case of one of these very defendants, Louis Harter, upon habeas corpus, before Judge Seawell, after conviction in the Police Court, this precise point was presented, but on the 19th of April, 1897, Judge Seawell, in Department One of this Court, failed to perceive any merit whatever in the suggestion, and remanded the petitioner. Harter was not satisfied with the judgment of Judge Seawell, and, four days later, applied to the Supreme Court for a writ of habeas corpus, and, on the, 23d day of April, 1897, by the Supreme Court in bank, the writ was denied, the Court holding that "for the purpose of determining the jurisdiction, the costs "recoverable are not to be deemed a part of the penalty." It is respectfully submitted, therefore, that there is no merit in this objection to the jurisdiction of the Court.

#### CHANGE OF PLACE OF TRIAL.

It appears from the transcripts in these two cases that the defendants filed affidavits alleging bias upon the part of the Judge of the Police Court, and asking for a transfer of the case to another department of that Court. The Judge of the Court below filed a counter affidavit repudiating any bias upon his part against these defendants or either of them, and denied the motion to transfer the cause; and this denial is now urged as a reason why these judgments should be reversed. It is to be hoped that this Court will give such

an authoritative construction of the sections of the Penal Code involved as will remove ambiguity in future cases. I have been given to understand that conflicting decisions upon this matter have been rendered by various members of the Superior Court; that Judge Hunt, in Department Five, took one view of the matter, favorable to the action of the Court below, and that Judge Murphy, in another department of this Court, held views distinctly unfavorable to the action of the Court below. And in this condition of things it will be perceived that an authoritative construction of the sections of the Penal Code involved will be of lasting value to those charged with the administration of criminal law. For the assistance of the Court in construing the sections of the Penal Code, I beg leave to cite the following authorities:

(C. C. P., Secs. 397-833; Penal Code, Secs. 1431, 1033, 1034, 1035; Lowry vs. Hoge, 85 Cal., 602; People vs. Hubbard., 22 Id., 37; Freligh vs. State, 8 Mo., 611; Manley vs. State, 52 Ind., 163; Mershon vs. State, 44 Id., 598; Krutz vs. Griffith, 68 Id., 444; Schmelzer vs. Lochart, 97 Id., 321; Krutz vs. Howard, 70 Ind., 174; Walch vs. Ray, 37 Ill., 30; Parsons vs. People, 113 Id., 557; Cantwell vs. People, 28 N. E. Rep., 964; State vs. Henning, 54 N. W. Rep., 536; People vs. Maloney, 18 Cal., 180; People vs. Williams, 24 Id., 31; People vs. Shuler, 28 Id., 490; People vs. Lee, 5 Id., 354; Krundick vs. Krump, 98 Id., 119; People vs. District Court, 17 Id., 547; People vs. Bell, 4 Id., 179; McCauley vs. Brooks, 16 Id., 1; High, Extraordinary Remedies, Sec. 34; Wood vs. Strother 76 Cal., 543; State vs. Johnson, 4 Wallace, 489; Mining Co. vs. Kaiser, 58 Cal., 324; People vs. Yoakum, 53 Id., 571; Ex parte Wright, Criminal, No. 377, Dec. 21st, 1897.)

#### VARIANCE.

It is contended, with a certain seductive appearance of seriousness, that in these two cases there is a fatal variance between the complaint and the proof. The complaint in the Harter case alleged that although Thomas Taylor endeavored to purchase an article of food called "currant jelly," still the composition that was sold to him was a substance which was only an imitation of currant jelly, and contained apple jelly mixed with glucose, and colored with coal tar coloring. Such being the allegation in the complaint, the proof showed, on the direct examination of Professor Wenzell, the chemist, that he analyzed the exhibit, and found that it was not currant jelly, and further testified, on redirect examination, that the exhibit was made from apple jelly, and contained a large proportion of glucose, with cane sugar, and was colored with coal tar coloring. In the other case, of Feusier, the complaint alleged that Taylor, the complaining

witness, endeavored to purchase currant jelly, an article of food, but was sold instead a composition which was not currant jelly, but a mere imitation thereof, and contained apple jelly, mixed with starch paste, containing acetic acid, and colored with aniline dye. The proof showed that Professor Wenzell, the chemist, made an analysis of the exhibit, and that the analysis showed that: "It is made from apple "jelly, starch and acetic acid; it does not contain sugar, and is not "currant jelly." Certainly it is confidently submitted that mortal man can discover no variance between the allegations of the pleadings and the proofs offered under them in these cases.

(See United States vs. Moore, 11 Fed. Rep., 248; White vs. State, 60 Ind., 273; State vs. Brinn, 30 Minn., 522; People vs. Armstrong, 114 Cal., 570; People vs. Mayne, 114 Id., 632; Com. vs. Bulman, 118 Mass., 456; Com. vs. McGaughey, 9 Gray (Mass.), 296; State vs. Mayne, 31 Conn., 572.)

#### RECORDS OF CORPORATION.

Under the heading that "Records of corporation are the best evidence of its acts," appellants' counsel argue that "the Court erred in "admitting parol evidence to show that the defendant was an officer "of the corporation." I have diligently examined the statements on appeal in these cases of Harter and Feusier, and fail to find any sentence, word, or syllable to justify either the position assumed here, or the reversal of either of these judgments upon any such ground.

# CRIMINAL LIABILITY OF PRINCIPAL FOR THE ACT OF HIS AGENT.

It is a matter of common knowledge that clerks and salesmen are employed in most shops where goods are sold. They are employed knowingly and intentionally by the proprietor of the store for the specific purpose of selling to customers the goods contained within the store. So far as the sale of the goods is concerned, these clerks and salesmen are the proprietor, and by force of all rules of civil law, their acts are the acts of the proprietor. Under most elementary principles in the law of agency, their acts, within the scope of their employment, bind their principals, and their principals become charged with civil responsibility for the consequences of their acts. This is a rational principle, and one founded on the plainest kind of good sense; but, when we seek to apply this common sense principle to a case of criminal, as distinguished from civil, responsibility, we are told that the principal no longer is responsible for the acts of the man whom he employs for the specific purpose of selling goods, and,

in this case, of selling adulterated goods, of whose character the law will not permit the principal to remain ignorant. If it is to be said that the principle which charges the proprietor with responsibility for the acts of his alter ego has no application to a criminal prosecution under this statute, then, in many instances, will the statute be shorn of its usefulness. I am perfectly frank to say that in a case where a proprietor specifically employs a salesman for the express purpose of selling goods, I am utterly unable to see why the proprietor, whose act puts that salesman in the position to sell those goods, should not be chargeable with all the consequences, civil and criminal, which flow from such conduct, for a person always intends the ordinary consequences of his voluntary act. (P. C., Sec. 1102: C. C. P., Sec. 196, Subd. 3.) It is urged that the reason why the elementary rule, qui facit per alium facit per se, fails of application to a criminal prosecution of this character is because criminal intention is an essential element in this offense. In other words, eliminate the idea of criminal intent from the problem presented, and no reason any longer exists why the principal should not be chargeable with the consequences flowing from his representative's act. The ground taken in counsel's brief proceeds upon this theory, and, in express terms, counsel urges that the reason why the act of the salesman does not bind his principal is because criminal intent is an essential element in the offense charged in this complaint. I shall, hereafter, show that the foundation for this contention has no existence in law, and that the precise reason urged to escape responsibility herein, and to furnish a medium for the distribution of fraudulent and adulterated compounds upon the community, has been repudiated by very respectable Courts. The better opinion seems to be, and, indeed, the accepted opinion in adulterated food cases is, that the servant, agent, or salesman who, in the course of his employment, sells an adulterated article, renders his master liable, for the precise reason that a criminal intent on the part of the master is not necessary under this statute.

(Com. vs. Warren, 160 Mass., 533; Com. vs. Proctor, 165 Id., 78; Bissman vs. State. 9 Ohlo C. C., 714.)

Under this last case, the Ohio Court used the following significant language: "The person who has imposed upon him the general man"agement, direction, and control of the business of an incorporated
"company in respect of its business conduct, stands for the corpora"tion, and is its only visible, active, tangible head. Such person is, in
"that respect, the principal in the conduct of its business, and all
"those who act on his procurement and under his directions are, in
"the full sense, his agents or aids in transacting the business of the
"company. It is elementary that 'whatever an agent does within the

"'scope of his authority, is, in legal effect, the act of the principal, 
"'who is entitled to its advantages and subject to its liabilities.' This 
"is the doctrine of the civil law, and it also obtains in the criminal 
"practice. A very familiar principle of the criminal law is that, 
"'where a criminal act is committed by one person upon the pro"'curement of another, both the procurer and the procured are guilty 
"'as principals.' 'All who aid or participate in the commission of a 
"'misdemeanor are principals.' 'Whoever aids, abets, or procures 
"'another to commit any offense may be prosecuted and punished as 
"'if he were the principal offender.' From all this it is quite certain 
"that, in law, the plaintiff in error, Bissman, as principal, is respons"ible and liable for the act done by his agent, and if an offense has 
"been committed by the sale of the article of food named, the plain"tiff in error is guilty of the offense as a principal party."

(See, also, Cal. Penal Code, Secs. 31-659; Smith vs. State, 21 Tex. App., 96.)

#### CRIMINAL INTENT.

In these cases in the Court below the element of criminal intent was deliberately, and of malice prepense, charged out of the case; and of this action the appellants herein now complain. This is the most important question in the cause, as must be manifested from the consideration that, should the State be required to establish criminal intent in this class of cases, the efficiency of the statute in question would be utterly destroyed.

To quite a considerable extent, the question presented is one of statutory construction. The old doctrine of the common law was that penal statutes should be strictly construed; but this somewhat narrow rule has given place to the more rational theory by which penal statutes are to be so construed as to effect the purposes of their enactment, and to subserve the ends of justice. In the statute with which we are confronted, there is not even a dim intimation that knowledge or guilty intent upon the part of the seller of adulterated goods is made a part of the offense. The statute provides that no person shall manufacture, sell, or offer for sale any adulterated article of food, and that is all that it says; the word "knowingly" nowhere appears in this statute; there are here no words of limitation, nor are there here any terms of qualification; and appellant cannot within the rule of statutory construction established in this State by Sections 1858-9 of the Code of Civil Procedure, be countenanced in his attempt to read into this plain, unqualified statute any words of limitation or qualification, predicated upon ideas of criminal intent or guilty knowledge. This view is somewhat emphasized by the language used in an early case in the State of New York:

"The act which gives the penalty sued for only subjects him who "shall knowingly sell, supply, or bring to be manufactured to any "cheese factory, diluted, adulterated or skimmed milk. It is not the "act of selling, supplying, or bringing to the factory the milk con-"demned by the law that gives the penalty. If so, it would be imma-"terial whether the owner and proprietor sold or bought the milk in "person or by his servants, or the agency of third persons. The act "might be regarded as the act of the principal and he be made liable, "although done without his personal knowledge or intervention. "Davis vs. Bemis (40 New York, 453, note) may be conceded to have "been well cited. But the word 'knowingly' in the statute now under "review qualifies the acts condemned, and only makes the offense "penal when committed by the authority or with the knowledge and "assent of the party sought to be charged. The act designedly distin-"guishes between actual and constructive participation in and assent "to the wrongful act, and between actual or personal, and imputed or "constructed notice or knowledge of facts constituting the offense, "The intent of the act is to punish an individual only for an actual "and intentional violation of its provisions. The act need not be "personally committed by the party charged, but if authorized by "him he is liable for the penalty. Effect cannot be given to the act in "its present form unless it is thus restricted in its application and "operation. Upon any other interpretation, the word 'knowingly' is "of no effect, and has no meaning."

(Verona Cheese Company vs. Murtaugh, 50 N. Y., 317.)

Upon the same page the Court proceeds, by way of obiter dictum, to sav:

"It can hardly be claimed that one would be liable for a penalty "under a statute like this, even without the word 'knowingly,' or "other like qualifications for delivering, by mistake and in good faith, "milk within the condemnations, but of which neither he nor any per"son in his employ has any knowledge; that which might have be"come diluted or adulterated by accident, or by the malicious acts of "strangers."

This last remark of the Court was, of course, wholly unnecessary to the decision of the cause then pending, and was the merest obiter dictum; and, moreover, as I shall hereafter show, the suggestion conveyed in this last remark has been expressly repudiated in later and better considered cases in the same Court, arising under statutes from which the obnoxious word "knowingly" had been eliminated. But the point I wish to impress at present upon the Court is that the use of the word "knowingly" in a statute of this character does introduce a most prominent qualification of the proof essential to a conviction; and that the absence of that word, as in the statute now

under consideration, is not to be supplied by the specious ingenuities of counsel. Had the word "knowingly" been written into this act by the Legislature, as the Legislature could easily have done, we should have been confronted by a somewhat different problem; but the Legislature has not seen fit to insert that term into the definition of the offense, and its silence in this behalf is pregnant with significance.

It must be remembered that crime, whether of the grade of felony or of misdemeanor, is a resultant, a product. It springs from the union or marriage of two elements—one, objective, the overt act; and the other, subjective, the intent or mental condition. Hence arises the well known maxim: "Actus non facit reum, nisi mens sit rea." This is a general doctrine in all criminal jurisprudences which derive their origin from the common law, and not even the hardihood of counsel will justify the assertion that the doctrine of "Mens rea" is peculiar to California. This doctrine has a prominent place in the criminal jurisprudence of Great Britain and of all of the States of this Union. and I shall hereafter cite no case which does not come from a State recognizing, adopting, and enforcing this fundamental principle of all criminal law. But, well recognized as this doctrine is, there are equally well recognized exceptions to it, a few of which I shall take occasion briefly to advert to. In a recent case in the State of Nevada, the Court lays down the principle that where a statute forbids the doing of a certain thing and is silent concerning the intent with which it is done, a person who does the forbidden act is not guiltless because he has no wrongful intent beyond that which is involved in the doing of the prohibited act. The Court illuminates the principle by a number of illustrations taken from different States in the Union. and cites a number of authorities upon this question.

(State vs. Zichfeld, 46 Pac. Rep., 802.)

And in a very well-reasoned case the Circuit Court of the United States, for the Southern District of New York, considered this question. The statute in that case provided that "Every person . . . . "who removes any stamp provided by law from any cask or package "containing, or which has contained, distilled spirits, without de-"facing and destroying the same at the time of such removal, or who "aids or assists therein . . . . shall be deemed guilty of felony." Upon motion in arrest of judgment, the Court, Wallace, Benedict and Brown, JJ., sitting, used the following significant language:

"It is next objected that the indictment is fatally defective because "it omits to allege that the accused knew that the casks contained "distilled spirits. In regard to this point, it is first to be remarked "that it depends upon the proper construction to be given the statute "above quoted. Looking at the words employed as indicating the in-

"tent of the law, it is seen that the statute mentions certain ingredi-"ents as necessary to constitute the offense, and makes no allusions "to knowledge that the casks contained or had contained distilled "spirits. It would have been so easy and so natural to have desig-"nated such knowledge among the other ingredients, if it had been "intended to make such knowledge an ingredient of the offense, that "the omission of any expression to that effect goes far of itself, con-"sidering the object of the statute (see, A Quantity of Distilled "Spirits, 3 Ben., 558), to repel the presumption of such an intention. "The argument in support of such a presumption assumes that "knowledge of the contents of the casks must be proved in order to "render the act of removing stamps punishable as a crime. But no "such assumption can be indulged in. Statutory crimes where knowl-"edge or intent are not ingredients of the offense are common. The "rule applied in such cases is that where a statute forbids the doing "of a certain act under certain circumstances without reference to "knowledge or intent, any person doing the act mentioned is charged "with the duty to see that the circumstances attending this act are "such as to make it lawful; and under such statutes a conviction may "be had upon proof of doing the forbidden act, without proof of "knowledge by the accused of the circumstances specified in the "statute. The books contain many cases where such a rule has been "applied. For instance, Barnes vs. State, 19 Conn., 399, where the act "charged was selling liquor to a common drunkard, in which case the "Court refers to cases of enticing a female under twenty-one years of "age, and of adultery (see Fox vs. State, 3 Tex. Ct. App., 329), as "within the rule; Com. vs. Waite, 5 Mass., 264, where the act charged "was selling adulterated milk; 2 Allen, 160, where selling liquor that "was intoxicating was the offense; State vs. Heck, 23 Minn., 549, "where selling liquor to an habitual drunkard was charged; 1 Rus-"sell, Crimes 93, where the crime charged is inducing a soldier to de-"sert; Reg. vs. Robbins, 1 Car. & K., 456, where the crime was ab-"ducting an unmarried girl under sixteen years of age. Also, Reg. "vs. Olifier, 10 Cox C. C., 402; Fitzpatrick vs. Kelly, L. R. 8 Q. B., 337, "where the charge was selling adulterated butter; Reg. vs. Woodrow, "15 Mees & Wellsby, 404, where the offense was having in possession "adulterated tobacco, and where it was found as a fact that the ac-"cused believed the tobacco to be unadulterated. See, also, Halsted "vs. State, 12 Vroom, 552. In all these cases a point similar to the "one under consideration was made without avail. No reason has "been suggested why the rule above stated should not be applied in "the present case. By the statute under consideration, a certain act "is made criminal when done under certain circumstances without "reference to knowledge or intent. . . . . In such a case a convic"tion may be had without charging in the indictment knowledge of "the contents of the casks, for the statute bound the accused to know "the facts and to obey the law at their peril."

(U. S. vs. Bayaud, 16 Fed Rep., 384-5.)

Probably the Supreme Court of Pennsylvania stands as high in the estimation of the profession as any of the Courts in this country, and its views upon this question are entitled to the highest respect. In 1889, one Weiss was convicted and fined under a statute punishing every person "Who shall manufacture, sell, or offer or expose for "sale, or have in his . . . . possession with intent to sell" oleomargarine. At the trial the testimony on behalf of the commonwealth tended to prove that on Feb. 4th, 1889, George Spence ordered and ate a meal at a restaurant kept by the defendant, paying therefor fifty cents; that he was served as a part of said meal with a substance resembling butter, which he retained and carried away with him, and that upon an analysis thereof the "substance" proved to be oleomargarine with evidence of cottonseed oil.

One of the witnesses for the commonwealth testified that one day prior to Feb. 4th, 1889, he saw a waiter in the employ of the defendant throw out of the doorway of the restaurant an empty oleomargarine The defendant's case consisted of the admission that the defendant, if in Court, would testify that he did not knowingly furnish or authorize to be furnished to any of his customers any oleomargarine, but, so far as he knew, furnished genuine butter; this fact to be regarded for the purposes of this case as having been testified to by him before the jury. Upon appeal the Supreme Court said: "Guilty knowledge or guilty intent is in general "an essential element in crimes at common law, but statutes provid-"ing police regulations in many cases make certain acts penal, where "this element is wholly disregarded. The distinction is thus laid "down in 3 Greenl. Ev., Sec. 21: 'The rule (i. e., that ignorance of "'fact will excuse) would seem to hold good in all cases where the "'act, if done knowingly, would be malum in se, but, where a statute "'commands that an act be done or omitted, which in the absence "'of such statute might have been done or omitted without culpa-"'bility, ignorance of the fact or state of things contemplated by the "'statute, it seems, will not excuse its violation. Thus, for example, "'where the law enacts the forfeiture of a ship having smuggled "'goods on board, and such goods are secreted on board by some of "the crew, the owners and officers being alike innocently ignorant "'of the fact, yet the forfeiture is incurred notwithstanding their "'ignorance. Such is also the case in regard to many other fiscal, "'police, and other laws and regulations, for the mere violation of "'which, irrespective of the motives or knowledge of the party, cer"'tain penalties are enacted; for the law in these cases seems to "'bind the parties to know the facts and to obey the law at their "'peril.' To the same effect also is Wharton, Crim. Law, Secs. 83, "2442.

"Whether a criminal intent or a guilty knowledge is a necessary "ingredient of a statutory offense, therefore, is a matter of construc-"tion. It is for the Legislature to determine whether the public in-"jury, threatened in any particular matter, is such and so great as to "justify an absolute and indiscriminate prohibition. Even if, in the "honest prosecution of any particular trade or business, conducted "for the manufacture of articles of food, the product is healthful and "nutritious, yet, if the opportunities for fraud and adulteration are "such as threaten the public health, it is undoubtedly in the power of "the Legislature either to punish those who knowingly traffic in the "fraudulent article, or, by a sweeping provision to that effect, to pro-"hibit the manufacture and sale altogether. The question for us to "decide, therefore, is whether or not, from the language of the statute "and in view of the manifest purpose and design of the same, the "Legislature intended that the legality or illegality of the sale should "depend upon the ignorance or knowledge of the party charged. The "statute in question was an exercise of the police power, and the act "was sustained upon this ground not only in this Court but also in "the Supreme Court of the United States: Powell vs. Commonwealth, "114 Pa., 265; Powell vs. Pa., 127 U. S., 678. The prohibition is abso-"lute and general; it could not be expressed in terms more explicit "and comprehensive. The statutory definition of the offense em-"braces no word implying that the forbidden act shall be done know-"ingly or willfully, and, if it did, the design and purpose of the act "would be practically defeated. The intention of the Legislature is "plain, that persons engaged in the traffic shall engage in it at their "peril, and that they cannot set up their ignorance of the nature and "qualities of the commodities they sell as a defense.."

The Court then proceeds to refer to numerous authorities, and closes the opinion by saying: "This ignorance is not a sufficient ex"cuse or justification under the act of assembly. If such a defense
"could be successfully interposed in such cases, there would be few
"convictions, and the law would be nullified for all practical pur"poses." The judgment below was affirmed.

Commonwealth vs. Weiss, 139 Pa. St., 247.

That this same doctrine obtains in Great Britain, see Fitzpatrick vs. Kelly, L. R. 8 Q. B. Cases, 337.

Further illustrations of the general principle of statutory construction involved herein may be grouped as follows:

Adultery Cases: without allegation or proof that the defendant knew the woman to be married.

Com. vs. Elwell, 2 Metc., 190.

Bigamy Cases: although the defendant makes diligent inquiry, and after reasonable efforts to inform herself, does believe that her first husband is dead.

Com. vs. Marsh, 7 Metc., 472; Shaw, C. J.

Minor Cases: admitting minors to a billiard-room, although defendant believed the minors to be of full age.

Com. vs. Emmons, 98 Mass., 6.

Adulterated Liquor Cases: although defendant did not know them to be adulterated.

Com. vs. Boynton, 2 Allen, 160; Barnes vs. State, 19 Conn., 397; Com. vs. Hallett, 103 Mass., 452; Com. vs. Goodwin, 97 Mass., 117; King vs. State, 6 So. (Miss.), 188; State vs. Hatfield, 24 Wis., 60; Com. vs. O'Keene, 152 Mass., 584; Altshul vs. State, 8 Ohio C. C., 214.

Procuring Cases: In California, in prosecutions for procuring, ignorance of the age of the female is no defense whatever.

People vs. Dolan, 96 Cal., 315; People vs. Fowler, 88 Cal., 136.

The general principle that a person may be convicted of selling adulterated food without allegation or proof that he knew it to adulterated is amply sustained by the highest kind of authority.

Com. vs. Evans, 132 Mass., 11; Com. vs. Wentworth, 118 Mass., 441; State vs. Addington, 12 Mo. App., 214; State vs. Newton, 50 N. J. L., 536; People vs. Snowberger, 71 N. W. (Mich.), 497; State vs. Smith, 10 R. I., 260; Com. vs. Raymond, 97 Mass., 568; People vs. West, 106 N. Y., 286; Bissman vs. State, 9 Ohio C. C., 714; United States vs. Bayaud, 16 Fed Rep., 384-5; People vs. Mahaney, 41 Hun., 26; People vs Shaffer, 41 Hun., 23; People vs. Kibler, 106 N. Y., 322; People vs. Eddy, 12 N. Y. Supp., 628; Com. vs. Smith, 103 Mass., 444; Com. vs. Farron, 9 Allen, 489; Com. vs. Nichols, 10 Allen, 199; Com. vs. Wright, 11 Allen, 264; People vs. Zeigler, 6 Park C. Rep., 355; Powell vs. Com., 114 Pa. St., 294; affirmed, 127 U. S., 678.

Ignorance of the fact is no defense whatever in this class of cases; defendants are bound at their peril to ascertain the nature of the articles which they sell.

Com. vs. Boynton, 84 Mass., 160; Authorities, cited supra.

Criminal intent forms no element of the offense; nor is it necessary to show fraudulent intent. In this class of cases it is only

necessary to show, first, the fact of sale, and second, the fact of adulteration within the meaning of the act.

In a case cited above from the Court of Appeals of New York it was said by Finch, J.:

"The appellant was convicted of selling adulterated milk under "the provisions of Chapter 183 of the Laws of 1885, as amended by "Chapter 458 of that year. Section 1 provides that 'no person or per-"'sons shall sell or exchange or expose for sale or exchange any un-"'clean, impure, unhealthy, adulterated or unwholesome milk.' It "was proved that one Vandenburg, on Aug. 25, 1885, purchased at de-"fendant's store one pint of milk, which was shown, by a chemical "analysis, to have contained 89.04 per cent. of fluids and 7.78 per cent. "of milk solids, and so, falling below the standard fixed by the act. "came within its definition of adulterated milk. There was no dispute "about these facts, but the contention of the defendant is that he was "not allowed to show an absence of criminal intent, or go to the jury "on the question whether it existed, but was condemned under a "charge which made his intent totally immaterial, and his guilt con-"sisted in having sold the adulterated article whether he knew it or "not, and however carefully he had sought to keep on hand and sell "the genuine article. As the law stands, knowledge or intention "forms no element of the offense. The act alone, irrespective of its "notice, constitutes the crime. That conclusion was necessarily in-"volved in our decision of People vs. Cipperly (101 N. Y., 634; 37 "Hun., 323). On the trial of that case, the question was directly "presented. . . . There remains no reasonable doubt of the leg-"islative meaning, and the constitutional power to so enact we have "distinctly affirmed. The prudence of its exercise may be debatable. "but it is not indefensible. It is notorious that the adulteration of "food products has grown to proportions so enormous as to menace "the health and safety of the people. Ingenuity keeps pace with "greed, and the careless and heedless consumers are exposed to in-"creasing perils. To redress such evils is a plain duty but a difficult "task. Experience has taught the lesson that repressive measures "which depend for their efficiency upon proof of the dealer's know-"ledge and of his intent to deceive and defraud are of little use, and "rarely accomplish their purpose. Such an emergency may justify "legislation which throws upon the seller the entire responsibility "of the purity and soundness of what he sells, and compels him to "know and to be certain. We see no reason to change our ruling "either as to the construction of the act or its constitutionality." People vs. Kibler, 106 N. Y., 322.

And in a later case in the same State, after referring to antecedent decisions, the Court said:

"In the case of People vs. Cipperly, 37 Hun., 324, it was held, by a "majority of the general term in the Third Department, that to con-"vict and punish a man for crime without proof of guilty knowl-"edge or criminal intent, upon evidence arbitrarily prescribed, "purely technical in character, and incapable of refutation by "the ordinary modes of contradiction, was to deprive him of "liberty or property without due process of law. "learned presiding Judge of that court held otherwise. "the dissenting opinion by which he upheld his views was "adopted by the Court of Last Resort as a correct exposition of "the law. (People vs. Cipperley, 101 N. Y., 634.) These decisions are "conclusive upon all the real questions in this case. Under the law "as thus settled all the eivdence given or offered by the defendant "showing or tending to show that he neither knew nor had reason to "suspect that the milk sold by him was of less than standard quality; "that it was, in fact, absolutely pure, and as it came from the udders "of his cows; that his cows had been carefully selected, were in per-"fect health, cleanly kept, and well and properly fed; all the evi-"dence tending to show and which the jury, if the question might "have been submitted to them, would probably have found, that the "fraction of a few hundreds of 1 per cent by which the milk fell be-"low the statutory standard was due to the rapid and watery growth "of the grass in a season of almost constant rains—all this evidence "was entirely unavailing to the defendant."

(People vs. Eddy, 12 N. Y. Supp., 628; State vs. Campbell, 64 N. H., 402; authorities cited supra.)

The Supreme Court of New Jersey speaks on this subject with a distinctness which, I apprehend, must be painful to counsel on the other side. The Court said:

"Another objection is that it was neither averred nor approved "below that the plaintiff in certiorari knew that the oleomargarine "was colored with annotto, and without such knowledge he could not, "it is urged, be guilty of a penal act. In Halsted vs. State, 12 Vroom., "552, the Court of Errors land down the principle that, in regard to "statutory offenses, the defendant's knowledge of all the physical "facts which go to constitute the offense is not essential to guilt, un-"less made so by a proper construction of the statute itself. The "briefs in that case refer to many decisions illustrating the principle. "On recurring to the statute now under review, it is plain that there "are no words in the enactment showing a purpose to make knowl-"edge a constituent of the penal act. The prohibition is in clear and "simple terms against the sale of oleomargarine colored with annotto." "Unless, therefore, there be discoverable, in what may be deemed "the general design of the Lgislature, an intention to limit this lan-"guage to cases where the seller is shown to be cognizant of the

"character of the article sold, the terms of the statute should be "effectuated. This general design, as declared both in the title and "in the body of the act, is to prevent deception in the sale of oleo-"margarine, and if we have regard to the public sentiment out of "which the law sprung, it was, we think, not only to avoid, for the "sake of purchasers, the danger of their buying oleomargarine under "the belief that it was butter, but also, thereby, to secure to the "manufacturers of butter those advantages which fair and open com-"petition would afford. The object was, not to punish acts in-"trinsically wrong, but to prevent acts which in their results operated "unjustly on others. This object would be thwarted if sales could be "made with impunity by those ignorant of the ingredients of the "article sold. This interpretation of the law does not sayor of un-"due severity. No doubt it may impose some hardship upon some "innocent vendors; but the means which dealers in these products "generally have of informing themselves as to the substances of "which they are compounded are so ample that but few will suffer "save through designs or negligence, while no practicable degree of "caution would protect purchasers; and it is manifest that the Legis-"lature has thought proper to incur the slight risk of injustice to the "few in order to escape the greater risk of injustice to the many."

(State vs. Newton, 50 N. J. L, 336-7.)

I may be permitted to observe in passing that this last case establishes the further proposition that the fact that the prohibited substances in a pure state may be wholesome and not injurious to health, is irrelevant in a judicial inquiry, and is no defense. And to the same effect see:

State vs. Addington, 12 Mo. App., 214; 77 Mo., 110; Powell vs. Commonwealth, 114 Pa. St., 295; Com. vs. Shafner, 146 Mass., 512.

In his brief, counsel has much to say concerning the Ohio decisions; and inasmuch as the statute under criticism here is a transcript of the Ohio statute, one can understand how the Ohio decisions ruffle counsel's characteristic serenity. But the Ohio decisions make strongly against his position and support in most unequivocal terms the view taken here. When, however, I speak of the Ohio decisions, I have reference to those only which have received the sanction of the higher courts of that State; and I make this remark because counsel, ignoring the opinions of the higher courts, has pinned his faith to the ill-advised and sophomoric lucubration of Judge Sibley, who, in the inferior and subordinate court of the Washington Common Pleas, decided the case of Haas vs. State, reported in 2 Ohio Dec., 177. This case of Haas vs. State arose and was disposed of in the year 1894; it is in opposition to all reason; its doctrine is in flat conflict with the current of respectable authority, and in opposition

and make the same and a second of the same and the same a

to the views of the higher courts in the same State; and it is entitled to no consideration whatever. As illustrating the views of the higher courts of Ohio, I beg leave to refer to a case decided in that State long after the nebulous ruling in the Haas case. In the case to which I refer, the Court said: "As a general rule, guilty "knowledge or intent is an essential element in crime at the common "law, and also in statutory crime, but not wholly. The rule has its "exceptions, and especially so in statutory definitions of crime. "There are many cases in the statutes providing police regu-"lations, making certain acts penal, where this element is "wholly disregarded. This distinction is noted in 3 Greenl, Ev., Sec. "21, as follows: 'The rule—that ignorance of fact will excuse— "'would seem to hold good in all cases where the act, if done know-"'ingly, would be malum in se. But where a statute commands that "'an act be done or omitted, which in the absence of such statute "'might have been done or omitted without culpability, ignorance "'of the fact, or state of things contemplated by the statute, it seems "'will not excuse its violation. . . . Such is also the case in re "'gard to many other fiscal police and other laws and regulations, "for the mere violation of which, irrespective of the motives or "'knowledge of the party, certain penalties are enacted; for the "'law, in these cases, seems to bind the parties to know the fact and "'to obey the law at their peril.' A relaxing and partial departure "from old rules seems proper, and even necessary, in all matters of "legislations designed to secure to the citizen the benefits of pure "food products and to afford protection against greedy and not over-"scrupulous dealers. Says the Supreme Court of Pennsylvania, 139 "Pa. St., 247, reported in 23 A. S. R., 182: 'It is for the Legislature to "'determine whether the public injury, threatened in any particular "'matter, is such and so great as to justify an absolute and indis-"'criminate prohibition. Even if, in the honest prosecution of any "'particular trade or business, conducted for the manufacture of "'articles of food, the product is healthful and nutritious, yet if the "'opportunities for frauds and adulterations are such as to threaten "the public health, it is undoubtedly in the power of the Legislature "'either to punish those who knowingly traffic in the fraudulent "'article, or by a sweeping provision to that effect to prohibit the "'manufacture and sale altogether.' The enactment of the statute "in question, under which plaintiff in error was convicted and sen-"tenced, was a proper exercise of the police power, and the form of "the statute clearly evidences the purpose of the Legislature to pro-"vide the largest measure of protection possible by making the pro-"vision prohibitory. And the prohibition is absolute: 'That no per-"'son shall, within this State, manufacture for sale, offer for sale, or "'sell any drug or article of food which is adulterated,' etc. There is "nothing in the wording of the statute defining the offense from

"which it can be held to imply that the forbidden act shall be done "knowingly, willfully, or purposely. The declaration is definite and "clear, and the intent plainly manifest, that the manufacture or sale "of adulterated or impure articles of food, with or without knowl-"edge of such adulteration or impurity, is unlawful; and it follows "that persons who engage in such traffic do so at their peril, and that "they cannot set up their ignorance of the character and quality of "the article they sell as a defense to a prosecution for unlawful sell-"ing."

(Bissman vs. State, 9 Ohio C. C., 716-8.)

And here let me point out to the court the identity between the Ohio prohibition just referred to and that contained in the California statute now under consideration. But when we advance to the Supreme Court of the State of Ohio we find the doctrine of this Bissman case amply sustained. In a case decided in that court as late as 1860 we find the Court saying: "The first section of the act of March 20, "1884, provides 'that no person shall within this State manufacture "'for sale, offer for sale, or sell any drug or article of food which is "'adulterated within the meaning of this act.' Other provisions of "the statute are devoted to the definition of the terms used in the "first section, and to prescribing penalties for the violation of the "act. It is not doubted that molasses to which glucose has been "added is an article of adulterated food within the meaning of the "statute. The act does not, in terms, require, to constitute an of-"fense against its provisions, that the adulterated article of food "shall be sold to be used by the purchaser as human food. Nor does "it, in terms, require, as an element of the offense, knowledge of the "fact that the article is adulterated, or provide that a want of such "knowledge shall constitute a defense. . . . Purpose and knowl-"edge, except when they are indicated by the character of the for-"bidden act, are, in most cases, insusceptible of proof. If this statute "had imposed upon the State the burden of proving the purpose of "the vendor in selling an article of food, or his knowledge of its "adulteration, it would thereby have defeated its declared purpose. ". . . If knowledge of the adulteration were an element of the "offense, it would be incumbent upon the State to establish it; but "since it is not the defendant could derive no advantage from any "evidence tending to show the absence of such knowledge. . . . . "In the enactment of this statute, it was the evident purpose of the "general assembly to protect the public against the harmful conse-"quences of the sales of adulterated food and drugs, and to the end "that its purpose might not be defeated, to require the seller at his "peril to know that the article which he offers for sale is not adulter-"ated, or to demand of those from whom he purchases indemnity

"against the penalties that may be imposed upon him because of "their concealment of the adulteration of the articles."

(State vs. Kelly, 43 N. E. (Ohio Sup. Ct.), 163.

That the inconvenience of the seller must yield to the public good is plain, not only from the expressions of opinion already quoted from the New Jersey case hereinabove cited, but also from the following pointed language written by no less a person than Mr. Justice Thompson of Missouri. This learned jurist, speaking on this subject. "Enlightened by so many expressions of judicial opinion, "nearly all of them tending in the same direction, we feel bound to "hold that a statute prohibiting the manufacture and sale of an "article of food made in imitation of a wholesome article in common "use, which imitated article is so repugnant to the tastes and preju-"dices of our people that they will not eat it when advised of its real "character, but only when cheated into the belief that it is the "genuine article in resemblance of which it is made, is a statute "fairly within the police power of the State, not opposed to any pro-"vision of the Constitution of the State or of the Constitution of the "United States, and the wisdom of which is not to be called in ques-"tion in the judicial courts; and that this is so, although particular "samples of such imitative articles may, in the opinion of scientific "men, be as wholesome and beneficial an article of food as the origi-"nal substance in imitation of which it is made. If this defendant "suffers inconvenience from the statute, it is but one of the many "cases where the convenience of the individual must yield to the pub-"lic good.

"In the language of a recent decision of the Supreme Court of the "United States: 'If the public safety or the public morals require the "'discontinuance of any manufacture or traffic, the hand of the Legis-"'lature cannot be stayed from providing for its discontinuance, by "'any incidental inconvenience which individuals or corporations "'may suffer. All rights are held subject to the police power of the "'State.' Beer Company vs. Massachusetts, 97 U. S., 25, 32."

(State vs. Addington, 12 Mo. App., 227-8.)

#### CONCLUSION.

Various other points have been made by appellants in these cases, but they are not of sufficient importance to warrant or merit attention. It is to be hoped that, for the purpose of giving a definitive shape to the law upon this subject, the Court will be able to abstract from its many engagements sufficient time to prepare a written opinion in these cases. Such an opinion would be of great assistance to

the Police and Health and District Attorney's Departments of the Municipal Government, and would eliminate from future controversies much doubt and uncertainty. It is respectfully submitted that the judgments herein should be affirmed.

J. J. DUNNE,
Assistant District Attorney.

Superior Judges Cook, Wallace and Borden, sitting in banc, passed on the case pending on appeal, and rendered the following opinion, which, as it bears directly upon work accomplished by the Bureau of Food Inspection during the past fiscal year, deserves, in my judgment, a place in the annual report:

#### OPINION.

IN THE SUPERIOR COURT OF THE CITY AND COUNTY OF SAN FRANCISCO, STATE OF CALIFORNIA.

#### DEPARTMENT 12.

THE PEOPLE OF THE STATE OF CALIFORNIA,

Respondent,

VS.

No. 12,047

Louis Feusier,

Appellant.

This is one of the so-called "pure food cases," pending on appeal in this Court. Counsel on both sides, in the elaborate printed briefs presented by them, urge the filing of a written opinion herein. The questions involved are of such a character that the Court considers it a proper case for such an opinion; several questions of practice being involved and an interpretation of the statute under which the prosecution was had, being called for.

#### JURISDICTION.

The first question raised is that of jurisdiction.

The prosecution was had under the statute of March 26, 1895, which is unquestionably a constitutional statute and one clearly within the police power of the Legislature. The preservation of the

health of the citizen is one of the first duties of government. (Powell vs. Com., 114 Pa. St., 294; S. C. 127 U. S., 678; People vs. Cipperly, 37 Hun., 324; S. C., 101 N. Y., 634; State vs. Groves, 2 Atl. Rep. (R. I.), 784; State vs. Smith, 14 R. I., 100; S. C., 51 Am. Rep., 344; Com. vs. Evans, 132 Mass., 11; Com. vs. Smith, 103 Mass., 444; Com. vs. Wentworth, 118 Mass., 441; State vs. Newton, 45 N. J. L., 469; S. C., 50 N. J. L., 534; Pierce vs. State, 63 Md., 592; Butler vs. Cambers, 36 Minn., 69; State vs. Addington, 12 Mo. App., 214; S. C., 77 Mo., 117; Phillip vs. Lee, 75 Ill., 334; Bainbridge vs. State, 30 Ohio St., 264; U. S. vs. Bayard, 16 Fed. Rep., 384; State vs. Campbell, 64 N. H., 402; People vs. West, 44 Hun., 162; S. C., 106 N. Y., 296; State vs. Aronsberg, 105 N. Y., 123; S. C., 59 Am. Rep., 483.)

It is urged by appellant, that by reason of the *possible* penalty of the act, the Police Court of this city and county had no jurisdiction to try the cause. This same question was presented on *habeas corpus* proceedings to me and again to Judge Seawell, of this Court, on behalf of Louis Harter, and on both hearings the prisoner was remanded. Subsequently an application for a writ of *habeas corpus* on his behalf, was made to our Supreme Court, on this ground. Such writ was, by that Court, in bank, denied, the Court holding that "for the purpose of determining jurisdiction, the costs recoverable are not to be deemed a part of the penalty." There is no merit, therefore, in the first point made by appellant.

## CHANGE OF TRIAL JUDGE.

The second point made is that the trial Court had no jurisdiction to try the cause, because prior to the commencement of the trial, the defendant filed an affidavit wherein it was stated that he did believe and had reason to believe that said Judge was prejudiced against him. The question here presented has been heretofore presented to this Court, once to Judge Hunt, and once to ex-Judge D. J. Murphy. As stated by counsel, in their briefs, Judge Hunt took one view of the matter, and Judge Murphy held views directly contrary. Court does not agree with the opinion expressed by Judge Murphy in the case decided by him, and the decision in that case rendered (McAuliffe vs. Conlon) is overruled. In the case of Ex parte Wright, 119 Cal., 401, the Supreme Court, in direct opposition to the opinion of Judge Murphy (cited by counsel), holds that the refusal of the Justice to change the place of trial may have been an error, and if so that the prisoner had an ample remedy by appeal, but that the question was not one of jurisdiction. (See also Lowrey vs. Hogue, 85 Cal., 602.)

The affidavit for transfer of the cause to another Police Judge, was based on Section 1431 of the Penal Code. By that section it is

necessary that two facts should appear by the affidavit. It is not sufficient that one of them only appears. The section reads: "If the action or proceeding is in a Justice's Court, a change of the place of trial may be had at any time before the trial commences: 1. When it appears from the affidavit of the defendant that he has reason to believe, and does believe, that he cannot have a fair and impartial trial before the Justice about to try the cause, by reason of the prejudice or bias of such Judge, the cause must be transferred to another Justice of the same or an adjoining township. \* \* \*" It must appear from the affidavit, first, that the defendant has reason to believe, and, secondly, that he does believe, that by reason of the prejudice of the Justice, he cannot have a fair and impartial trial. If counsel's contention were to be sustained, no criminal could ever be brought to trial for a petty offense. All that would be necessary would be for him, through the aid of an unscrupulous attorney, to present successively to each Justice to whom the case might be transferred, an affidavit stating that he did believe and had reason to believe such Justice disqualified, until in the end all Justices in the State having power to try the cause should be exhausted. No such absurdity was ever contemplated by the Legislature in the passage of Section 1431 of the Penal Code. The record in this case shows that an affidavit was presented which did positively state that the defendant believed the Judge to be prejudiced, but it wholly fails to fulfill the further requirements of the statute and set forth facts showing any reason for such belief. The affidavit merely states that the defendant is informed and believes that certain facts exist, without showing from what source his information came or whether it was reliable or not. This is wholly insufficient; the statute provides that it must appear from the affidavit that certain facts exist. The reasons must be made apparent by the affidavit. (Ex parte Wright, 119 Cal., 401; Lowrey vs. Hogue, 85 Cal., 602; C. C. P., 897-833; Penal Code, 1431, 1033, 1034, 1035; People vs. Hubbard, 22 Cal., 37; People vs. Maloney, 18 Cal., 180; People vs. Williams, 24 Cal., 31; People vs. Schuler, 28 Cal., 490; People vs. Lee, 5 Cal., 354; Krundick vs. Krump, 98 Cal., 119; People vs. District Court, 17 Cal., 547; People vs. Bell, 4 Cal., 179; McCauley vs. Brooks, 16 Cal., 1; Wood vs. Strother, 76 Cal., 543; State vs. Johnson, 4 Wallace, 489; Mining Co. vs. Kaiser, 58 Cal., 324; People vs. Yoakum, 53 Cal., 571.)

#### VARIANCE.

The third point made by appellant is that there is a variance between the complaint and the proof. We can find no such variance as would justify a reversal of the judgment appealed from.

#### CRIMINAL LIABILITY OF PRINCIPAL FOR ACT OF AGENT.

The fourth point is that the employee instead of the employer should have been prosecuted. Where clerks and salesmen are employed for the specific purpose of selling to customers the goods contained in a store, so far as the sale of *such goods* is concerned, the acts of such clerks and salesmen are the acts of the proprietor. The evidence in this case shows the salesman to have been employed as a salesman by the defendant, and that the goods sold were taken from the stock of goods in the store, which he was employed to sell. We are satisfied that such proof is all that is required to hold the employer guilty, provided, in selling the goods, the law was violated. (Penal Code, Secs. 31 and 659; Smith vs. State, 21 Tex App., 96; Com. vs. Warren, 160 Mass., 533; Com. vs. Proctor, 165 Mass., 78; Bissman vs. State, 9 Ohio C. C., 714.) In the other so-called "pure food cases," decided by this Court, these facts did not appear.

#### CRIMINAL INTENT.

The last and main point made by appellant in his opening brief is, that the prosecution failed to show that defendant *knew* the goods sold to be adulterated, and that defendant should have been permitted to show that he did not know them to be so. This point calls for an interpretation of the statute under which the prosecution is had, without any ruling of our own Supreme Court thereon.

The briefs filed by the respective counsel herein have elaborately discussed this question, and decisions pro and con from other jurisdictions have been quoted in the briefs at great length. The statute here in question nowhere requires any knowledge of the adulterated character of the goods as an essential to the completion of the crime of selling such goods. The provision is that he who sells adulterated goods is guilty of a crime. Not to know what he is selling, is clearly made by the statute criminal negligence. Taking the words of the statute as indicating the intent of the Legislature, we find that certain elements are specified as necessary for the completion of the crime. No allusion is made to knowledge. Had the Legislature intended to make a knowledge of adulteration an element of the crime, they could and would have said so. Statutory crimes, where knowledge or intent are not elements of the offense, are common. The rule applied to such cases is that where a statute forbids the doing of a certain act under certain circumstances, without reference to knowledge or intent, any person doing the act mentioned is charged with the duty of knowing that the circumstances attending his act are such as to make it lawful. We are satisfied that under

such statutes conviction may be had upon proof of doing the forbidden act, without proof of knowledge by the accused of the circumstances specified in the statute.

It is clear to us that he who, by himself, or through a clerk, sells food which has been adulterated, whether he knew it to be adulterated or not, commits a crime under this law. He sells it at his peril, and is guilty of criminal negligence if he does not know it to be unadulterated. The lower Court, in charging the jury, told them that Section 20 of the Penal Code did "not apply in this case." This was a technical error, but was not such an error as to require a reversal of the judgment appealed from. The Court should have read to the jury that section and then explained to them that to sell food without knowing it to be unadulterated was such criminal negligence as is meant by the statute.

Many cases have been examined in coming to this conclusion, and without quoting therefrom we cite the following as those upon which, taken together, we base our opinion:

Com. vs. Warren, 160 Mass., 533; Com. vs. Proctor, 165 Mass., 78 Bissman vs. State, 9 Ohio, C. C., 714; Verona C. Co. vs. Murtagh, 50 N. Y., 317; State vs. Zichfield, 46 Pac. Rep., 802; U. S. vs. Bayaud, 16 Fed. Rep., 384; 3 Ben., 558; Com. vs. Weiss, 139 Pa. St., 247; Fitzpatrick vs. Kelly, L. R. 8 Q. B. Cases, 337; Com. vs. Elwell, 2 Metc., 190; Com. vs. Marsh, 7 Metc., 472; Com. vs. Emmons, 98 Mass., 6; Com. vs. Boynton, 2 Allen, 160; Barnes vs. State, 19 Conn., 397; Com. vs. Hallett, 103 Mass., 452; Com. vs. Goodwin, 97 Mass., 117; King vs. State, 6 So., (Miss.), 188; State vs. Hatfield, 24 Wis., 60; Com. vs. O'Keene, 152 Mass., 584; Altschul vs. State, 8 Ohio C. C., 214; People vs. Dolan, 96 Cal., 315; People vs. Fowler, 88 Cal., 136; State vs. Addington, 12 Mo. App., 214; State vs. Newton, 50 N. J. L., 536; People vs. Snowberger, 71 N. W. (Mich.), 497; State vs. Smith, 10 R. I., 260; People vs. West, 106 N. Y., 286; People vs. Mahaney, 41 Hun., 26; People vs. Shaffer, 41 Hunn., 23; People vs. Kibler, 106 N. Y., 322; People vs. Eddy, 12 N. Y. Supp., 628; People vs. Zeigler, 6 Park. C. Rep., 355; Powell vs. Com., 114 Pa. St., 294; S. C. 127 U. S., 678; State vs. Campbell, 64 N. H., 402; State vs. Kelly, 43 N. E. (Ohio), 163.

There are some few other points made in appellant's closing brief, but as they were not presented in the opening brief the District Attorney has had no opportunity to reply to them, and in justice to the people they ought not to be considered. We have, however, examined the record, and fail to find that it shows any errors which require a reversal of the judgment. The only other point made which we consider of importance is the ruling made at the time the chal-

lenge to the panel was interposed by defendant, but on this point the statement on appeal fails to set forth the proceedings had with sufficient clearness for us to determine whether error was or was not committed. Further, it does not appear that any of the jurors in the panel challenged were sworn to try the cause. It further appears, by the record, that the jurors were not summoned by the person whose presence defendant desired as a witness in support of his challenge and whom it was claimed summoned the jurors. No injury therefore, resulted.

For the reasons herein given, I am of the opinion that the judgment and order appealed from herein should be affirmed.

CARROLL COOK, Judge.

We concur:

WM. T. WALLACE, Judge. RHODES BORDEN, Judge.

Dated August 30th, 1898.

Ordered that judgment and order appealed from herein be and the same is hereby affirmed.

WM. T. WALLACE,
CARROLL COOK,
RHODES BORDEN,
Judges of the Superior Court.

Dated August 30th, 1898.

During the months November, December and January, the work of inspecting food, milk and dairies proceeded on the same plan as prior to the organization of the Bureau of Food Inspection, viz.; being carried on by myself alone as well as possible under such adverse circumstances.

During the month of November I inspected 300 milk wagons, from which 110 samples were selected and submitted to the Babcock test; five of same were found to be below the standard. In consequence thereof I recommended that the permits of the guilty dealers be revoked. I also condemned and destroyed 286 packages of canned goods and 87 gallons of adulterated milk.

In the month of December 25 dairies were inspected, 18 of which were found in an unclean condition; the owners were notified to comply with the instructions of the Board of Health.

In the month of January 21 dairies were visited, and owners notified to put same in sanitary condition. 431 milk wagons were inspected, from which samples were selected, and found to be at standard. Eleven Deputy Food Inspectors were appointed and assigned to the Bureau of Food Inspection, to report for duty on February 1st.

I divided the city and county into five districts as to dairy inspection, and four districts as to milk inspection, detailing the deputies to the various districts. During this month 246 samples of milk were taken, of which 148 were above standard, 47 at standard and 51 below standard. 192 dairies were inspected, and 8 found in bad condition.

During the month of March 394 samples of milk were taken from wagons, of which 187 were above standard, 117 at standard and 90 below standard. A night patrol was established, and 115 wagons examined, resulting in finding over one-third of that number with a quality of milk not up to the standard required by your honorable-board. In all cases where the milk was found to be below the standard the owners were notified that a second violation would be followed by arrest and prosecution. 182 dairies were visited, and 12 were found in bad condition.

In April 297 samples of milk were taken, 84 were found to be above standard, 186 at standard, and 27 below standard. 144 dairies were visited, and 8 found in bad condition.

During the month of May 117 dairies were visited and found in good condition. 250 samples of milk were taken, of which 115 were found to be above standard, 92 at standard, and 43 below standard. At Reid's Cash Store, 126 Seventh street, I condemned 27 large sacks of assorted dried fruits, and 11 boxes of dried figs. Fourteen milk

dealers were arrested for selling adulterated milk, thirteen of whom were convicted, with fines aggregating \$110.

During the month of June 502 samples of milk were taken, of which 268 were above standard, 182 at standard, and 52 below standard. Sixteen dealers were arrested for selling adulterated milk, with fines aggregating \$130. Two hundred and seventeen dairies were visited, and one found in bad condition.

On March 1st, a special meeting of the Board of Health was held to hear attorneys representing dairymen from outside counties in the matter of the quarantine of infected cattle and milk. W. W. Foote, Esq., appeared in behalf of the dairymen of this county, and made the following objection: That the herds in this county supply practically about thirty per cent. only of the milk consumed in this city, the balance coming from adjacent counties. His clients claimed that the tuberculin test was not being enforced in outside counties, and that to enforce this test in the county of San Francisco would work an unnecessary hardship and discrimination against the dairymen of this county.

Dr. J. M. Williamson stated that: "A few months ago the Board of Health had passed a resolution placing a quarantine upon all milk coming from outside counties, where the milk did not bear evidence of coming from herds which had been submitted to the tuberculin test. The quarantine was raised mainly upon the representations of the authorities of the outlying counties to the effect that resolutions would be passed by such authorities and tuberculin inspection commenced at once. This has been done in some counties. In others it has been entirely neglected, and for the latter reason these gentlemen were invited to meet the Board to-day, and state what is being done in regard to the enforcement of this test."

Mr. Foote said he had stated all he desired, and that the facts as cited by Dr. Williamson were correct, "that practically the milk produced in this county is only thirty per cent. of the amount consumed here."

"Now, the Board of Health of this county does not claim jurisdiction outside, and if this test is to be applied here only, and we are to be subjected to the annovance of an examination and the destruction of the cattle, it would not do a great deal towards purifying the milk supply, because seventy per cent. of it comes from outside counties. We were informed by some gentleman of the Board of Health, or some attorney representing the outside counties, that an inspection had been attempted in Marin and San Mateo counties, but the dairymen had declined to allow the test to be made, and we thought, in the interest of justice, if they would not subject themselves to the same rules that were applied to the dairymen in San Francisco, there ought to be a quarantine of that milk. I don't believe the law is in such a position now that if it were resisted strenuously in the courts that you gentlemen could enforce it: I don't believe you can enforce it if it is resisted."

Dr. Williamson said: "I think Mr. Dockery being thoroughly familiar with the history of this inspection could make a statement to the Board, and cite some instances which have occurred in the progress of this inspection."

Mr. Dockery then stated: "In reference to the inspection of cattle and the quarantining of milk in adjacent counties, I will say that the tuberculin inspection commenced about the 15th of April, 1896. The first dairy inspected was that of Nick Hansen, The California Dairy. After that the inspection went on at the Swiss Alpine Dairy; that was in July, but on the 25th of June we had the same protest from the dairymen of San Francisco county, which is a just one, that it is not fair to them to go through their herds with the tuberculin test and kill off their cattle, where but thirty per cent. of the milk provided comes from their dairies, and seventy per cent. from outside counties."

On the 20th of June, 1896, the Board of Health issued an order notifying dairymen in adjacent counties that on and after the 1st day of October, 1896, all milk coming into the city and county of San Francisco from other counties,

where the dairy herds had not been submitted to the tuberculin test, or where the proprietors refused to allow their herds to be submitted to such test, would be quarantined against.

Along about the middle of September, from that up to the 1st of October, dairymen in adjacent counties protested that the time was too short, that it was an utter impossibility for them to proceed with the tuberculin test and complete it in that time. There was a meeting of the Board of Health on September 29th, and the order issued in regard to quarantining the milk on Oct. 1st was rescinded, and the following resolution was passed:

At a meeting of the Board of Health held August 11th, 1896, with those furnishing milk for this city and with the Health Officers of San Mateo and Santa Clara counties, Oakland and Berkeley, it was stated to this Board that it had been and was impossible for those supplying milk for the city to comply with the Order of this Board of June 25th, 1896, providing for the quarantining of all milk from cows that had not been tested by the U. S. Tuberculin test.

After a careful investigation it has been found that the statements there made were true, and that such impossibility has been due to causes over which neither this Board nor, in many instances, those interested had control.

It is therefore resolved, That the operation of so much of our Order of the 25th of June, 1896, as requires on and after 1st of October, 1896, the quarantining of milk from cows not so as above tested be postponed until the further order of this Board, in so far only, however, as concerns such persons, firms or corporations supplying milk for this city as shall daily submit such supply of milk for inspection at the most convenient inspection station of the four open food inspection stations, as soon as such stations are ready for operation, and shall comply further with all rules and regulations of this city, and the laws of this State.

This resolution was complied with by the shippers.

Later on there were many conferences held between the Board of Health and the prominent dairymen of this county, the latter protested against the Board of Health continuing to apply the tuberculin test to their herds, until after such time as the Legislature would meet; they contended that they would have a law passed which would be just and equitable to all. Their main objection was, that if the tuberculin inspection were carried on, and if a dairyman would have fifty per cent. of his herd condemned and destroyed as the result of such test, there would be no other recourse than to go into the interior and purchase cows that had not been inspected by the tuberculin test, and they further contended that the Board would have the power to inspect the newly purchased cows, and possibly condemn and destroy fifty per cent. of them.

The result of this conference was that the Board of Health took the same view of the matter, consequently it was decided that there would be no further inspection until after the Legislature had met and adjourned.

During the month of June, 1897 (the Legislature having met and adjourned), the Board of Health issued orders to proceed with the tuberculin test. We started on George C. Smart's dairy and proceeded on different dairies, continuing to apply the test until November 1st, after which date further inspection could not be carried on, owing to the fact that the Board of Supervisors had failed to make the necessary appropriation.

During the latter part of July an order which was in force in Alameda County, in reference to the testing of cattle was rescinded by the Board of Supervisors of that county; consequently, on July 21st, 1897 there was a resolution passed by the Board of Health of San Francisco refusing entry of milk that came from uninspected cows, and on July 23d I was ordered by the Board of Health to quarantine all milk coming from adjacent counties. I proceeded and quarantined the same. The quarantine was raised by order of the Board of Health for the following reason.

I received a telegram from the Chairman of the Board of Supervisors of Marin county, as follows: San Rafael, Marin County, Cal. July 23rd, 1897.

To Whom It May Concern:—I hereby certify that at a meeting of the Board of Supervisors of Marin County, held on the 19th instant, an ordinance was regularly passed making three provisions, as follows:

First—For the appointment of a Sanitary Inspector of Dairies in Marin County.

Second—For the appointment of a Health Officer.

Third—For the appointment of a Veterinary Surgeon.

That this order has been duly published and will take effect in 15 days. There is no opposition in Marin County to said order, and, so far as I know, every dairyman is in full accord with the rules established by the Board of Health of San Francisco.

(Signed.)

WM. BARR, Chairman.

On receipt of the above the quarantine on milk from Marin County was raised immediately. I was informed that in Contra Costa county there was at that time no Health Officer, but a promise made that the Board of Supervisors would as soon as possible appoint an officer who would attend to the matter.

A number of dairymen from Alameda county came to this city; also the Health Officer of Oakland, Dr. Dunn. They were very anxious to have their cows tested, but there were no provisions made wherein they could do so, there being some conflict amongst the Veterinary Surgeons or authorities in their county. I so reported the matter to the Board of Health, and on July 28th the quarantine was finally raised, with the understanding that suitable legislation would be enacted by the various Boards of Supervisors in order that the cows should be regularly tested with the tuberculin test.

On the 11th of September I was in Santa Rosa, and went before the Board of Supervisors there; the Mayor was present at the meeting, and the condition of affairs there were the same as in Alameda county; there seemed to be no funds and no provisions made for any inspection. I suggested that they appoint a committee to visit the Board

of Health of this city and confer with them. I stated that the Board of Health here did not desire to do any injustice to dairymen in adjacent counties, but would positively insist on the tuberculin test being applied. The dairymen complied with the request, and there was a committee of five appointed; said committee appeared before the Board of Health, and stated that they would be in full accord with whatever rules and regulations were laid down by the Board. In Marin county a committee of five was appointed to confer with the Board here, and at a meeting held October 14th, at which said committee was present, they agreed to comply with the rules and regulations of the Board of Health of San Francisco. In November I was instructed to visit the various adjacent counties and ascertain the names of dairymen who refused to allow the test to be applied to their herds. On December 12th I filed a report giving the names of numerous dairymen in Alameda and Contra Costa counties who refused to comply with the rules of the Board.

The dairymen in this county have shown a disposition to conform to the rules and regulations as laid down by the Board of Health, and in our visits to the different dairies, and in consulting with our leading dairymen, there is no objection whatever shown on their part to submit their herds to the tuberculin test, provided the Board of Health will insist that all counties from which milk is shipped into this county must have their herds tested also; therefore, I recommend most strongly that after all the notices of warning that have been sent to dairymen in adjacent counties in regard to products coming into the city and county of San Francisco from diseased cattle: That on and after the 1st day of April, 1898, all dairy products coming into the city and county of San Francisco from dairies whose herds have not been submitted, or whose proprietors refuse to allow their herds to be submitted to the tuberculin test, be quarantined against.

After a lengthy discussion the matter was referred to Garret W. McEnerney, Attorney of the Board of Health, for an opinion, and still remains in abeyance.

## REPORT OF MILK AND FOOD INSPECTION.

I herewith submit a report in full of the work done at the four Milk and Food Stations, from July, 1897, up to the time they were abolished on account of necessary funds not having been provided for their maintenance by the honorable Board of Supervisors:

## STATION NO. 1—(Clay Street Wharf).

H. O'DONNELL......Deputy Food Inspector.

J. S. REGAN....Deputy Food Inspector.

MONTH.	WAGONS IN	SPECTED.	MILK INSPECTED.	
	Number.	Total.	Gallons.	Total.
.897—July	2,972		272,262	-
August	2,964		279,703	
September	2,867		261,354	
October	2,838	21.	260,820	
Total	100	11,641		1,074,139

## STATION NO. 2—(Corner Berry and Fourth Streets).

JOSEPH LEHANEY......Deputy Food Inspector.

JOHN BREEZE.....Deputy Food Inspector.

MONTH.	WAGONS IN	SPECTED.	MILK INSPECTED.	
	Number.	Total.	Gallons.	Total.
1897—July	1,634		83,342	C- Zon
August	1,644	1	84,990	
September	1,456		78,277	
October	1,406		73,227	
Total		6,140		319,836

## STATION NO. 3—(Army and Alabama Streets).

B. HANLONDeput	y Food	Inspector.
G. W. DAVISDeput	y Food	Inspector.
WM. BRENNANDeput	y Food	Inspector.
P. KISSANEDeput	y Food	Inspector.

MONTH.	WAGONS I	NSPECTED.	MILK INSPECTED.	
	Number.	Total.	Gallons.	Total.
1897—July	12,083		485,476	
August	11,956		463,824	
September	11,299		448,146	
October	12,061		480,293	
Total		47,399		1,877,739

## STATION NO. 4—(Geary Street and Central Avenue).

A. J.	. HARRIGAN	• • • • • • • • • • • • • • • • • • • •	Deputy	Food Inspector.
T. M	McENROE		Deputy	Food Inspector.

	WAGONS II	NSPECTED.	MILK INSPECTED.	
MONTH.	Number.	Total.	Gallons.	Total.
1892—July	1,359		32,632	
August	1,359		32,967	
September	1,335		32,035	
October	1,304		31,801	
Total	100	5,357		129,43

#### RECAPITULATION.

Total number	wagons	inspected	70,537
Total number	gallons	inspected	3,401,140

SAMPLES OF MILK TAKEN FROM WAGONS FROM JULY 1st, 1897, TO JUNE 30th, 1898.

MONTH.	NUMBER OF SAMPLES ABOVE		NUMBER OF SAMPLES AT	NUMBER OF SAMPLES BELOW	TOTAL.	
	STANDAR	D.	STANDARD.	STANDARD.		
.897—July	* 2		*	*	2 *	
August	*		*	*	*	
September	*		*	*	*	
October	61		4	13	78	
November	88		12	10	110	
December	19		3	3	25	
898—January	2		3	2	7	
February	148		47	51	246	
March	187	0.00	117	90	394	
April	84		186	27	297	
May	115		92	43	250	
June	268	-	182	52	502	
Total	974		646	291	1,911	

\*For months of July, August, September and October, see table of Inspection Stations.

Total number samples taken	1,911
Total number above standard	974
Total number at standard	646
Total number below standard	291

The following table shows the source and amount of the average daily milk supply of this city:

Napa county 3	0 gals.
Solano county	8 gals.
Alameda county 39	2 gals.
Contra Costa county 59	3 gals.
Santa Clara county 64	6 gals.
	0 gals.
Marin county 6,07	6 gals.
San Mateo county 6,09	5 gals.
San Francisco	5 gals.
announce the same of the same	_
Total daily average 28,45	5 gals.

#### SAMPLES OF FOOD

PURCHASED, SEIZED AND BROUGHT INTO BUREAU, FOR CHEMICAL ANALY-SIS, SAME FORWARDED TO CHEMICAL LABORATORY.

NAME OF ARTICLE.	NUMBER OF	NAME OF ARTICLE.	NUMBER OF SAMPLES.
Tomato catsup	4	Black pepper	32
Worcestershire sauce	2	Tea and coffee	16
Condensed milk	22	Vinegar	109
Evaporated cream	11	Milk	1,97
Honey	15	Toxicological cases	15
Jelly	9	Miscellaneous articles	30
Olive oil	57	Water	29

For result of analysis, see Chemist's report.

Respectfully submitted,

JAMES P. DOCKERY, Chief Food Inspector.

# REPORTS OF HEALTH INSPECTORS.

#### FIRST DISTRICT-WM. FINNIGAN, INSPECTOR.

San Francisco, June 30th, 1898.

To the Honorable the Board of Health
Of the City and County of San Francisco—

Gentlemen: I herewith submit my report for District No. 1 for the fiscal year ending June 30th, 1898:

656
656
46

#### SECOND DISTRICT-OTTO LUDERS, INSPECTOR.

San Francisco, June 30th, 1898.

To the Honorable the Board of Health
Of the City and County of San Francisco—

Gentlemen: I herewith submit my report for District No. 2 for the fiscal year ending June 30th, 1898:

Number of complaints unabated June 30th, 1897	2	
Number of complaints filed during year	473	
		17-
		475
Number of complaints abated	260	
Number of complaints, no cause	44	
Number of complaints referred to other departments	171	
	0	
Number of complaints unabated	0	
Number of complaints unabated	0	477
Number of complaints unabated	_	475
Number of complaints unabated	_	475
Number of complaints unabated	_	475
Number of cases diphtheria reported  Number of cases scarlatina reported	39	475
Number of cases diphtheria reported  Number of cases scarlatina reported  Number of cases typhoid fever reported	39 9 2	475
Number of cases diphtheria reported  Number of cases scarlatina reported	39 9 2 1	475

#### THIRD DISTRICT-JAS. W. CROWE, INSPECTOR.

San Francisco, June 30th, 1898.

# To the Honorable the Board of Health

Of the City and County of San Francisco-

Gentlemen: I herewith submit my report for District No. 3 for the fiscal year ending June 30th, 1898:

Number of complaints filed during year	679
Number of cases unabated June 30th, 1897	6
	685
Number of complaints abated	337
Number of complaints, no cause	97
Number of complaints referred to other department	nts 251
Number of complaints unabated	
	4 may 1 may 1 may 1 mg
	685
Number of cases diphtheria reported	83
Number of cases scarlatina reported	15
Number of cases typhoid fever reported	9
Number of cases measles reported	
Number of fumigations	

## FOURTH DISTRICT-W. H. DUREN, INSPECTOR.

San Francisco, June 30th, 1898.

To the Honorable the Board of Health

Of the City and County of San Francisco-

Gentlemen: I herewith submit my report for District No. 4 for the fiscal year ending June 30th, 1898:

Number of complaints unabated June 30th, 1897	14
Number of complaints filed during year	422
Fig. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	436
Number of complaints abated	227
Number of complaints, no cause	57
Number of complaints referred to other departments	147
Number of complaints unabated	
	436
Number of cases diphtheria reported	71
Number of cases scarlatina reported	
Number of cases typhoid fever reported	2
Number of cases measles reported	
27 2 4 4 4 1 1 1	00
Number of fumigations	90

#### FIFTH DISTRICT-A. B. KINNE, INSPECTOR.

San Francisco, June 30th, 1898.

# To the Honorable the Board of Health

Of the City and County of San Francisco-

Gentlemen: I herewith submit my report for District No. 5 for the fiscal year ending June 30th, 1898:

Number of complaints unabated June 30th, 1897	
Number of complaints filed during year	622
	661
Number of complaints abated	189
Number of complaints, no cause	53
Number of complaints referred to other departments	419
Number of complaints unabated	0
	_
	661
Number of cases diphtheria reported	62
Number of cases scarlatina reported	20
Number of cases typhoid fever reported	1
Number of cases measles reported	6
Number of fumigations	

### SIXTH DISTRICT-T. DONOVAN, INSPECTOR.

San Francisco, June 30th, 1898.

# To the Honorable the Board of Health Of the City and County of San Francisco—

of the one and country of Sun Francisco—

Gentlemen: I herewith submit my report for District No. 6 for the fiscal year ending June 30th, 1898:

Number of complaints unabated June 30th, 1897	45
Number of complaints filed during year	576
	621
Number of complaints abated	248
Number of complaints, no cause	
Number of complaints referred to other departments	
Number of complaints unabated	
Transcr of complaints unabated	
The second second	621
Number of cases diphtheria reported	
Number of cases scarlatina reported	
Number of cases typhoid fever reported	3
Number of fumigations	

#### SEVENTH DISTRICT-I. L. DAVID, INSPECTOR.

# San Francisco, June 30th, 1898.

# To the Honorable the Board of Health Of the City and County of San Francisco—

Gentlemen: I herewith submit my report for District No. 7 for the fiscal year ending June 30th, 1898:

Number of complaints unabated June 30th, 1897  Number of complaints filed during year	
Number of complaints abated  Number of complaints referred to other departments  Number of complaints unabated at last report	249
Number of complaints, no cause	05
Number of cases diphtheria reported	633
Number of cases scarlatina reported	23
Number of cases measles reported	
Number of fumigations	124

#### EIGHTH DISTRICT-F. E. BENJAMIN, INSPECTOR.

San Francisco, June 30th, 1898.

# To the Honorable the Board of Health Of the City and County of San Francisco—

Gentlemen: I herewith submit my report for District No 8 for the fiscal year ending June 30th, 1898:

11 ammost	OI	compi	ames	unabated June svin, 1891	94	
Number	of	compl	laints	filed during year	588	
		_		and the language of the langua		
						622
Number	of	compl	aints	abated	326	
		_		no cause		
Number	of	compl	aints	referred to other departments	163	
				unabated		(din)
		1778		and the second second second		
						622
Number	of	cases	dipht	theria reported	90	
				atina reported	8	
Number	of	cases	typho	oid fever reported	7	
Number	of	cases	meas	les reported	1	
				S		90

# REPORT OF CHIEF PLUMBING INSPECTOR.

San Francisco, July 1st, 1898.

To the Honorable the Board of Health

Of the City and County of San Francisco—

Gentlemen: In connection with my annual report I beg leave to submit a review of the work performed by the Plumbing Department during the year, more particularly in reference to the results accomplished in the special investigations ordered by your honorable body in the Chinese, Latin and tenement-house districts of the city. When my annual report of 1897 was filed, a house-to-house inspection in the greater part of Chinatown had been finished. Conditions of the most repulsive and unsanitary character had been removed and the district investigated by this Department had been made more healthful, more habitable to its residents and less of a menace to the general health of the community than it had ever been before in its existence. Considerable work of the same kind, involving great and persistent labor, had also been done in the Latin quarter and in the tenement house district.

During the fiscal year just closed this department has combined its labors in the same parts of the city, and a practical revolution in the sanitary conditions has been made.

The entire Chinese quarter has been covered and owners of property have improved, cleaned and in some instances practically remodeled their premises to conform to the regulations established by your honorable body.

Having finished its labors as far as possible in Chinatown, this Department turned to the Latin quarter, which in its many violations of health laws presented an evil almost as gross as that of Chinatown. Overcrowded, unclean, dilapidated habitations, filthy, antiquated, unsanitary

plumbing and inadequate drainage made the district, in some parts, loathsome and menacing.

A systematic inspection of this unhealthful quarter has been made day after day for over ten months. In the district covered, every house has been visited, and, wherever the condition warranted, improvements or complete changes to conform to the regulations of the Board of Health have been ordered. In many instances owners have delayed or resisted the commands of your honorable body. This has necessitated frequent visits to the unwilling owners, reiterated demands, and, in many instances, arrests and prosecutions to enforce an obedience to the law.

The work of this Department, during the year, in this district alone may be seen from the following:

Powell, on both sides, from Pacific to Filbert.
Stockton, on both sides, from Pacific to Filbert.
Dupont, on both sides, from Pacific to Filbert.
Kearny, on both sides, from Pacific to Filbert.
Montgomery, on both sides, from Pacific to Filbert.
Sansome, on both sides, from Pacific to Union.
Filbert, on both sides, from Powell to Sansome.
Union, on both sides, from Powell to Sansome.
Green, on both sides, from Powell to Battery.
Vallejo, on both sides, from Powell to Battery.
Broadway, on both sides, from Powell to Battery.

In the tenement and lodging house districts, north and south of Market street, much systematic inspection of a similar character, but scattered over a larger area, has also been accomplished. In connection with the results of the investigations of the Plumbing Department in the Chinese and Latin district, I would suggest to your honorable body the necessity of detailing an inspector for constant duty to supervise the improvements in sanitation that have been made. The residents, with very few exceptions, tend to relapse to former conditions if not constantly watched.

The duties devolving upon this Department make it impossible for the time of one inspector to be given exclusively

to such a supervision. This will be seen from the figures of my tabulated report. During the fiscal year, 11,519 inspections have been made by this department. This represents the inspections of new and old buildings, and the investigation of complaints referred to the Department by Health, Cigar, Laundry and Market Inspectors. The inspections involved in special investigations cannot properly be tabulated. In conclusion, I wish to say that in the performance of the duties of this Department I have been ably and faithfully assisted by Assistant Plumbing Inspectors Thomas McGrath, P. J. Ward, W. E. Kelly and Joseph Connolly.

Number of plans submitted (representing 802 houses)	
Number of inspections on construction	1,093
Number of inspections on completion	702
Number of inspections made on complaints referred by Hea	
Inspectors	
Number of abatements made on complaints referred by Health	
Inspectors	1,722
Number of inspections made on complaints received by Plumb-	
ing Department	
Number of abatements made on complaints received by Plumb-	
ing Department	
Number of inspections made on alterations by permit	
Number of inspections made in Chinatown	
Number of abatements made in Chinatown	
Number of inspections made in the Latin Quarter	
Number of abatements made in the Latin Quarter	
Number of first notices sent to owners or agents of property	
in all parts of City	
Number of last notices sent to owners or agents of property in	
all parts of City	
Total number of inspections made	
Total number of feet of castiron sewer pipe	
Total number of feet of ironstone sewer pipe	
Number of traps at curb	109

Respectfully submitted,

JOHN J. SULLIVAN,

Chief Plumbing Inspector.

# REPORT OF CHIEF MARKET INSPECTOR.

San Francisco, July 1st, 1898.

To the Honorable the Board of Health

Of the City and County of San Francisco—

Gentlemen: I have the honor of presenting my annual report as Chief Market Inspector of the work accomplished during the fiscal year just ended, and giving a detailed statement of the condemnations made by the Assistant Market Inspectors and myself.

Since my last report the Board has allowed me one extra Inspector, whom I have detailed for duty in Butchertown. As in that locality there are thirteen beef, eight sheep and ten hog slaughterhouses, it is a physical impossibility to thoroughly inspect the carcasses of all animals killed with the very small force of two Inspectors for that particular purpose, for the reason that each carcass should be carefully examined before the intestines are removed, and, as there are on an average of 2,232 head of animals killed daily, you can readily see the need of more Inspectors in the Butchertown district. Furthermore, all animals slaughtered under our supervision should be properly tagged with an official seal of this Department, thereby showing to the public that the animals slaughtered are free from disease.

There are in the neighborhood of some 450 markets and stalls in the city under our jurisdiction, and which are inspected at least twice a month, and, as I have mentioned in my previous reports, all these markets should be made to secure permits from this office the same as are vendors of milk.

In my two previous annual reports I have suggested that all markets be prohibited from exhibiting meats in front of the establishments, as the dust from the streets, impregnated with disease germs and filth, speedily transforms healthy beef into that which is absolutely a menace to health, but I am very sorry to state that no action has been taken in the matter. Therefore, I earnestly hope, in the in-

terest of public health, that this much needed law will be enacted by the proper authorities.

During the year there have been twenty-five arrests, of which twenty-three have been convicted with fines imposed amounting to \$275. There was one acquittal on the grounds of the complaint being faulty. I therefore had the defendant re-arrested on a new complaint, but the case was dismissed on the grounds that the defendant had been once in jeopardy. There is one case still pending on which the defendant demands a new trial, the outcome of which I will make known in my next monthly report.

I would respectfully call your attention to the fact that 25 arrests have been made during the past fiscal year as against 12 for the preceding year.

I would also call your attention to the urgent need of an Assistant Attorney for the purpose of prosecuting cases in the Police Court, for the reason that as I am not an attorney, it is impossible for me to prosecute the cases myself. Therefore, in the interest of justice, I would advocate the engaging of an Assistant Attorney for the sole purpose of consulting, drawing up of complaints properly and prosecuting same.

In conclusion, I wish to return thanks for the able assistance rendered me in the carrying out of the orders issued by your honorable body to Deputies River, Jordan, Turner and McEnroe, they having worked on an average of ten (10) hours a day, and having called on them at all hours of the night, they were always ready for the benefit of the public health to cheerfully assist me.

For the convenience of the public and trade in general, I have, as heretofore, appended a complete alphabetical list of all markets in this city and county. I have also prepared for your honorable body a series of maps upon which are placed the location of all markets in this county. Each market has been given an official number to designate it in future inspections.

All of which is respectfully submitted.

BEN. DAVIS, Chief Market Inspector.

### OWNERS AND LOCATIONS OF MARKETS.

Name.	Address.
Alt & Weiss	1226 Pacific street.
Arni, Jno	Ocean View.
Astorg, A	108 Fifth street.
Airey, H. J	2323 Webster street.
Antz, H	15-16 Grand Western Market.
Adams, W	1072 Howard street.
Adler, W	Fulton and Franklin streets.
Armbrust, A. C	1305 Castro street.
Angeles & Young	Eighteenth and Capp streets.
Alfortter, J	Third and Minna streets.
Block, A	1919 Fillmore; 743 McAllister.
Brady A	218 Sixth street.
Beuttler, J	533 Haight street.
Bradbury, T. H	1803 Broderick street.
Blumenthal, H	1014 Hampshire street.
Bush, W. K	Polk and Vallejo streets.
Bohni, F	133 Sixth street.
Brugge, E	Twenty-fourth and Church streets.
Brown, J	Pacific and Hyde streets.
Braid Bros	Twenty-fifth and Mission streets.
Burkard, J. E	412 Third street.
Block, S	Geary and Larkin streets.
Berger & Weiss	1512 Kentucky street.
Bellnomini, D	301 Hayes street.
Blum & Rathjen	1319 Pacific street.
Bunker, R. F. & Son	74 and 75 California Market.
Bacher, Chas. S	1035 Clay street.
Buttenbach, J	498 Fourth street,
Blumenthal, A	1014 Hampshire street.

## OWNERS AND LOCATIONS OF MARKETS-Continued.

Name.	. Address.
Baccus, R	S. W. corner O'Farrell and Mason.
Bender, J	704 Diamond street.
Boyes, J	108 Clay street.
Bellezer, F	1516 Dupont street.
Baltzer, Wm	427 Hayes street.
Bergk, Anton	2152 Mission street.
Brogly & Luckman	Sixteenth and Market streets.
Burkart, Max	500 Charter Oak avenue.
Bachtold, J	216 Second street.
Blume Bros	2873 Sixteenth street.
Buchignani, V	1818 Market street.
Breese, E. G	1854 McAllister street.
Band, J	107 Valencia street.
Consani, A	111 Sixth street.
Cruza, J. A	30½ Lafayette street.
Convey, E	Green and Hyde streets.
Cabossel, J	2026 Fillmore street.
Cardinali, L	Kearny and Green streets.
Cassidy, J	201 Twenty-third street.
Clauss, J	Grand Western Market.
Cailleand, H	8 and 19 California Market.
Chiesa, A	332 Broadway.
Cames, F	320 Sutter street.
Creyer, Chas	1718 Howard street.
Crough, J	108 Sixth street.
Connelly, O	2720 Twenty-fourth street.
Cereghino, A	311 Broadway.
Ceigler, Samuel	
Coutolenc, August	

Name.	Address.
Costa, G. & Co	1522 Dupont street.
Carrere, F. B	32 California Market.
Consani, R	109 Turk street.
Cazeres, G	341½ Fifth street.
Cramer, L	2020 Market street.
Cutler Bros	1002 Hyde street.
Dieckman, Chas	
Dickson, D. M	237 Third street.
Downey, J. J	946 Twentieth street.
Delvechio, A	328 Broadway.
Decourtieux, A. & Son	
Devechio, Emil	28 Ninth street.
De Vecchio, F	
Duecker, G. F	
Driscoll, J. A	1206 Valencia street.
Deluca, G	1338 Dupont street.
Demertini, F	
Duprat, L	71 California Market.
Dankwerth, G	Fourth and Perry streets.
Drewes, F	1706 Church street.
Drewes, H. J	340 Twenty-fourth street.
Daverkosen, F. E	2512 Bush street.
Deppe, H	446 Third street.
Dutchler, Geo	Eighteenth and Capp streets.
Dierks, A	315 Turk street.
Darius, H	Pacific and Powell streets.
Deller, P	125 Fifth street.
Dryfous, J	Seventeenth and Douglass streets.
De Clute, Chas	328 Fifth street.

Name.	Address.
Dittes, E	1411½ Octavia street.
Dahl, Henry	1 Point Lobos Road.
Escude, G. L	Valencia near Sixteenth street.
Eggert, H	Union and Montgomery streets.
Engel, F	2707 Howard street.
Engler, B	227 Fourth street.
Easton, John	1320 Polk street.
Eggers, J. H	1 and 2 Grand West Market.
Estagaile, L	3508 Mission street.
Flach, J	Seventeenth and Dolores streets.
Fischer, F	2708 Mission street.
Fitschen, A. F	Railroad ave., South S. F.
Fauser, C	15 Railroad Avenue, South S. F.
Friese, P	\$13 Buchanan street.
Fuchs, N	Grand Central Market.
Fox, L. F	428 Seventh street.
Finn & Swanson	1701 Sutter street.
Fabish, E	3214 Twenty-fourth street.
Fisher Bros	Turk and Van Ness Avenue.
Fincke & Co	41 Market street.
Faubell, J	2438 Sacramento street.
Ficke, C. H	410 Ninth street.
Gottsche, J	196 Noe street.
Gisin, C. E	839 Valencia street.
Giovannetti, C	244 Fourth street.
Ginini, F	2149 Market street.
Granuca, J. S	1300 Stockton street.
Graeber, C. C	2121 Fillmore street.
Gerner & Hofman	292 Valencia st.; Sutter and Baker.

NAME.	Address.
Ganzberger, H	Sixteenth and Capp streets.
Goodwin, C	Union Square Market.
Guehring, J	344 Twelfth street.
Goldmeyer, I. H	576 Howard street.
Giovanetti & Co	1910 Market street.
Glennan, M	1504 Polk street.
Gaffke, G. A	132 Hearst Ave., Sunnyside.
Grand, O	904 and 906 Valencia street.
Giovanetti, A	2018 Mason street.
Geantit, A	525 Merchant street.
Gendotti, E	Hayes and Octavia streets.
Gumm & Jung	1405 Twenty-fourth street.
Hammond & Brod	Spreckels Market.
Hedrich, Louis	2306 Howard street.
Halbretter, A	Twenty-second and York streets.
Hummel, F	386 Sixth street.
Hicks, S. P	2010 Fillmore street.
Higgins, C. H	6 Mission street.
Hoffman, J	City Hall Market.
Hoffman & Woenne	707 Market street.
Hancock, T	326 Devisadero street.
Hertz & Co	Union Square Market.
Hans, J. R	76 Clementina street.
Hinz, William	2021 Fillmore street.
Hunteman, D. A	421 Turk street.
Hartman, J. & Son	519 Gough street.
Hayden, J	124 Ninth street and 527 Seventh.
Heineman & Stern	
Hermann, B	

Name.	Address.
Hillers, H	500 Courtland Ave.
Hennig, Gus	3143 Sixteenth street.
Heinz, Chas	362 Third street.
Hart, Mark J	1706 Devisadero street.
Haub, George	1979 Union street.
Horning, C. F	514 Valencia street.
Hicks, T. J	2316 Fillmore street.
Haverty, T. T	1421 Pt. Lobos Ave.
Heing, J	1827 Union street.
Icard, B	S20 Sutter street.
Junker, L	Buchanan and McAllister streets.
Jago, F. W	300 Twenty-seventh street.
Junker, Fred	1005 McAllister street.
Jameson, W. T	Twenty-third and Chattanooga.
Kupfer, M	529 Merchant street.
Kratz, William	2436 Mission street.
Kohn, A	1639 Ellis street.
Katz & Sons	California Market.
Kahn, A	2643 Bryant street.
Kelly, J	1159 Howard street.
Kahn, L	Geary and Laguna streets.
Kroeger, H	928 Illinois street.
Kelly, M. J	Union Square Market.
Kunnecke & Frische	Second and Bryant streets.
Kaiser, Benj	1103 Leavenworth street.
Kelly, M	513 Grove street.
Knoke & Gander	3002 Mission street.
Kuntz, P	Seventeenth, near Church.
Kaupert, Joe	Twenty-Fourth and Bryant streets.

. Name.	Address.
Katz, J	\$43 McAllister street.
Karner, G	1655 Mission street.
Keiping, C	Ocean View.
Knight's Labor Market	Twenty-ninth and Mission streets.
Kafka, S	209 Sixth street.
Kahn, Louis	Mission Road.
Kannigiesser, E	785 Folsom street.
Laufenberg, C	1577 Fifteenth street.
Lally, D. J	206 Eleventh street.
Levy, S	Mission Road.
Lemaitre, J	Union Square Market.
Lehman, G	1423 Devisadero street.
Lyons, W	2302 Mission street.
Looney, J	425 Folsom street.
Liebe, E. B	1779 Mission street.
Laubscher, C	530 Valencia street.
Levy, H	529 Clay street.
Larroche, John M	Sixth ave., bet. L and M.
Lutz, L	103 Ninth street.
Leonard, J. P	1048 Valencia street.
Ludwig, Otto	1424 Howard street.
Lenci, O. & Co	1500 Dupont street.
Laubscher, Fred	1422 Dupont street.
Lamanet & Pedelie	12% Stockton street.
Lichtig, Joe	931 Folsom street.
McGlone, J	Second and Brannan streets.
Muller & Koenig	15 and 16 California Market.
McMenomy, J. H	California Market.
Muller, L	Scott and Oak streets.
Mulvill & Co	Sixteenth and Valencia.

NAME.	Address.
Michiletti, P	512 Davis street.
Meyers, J	46 Washington Market.
McEvoy, J	331 Tenth street.
Martens, F	1903 Geary street.
Merrill, F	Twenty-fourth and Harrison sts.
Meyn, H	1550 Folsom street.
Muller, C	Washington and Polk.
Marquard & Bro	Corner Waller and Stanyan.
Miquen, A	1421 Powell street.
Meyers & Ackman	16 Sacramento street.
Mayer, M	243 Fifth street.
Marin County Market	Grove and Laguna streets.
McDermott, M	Leavenworth and Broadway streets
Mohr, D	1133 McAllister street.
Mohr, L	2201 Mason street.
Medus, R	146 Second street.
Miller, Chas	1806 Howard street.
Munich Market	Fillmore, near Geary.
Mahlstedt, F	322 Folsom street.
Morgenstern, A. W	546 Third street.
May, F	123 Seventh; Powell and Clay.
Merkelbach, W	12 San Francisco Market.
McKeon, Thos	. 1145 Folsom street.
Marxen, J	. 2501 Folsom street.
Meyer, F	. 1903 Mission street.
McDonald, W	2929 California street.
McGowen, T. J	. 531 Geary street.
Miller, Thos	. 801 Union street.
Molinari & Bro., P. G	. 433 Broadway.

Name.	Address.
McGuire, John	Lyon and Grove streets.
Meyers, W. A	1401 Folsom street.
Nelson, James	339 Fourth street.
Neugebauer, A	125 Sixth street.
Nolthemius, J	1703 Stockton street.
Nowlan, J	497 Haight street.
Nutting & Co	1 and 2 California Market.
Newman, A	1079 Market street.
Newroth, Louis	231 Fourth street.
Noonan, W. J	Thirtieth and Guerrero streets.
Nebron, N	
Netting & Walsh	1601 Lyon street.
Nusbaumer, A	503 Jones street.
Ohlmutz, J	New Montgomery and Green sts.
Oswald, Henry	1030 Pacific street.
Oswald, J	127 Second street.
O'Brien, J	22 Twenty-fourth street.
Ochs, H	Sutter and Devisadero streets.
O'Connor, J	121 Ninth street.
Ossoske, M	903 Folsom street.
Oswald, C. E	1308 Pacific street.
Powers, J. D	Turk and Pierce streets.
Pisani, J	923 Larkin street.
Pfaendler, A. & Co	162 Ninth street.
Paul, Wm	Greenwich ave. and Fillmore st.
Pardi, A	871 Mission; 23d-Valencia.
Piperling, J	Union and Hyde streets.
Pfaeffie, E. G.	1803 Haight street.
Rossi, G. & Son	515 Broadway street.

Name.	Address.
Rosenbaum, H. A	Union Square Market.
Rovegno, G	1306 Dupont street.
Rath, F. J	613 Post street.
Reigelhuth Co	432 Third street.
Runde, F	2160 Mission street.
Rick, C. H	513 Bryant street.
Roberts & Tuft	50 Steuart street.
Rossow, Chas	253 Third street.
Roberts, W. F	2817 California street.
Ryan, J. J	Fifteenth st., near R. R. ave.
Romaini, C	1515 Dupont street.
Rasmusson Bros	1320 Rhode Island street.
Rosenthal, H	2856 Mission street.
Rieper, Jacob	Twenty-eighth and Guerrero.
Rosenberg, A	2321½ Bryant street.
Romani, V	Union and Dupont streets.
Smith, J	Larkin and O'Farrell streets.
Stelling, H. & Bro	2766 Mission street.
Stone, Leon & Co	236 Sixth street.
Smith, W. E	605 Montgomery Ave.
Stolz, H. F	510 Castro.
Schneider, L	2004 Polk street.
Simi & Co	729 Montgomery Avenue.
Shenson, A	957 Folsom street.
Strehle, C	103 New Montgomery street.
Schweitzer, J. & Co	519 Clay street.
Schenkel, P	623 Baker street.
Smiddy, E	Bryant and Gilbert streets.
Strahle, P	Twenty-eighth and Church streets.
	1_

NAME.	Address.
Seibel, P	59 and 60 Washington Market.
Scully & Drury	352 McAllister street.
Samuels, W. A	110 Seventh street. (Jonas Market.)
Smith, C. L	2316 Fillmore. (Fox Hall Market.)
Smith, H. & Sons	San Rafael.
Shaughnessy, W. O	1135 Folsom street.
Strahn, Thos. A	Napa and Missouri streets.
Strouse, Mark	1045, 1146 Market street.
Schlett, E	26 Seventh street.
Staiger, J. J	East and Merchant streets.
Sorenson, S. M	1020 Scott street.
Stolz, P. J	Howard st., bet. 11th and 12th.
Schuck, E	310 Folsom street.
Stolz, Aug	4127 Eighteenth street.
Solomon, S	Grand Central Market.
Stutz & Co	52 Washington Market.
Strahle, R	Twenty-sixth and Sanchez streets.
Sans & Co	Union Square Market.
Schmidt, Henry	Fillmore and Pixley streets.
Schrader, J	2913 Geary street.
Strauss, M	2676 Twenty-first street.
Schuldt, Wm	1638 Eddy street.
Schwarz, A	Sacramento and Walnut streets.
Schmidt, H. F. N. & Co	1008 Valencia street.
Shrader Bros	1342-44 Market street.
Simi, A	Jackson, bet. Davis and Front.
Steinbring, A	Sixteenth and Market streets.
Schrieber, H	Eighteenth and Hartford streets.
Steinfels, Chas	Bush and Laguna streets.

NAME.	Address.
Stamm & Raab,	1320 Dupont street.
Shelley, H. G	Fell and Devisadero streets.
Schnetzler, L	19 Sixth street.
Seyner, Jos	953 Howard street.
Silverberg, A	1300 Devisadero street.
Fautphaus, P	California and Polk streets.
Thompson, H. A	18 Market street.
Fassi, G	Fifth and Clementina streets.
Tassi & Co	1413 Stockton street.
Furner, G. E. & Co	Ellis and Webster streets.
Uri & Co	530 Clay street.
Voecke, C	486 Eighth street.
Vincent, J	1023 Guerrero street.
Voll, H	124 Third street.
Vogel, H	Mission road and Silver avenue.
Vergna & Cariani	517 Broadway.
Vath, C. J	214 Ninth street.
Winters, F. C	Sixteenth street.
Wannemacher, R	108 Fourth street.
Wagner, A. P	627 Bush street.
Wagner, G	536 Clay street.
Wolf, W	511 Pacific street.
Waterbury, C	135 Gough street.
Weigner, G	1905 Point Lobos avenue.
Winter & Steinhauser	822 Jessie street.
Werner, Louis	810 Bryant street.
Winter & Felsing	39 Main street.
Wilfert Bros	1398 Market street.
Watkins, W	2316 Fillmore street.

NAME.	Address.
Werner, Wm	46 Thirteenth street.
Welby, J	703 Brannan street.
White Star Market	2596 Folsom; Twentieth-Shotwell.
Witzman, N. F	341 and 343 Hayes street.
Warren, S. B	Washington and Fillmore streets.
Wachter, Chas	437 Third street.
Werner	3025 Sacramento street.
Weddemeyer, J. H	413 Hayes street.
Weishimer, Chas	1023 Guerrero street.
Wykes, W. T. & Co	530 Hayes street.
Wissel, August	Solano and Kentucky streets.
Walters & Hansen	100 Twenty-first street.
Weller, L. B	1607 Polk street.
Warren, W	308 Fifth Avenue, Richmond.
Witzeman, N. F	Grove and Laguna streets.
Zecker, F	1821 Powell street.

## CHINESE MARKETS.

10½ and 30 Washington Alley; 714, 715½, 726, 837, 925, 1009, 1031 Dupont Street; 746 and 826 Washington Street; 2 Waverly Place; 741 Sacramento Street.

SEIZURES BY MARKET INSPECTORS FOR FISCAL YEAR, 1897-98.

	otal.			1897.						1898.	.86		
Seizuries.		July	August	September	October	November	December	January	February	March.	April	May	June
	201	51	33	12	103	173	2	9	13	14	- eo	15	88
	88	:		12	:	es	CS		:	:	11	:	
Beef, pounds	11,455		1,030	1,030	1,245	310		2,515	350	1,875	009		2,600
	457	14	27	65	92	83	288	84	35	88	61	4	12
Hogs	370	22	330	40	83	233	33	18	33	37	33	32	43
Veal, pounds	462	:	:	462	:	:	:	:	:	:		_:	
Chickens, cases	9	9		:	:	:	:	:	:	:			
Chickens	5,517	6	291	132	615	539	1,114	788	491	513	393	190	298
Turkeys, cases	00	:	:	:	:	00	:	:	:	:	:		
	1,762	20	:	307	114	131	:	38	315	347	393		30
	261	:	:	:	261	:	:	:	:	:		:	
Geese	204		:	:	91	:	:	:	:	129	74	:	
Fish, pounds	48,944	6,199	11,130		4,520 4,455	4,590	3,470	2,700	2,780	2,250	2,700	2,250	1,900
Fish, cases	286	:	:			98	128		:	:	:	က	69
Fruit, sacks	73	73	:	:	:	:	:	:	:	:	:		
Fruit, boxes	4813	623	:	46	:	80	100	:	20	17	:	88	149

SEIZURES BY MARKET INSPECTORS—Continued.

	June	:	:	:	:	:		1	:	:	:	:	822	7	9	:	-	\$55 00
		:	:	:	:	:	:	:	:	:	:	:	843	:	:	:	:	
	May	-	:	:	:	:	:	:	:	:	:	.: :		:	:	:	:	
1898.	April	11		:				7	:				671	:		:	:	
18	March						U	:					733	CS	es			\$50 00
	February	:	:	:	:	:		:	75	:	:	:	729	:	1	:	:	:
	January	:			:	:	11:	:		:	300	٠	722	es	. 1	1	:	00 0
	December	177	11:	:	1111	1	1	150	44	*	:	:	851	H	-		7	\$40 00 \$10 00
		:	:	:		E .	:		-0		:	1	1016	:	1 1			: \$40
	November	:	285		:	0	:	:	:	TD			792		<u>.:</u>			<u>:</u>
	October	:	:	:			233	:	:	:	•		819		:	:	1	1
1897.	September				1,000								200	11	11			00 06
Line	August	190	:		1,690	96		:		(	:	:	833	CS.	cs	:		\$30 00 \$30 00
		-		:	-:	5 :	111:		:	:	:	:	71	:	:	:	:	3%
	July	44	1,645						7				734				1 31	01
Total	Just Day areas	234	086,1	-	2,690	96	233	150	119	*	200	2	9,541	35	88	F	-	\$275 00
Total	g (1)		1		es	10.		x10			io e	ye I	6					\$\$
				:		:					:							
	-1 -0 0							0 -					702				ling.	
101	-char	04 1	1	m.	01	1	14				a a	īo o	arket	1.1	100		pend	a (
- 31	MONTHS.	ses	22							1			of m	702	ction	tals.	still	0
	MON	s, cas	, can			S	Tu	0.7			punc	ets.	suo	rrest	onvio	cquit	ases	d
	A Illia C	Canned goods, cases.	Canned goods, cans.		pes	Hams, pounds.		Eggs, dozen	Onions, sacks		Horseflesh, pounds.	Oysters, buckets	Total inspections of markets.	Number of arrests	Number of convictions.	Number of acquittals.	Number of cases still pending	Fines imposed.
	-1-111	ned g	ned g		Canteloupes.	d 'st	11	s, do	ns, s	70	seffes	ters,	il ins	n'ber	nber	nber	nber	mi se
	100 20001	Can	Can	Deer.	Can	Han	Quail	Egg	Onio	Nuts	Hor	Oyst	Tota	Nun	Nun	Nur	Nur	Fine

#1 wagon-load.

# REPORT OF VETERINARY SURGEON.

San Francisco, July 1st, 1898.

To the Honorable the Board of Health
Of the City and County of San Francisco—

I have the honor to submit the following report of work performed by the Veterinary Department during the year commencing July 1st, 1897, and ending June 30th, 1898.

Considering the work which has been done in the use of tuberculin for the diagnosis of tuberculosis in dairy cows, the most important work done by this department, I have commenced my report giving a tabulated record of the temperatures taken while the tuberculin testing was in progress; also, a record of the most important pathological changes due to tuberculosis on post mortem examination.

It is needless for me to comment on the importance of a thorough inspection of dairy cattle and the adoption of every available agent which will assist in such inspection, therefore the efficiency of tuberculin in the discovery of tuberculosis in cattle strongly urges its use in all dairy inspections.

Owing to a lack of State legislation in the matter of the use of tuberculin as an agent, and a sincere desire on the part of your honorable board not to inflict an unnecessary hardship upon any one group of cattle owners, we have been unable to prosecute the work of dairy inspection with the vigor necessary; but it is to be hoped that at some future time a legislative measure may be passed which will enable the universal use of tuberculin in dairy inspection, as it is only by its aid we can ever hope to make any appreciable diminution of this dread disease throughout our dairy herds.

However, the work that has been done with tuberculin

has made evident changes in regard to raising the standard of the dairy stock in this county, and the fear and expectancy that at any time such regulations may be enforced which will compel them to submit their stock to an inspection, using the tuberculin test, has made the dairyman extremely discreet as to what kind of stock he purchases for his dairy.

Even the improvement effected in the cleanliness of the dairy premises and equipment is such that may justly meet the endorsement of the public and the approval of your honorable board.

Yours very respectfully,

I. W. O'ROURKE,

Veterinary Surgeon.

NUMBER OF DAIRIES INSPECTED AND CONDEMNED, COWS AND HORSES INSPECTED AND CONDEMNED, ETC.

MONTHS.	Dairies Inspected	Dairies Condemned.	Cows Inspected	Cows Condemned	Cows Quarantined	Visite to Ferry Re- ceiving Hospital.	Visits to Park Re- ceiving Hospital.	Visits to City and County Hospital.	Visits to Almshouse	Horses Treated for Department	Horses Inspected for Glanders	Horses Condemned for Glanders	Autopsies
1897—July	4		359	63	63	10		10	2	5			63
August	3		213	49	49	8		6	2	6			49
September	4		268			8	8	4	2	2			
October	2		82	14	14	8	8	2	3	2			14
November	10		936	7	7	8	8	5	2	1			7
December	14		720			8	8	4	2	1			
1898—January	21		1,318			8	8	1	2	1			
February						11	8	3	2	1			
March	197	23	4,987	7	7	8	8	2	2	1			2
April	141	11	5,193	4	4	. 8	8	2	1	2	6	2	2
May	124	1	6,027	1	1	8	8	4	2	5	2		1
June	229	1	12,041	12	12	12	8	4	2	8	2		
Totals	749	36	30,144	157	157	105	80	47	24	35	10	2	138

# VETERINARY SURGEON'S REPORT.

# NEW YORK DAIRY—GEORGE SMART.

No. of Animal.	•	Age-Years.	Weight	Amount Inje	Date and Time	Dat	te: Jul	y 10, 18	397.		Dat	e: July	7 11, 18	97.	
a1	BREED.			Injected .	of	TEMP	ERATUF		ORE	TEX	IPERAT	URES A	FTER IN	JECTION	τ.
					Injection.	8 a.m.	12 n	6 p.m.	12 m	8 a.m.	10 a.m.	12 n	2 p.m.	4 p.m.	6 р.ш
1	Mixed	3	1100			102.4	101.8	101.8	102	101.2	101.4	101.4	101.2	102	102.2
2	Mixed		1000			101.2	101.8	101.4	102	101.4	101.6	101.8	101	101.6	101.8
3	Mixed	6	1050			101.6	101 2	101.6	102	101.2	101.4	102.8	101.8	102.2	102.2
4	Mixed	12	1000			102.2	101	101	101.8	103	104	105.4	105.8	106	104.6
5	Mixed	8	1100			101.4	101.2	101.4	101.8	101	101.8	101.8	102	102	102
6	Mixed	8	900			102.4	102	102.6	102.8	101	101.8	101.6	101.4	101.8	101.4
7	Mixed	7	950			101.6	101.4	101.6	102.2	101	101	102	102	102.8	102.8
8	Mixed	7	1000			101.4	101.2	102.2	101.6	101.2	101.2	101.4	101.6	101.4	101.4
9	Mixed	9	1150			101	101.4	101.4	102	100.4	101	102	101.8	102.8	101.8
10	Mixed	4	1000			100.8	101	101,2	102	101.2	101	101	101.6	102.6	103.2
11	Mixed	7	1150	-	July	101.2	101	101.4	101.8	102.2	102.6	103	103.2	103.4	102
12	Mixed	6	1050	bic	11th,	101	101.2	101.6	101.8	101	102	102	101.6	101.8	101.8
13	Mixed	10	1100	centimeters		102.8	101.6	101.8	102.4	103	105.2	105.8	106.2	106.6	106
14	Mixed	4	1200	met	12:30	101.4	101.4	101	102	105	106	105.4	105.6	105.2	104.4
15	Mixed	9	1050	ers.	А. М.	101	101.4	101	101.2	101.8	101.4	101.4	101	101.4	101.2
16	Mixed	5	1100			101.4	101.2	101.4	102.2	101	102.4	101.4	103.6	103.2	103
17	Mixed	4	1000			101.4	101	101.2	102	101.2	101.4	102.8	102	101.6	101
18	Mixed	5	1200			101.2	101.8	101	102.2	101.4	101 4	102.2	103.6	103.2	102.8
19	Mixed	6	1150			101	101	101.6	101.4	102.6	103	102.4	102	101.2	101.4
20	Mixed	4	1050			101.4	101.6	101.6	103.2	101.2	101.2	106.2	101.6	101.4	101.6
21	Mixed	7	1100			101.4	102	101.6	101.4	101.4	101	101.4	103.2	103.2	103
22	Mixed	8	1000			101.8	101.4	101.4	102	101.2	101.4	101.6	103.2	103.2	102.8
23	Mixed	8	1050			101.6	101	101	102.2	101.4	101.6	101.8	101.6	101.2	101.2
24	Mixed	9	1100			102.2	101.8	101.4	102	101.6	101	101.2	101.2	101.4	101.8
25	Mixed	9	1050	-		101.4	101.2	101	101.8	101.2	101	101.2	101.2	101.4	101.6
			1	1	1					L.				1	

No. of Animal	BREED.	Age-Years	Weight	Amount Injected	Date and Time		e: July						11, 189		
:				ed.	Of.		INJECT			TE.	MPERAT	UKES A	FTER I	NJECTIO	N.
	1911				Injection.	8 a.m.	12 n	6 p.m.	12 m	8 a.m.	10 a.m.	12 n	2 p.m.	4 p.m.	6 p.m.
26	Mirrod	a	1150			101.4	101.4	101	102.2	101.4	101.6	101.6	101.6	101.2	101.0
	Mixed														101.8
27	Mixed		1050	0		101.2	100.6	101	101.4	101.2	101	101.4	101.6	101.4	101.2
28	Mixed		1100			101.8	101.8	101.2	101.4	101.4	101	101.8	101.8	101.6	101.4
29	Mixed		1050		1	101	101	101.4	102	101.6	101.6	101.2	101.4	101.6	101.8
30	Mixed		1100			101.8	101.2	101.2	101.6	103.6	105.6	106.4	106.4	105.6	103.2
31	Mixed		1000			102.4	101.4	101.6	101.8	103.2	104.2	105	106	105.8	104
32	Mixed	7	1000			102.6	102	101.8	101.8	101.2	101	101.4	102.4	102.8	102.6
33	Mixed	6	1050			102.2	101.2	101.2	101.8	101.2	101.4	102.6	103.4	103.2	103.8
34	Mixed	10	1000			102.4	101.6	101.6	101.6	101.6	101.6	101.8	101.4	101.6	102.2
35	Mixed	7	1050	22	J	101.8	101.8	101.8	101.6	103.2	101.6	101	103	103	103
36	Mixed	6	1000	cubic	July	101.4	101.2	101.2	101.4	101.6	101.8	103.4	103.8	103.4	103.4
37	Mixed	6	1050	oic c	11th,	101.4	101.2	101.2	101.6	101.2	102	101.6	101.6	101.2	101
38	Mixed	8	1100	centimeters		102.4	101.2	101	101.4	101.8	101.6	102	103.4	103.4	103.2
39	Mixed	9	1150	met	12:30	102.2	102.6	102.2	102.2	102	102.2	102	101.8	101.8	101.6
40	Mixed	11	1150	ers.	А. М.	101.4	101.8	101	101.8	101.2	101.6	101	103.8	103	103
41	Mixed	9	1050			101.8	101.6	101.4	101.4	102	102.8	103.4	104.8	103	103
42	Mixed	8	1050			101.4	101.2	101.2	101.6	102.8	103	101.8	103	103	103.2
43		9	1100			101.6	101.8	102	102.2	102	101.8	103.6	103.2	103.2	103
44		6	1050			102.4	101.2	101.2	101.6	101.6	102.2		103.2	103.8	103
45		9	1100			101.6		101.2		102.2	103.4		105.2		106.2
46			1050	1		102.4		101	101.2	1	102.6		103.8	103.2	103
47			1100			101.6		101.4		102.6	103.8			103.2	103
48			1100			102	102	101.4		101.6				103.2	103
49		1	1000	1	1	102.2		101.2		1	101.2	1	100.6		
50			1100	1		101.8		101.8			101.4				
	MIXOU	1	1100	1		101.8	101	101.8	101.4	101	101.4	101.2	101.0	101.0	101.4

-	1	1	1	1	1					1					
No.		Age	Weight	Amo	Date	Dat	es: Jul	ly 10, 1	897.		Dates	: July	11, 189	7.	
of A		Age-Years	ght.	unt	and		Jul	y 12, 1	897 .			July	13, 189	7.	
Animal.		ars		Inj	Time										
18	BREED.			Amount Injected	2	TEM	PERATU	RES BE	FORE	TI	MPERA	TURES .	AFTER 1	NJECTIC	DN.
					Injection	00	12	6	12	00	10	12	2	4	6
					tion.	a. m.	n	p.m.	m	a. m.	a. m.	n	p.m.	p.m.	p.m.
51	Mixed	9	1100			101.2	101.8	101	101.4	103.8	104.8	106.4	106	105.6	105.4
52	Mixed	5	1050			101.8	101.8	101.8	101	103	105	105.8	106	105.6	105.4
53	Mixed	8	1050			101.4	101.2	101.4	101.6	102.8	102.2	103	103.2	103	102.8
54	Mixed	6	1050	-		101	101.2	101	101.4	101.4	101.8	103	102.8	102	102.8
55	Mixed	12	1150			101.2	101.2	101.2	101.6	102.4	102.6	103.4	103	103	102.2
56	Mixed	4	900	July 11th	101.6	101.6	101.6	101.8	101.6	101.6	101.6	101.2	101.2	102 2	
57	Mixed	7	1050			101.4	101.4	101.2	101.4	103.4	104.4	106.2	106.4	106.2	106.2
58	Mixed	6	1000			102.6	102.4	102.6	102	102	102.4	101.8	102.8	102.8	102.2
59	Mixed	7	950		12:30	101 2	101	101.4	101.2	101	101.8	102.4	103	103	103
60	Mixed	7	1100		A.	101.4	101	101.8	101.8	101	103	103.4	103.8	103	102.8
61	Mixed	9	1100	2 cu	м.	102	101.6	101.6	101.6	103.2	102.4	103	102.6	102.4	103.2
62	Mixed	8	1100	cubic o		101.4	101.6	101.6	101.8	101.2	101.4	103	102.2	101.6	102
63	Mixed	9	1050	centimeters		101	101.2	102	101.8	101.6	101.2	103	103.8	103.2	103.2
64	Mixed	10	1100	met		102	101.6	102.2	102	102 4	103.2	105.2	106.4	106.2	105
65	Mixed	5	1100	ers.		101.8	101.8	101.8	101.8	101.6	101.4	102	103.6	103	103.2
66	Mixed	6	1050		J	101.6	101.2	101.8	101.6	102	102.2	103.6	103.2	103	102.8
67	Mixed	4	950		July	101.4	101.2	101 8	101.4	101.2	102.2	103.6	105.4	106	105
68	Mixed	10	1100		13th,	101.4	101.2	101.4	101.4	102	101.2	102.6	103	103.2	103
69	Mixed	3	900		, 12:30	102.2	102.6	101.6	102	103.2	101.6	103.8	103.2	103.4	103
70	Mixed	4	1000		30 A	101	101.8	103	102.2	101.6	101.8	103	102.8	102.8	102.6
71	Mixed	10	1150		M.	102	101.6	100.6	101.4	101.2	101.4	101.6	101.6	101.4	101.2
72	Mixed	7	1050			101.4	101.2	102	101.8	102	103.6	105.8	106.2	106.8	103.8
73	Mixed	12	1150			102	102	101.8	101.8	101.8	102	102	101.8	101.6	101.8
74	Mixed	16	1000	10		101 2	101.2	101.6	102.2	101.2	101.8	101.6	101.8	101.6	101.6
75	Mixed	7	1100	00 3	11/	101.6	101.2	101.8	101.2	101.2	101.2	102	101.2	101 4	101.8
-				1								J		1	

No. of Animal.		Age-Years	Weight	Amount Injected	Date and Ti	Dat	e: July	7 12, 13	97.		Dat	e: Jul	y 13, 18	97.	
nal	BRRED.			ected	Time of I	TEMP	ERATUR		ORE	TE	MPERAT	URE Al	PTER IN	JECTION	8.
					Injection.	8 a.m.	12 n	6 p m.	12 m	8 a.m.	10 a.m.	12 n	2 p. m	4 p.m.	6 p.m.
76	Mixed	8	1150			101.2	101	102	101.6	101.4	101.6	101.4	101.4	101 4	101 0
77	Mixed		1050			101.4	101.4	101.4	101.4	101.4				101.4	101.2
78	Mixed		1150			102.2	101.4	101.4	101.4	101.4	101.8	101.6	103	103.2	103
79	Mixed		1050			101.2	101.4	101.4	101.0	101.2	101.8	102.2	103.4	103.4	103
80	Mixed		1100			101.2					101.8	103.4	103.2	103.4	103.4
							100.8	101.4	101.4	101.2	101.8	102.4	101.2	101.2	101.2
81	Mixed		1000			101.2	101	101.6	101.2	105.4	106.8	107.6	106.4	106.8	106.6
82	Mixel		1150			100.8	100.8	101.8	101	101	101.2	101.2	101 -	100.8	101.6
83	Mixed		1150			101.4	101.4	101.6	101.6	101.8	102	103.8	103.2	103.2	102
84	Mix.d		1150			101	101	101.4	101.4	101.4	102	102.2	101.8	101.8	101.8
85	Mixed		1000	22	Ju	101.2	101.2	101.8	102	102	102.2	102	101.8	101.8	102
86	Mix^d		1150	cubic	July 1	101.6	101.6	102.2	101.8	104.6	106	106	106	105	105
87	Mixed	9	1050	ic ce	13th.	101.4	101.2	101.6	102.6	103	101.6	101	101	101.8	101.4
88	Mixed	9	1050	centimeters	12	102.6	102.6	102.6	101.6	102.4	102.4	103.2	103.2	103.2	101.4
89	Mixed	8	1050	nete	30 A.	101.2	101.4	101.8	101.8	101.2	101.6	101.8	101.8	101.8	101.6
. 90	Mixed	6	1000	re.	M.	101.4	101.2	101.6	101.4	101.2	102	101.6	101.4	101.8	101.6
91	Mixed	2	700			102.2	101.4	102.4	102.6	103.2	104	105.2	106	105.8	105.8
. 92	Mixed	6	1000			101.2	101	101.4	101.4	102.2	103.4	103	103	102.2	102.2
. 93	Mixed	2	750			101.4	101.2	101.8	101.6	101.6	103.2	103.8	103.6	102.4	102.2
. 94	Mixed	7	1050	M		101.6	101.2	101.6	101.8	101.8	103.4	104	103	102.2	101.8
. 95	Mixed	12	1150	100		101.4	101.6	101.6	101.4	102.2	101.2	101.8	101.8	101.8	101.8
. 96	Mixed	10	1050	-		101.6	101.4	101.6	101.8	101	101.6	101.4	101.2	101.2	101.4
97	Mixed	3	950			101.4	101.4	101.2	101.6	101.8	102.4	103.2	103.2	103	103
98	Mixed	7	1050			101.8	101.2	101.8	101.2	103.6	104.6	105	105.4	105.8	105
99	Mixed	3	850		100	101.8	101	101.4	101.8	102.2	102.2	102.2	103	102.6	102
100		7				101.4	101.4	101.8	101.6	102	102.2	103	103.2	103	102.2

No. of Animal	-BREED.	Age-Years.	Weight	Amount Injected	Date and Time	Dar	te: Jul	y 12, 18	397.		Dat	e: Jul	y 13, 18	97.	
1	- 1			cted	೦೯	TEMI	PERATUI		ORE	TE	MPERAT	URES A	FTER I	NJECTIC	N.
	-				Injection	8 a.m.	12 п	6 p.m.	12 m	8 a.m.	16 a.m.	12 n	2 p.m.	4 p.m.	6 p.m.
101	Mixed	8	1050			101.4	101.6	101.8	101.4	103	103.4	104.6		105.8	105.2
102	Mixed	9	1100			101.2	101.2	101.2	101.4	102.6	102.4	103	103	102.6	102
103	Mixed	7	1050			101.2	101.8	101.6	102	102	101.2	101.4	102.2	102	101.6
104	Mixed	5	850			103	101.8	102	102.4	104	103.4	105	105.2	105.4	105.4
105	Mixed	5	900			101.8	102	102	102	103.2	103.4	103.2	103	102.4	102
106	Mixed	5	1000			101.6	102.2	102	101	102.2	102.6	103.6	103.2	102.8	102.8
107	Mixed	3	850			101.4	101.4	101.4	101.6	101.8	102.4	103.2	103.2	102.2	101.8
108	Mixed	7	1100			101.4	102	102	102	103.2	103.8	102.4	102.2	102	101.4
109	Mixed	8	1050			101.4	101.4	101.2	101	100.8	101	103.6	103	101.8	101.8
110	Mixed	5	900		J	101	101.2	101.2	101.8	101.4	101.6	103.8	103	102.2	102
111	Mixed	6	800	2 cu	July	101.4	101.8	101.4	101.8	101.6	103.4	101.8	101.8	101.8	101.6
112	Mixed	9	1150	cubic	18th,	101	101.8	101.2	101.6	101.2	101	103	101.8	101.6	101.6
113	Mixed	3	750	centimeters		101.4	101.4	101.4	101.8	102.4	103.2	103	103	102.8	102.4
114	Mixed	6	1100	ime	12:30	101.4	102	101.6	102.4	102.4	103.6	102.2	101.4	101.4	101.4
115	Mixed	7	1050	ers.	A. M.	101.4	101.8	102.2	102.2	101.2	101.2	101.2	101.4	101.4	101.6
116	Mixed	6	1000			101.2	102	101.6	101.6	102.2	103.6	103	102.8	102.6	102
117	Mixed	7	1100			101.4	101.2	101.4	101.6	102	101.2	101.2	101.4	101.4	
118	Mixed	12	1150			101.4	102.2	101.2	101.8	102	103	103.2	104.2	105	106.6
119	Mixed	7	1000			101	101.2	101.4	101,2	101.4	101.8	101.2	101.4	101.4	101.4
120			1150			101.2	101.4		102	101.4	101	101	101.6	101.6	101.4
121	Mixed	3				101.2	101	101.8	102	101.4	101.4		101.0	100.8	101.4
122			1050			101	102.8		102	101.8	103.4	103.2	103.8	101.2	101.4
123			950			101.8	101.4		101.2		101.4	100.8	101.4	101.4	101.4
124			1000			101.2					101.4		101.4	101.4	
125			1100			101.6				1	101.4		101.2		
120	DIACU	-	1100			101.0	101.0	101.0	101.4	101.0	101.0	101.4	101.2	101.4	101.8

No. of Animal	BREED,	Age-Years	Weight	Amount Injected	Date and Time of			y 12, 18 ES BEFO		TE			y 13, 18		on.
					Injection.	8 a. m.	12 n	6 p.m.	12 m	8 a.m.	10 a.m.	12 n	2 p.m.	4 p m.	6 p.m.
126	Mixed	10	1100			101.2	101	102.2	101	101.4	102.8	103.2	105	105.8	106.2
127			1050			101.2			100.8			102.8	103	102.6	
128	Mixed	10	1150			101.8	101.6	101.2	101.4	101.4	101.2	102	103.4	102.2	101.8
129	Mixed	4	900	23	July	101.4	101.2	101.2	101.2	101.6	101.8	101.2	101.6	101.8	101.4
130	Mixed	5	1000	cubic	ly 13	100.8	101.2	102.6	102	101	101.2	101.8	101.4	101	101.6
131	Mixed	6	1000	c cer	13th, 1	101.8	102.2	101.6	101.6	101.4	101.4	103	101.8	101.4	101.4
132	Mixed	3	800	centimeters	12:30	101.4	101.2	102.2	101.4	102.4	101.6	101.2	102	102.2	101.8
133	Mixed	7	1000	eter	>	101.6	101.2	102.6	101.4	101	101.2	101.2	101	101	101.2
134	Mixed	7	1000	ů.	M.	101.4	101	101.8	101.6	101.6	101.4	101	100.8	101.2	101.2
135	Mixed	7	1050			101.4	101	101.8	1(1.4	101.8	102.8	102.8	102.4	102	102
136	Mixed	. 7	1000			101.8	101.2	101.6	101.8	102.4	102.8	102.8	102.6	102.6	102.2
137	Mixed	7	1000			102	101.8	102	101.8	101.6	101.8	101.6	101.2	101.8	101.8

# REPORT OF POST-MORTEM EXAMINATION-LOCATION OF LESIONS.

No									0.0		
of Ani-	RETRO- PHAKYNGEAL GLANDS.	MESENTERIC GLANDS.	PORTAL GLANDA.	LIVER.	PERITONEUM.	LUNGS.	GLANDS.	POSTERIOR MEDIASTINAL GLANDS.	UDDER.	PLEURA.	LOCAL CONGESTION.
4	Tubercular.	Tubercular.	Tubercular.	Tubercular.	Tubercular.	Tubercular. Tubercular. Tubercular.	Tubercular.	Tubercular. Tubercular. Tubercular.	Tubercular.	Tubercular.	Tubercular. Slight swelling.
13	Tubercular.		Tubercular.	Tubercular. Tubercular.	Tubercular.	Tubercular.	Tubercular.	Tubercular.		Tubercular.	Tubercular, Slight swelling.
14			Tubercular. Tubercular.	Tubercular.		Tubercular.	Tubercular.	Tubercular.	1	Tubercular.	Tubercular, Slight swelling.
30	Tubercular.	Tubercular. Tubercular. Tubercular.	Tubercular.	Tubercular.	Tubercular.	Tubercular. Tubercular.	Tubercular.	Tubercular.		Tubercular.	Tubercular, Slight swelling.
31								Tubereular.	J	Tubercular.	Tubercular. Slight swelling.
45	Tubercular.	Tubercular.	Tubercular, Tubercular, Tubercular, Tubercular.	Tubercular,	Tubercular.	Tubercular.	Tubereular.	Tubercular.	Tubercular.	Tubercular.	
51		Tubercular.			Tubercular.	Tubercular.		Tubercular.		Tubercular.	Tubercular, Diffuse swelling.
55			Tubercular.	Tubercular. Tubercular.		Tubercular.	Tubercular.	Tubercular,		Tubercular.	Tubercular. Slight swelling.
22								Tubereular.			Slight swelling.
64						Tubercular.	Tubercular. Tubercular.	Tubercular.			Slight swelling.
67	Tubereular.	Tubercular, Tubercular.	Tubercular.	Tubercular.		Tubercular.	Tubercular,	Tubercular.	Tubercular. Tubercular.	Tubercular.	Tubercular, Slight swelling.
25	Tubercular.		Tubercular	Tubercular	Tubercular.	Tubercular Tubercular. Tubercular.	Tubercular. Tubercular.	Tubercular.		Tubercular.	Tubercular. Slight swelling.
81		Tubercular.			Tubercular.	Tubercular.	Tubercular.	Tubercular.			Slight swelling.
86						Tubercular.		Tubercular.			
10			Tubercular.	Tubercular. Tubercular.		Tubercular.	Tubercular. Tubercular.	Tubercular.	1	fubercular.	Tubercular. Slight swelling.
98						Tubercular.		Tubercular.			Slight swelling.
101	Tubereular.	101 Tubercular. Tubercular. Tubercular. Tubercular.	Tubereular.	Tubercular.		Tubercular.		Tubercular. Tubercular.		Tubercular.	Tubercular. Slight swelling.
104						Tubercular.	-	Tubercular.			Slight swelling.
118			Tubercular			Tubercular.		Tubercular.			Slight swelling.
136					-			Tubercular.			Slight swelling.

# EUREKA DAIRY-FURRER BROS.

		-	1		1	1									
No. of Animal.		Age-Years	Weight	Amount Inj	Date and Time	Da	té: Jul	y 16, 1	897.		Dav	te: Jul	y 17, 18	397.	
	BREED.			Injected	of	темі		RES BEI	FORE	TE	MPERA	TURES	AFTER 1	NJECTIC	ON.
					Injection.	8 a.m.	12 n	6 p.m.	12 m	8 a.m.	10 a.m.	12 n	2 p.m.	4 p.m.	6 p.m.
1	Mixed	R	1000	- 1		101.6	101.4	101.4	101.6	101 9	101.6	101.4	101.6	101.8	101.6
2	Mixed		1150		0	101.0	101.4	101.4		101.2		101.4	101.4	101.6	101.8
3	Mixed		1200			102	101.4	101.2			101.6	101.4	101.4	101.4	101.6
4	Mixed		1000		8.0	102	101.4	101.6	101.4	103.8		104.8	105.6	106.6	106
5	Mixed		1150			101.6	101.6	101.8	101.6	101.4	101.6	101.6	101.8	101.6	101.6
6	Mixed		1100		- 0	102	102	101.8	101.8	102	102.2	102	102	102.4	101.8
7	Mixed		1100			101.8	101.4	101.2	101.4	101.6	102	102	102	102	102
8	Mixed		1100			102.4	102	102	102	103	104.6	105.4	107	107	106.2
9	Mixed	7	1050			101,2	101.4	101.4	101.4	101.6	101.6	101.4	101.6	101.6	101.6
10	Mixed	9	1050			101.6	101.4	101.4	101.6	101.4	101.6	101.6	101.8	101.6	101.8
11	Mixed	10	1100	2 01	July	102.4	101.6	101.4	101.6	102	102.4	102.2	102.4	102.2	102
12	Mixed	5	1000	cubic	17th,	101.4	102.4	102	101.8	102	102.2	102.4	102.6	102.6	102.4
13	Mixed	10	900	centimeters	1, 12:	102	102	102	102	102	102	102.6	102	102	102
14	Mixed	7	1050	ime	:30 A.	101.8	102	101.8	101.8	101.6	101.6	101.4	101.6	101.8	101.6
15	Mixed	10	1100	ers.	. м.	102.4	102.2	101.8	101.8	105	106 4	107.4	107.2	107	106.4
16	Mixed	6	1050			102	102	102	102	102	102	102.2	102	102.6	102
17	Mixed	-7	1100			102	102	101.8	101.8	102	102.2	102	101.8	101.8	101.6
18	Mixed	7	1100			103.2	102	101.8	101.6	101.8	102	102	102	101.8	101.8
19	Mixed	6	1050			102.2	102	101.6	101.6	101.6	101.6	101.6	101.8	101.6	101.6
20	Mixed	7	1000			102.4	102.2	102	102	102.4	103.6	104.6	105.4	106.2	106
21	Mixed	12	1100			102.2	102.2	101.8	101.6	101.8	101.8	101.8	101.6	101.8	101.6
22	Mixed	7	1150			100.6	101	101.2	101.2	101.6	101.4	101.6	101.8	101.6	101.6
23	Mixed	7	1000			101.6	101.8	101.8	101.8	101.8	101.6	101.4	101.8	101.6	101.6
24	Mixed	8	1100			101.2	101.6	101.4	101.2	101.6	101.6	101.6	101.6	101.8	101.8
25	Mixed	9	1150			102.2	102	102	101.8	101.8	101.8	101.6	101.6	101.6	101.4
		1	,										-	-	

of Animal.		Age-Years	Weight	Amount Injected	Date and Ti	Da	te: Ju	ly 16, 1	897.		Da	te: Jul	y 17, 18	897.	
nal	BREED.			ected	Time of I	TEM		RES BEI	FORE	177	EMPERA	TURES .	AFTER	INJECTIO	ON.
					Injection.	8 a.m.	12 n	6 p.m.	12 m	8 a.m.	10 a.m.	12 n	2 p.m.	4 p.m.	6 p.m.
26	Mixed	7	1100			101.6	101.4	101.2	101.2	103.2	104.6	106	106.8	106.6	106
27	Mixed	8	1050			102.2	102	102	101.8	101.8	101.6	101.6	101.4	101.6	101.2
28	Mixed	6	1100			101.6	101.6	101.6	101.4	101.6	101.6	101.8	101.6	101.4	101.2
29	Mixed	9	1150			101.2	101.2	101	101.2	101.4	101.2	101.4	101.6	101.8	101.6
30	Mixed	9	1100			101.6	101.8	101.6	101.4	101.4	101.2	101.6	101.4	101.6	101.6
31	Mixed	9	1100			101,2	101.4	101.2	101.2	101.8	101.6	101.4	101.6	101.6	101.6
32	Mixed	6	1050			101.6	101.4	101.6	101.4	101	101.4	101.2	101.6	101.8	101.6
33	Mixed	7	1100			101	101.2	101.4	101.2	101	101.6	101.6	101.8	101.8	101.8
34	Mixed	7	1050			101	101.2	101.2	101.4	101.2	101.8	101.8	101.6	101.6	101.4
35	Mixed	9	1100		J	101.6	101.4	101.4	101.6	101.6	101.4	101.6	101.8	101.6	101.4
36	Mixed	6	1000	2 cu	July	101.2	101.2	101.4	101.6	103.2	104.6	105.6	106	107	106.4
37	Mixed	9	1050	cubic c	17th,	101.4	101.2	101.6	101.4	101.8	101.6	101.8	102	102	101.8
38	Mixed	7	1050	centimeters.	, 12:30	101.4	101.4	101.4	101.4	101.6	101.4	101.6	101.8	101.8	101.6
39	Mixed	7	1100	met	30 A	101.2	101.2	101.2	101.2	101.4	101.6	101.6	101.6	101.6	101.6
40	Mixed	9	1100	ers.	м.	101	101.2	101.2	101.2	105.2	106.6	107.2	107	107	106.4
41	Mixed	7	1050			101.2	101.2	101.2	101.4	101.6	101.8	102	102.2	102	102
42	Mixel	9	1100			101.8	101.6	101.6	101.6	103	104	104	104	103	102.8
43	Mixed	10	1150			101.8	101.6	101.4	101.4	101.4	101.6	101.8	102	102	102
44	Mix d	5	900			101	101	101.2	101	101.6	102	102.4	102	101.8	101.6
45	Mixed	10	1100			101.2	101.2	101.4	101.4	101.8	101.8	101.6	101.8	101.8	101.6
46	Mixed	7	1050			101	101	101.2	101.2	103.8	105	106	106.6	105	104
47	Mixed	6	1000			101.6	101.4	101.2	101.8	101.8	101.6	101.6	101.6	101.6	101.6
48	Mixed	7	1100			102	102	102.2	102.4	102.2	103.4	103.4	103.6	103	103
49	Mixed	7	1100			101.8	101.8	101.6	101.6	101.8	101.8	101.8	101.8	101.8	101.6
50	Mixed	6	1050			101.4	101.4	101.2	101.4	102.2	102	102.2	102	102	102

No. of Animal.		Age-Years	Weight	Amount Injected	Date and Ti	Dat	es: Jul	y 16, 1			Da	tes: Ju	ly 17, 1		
nal	BREED.			ected	Time of I	TEM	PERATU	RES BE	FORE	TI	EMPERA'	TURES A	AFTER I	NJECTIC	on.
	L 1				Injection.	8 a.m.	12 n	6 p.m.	12 m	8 a.m.	10 a.m.	12 n	2 p.m.	4 p.m.	6 p.m
51	Mixed	7	1100			101.6	101.6	101.6	101.4	101.6	101.6	101.8	101.6	101.6	101.0
52	Mixed		1100			101.4	101.6	101.4	101.4			101.8	101.8		101.6
53	Mixed		1050		100	101.4	101.4	101.6	101.6	101.6		101.6	101.8		101.6
54	Mixed		1100			102	102	101.2	101.4		104	105	105.6	106	105.6
55	Mixed	8	1050			101.6	101.2	101.6	101.6		102	102.2	102.4	102	101.8
56	Mixed	9	1100			101	101.6	101.4	101.2	101.6	101.6	101.4	101.6	101.6	101.8
57	Mixed	7	1050			102	101.8	101.6	101.6	103	104.6	105.4	106.2	106.6	106.4
58	Mixed	8	1100			102.2	102	102	102	102.2	102.6	102.8	103	103	102.8
59	Mixed	в	1050			101.6	101.4	101.6	101.4	101.8	101.6	102	102.3	102	102
60	Mixed	9	1100			101.6	101.2	101.4	101.2	101.6	101.8	101.6	101.8	101.8	101.8
61	Mixed	6	1050	2 cu	July	101.6	101.8	101.6	101.4	101.2	101.4	101.2	101.4	101.2	101.4
63	Mixed	9	1100	cubic o	19th,	101.2	101.2	101	101.2	101.2	101	101.4	101.2	101.4	101.2
63	Mlxed	6	1050	centimeters	, 12:	101.6	101.6	101.4	101.4	101.4	101.2	101.4	101.6	101.8	101.2
64	Mixed	6	1050	met	:30 /	101.2	102	102	101.8	102	103.2	104	103	103.2	103
65	Mixed	7	1100	ers.	. м.	101.6	101.4	101.4	101.2	101.6	101.4	101.6	101.8	101.2	101.4
66	Mixed	7	1050		-	102.2	102	101.8	101.8	103	104.6	105.6	107	106.6	106
67	Mixed	9	1100	00)		101.6	101.6	101.4	101.2	101.4	101.6	101.8	101.2	101.4	101.6
68	Mixed	7	1050			101.2	101.8	101.6	101.8	101.8	101.8	101.2	101.4	101.6	101.8
69	Mixed	9	1100			100.8	101	101.2	101.2	101.6	101.2	101.4	101.6	101.8	101.2
70	Mixed	10	1100			102.2	102	101.8	101.6	103.8	104.2	105	105.6	106.6	106.2
71	Mixed	5	900	1		102.4	102.2	102	102	101.8	102.2	102.2	102.4	103.2	103
72	Mixed	10	1050			102.2	102	101.8	101.6	101.4	101.4	101.6	101.8	101.2	101.4
73	Mixed	6	900	1		102	101.8	101.8	101.6	101.6	101.6	101.8	101.2	101.4	101.2
74	Mixed	7	1050			102	101.6	101.6	101.8	102	102	102.2	101.8	102	102
75	Mixed	7	850			102.4	101.6	101.8	102	102	102.4	103	103.6	103.2	103

No. of Anin		Age-Years	Weight	Amount Injected.	Date and Time	Dai	e: Jul	y 18, 18	397.		Dat	e: Jul	y 19, 18	97.	
Animal	BREED.			ected	of	темі	PERATUI		ORE	TE	MPERAT	TURES A	AFTER I	NJECTIC	N.
					Injection.	8 a.m.	12 n	6 p.m.	12 m	8 a.m.	10 a.m.	12 n	2 p.m.	4 p.m	6 p.m.
76	Mixed	6	900			101.8	101.8	101.6	101.8	101.8	101.8	101.2	101.4	101.6	101.8
77	Mixed	7	1050			102	101.8	102	101.8	104	106	106.8	106	105.8	105.2
78	Mixed	7	1100			101.4	101.4	101.4	101.6	101.2	101.2	101.4	101.6	101.8	101.2
79	Mixed	6	1100			102	102	101.8	101.8	101.4	101.4	101.6	101.8	101.2	101.4
80	Mixed	12	1150		1	101.6	101.4	101.4	101.6	103	104.4	105.4	106	106.6	107
81	Mixed	7	1100			101.2	101.4	101.6	101.6	101.6	101.6	101.8	101.2	101.4	101.6
82	Mixed	7	1150			102.4	102	101.8	101.4	101.8	102.4	102.4	102.2	102	102.2
83	Mixed	8	1050			101.8	101.6	101.6	101.6	101.8	101.8	101.2	101.4	101.6	101.8
84	Mixed	9	1000			102	101.8	101.4	102	105	106	106.8	107	107	106.4
85	Mixed	7	1000		J.	101.6	101.6	101.8	101.4	101.2	101.2	101.4	101.6	101.8	101.2
86	Mixed	7	1050	2 cubic	July	102	101.4	101.6	101.8	102	102	102	102.4	103	103
87	Mixed	8	1050		19th,	102	101.6	101.4	101.6	101.6	101.4	101.6	101.8	101.2	101.4
88	Mixed	5	1000	centimeters.	12	101.2	101.4	101.6	101.4	101.4	101.6	101.8	101.2	101.4	101.6
89	Mixed	9	1100	met	30 A.	101.6	101.6	101.6	101.6	101.6	101.8	101.2	101.4	101.6	101.8
90	Mixed	6	1050	ers.	м.	101.2	101.6	101.6	101.4	101.8	101.2	101.4	101.6	101.8	101.4
91	Mixed	7	1100			101.6	101.6	101.4	101.6	101.8	101.8	101.8	101.8	101.6	101.6
92	Mixed	8	1050			101.6	101.4	101.4	101.4	101.4	101.2	101.4	101.4	101.4	101.2
93	Mixed	9	1100			102	102	102.2	102.2	102	103	104	106	107	106.4
94	Mixed	12	1200			102	102	102	102	102	102	101.8	101.8	101.6	102
95	Mixed	7	1150			101	101.4	101.2	101.4	101.4	101.2	101.4	101.6	101.4	101.4
96	Mixed	6	1050			101.6	101.6	101.4	101.2	101.2	101 4	101.6	101.8	101.6	101.6
97	Mixed	9	1100			102	101.8	101.8	101.4	103.8	104	104	104	104	103.6
98	Mixed	6	1000			101.4	101.6	101.6	101.4	101.4	101.6	101.8	101.6	101.4	101.4
99	Mixed	5	1050			101.6	101.4	101.4	101.6	101.6	101.8	101.6	101.4	101.6	101.4
100	Mixed	8	1150			101 4	101 6	101.4	101.4	102.8	103.4	103.4	103.4	103.2	103.2

No. of Animal.		Age-Years	Weight	Amount Injected.	Date and Time	Da	te: Jul	y 18, 18	897.		Dat	e: Jul	y 19, 18	97.	
ıal	BREED.			ected	of	TEM		RES BE	FORE	TF	MPERA'	TURES A	AFTER I	NJECTIC	N.
					Injection.	8 a.m.	12 n	6 p.m.	12 m	8 a.m.	10 a.m.	12 n.'	2 p.m.	4 p.m.	6 p.m.
													= 1		
101	Mixed	7	1050		1	101.8	101.2	101.2	101.4	101.8	101.4	101.2	101.4	101.4	101.8
102	Mixed	9	1100			102	101.8	101.6	101.4	103.8	104.2	105.8	106	106	105.2
103	Mixed	8	1050			101.6	101.8	102	102	102	102.8	103	103	103.2	103
104	Mixed	7	1050			101	101.8	101.4	101.2	101.2	101.4	101.4	101.6	101.6	101.6
105	Mixed	12	1100			101.2	101.6	101.2	101.2	101.4	101.6	101.6	101.4	101.4	101.4
106	Mixed	. 7	1050			101	101	101.2	101.8	102	102.8	102.8	103	103.8	103.8
107	Mixed	6	1100			101.8	101.2	101	101.4	101.6	101.8	101.4	101.6	101.8	101.4
108	Mixed	7	1050	20	July	101.2	101	101.4	101	102	102.6	103	103.4	103	102.8
109	Mixed	7	1150	cubic	y 19	100.8	101	101	101,2	101.8	101.4	101.6	101.4	101.6	101.4
110	Mixed	6	1100	cer	19th, 1	101.2	101.6	101.6	101.4	101.2	101.2	101,2	101.4	101.4	101.6
111	Mixed	. 10	1200	ıtim	12:30	101.4	101.8	101.2	101.6	104	105	106	106.6	106.4	106.4
112	Mixed	7	1150	centimeters	Α.	101.4	101.2	101	101.2	101.4	101.4	101.4	101.6	101.6	101.4
113	Mixed	10	1150	002	H.	101.2	101	101.2	101.2	102	103	103	102.8	102.6	102
114	Mixed	5	1000			101.6	101.2	101.2	101.2	101.6	101.6	101.6	101.6	101.6	101.4
115	Mixed	10	1150			101	-101.4	101.4	101.4	101.8	101.8	101.6	101.4	101.4	101.6
116	Mixed	9	1000			101	101.2	101.4	101.4	101.6	101.2	101.4	101.4	101.2	101.4
117	Mixed	7	1150			101.6	101.2	101.4	101.4	101.2	101.4	101.6	101.6	101.4	101.4
118	Mixed	- 9	1000			101.2	101.6	101.2	101.6	102	101.8	102	102.4	103	103
119	Mixed	7	1000			101.6	101.2	101	101.6	101.4	101.6	101.8	101.6	101.6	101.4
120	Mixed	7	1100			101.2	101	101.2	101.4	101.6	101.6	101.8	101.4	101.4	101.6
										)			4	1	

# REPORT OF POST-MORTEM EXAMINATION -- LOCATION OF LESIONS.

GLANDS  OF MUSCLES.			-					Tubercular										
PLRURA.	Tubercular.		Tubercular.				Tubercular.	Tubercular, Tubercular. Tubercular.						Tubereular.				Tubercu'ar.
UDDER.				ŀ				Tubercular.		Ī	Ì	-	1					
POSTERIOR MEDIASTINAL GLANDS.	Tubercular.	Tubercular.	Tubercular.		Tubercular.		Tubercular.	Tubercular,	Tubercular.		Tubercular, Tubercular.	Tubercular.	Tubercular.	Tubercular.	Tubercular.	Tubercular.	Tubercular.	Tubercular.
BRONCHIAL GLANDS.	Affected Tubercular. Tubercular.		Tubercular. Tubercular. Tubercular.	Tubercular.			Tubercular. Tubercular. Tubercular.	Tubercular.	Tubercular. Tubercular. Tubercular.		Tubercular.		Tubercular. Tubercular.	Tubercular. Tubercular.		Tubercular. Tubercular.		Tubercular, Tubercular.
LUNGS.	Affected"	Tubercular.	Tubercular.	Tubercular. Tubercular.	Tubercular.		Tubercular.	Tubercular.	Tubercular.			15	Tubercular.	Tubercular.	Tubercular.	Tubercular.	Tubercular.	Tubercular.
UTERUS.								Tubercular.										-
PÉRITONEUM.	Affected					Tubercular.		Tubercular.		Tubercular.				Tubercular.				Tubercular.
LIVER.	Affected Affected		-					46 Tubercular. Tubercular. Tubercular. Tubercular. Tubercular. Tubercular. Tubercular.						0				Tubercular. Tubercular. Tubercular. Tubercular.
PORTAL GLANDS.	Affected	Affected				Tubercular.		Tubercular.		Tubercular.				Tubercular.			-	Tubercular.
MESENTERIC GLANDS,	Affected					Tubercular, Tubercular.		Tubercular.		Tubercular, Tubercular.				Tubercular. Tubercular.				Tubercular.
No. of Ani- glands.								Tubercular.										
No. of Ani- mal	4	000	15	90	36	31	9	46	54	29	99	20	2.2	80	84	93	102	III

## H. H. H. BURFEIND.

No. of Animal.		Age-Years	Weight	Amount Injected	Date and Time	Dat	e: Jul	y 24, 18	897.		Dat	ce: Jul	y 25, 18	97.	
nal	BREED.			cted	of	TEM	PERATU	RES BE	FORE	TE	MPERA'	TURES A	AFTER I	NJECTIO	N.
					Injection.	8 a m.	12 n	6 p.m.	12 m	8 a.m.	10 a.m.	12 n	2 p.m.	4 p.m.	6 р.ш.
												O F			
1	Mixed	6	1000			101.6	101.6	101.4	101.4	101.8	101.2	101.4	101.6	101.2	101 4
2	Mixed	7	1100		0	101.6	101.4	101.4	101.4	101	101.2	101.4	101.2	101.4	101.4
3	Mixed	9	1150			102.4	102	102.2	102.2	101	101	101	101	101.2	101.2
4	Mixed	6	1050			102.2	102	102.2	102	103	104.6	105.6	107	107	106.4
5	Mixed	10	1150			101	101.4	101.2	101.4	101.2	101.4	101.6	101.6	101.6	101.6
6	Mixed	9	1100			101.6	101.6	101.4	101.2	101.4	101.2	101.4	101.4	101.6	101.2
7	Mixed	7	1100			102	101.8	101.8	101.4	102.6	104	104.4	104.6	103.8	103
8	Mixed	5	1000			101.4	101.6	101.6	101.4	102.8	102.4	103	103.6	103.6	103
9	Mixed	3	900			101.4	101.4	101.4	101.6	101.6	102	102	101.4	102	101.8
10	Mixed	7	1050			101.6	101.6	101.4	101.4	102.4	102.2	102	102.2	102.2	102.2
11	Mixed	9	1150	2 cu	July	101 4	101.2	101.2	101.4	102	101.6	102	102.4	103.2	103
12	Mixed	6	1000	cubic	25th,	101.8	101.8	101.6	101.4	102.2	101.6	101	101.8	101.8	101.8
13	Mixed	7	1150	centimeters		102	101.8	102	102	106.2	107.4	107.2	107	107	106.6
14	Mixed	7	1100	ime	12:30	101.6	101.6	101.4	101.2	101.2	101.4	101	101	101.2	101.4
15	Mixed	7	1150	ters.	A. M	101	101	101.2	101.2	101	101.8	101.6	101.2	101.6	101.4
16	Mixed	3	900			101.2	101.2	101.2	101.4		104	104	104	103	102.8
17	Mixed	.1	1050			100.8	101	101	101	102	101.8	102	103	103.2	103
18	Mixed		1050			101.8	101.6	101.4	101.4	101	101	101.2	101.4	101.4	101.6
19	Mixed		1050		1	101.8	101.8	101.6	101.6		106	106.6	106	105.8	105.2
20	Mixed		1150			101.2	101.2	101.2	101,2		101.4	101.4	101.4	101	101
21	Mixed		1100			100.8	101	101	101.2		103.4	103.4		103	103
22			1150			101.2	101.2	101.2	101.2		101	101	101	101.2	101
23			1100			101.4	101.4	101.2	101.2	101.6	101	101	101.2		101.2
24	Mixed		1100			101.4		101.4			101	102	101.8		101.2
25				0		101.4		101.4			101.4	101.4	101.6	101.0	101.4
20	MIACU	3	1000			101.2	101.2	101.4	101.0	101.8	101.4	101.4	101.0	101	101.4

No. of Animal	BREED.	Age - Years	Weight	Amount Injected	Date and Time of L		PERATUI	y 25, 18		Tł			y 25, 18		DN.
					Injection.	8 a. a.	12 n	6 p.m.	12 m	8 a.m.	10 a.m.	12 n	2 p.m.	4 p.m.	6 p.m.
26	Mixed	7	1150			101.6	101.6	101.4	101.6	100.8	100.8	101.4	101.2	101.4	101.4
27	Mixed	3	900			101	101	101.2	101.4	101	101	101.6	102	102	102
28	Mixed	7	1050			101	101	101	101.2	101.2	101.4	101.6	101.6	101.6	101.6
29	Mixed	6	1000	2 cu	July	101.6	101.4	101.2	101.4	102.2	103.6	105.4	105.8	106	105.4
30	Mixed	9	1150	cubic c	ly 25	101.2	101.2	101.2	101.2	101	101.6	102	101.8	101.6	101.2
31	Mixed	7	1100	centimeters	25th, 1	101.6	101.6	101.4	101.2	101	101.6	101	101.4	101.4	101.6
32	Mixed	10	1150	mete	12:30	101.8	101.6	101.6	101.4	101.6	101	101	101.8	102	101.8
33	Mixed	9	1200	ers.	А. М	102	101.8	101.6	101.4	102	102.2	103.8	105	105.8	106
34	Mixed	7	1100		·	101.6	101.8	101.8	101.8	101.8	102.2	101.6	101.2	101.8	101.8
35	Mixed	7	1100			101	101.2	101.4	101.2	101.6	101.4	101.4	101.2	101.2	101.4
36	Mixed	8	1150			102	102	102	102	101.2	102.8	103.6	104	104.2	103.6
37	Mixed	6	1050			101.6	101.6	101.4	101.2	101.4	101.6	101.8	101.8	101.4	101.6

## REPORT OF POST-MORTEM EXAMINATION--LOCATION OF LESIONS.

No. of Animal	RETRO- PHARYN- GEAL GLANDS.	MESEN- TERIC GLANDS.	PORTAL GLANDS.	LIVER.	PERITO- NEUM.	LUNGS.	BR'NCHIAL GLANDS.	POSTERIOR MEDIAS- TINAL GLANDS.	PLEURA.
4			Tubercular	Tubercular	Tubercular	Tubercular	Tubercular	Tubercular	Tubercular
13						Tubercular	Tubercular	Tubercular	Tubercular
19	Tubercular	Tubercular	Tubercular	Tubercular	Tubercular	Tubercular	Tubercular	Tubercular	
29			Tubercular	Tubercular		Tubercular		Tubercular	
33		Tubercular				Tubercular	Tubercular	Tubercular	
						1 1			

# DUTTON V. WRIGHT.

No. of Animal	Age-Years	Weight	Amount Injected.	Date and Time of		te: Jul			TE		te: Jul		897.	N.
				Injection.	8 a.m.	12 n	6 p.m.	12 m	8 a.m.	10 a.m.	12 n	2 p.m.	4 p.m.	6 p.m.
1 Mixed	8 8 8 9 111 144 144 122 123 144 166 18 144 166 18 12 12 12 12 12 12 12 12 12 12 12 12 12	1050	2 cubic centimeter	July 30th, 12:30 A. M.	104 102.2 101.4 100.6 103.4 101.2 101.4 100.8 101 101.2 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.5 101.4 101.4 101.4 101.4 101.4 101.4 101.5 101.4 101.6 101.4 101.6 101.4 101.6 101.4 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.	101.4 100.8 100.8 103 101.4 101 101.2 101 101.2 101 101.4 100.6	103 101.6 101.4 101.2 101 102.6 101 101.4 101.2 101.2 101.2 101.2 101.3 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.2 100.6 101.4 101.2 100.6 101.4 101.2 100.6 101.4 101.2 100.6 101.4 101.4 102.6 101.4 102.6 103.6 104.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6 105.6	102.8 101.4 102 101.6 100.6 102.8 101 101.2 101 102 101.4 101.4 101.5 101 101.2 101 101.4 100.6 101.2 100.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8 101.8	105.2 101.2 103.6 101.2 103.6 100.8 101.2 102 2 101.0 101.1 101.6 101.2 104.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5 101.5	106.4 101.4 104.6 100.8 101.2 104.6 101.2 101.8 101.2 102.8 101.2 102.8 101.4 101.4 101.4 101.6 101.2 101.2 101.2 101.2 101.2 101.2 101.2 101.2 101.2 101.2	106 100.8 105.6 101 102.2 103.5 101.4 105.2 100.8 101.4 101.2 104.6 101.2 101.6 105.8 101.4 101.6 101.2 101.6 101.2 101.6 101.2 101.6 101.4 101.6 101.4 101.6 101.4 101.6 101.5 101.6 101.6 101.2 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.6 101.	101.4	107 102 106.2 101.6 102 106.8 101.4 100.8 101.4 101.2 105.4 101.2 101.2 101.4 107 101.6 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 10	101.8 102

No. of Animal	.		Age	Weight	Amount Injected.	Date and Ti	Dat	se: Jul	y 2 <b>9,</b> 18	897.		Dat	se: Jul	y 30, 18	97.	
)al	-	BREED.			ected	Time of I	темі	PERATU	RES BE	FORE	Ti	EMPERA	TURES	AFTER 1	NJECTIC	)N.
:	1					Injection.	8 a. m.	12 n	6 p.m.	12 m	8 a.m.	10 a m.	12 n	2 p.m.	4 p.m.	6 p.m.
	1					11	1									
9	34	Mixed	8	1050			101.4	101.4	101.4	101	101	103	102	101.8	102.4	103.2
5	35	Mixed	8	1000			101.2	101.4	101	101.2	102.6	101.8	102.2	103	103	102.6
9	36	Mixed	9	1000			101.6	101.4	101.4	101.4	103.2	101.6	101.2	102	101.8	101.8
8	37	Mixed	10	1100			101.2	101.2	101.4	101	101	100.6	101.2	100.8	101	101.2
8	38	Mixed	12	1100			101.8	101 6	101.4	101.4	101.2	103.6	105 6	106.2	106	104.6
5	39	Mixed	14	1200			101.6	101.6	101.4	101	101	103.2	102.4	101.6	101.6	101.6
4	10	Mixed	8	1000			100.8	101.2	101.4	101	101.8	101,2	101	101	101.6	101.2
4	11	Mixed	8	1050			101	101	101.2	101	101.6	101.4	101.2	101.6	101.4	101.2
4	12	Mixed	9	1050			101.4	101.4	101.4	101.2	104.2	104.8	105.4	106.4	106.2	106
4	13	Mixed	9	1100			101.4	101.2	101.6	101	103	103.4	105	105.8	101	105.2
4	14	Mixed	8	1100	20	July	100.6	101	101.2	101	102.2	102.2	102.2	102.2	102.2	103
4	15	Mixed	8	1050	cubic	y 2	101.4	101.4		101.2	104.2	105.2	106	106.4	106	105.2
4	16	Mixed	8	1050		29th,	101	101	101	101,4	103.2	102.2	101.6	102	101.6	102.2
4	17	Mixed	10	1050	centimeters	1,11	100.4	101.6	101.4	101.6	103.2	104.8	105.4	106.2	105.2	104.2
4	18	Mixed	10	1050	tim	12:30	100.8	101.2	101.4	201.2	100.4	100.4	100.8	100.6	101	101
- 4	19	Mixed	9		ete	) >-	100.6	101	101.2	101.4	100.8	100.6		101.2	101.4	101.8
	50	Mixed	10	1000	rs.	2	101.4	101.2	101.2	101.2	101	101.6	101 4	101.4	101.6	101.4
	51	Mixed	9	1150			101.8	101.6	101.4	101.4	102	101.4	101.4	101.6	101.4	101.6
Ę	52	Mixed	8	1200			101.8	101.4	101.2	101.2	101.6			101.4	101.2	101.4
3	53	Mixed	8	1200			101.4	101.4	101.3	101.6	102	103.8	105	105.8	106	105.2
	54	Mixed	9	1200			101.6	101.4	101.2	101.4	101.8	101.6	101.4	101.2	101.4	101.6
. :	55	Mixed	9	1100			101	101	101.2	101.2	101.4	101.4	101.6	101.4	101.6	101.4
;	56	Mixed	7	1100			105	105	104	104	*	*	*	*	*	101.6
:	57	Mixed	10	1150			102	101.6			102.8	106	106.4	105.6	105.4	105
;	58	Mixed	12	1200			101.4	101.6	101.6	101.6	101.6	101.6	101.2	101.6	101.4	101.6
;	59	Mixed	14	1050		1	100.6	101.4	101 2	101 4	101.4	101.4	101 4	101.4	101.2	101 4
(	30	Mixed	14	1000	1	10	101.4	101.2	101.2	101.6	101.6	101.6	101.6	101.4	101.4	101.6
				1 1		0									-	

<sup>\*</sup> Condemned without testing.

# REPORT OF POST-MORTEM EXAMINATION-LOCATION OF LESIONS.

ION.																		•		
LOCAL CONGESTION.	Slight.	Slight.	Slight.	Slight.	Slight.	Slight.	Slight.	Slight.	Slight.	Slight.	Slight.	Slight.	Slight.	Slight.	Slight.	Slight.	Slight.	Slight.		Slight.
GLANDS OF MUSCLES.				Affected.									1							
PLEURA.	Affected.				Affected.	Affected.		Affected.						i			Affected.			
UDDER.	Affected.				Affected.								+				ŀ			
POSTERIOR MEDIAS- TINAL GLANDS.	Affected.	Affected.	Affected.	Affected.	Affected.	Affected.	Affected.	Affected.	Affected.	Affected.	Affected.	Affected.	Affected.	Affected.	Affected.	Affected.	Affected.	Affected.	Affected.	Affected.
BR'NCHIAL GLANDS.	Affected.	Affected.	Affected.	Affected.	Affected.	Affected.	Affected.	Affected.	Affectad.	Affected.	Affected.	Affected.	Affected.	Affected.	Affected.	Affected	Affected.	Affected.	Affected.	Affected.
LUNGS.	Affected.	Affected.	Affected.	Affected.	Affected.	Affected.	A ffected.	Affected.	Affected.	Affected.		Affected.		Affected.	A.ffected.	Affected.	Affected.		Affected.	A ffected.
PERITO- NEUM.	Aff cted.		Affected.		Affected.	Affected.	Affected.	Affected.		Affected.		Affected.					Affected.	A ffected.		
LIVER.			Slightly				Affected.											Affected.		
PORTAL GLANDS.	A ffected.		Affected.		Affected.	Affected.	Affected.	Affected.		Affected.		Affected.				Affected.	Affected.	A ffected.		
MESEN- TERIC GEANDS.	Affectied.				Affected.	Affected.		Affected.		Affected		Affected.				Affected.	Affected.	Affected.		
RETRO- PHARYN- GEAL GLANDS.	Affected.				Affected.	Affected.		A ffected.	١		1		-	1		Affected.	Affected.			
No. of Animal	-	63	9	6	13	19	21	23	30	31	35	33	38	45	43	45	47	53	99	57

# GEORGE HAWES.

=		1								1					
No. of Animal.		Age-Years	Weight	Amount Injected	Date and Ti	Date	e: Augu	ıst 6, 18	897.		Date:	Augus	st 7, 189	97.	
nal	BREED.			ected	Time of In	TEM	PERATU		FORE	TH	MPERA	TURES .	AFTER I	NJECTI	ON.
					Injection.	8 a.m.	J2 n	6 p.m.	12 m	8 a.m.	10 a.m.	12 n	2 p.m.	4 p.m.	6 p.m.
1	Mixed	9	1100			101.6	101.6	101.6	101.4	102	104 4	105.6	106.2	105.2	105
2	Mixed	8	1050			102.8	102.6	102.4	102	101.4	101.6	101.4	101.6	101	101.4
3	Mixed	9	1050			101	101.4	101.6	101.4	101.2	103.4	104.6	106.2	106.6	106
4	Mixed	10	1100			101.8	101.4	101.8	101.8	101.2	101.8	101.8	101.6	101.4	101.4
5	Mixed	5	950			101.8	100.4	102.4	102.2	101.2	102	101.6	101.8	101.6	101 6
6	Mixed	6	1000			101.6	101.6	102	102	101.4	101.6	101.8	101.6	101.4	101.4
7	Mixed	4	950			102.2	102	102.6	102.4	101.6	101.2	101.2	101.4	101.2	101.2
8	Mixed	10	1000			101.6	102	102.2	102	101.8	101.4	101.4	101.2	101.4	101.2
9	Mixed	3	850			102	101.8	102.2	102.2	102	101.6	101.6	101.8	102	101.8
10	Mixed	4	900		A	101.6	101.6	101.4	101.2	101.4	101.8	101.2	101.4	101.6	101.2
11	Mixed	10	1100	2 cu	ugust	102.4	102.4	102	102	101.2	102	101.4	101.6	101.8	102
12	Mixed	7	1050	cubic	ıst 7	101.4	101.6	101.8	101.6	101.2	102	102	101.8	101.8	102
13	Mixed	12	1100	centimeters	7th, 1	102	101.6	101.8	101.8	101.6	101.2	101.4	101.6	101.8	101.4
14	Mixed	10	1100	ime	12:30	101.8	101.6	101.2	101.4	101.4	101.4	101.4	101.2	101.2	101.4
15	Mixed.,	10	1100	ters.	<b>▶</b>	102	102 -	102	102	103.2	104.4	105.6	106.6	106	105.2
16	Mixed	7	1050		×.	102	102.4	102.8	102.6	104.8	104.6	105.8	106	105	105
17	Mixed	8	1000			102	102.4	102.2	102.2	104.4	104.8	105.6	106.2	106	106
18	Mixed	7	1050			101.6	102.4	102.2	102.2	103.8	105.2	106	105.8	105.4	105
19	Mixed	8	1100			103	103	102.2	102.2	103.6	105.4	106.2	106.4	106	106
20	Mixed	9	1150			102.4	102.6	102.2	102.2	103.8	105	106	106	106	104.8
21	Mixed	8	1100			102.4	102.8	102.4	102.2	102.6	101.6	101.6	101 4	101.6	101.8
22	Mixed		1150			101.8	102 2		102.4	102.4	101.8	101.2	102	101.8	101.8
23	Mixed		1100			101.4	102.2		101.6	102	102	101.4	101.6	101.4	101.6
24	Mixed		1000			102.6	102	102.2	101.4		102.2	101.8	101.8	102	101.8
25	Mixed		1100			101.6		101.4	102	101.8		102.2	102	102.2	102.2
20		1	2100		1	101.0	100	10			-	-	4		

No. of Animal	BREED.	Age-Years	Weight	Amount Injected	Date and Time			ıst 6, 1			Date:	Augu	st 7, 18	97.	
				ted.	Of	TEMP.	INJECT	es before	OKE	TEN	(PERAT	URE AF	TER IN	JECTION	s.
					Injection.	8 a.m.	12 n	6 p m.	12 m	8 a.m.	10 a.m.	12 n	2 .m	4 p.m.	6 p.m.
26	Mixed	5	1150			101.6	102.2	101.6	101.2	102.2	102,6	102.2	101.4	101.6	101.8
27	Mixed		1150			103	101.4	101.2	101.6	102.4	102 8	101 8	102	101.8	102
28	Mixed		1000			102.6	102.2	102	101.2	102	101.8	101.8	101.6	101.4	101.4
29	Mixed		1059			102.6	102.6	102.2	102.4	102.2	102	101.2	101.4	101.2	101.4
30	Mixed		1000		1	102.2	101.6	101.6	102.2	102	101.8	101.8	101 6	101.8	101.8
31	Mixed		1059			102.4	102.4	102.4	102	101.4	102.4	102	102	101.8	101.8
32	Mixed	9	1100			102.6	102.6	102	102	102.8	104.6	105.2	106.4	105.2	105
33	Mixe	10	1000			102.2	103.4	102.4	102.4	103	105	105.8	106	106	106
34	Mixed	4	1050			102.4	101.4	102.6	102.2	100.6	101.2	101.6	101.8	101.6	101.2
35	Mixed	7	1050			101.8	102.4	101	101.2	101	101.4	101.8	102	101.4	101.4
36	Mixed	8	1000			101.4	101.4	102	102	100.6	101.6	101.6	101.8	101.6	101.6
37	Mixed	6	1050		Au	101.4	101.4	101.2	101.4	101	101.8	101.8	101.6	101.6	101.8
38	Mixed	7	1100	2 01	August	102.2	102.6	101.8	101.8	101	102,2	101.6	101.8	101.8	101.6
39	Mixed	7	1100	cubic		102.2	102.4	102.6	102.6	102	101.8	101.8	101.8	101.2	101.8
40	Mixed	8	1200		7th,	101.4	102.8	101.8	101.6	101.4	101.6	101.6	101.6	101.4	101.6
41	Mixed	5	950	nti		101.8	101.4	102.4	102	101	101.2	101.8	102	101.6	101.8
42	Mixed	8	1150	me	12:30	101.4	102	101.6	101.6	101	101.4	101.4	101.6	101.8	101.6
43	Mixed	10	1050	centimeters	>	101.6	101.8	101	101.2	101.2	101.6	101.6	101.8	101.6	101.8
44	Mixed	4	950		N.	102.4	102.6	101.4	101.4	101.4	101.6	101.8	101.6	101.2	101.6
45	Mixed	5	1000			101.6	102	102.4	102.4	101.4	101.4	101.6	101.2	101.4	101.8
46	Mixed	6	1100			102	102	101.8	101.6	101.2	101.6	101.8	101.4	101.6	101.6
47	Mixed	3	900			102.2	102	101.6	101.6	101.4	101.8	101.6	101.6	101.8	101.8
48	Mixed	1	1050			101.8	101.4	101.8	101.4	101	101.6	101.8	101.8	101.2	101.6
49	Mixed	7	1100			101	101.8	100.8	101	101	101.8	101.6	101.6	101.4	101.8
50	Mixed	6	1050			101.6	101.6	101.4	101.2	101.6	101.6	101.8	101.8	101.6	101.6
51	Mixed	7	1050			101	101.6	101.6	101.4	101.8	101.8	101.6	101.6	101.8	101.8
52	Mixed	5	1100			102.2	102.6	102.8	102.6	103.6	104.6	105	105.2	106	105.2
58	Mixed	3	900	-		102.4	101.8	101.8	101.6	101	101	101.2	101.4	101.8	101.8
54	Mixed	e	950			103	103.6	103.2	102.8	101.6	101.8	102	102.2	101.8	101.8
55	Mixed	7	1000			101.6	101.4	101.6	101	104	104.6	105.2	105.8	106.2	106

REPORT OF POST-MORTEM EXAMINATION-LOCATION OF LESIONS.

LOCAL	Slight.	Slight.	Slight.		Slight.	Slight.	Slight.	Slight.	Slight.	Slight.	Slight.	Slight.
REMARKS, CONGESTION.		cosis pres-		11	-	-	4045		eme.		Ì	-
PLEURA.	-	Tubercular	Tubercular	Tubercular				Tubercular	Tubercular		Tubercular	Tubercular
UDDER.		Tubercular										Tulercular
POSTERIOR MEDIAS- TINAL GLANDS,	Tuberculan	Tubercular	Tubercular Tubercular Tubercular	Tubercular	Tubercular	Tubercular	Tubercular	Tubercular Tubercular Tubercular	Tubercular Tubercular Tubercular Tuberculer Tubercular	Tubercular	Tubercular	Tubercular
BR'NCHIAL GLANDS.	Tubercular Tubercular Tuberculan	Tubercular	Tubercular					Tubercular	Tuberculer			Tubercular .
LUNGS.	Tubercular	Tubercular	Tubercular	Tubercular	Tubercular	Tubercular		Tubercular	Tubercular	Tnbercular	Tubercular Tubercular	Tubercular
PERITO- NEUM.		Tub cular							Tubercular		Tubercular	Tubercular
LIVER.		Tubercular	Tubercular Tubercular		. /			Tubercular Tubercular	Tubercular			Tubercular
PORTAL GLANDS.		Tubercular	Tubercular		Tubercular			Tubercular	Tubercular			Tubercular
MESEN- TERIC GLANDS.	-	Tubercular									Tubercular	Tubercular
RETRO- PHARYN- GEAL GLANDS.		Tubercular							Tubercular			Tubercular
No. of Animal	~	. 00	15	91	17	18	19	20	32	33	52	55

#### FRENCH DAIRY-P. MENJOU.

No. of Animal.		Age-Years	Weight	Amount Inj	Date and Time	Date	e: Aug	ust 15,	1897.		Date	e: Aug	ust 16,	1897.	
na1	BREED.			Injected	0	TEM	PERATU:	RES BE	FORE	Т	EMPER.	TURES	AFTER	INJECTI	ON.
:					Injection.	8 a.m.	12 n	6 p.m.	12 m	8 a.m.	10 a.m.	12 n	2 p.m.	4 p.m.	6 p.m.
					1										
1	Mixed	10	1000			101	100.8	100.8	101.2	101.4	101.2	101.2	101.6	101.1	101.8
2	Mixed	6	1000			101	101.2	101.2	101.2	103	104 2	105.4	106.4	106.2	104
3	Mixed	6	1100			102	102.4	102.4	102.4	107.2	107.2	106.2	104.2	104	105
4	Mixed	7	1100			101	101	101.2	101.2	101.6	101.6	101.4	101.8	101.6	101.4
5	Mixed	6	1050			101	101.4	101.4	101.4	101.8	101.4	101.6	101.6	101.6	101.4
6	Mixed	9	1000			101	101.2	101.2	101.2	102	101.6	101.2	101.8	101.8	101.4
7	Mixed		1100			101	101	101.2	101.2	101.6	101.8	101.4	101.8	101.8	101.6
8	Mixed		1150			101.2	101.2	101.4	101.4	101.6	104	106.2	107	105.2	104
9	Mixed		1150			102	103	102,4	102.4	105	106	107	106.2	105	103
10	Mixed	7	1050			101	101.2	101.2	101.2	101.4	101.4	101.6	101.8	101.4	101.8
11	Mixed	4	1050			102	102.2	102.2	102.2	101.8	102	101.2	101.2	101.6	101.2
12	Mixed	6	1000			101.4	101.4	102	102	105.6	106.4	106.6	106.2	105	102.4
13	Mixed	5	900		Au	102	102.4	102.4	102.4	106.2	106.2	107,2	106	106.2	105
14	Mixed	4	900	2 cu	August 16th,	101	100.8	101.4	101.4	101.6	101.6	101.4	101.4	101.6	101.4
15	Mixed	9		cubic	8t 1	101	101	101.2	101.2	102.2	104.2	106.2	107	106	106
16	Mixed	5	900	се	6t1	101	101	101.2	101.2	101.8	101.8	101.6	101.6	101.4	101.6
17	Mixed	9	1050	centimeters.	1, 1	101	101.2	101.2	101.2	101.6	104.2	101.2	101.8	101.6	101.8-
18	Mixed	10	1000	me	12:30	101	101.2	101.2	101.2	101.4	101.4	101.4	101.6	101.2	101.6
19	Mixed	6	1150	ters	0 A	101	101.2	101.2	101.2	103	106	106.6	106.6	105.6	104.2
20	Mixed	7	1050	94	×	102	102	102.2	102.2	105.2	106	107	105	105.2	104
21	Mixed	4	850			101	101.2	101.2	101.2	103.6	104.6	105.4	106.2	106	105
22	Mixed	9	1100			102	101.8	102.2	101.2	101.8	101.6	101.6	101.8	101.4	101.8
23	Mixed	7	1050		- 5	101	101.2	101.2	101.2	101.6	101.8	101.8	101.6	101.2	101.6
24	Mixed	7	1050			101.2	101.2	101.2	101.2	101.2	101.4	101.2	101.8	101.4	101.8
25	Mixed	8	1100			101.2	101.2	101	101.2	101.4	101.6	101.4	101.6	101.6	101.6
26	Mixed	8	1100			101	,101.2	101.2	101.4	101.6	101.8	101.6	101.2	101.8	101.8
27	Mixed	12	1200			101.2	101	101.2	101.4	101.2	101.8	101.8	101.4	101.8	101.2
28	Mixed	6	850			101.4	101.2	101 2	101.4	101.8	101.2	101.2	101.6	101.6	101.2
29	Mixed	10	1000			101.6	101.2	101.2	101.2	101.4	101.6	101.4	101 2	101.2	101.2
30	Mixed	4	1000			102	102.2	102.4	102.2	104	106	106.6	107	105.6	104
31	M'xed	7	1000			101	101.2	101.2	101.2	101.2	101.4	101.6	101.8	101.2	101.4
32	Mixed	7	1050			101.4	101	101.4	101.4	101.4	102.2	102.6	102	101.8	101.8
33	Mixed	6	1000			101	101.4	101.2	101.6	101.4	101.2	101.2	101.2	101.2	101.2
-										17	1		1		

=																
	No. of Animal	BREED.	Age-Years	Weight	Amount Injected	Date and Ti	Date:	Augu	st 15, 1	897.		Date:	Augu	st 16, 1	897.	
	nal	DREED.			jected	Time of I	TEMP	ERATUR INJEC	ES BEF	ORE	TE:	MPERAT	URES A	FTER II	VJECTIO	N.
						Injection	8 a.m.	12 n	6 p.m.	12 m	8 a.m.	10 a.m.	12 n	2 p.m.	4 p.m.	6 p.m.
					1						1	1			1	
	34	Mixed	7	1100			101.4	101	101.4	101.2	102.6	104	106.2	107.6	106	104.4
	35	Mixed	4	900			101.4	101.2	101.2	101.4	101.2	101.4	101.4	101.4	101.4	101.6
	36	Mixed		1100			101	101.2	101.2	101.6	104.2	105	106	106.2	106_	105
	37	Mixed		1050			101.4	101	101	101.8	101.4	101.6	101.6	101.6	1	101.6
	38	Mixed		1050			101.2	101	101	101.2	101.4	101.8	101.8	101.8		101.8
	39	Mixed	1	950	1		101.4	101	101.4	101.4	101.6	102	101.4	101.8		101.6
	40	Mixed	1	1100			101.6	101.4	101.2	101.4	103	102.2	102.2	102.2	102	101.8
	41	Mixed		1050			101.2	101.4	101.4	101.4	101.8	101.2	101.6		101.4	101.8
	42	Mixed		1050		1	101.4	101.2	101.2	101.2	102 102	101.4	101.8	101.4	101.6	101.6
	43	Mixed	1	1100	10	August 16th,	101.4	101.4	101.4 101.2	101.2	102	102.0	102.2	102	102.2	102,2
	44	Mixed		1000	Sur.	1su	101.2 101	101.6 101.2	101.2	101.4	102	103	103.2	103	102.8	102.6
	45	Mixed	1			16	101	101.2		101.6	103		103.2	102.2	1	102.0
	46	Mixed		1100	ent	th,	101	101.6	101.8	101.8	104	105.6		106.2		104
		Mixed	1	1000	B	12:30	101.2	101.4				104	106.2	106.2	105	104
	48	Mixed	1	3 1050	l ct		101.2	101.2				105	107	107	106	105
	50	Mixed		9 1100		A. M.	101.2	101.0								
	51	Mixed		1 1150		-	101.4	101.2				101.4		101.4		~
	52	Mixed	1	9 1100			101.4				1	101.6		101.8		101.4
	53			8 1050	1		101.2	101.2						107	104	103.2
	54			6 1000			101.4				1					101.6
	55		1	6 1000			101.6	_						101.8		
	56			7 100	1		101.6		1		4					
	57			0 110			101.8		102.2		101.4					101.8
	58	1		6 100			101.8			1		1				
	59			7 105		1	101	101 4		1	1		100	101 6	101	101.4
		1	1	1	1	1					1				-	

REPORT OF POST-MORTEM EXAMINATION- LOCATION OF LESIONS.

GLANDS OF MUSCLES.												Tubercular					
PLEURA.	Tubercular	Tubercular	Tubercular								Tubercular	Tubercular	Tubercular				
UDDER.												Tubercular Tubercular					
POSTERIOR MEDIAS- TINAL GLANDS.	Tubercular	Tubercular	Tubercular	Tubercular	Tubercular		Tubercular	Tubercular	Tubercular	Tubercular	Tubercular	Tubercular	Tubercular	Tubercular	Tubercular	Tubercular	Tubercular
BR'NCHIAL GLANDS.	Tubercular	Tubercular		Tubercular	Tubercular		Tubercular	Tubercular	Tubercular		Tubercular	Tubercular	Tubercular	Tubercular	Tubercular		
LUNGS.	Tubercular	Tubercular	Tubercular		Tubercular		Tubercular Tubercular	Tubercular	Tubercular	Tubercular	Tubercular	Tubercular	Tubercular		Tubercular	Tubercular	Tubercular
PERITO- NEUM.	Tubercular	Tubercular Tubercular Tubercular Tubercular	Tubercular Tubercular		Tubercular Tubercular Tubercular Tubercular	Tubercular	Tubercular	Tubercular Tubercular Tubercular				Tubercular Tubercular Tubercular	,				
LIVER.	Tubercular	Tubercular			Tubercular	Tubercular Tubercular		Tubercular				Tubercular		Tubercular	Tubercular	~_	Tubercular
PORTAL GLANDS.	Tubercular	Tubercular			Tubercular	Tubercular	- 0					Tubercular	-	Tubercular Tubercular	Tubercular Tubercular		Tubercular Tubercular
MESEN- TERIC GLANDS.	Tubercular Tubercular Tubercular Tubercular Tubercular Tubercular Tubercular	Tubercular	Tubercular			Tubercular	Tubercular				Tuborcular	Tubercular Tubercular		Tubercular			
RETRO- PHARYN- GEAL GLANDS.	Tubercular	Tubercular				Tubercular						Tubercular					
No. of Animal	64	co	00	6	12	13	15	19	20	21	30	34	36	24	48	49	23

# VETERINARY SURGEON'S REPORT.

#### LOUIS ZWISSIG.

_																
	No. of Animal.		Age-Years	Weight	Amount Injected	Date and Ti	Date	: Augu	ıst 23, 1	.897.		Date	: Augu	ıst 24, 1	1897.	
	nal	BREED.			ected	Time of Ir	TEMP	ERATUI		ORE	TE	MPERAT	URES A	FTER I	NJECTIO	N.
						Injection.	8 a.m.	12 n	6 p.m.	12 m	8 a.m.	10 a.m.	12 n	2 p.m.	4 p.m.	6 p.m.
_	1	Mixed	7	1000			101	101	101	101.2	100.8	100.6	100.8	101	101	101.2
	2	Mixed		1000			101.4	101.6	101.4	101.4	103.4	103.6	103.4	103	103	103
	3	Mixed		1000			101.6	101.4	101.6	101.6	103.4	106	106.6	105.8	104.4	104.4
	4	Mixed		1050			101.2	101.2	101.8	101.8	104	106	106.8	106	105.6	105
	5	Mixed	7	1000			101.8	101.4	101.4	101.2	102.2	103.6	102	102.8	102.4	102
	6	Mixed	8	1050			101.4	101.6	101.4	101.4	100.6	100.8	100.8	101	101.2	100.8
	7	Mixed	9	1100			101.6	101.8	101.4	101.6	103.4	105	106.2	106	106	105.2
	8	Mixed	7	1150			101.8	101.2	101.2	101.8	104.4	105.8	107.6	106.4	106.8	106.6
	9	Mixed	9	1100			101.2	101.4	101.2	101.2	101.8	101.2	101.4	102	102.8	102.2
	10	Mixed	8	1100		A	101.4	101.2	101.2	101.6	103.4	105.4	107	107	106	105.8
	11	Mixed	10	1150	2 cu	August	101.6	101.4	101.4	101.4	102.6	103	102.2	102	102.8	102.6
	12	Mixed	9	1100	cubic c	st 24	101.2	101.6	101.6	101.4	101 4	101.6	101.8	101.2	101.4	101.6
	13	Mixed	8	1100	enti	24th, 1	101.4	101.8	101.8	101.6	101.2	101.8	101.2	101.6	101.2	101.4
	14	Mixed	8	1050	centimeters	12:30	101.6	101.2	101.6	101.4	101.4	102	101.4	101.8	101.6	101.6
	15	Mixed	7	1050	ers.	А. М.	101 8	101.6	101.8	101.8	101.6	102.2	102	102	102.2	101.8
	16	Mixed	7	1050		-	101.4	101.4	101 4	101.2	104.6	105	106	105.2	105	105
	17	Mixed	6	1000			101	101.2	101.6	101.4	102.8	102.4	102	102.4	102.6	102
	18	Mixed	6	1050			102	102.2	101.8	102	103.4	104	104.2	104.6	104.4	104
	19	Mixed	7	1050			101	101.2	101.2	101.6	103.4	103	103.2	103	103.2	103.2
	20	Mixed	8	1100			101.2	101.4	101.4	101.8	104	104.4	105.8	106	106.2	106.4
	21	Mixed	8	1100			101.4	101.6	101.4	101.4	101.2	101.4	101.6	101.8	102	101.4
	22	Mixed	7	1100			101.6	101.4	101.6	101.4	101.2	101.2	101.4	101.2	100.8	101
	23	Mixel	7	1050			101.8	101.6	101.8	101.4	102	103.4	103.6	103.6	103.4	103
	24	Mixed	7	1050			102	101.8	102.2	102	101.4	101.4	101.2	101.4	101	101
	25	Mixed	9	1150		1	101.6	101.4	101.2	101.2	101.6	101.6	101.4	101.6	101.2	101.2

Animal	BREED.	Age-Years	Weight	Amount Injected	Date and Time of Inj		PERATUI	res ber	ORE	TE	MPERA	: Augu			DN.
	7 3				Injection.	8 a.m.	12 n	6 p.m.	12 m	8 a.m.	10 a.m.	12 n	2 p.m.	4 p.m.	6 p.m.
26	Mixed	8	1100			101.2	101.6	101.4	101.2	101.8	101.8	101.6	101.8	101.2	101.6
27	Mixed		1100			101	101.2		101.2	102	102	101.8	102	101.4	
28	Mixed	10	1150			102	102	102	102.2	105	106	107.4	106	106.8	106.2
29	Mixed	7	1050			101	101	101.2	101.2	101.4	101.2	101.6	102	101.8	101.8
30	Mixed	9	1100			101.2	101.2	101.4	101.4	101.6	101.4	101.8	101.8	101.6	101.4
31	Mixed	9	1100			101	101.4	101.4	101.6	101.4	101.2	101.4	101.4	101.8	101.8
32	Mixed	9	1050			101	101.6	101.2	101	101.6	101.4	101.6	101.6	101.4	101.4
33	Mixed	8	1050			101.2	101.4	101.6	101.8	103.2	103.4	103.2	1103	102.8	102.8
34	Mixed	9	1100			101	101.6	101	101	101.8	101.6	101.8	101.4	101.6	101.6
35	Mixed	8	1050		Au	102	102.4	102.4	102.6	103.2	103.8	104	103.6	103	102.4
36	Mixed	8	1000	2 cu	August	101.2	101.4	101.4	101.6	102	101.8	-102	101.6	102	101.8
37	Mixed	7	1000	cubic o	t 24th,	102.4	102.4	102.6	102	104	104.2	106	106.8	106.2	105
38	Mixed	9	1150	centimete	h, 19	101.2	101.4	101.4	102.6	103	103.2	103	102.8	102.2	102.6
39	Mixed	7	1050	met	12:30	101.8	101.8	102	101.6	103	105.2	106	105.2	105.6	105
40	Mixed	7	1050	ers.	A. M.	102	102.4	102.6	101.2	104.6	105.8	106.4	106	105.8	104.8
41	Mixed	8	1100			101.4	101.4	101.6	101.4	103.2	105	106	105.8	105.8	104.8
42	Mixed	7	1050			101	101	101.2	101	101.4	101.4	101.4	101.6	101.8	101.8
43	Mixed	9	1150		11	101.2	101.2	101.4	101.4	102.6	103	102.2	102.6	101.6	101.6
44	Mixed	8	1100			101	101.8	101	101.4	101.6	101.6	101.6	101.8	101.4	101.4
45	Mixed	7	1000			101	101.2	101.2	101.6	102.2	102.4	103.2	103.4	103	102.8
46	Mixed	7	1100			102	101.2	101.4	101.4	101.8	101.8	101.8	101.6	101.6	101.6
47	Mixed	10	1050			102	102.4	102.4	102.6	102	102	102.8	102	101.8	101.8
48	Mixed	10	1100			101	101.2	101.4	102	104.4	105	106.4	106	105	105.4
49	Mixed	10	1150			102	102.2	102.4	101.6	101.4	101.4	101.4	101.4	101.4	101.2
50	Mixed	7	1050			101.8	101.8	102	101.2	102	102.8	102.8	102.6	102.8	103

No.		Age	Weight	Amo	Date	Dates	: Augu	st 23, 1	897.		Dates	: Augu	18t 24.	1897.	
of An		Age—Years	ght	unt I	and		Augus	st 26, 1	897.				st 27, 1		
Animal	BREED.	500		Amount Injected .	Time of I	TEMP	ERATUR		ORE	TE	MPERA	rures A	AFTER I	NJECTIC	ON.
					Injection.	8 a.m.	12 n	6 p.m.	12 m	8 a.m.	10 a.m.	12 n	2 p.m.	4 p m.	6 p.m.
		-	1050			101	101.4	101.4	101.4	101.6	101.2	101.6	101.6	101.6	101 4
51	Mixed		1050			101	101.4	101.4			101.2		101.8	101.8	
52	Mixed		1100			101.2	101.2						101.4		
53	Mixed		1050			102	101.8	101.2	101.4	101.4			101.4		
54 55	Mixed		1050		A	101	101.2			104.4		106	105.6		
56	Mixed		1000		August	101	101	101.2				101.8	101.8		
57	Mixed		1050		st 24	101	102.2	101.2	101.4	102.6		103,2	103	102.6	
58	Mixed		1050		24th, 1	101.2	101	101.4	101.4	101.2			101.2		101.8
59	Mixed		1100		12:30	101.4	101.2			101.4					101.4
60	Mixed		1050		А. М	101.2	101.6	101.8	101.8	101.6	101.8	101.8	101.6	101.6	101.2
61	Mixed	7	1050	2 cul	-	102	102.2	102.4	102.4	101.6	102	102.4	103.4	102.6	103
62	Mixed	6	950	ubic		101	101.2	101.2	101.2	101	101.6	101	101.4	102.4	102.2
63	Mixed	6	1000	cent		102	101.2	101 4	101.4	101.2	101.4	101.6	102	101.8	101.8
64	Mixed	5	900	centimeters		101	101.2	101.6	101.6	101.4	106.4	106.4	106	104.8	103
65	Mixed	6	1050	ters.	A	101.8	101.4	101.4	101.2	101.6	101.8	102.8	102.6	102	102
66	Mixed	7	1000		August 27th,	101	101.2	101.2	101.4	101.4	101.6	101.8	101.4	101.6	101.8
67	Mixed	7	1100		£ 27	101	101	101.2	101.6	102	102	102.2	102	102.2	102
68	Mixed	9	1150		th, 1	101	101.2	101.2	101.2	102.2	103.6	105	106.4	105.8	105.8
69	Mixed	8	1000		12:30	101.2	101.2	101.2	101.4	101.2	101.4	101.6	101.8	101.2	101.4
70	Mixed	6	1050		A. M	101	101.4	101.4	101.6	100.8	100.8	100.8	101	100.8	100.8
71	Mixed	7	1050			101	101.2	101.2	101.2	101	101	101.8	102.8	103	103
72	Mixed	6	1000			101.2	101.4	101.2	101.4	101	101.4	101.2	101.4	101.6	101.6
73	Mixed	7	1050			101.4	101.2	101.2	101.6	101.2	101.4	101.6	101.2	101.6	101.4
74	Mixed	5	950			101.6	101.4	101.4	101.8	102.2	102.6	102.4	102	102	101.8
75	Mixed	7	1050			101	101.2	101.2	101.2	103	105.4	106	106.4	105	104.4

Animal	,	Age-Years	Weight	Amount Injected.	Date and Time	Date	: Augu	1st 26, 1	1897.		Date	: Augu	ıst 27,	1897.	
	BREED.			cted	Of	TEM	PERATU		FORE	TI	EMPERA	TURES	AFTER I	NJECTIC	N.
					Injection.	8 a.m.	12 n	6 p.m.	12 m	8 a.m.	10 a.m.	12 n.*	2 p.m.	4 p.m.	6 р.т.
76	Mixed	6	1100			101.4	101.4	101.4	101.4	102	103.4	105.2	106	105	105.2
77	Mixed	9	1100			101.6	101.6	101.6	101.6	101	101.6	102.8	103	101.8	101.8
78	Mixed	10	1200		-	101.2	101.2	101.2	101.8	101.2	101.2	101.8	102	101.8	101.2
79	Mixed	7	1150			101.6	101.4	101.4	101.2	102.8	105.8	105.8	106	105.8	105.8
80	Mixed	9	1100			101.6	101.6	101.6	101.4	101.6	101.6	101.4	101.6	101.4	101.4
81	Mixed	8	1100			101.4	101.4	101.2	101.6	102.4	105	106	106.8	107.6	107.4
82	Mixed	4	950			101.2	101.4	101.4	101.8	102	102.4	102.4	102.6	102.8	102.6
83	Mixed	5	1000			101.4	101.6	101.6	101.2	101.2	101.4	101.6	101.4	101.6	101.8
84	Mixed	7	1100	23	Aug	101.6	101.8	101.8	101.4	102.4	102.4	102.4	102	102	102.4
85	Mixed	6	1150	cubic	ugust 27th.	101.2	101.6	101.2	101.6	102.4	102	103	103.2	103.6	102
86	Mixed	7	1000	c cei	27th	101.4	101.8	101.4	101.8	101.2	101.4	101.6	101.8	101.4	101.6
87	Mixed	7	1050	ntim	12	101.6	101.8	101.6	101.2	101.4	101.6	101.2	101.4	101.6	101.8
88	Mixed	9	1100	centimeters	:30 A.	101.2	101.8	101.8	101.4	101.4	102	101.8	101.8	101.8	101.8
89	Mixed	8	1100	ūά	.ж.	101.4	101.4	101.2	101.6	101.4	101.6	101.4	101.6	101.4	101.6
90	Mixed	10	1100			101.2	101.2	101.4	101.8	101.2	101.4	101.6	101.2	101.4	101.6
91	Mixed	7	1100			101.2	101.2	101.2	101.4	100.8	101	101.2	101.4	101.2	101.4
92	Mixed	6	1050			101	101.4	101.4	101.6	101.4	101	101.4	101.6	101.4	101.6
93	Mixed	6	1150			101.6	101.6	101.4	101.8	101.2	101.2	101.2	101.4	101.2	101.4
94	Mixed	7	1100			101.4	101.4	101.4	101.8	101.2	101.4	101.6	101.8	101.2	101.2
95	Mixed	8	1150			101.2	101.6	101.6	101.8	101.4	101.4	101.6	101.4	101.6	101.6
96	Mixed	5	1000			101.8	101.8	101.8	101.6	101.2	101.4	101.6	101.2	101.4	101.6
97	Mixed	8	1100			102	102	101.8	102	101	101	102	102.4	102.6	102.8

# REPORT OF POST-MOKTEM EXAMINATION-LOCATION OF LESIONS.

GLANDS OF MUSCLES.				Tubercular.				Tubercular.										Tubercular.		
PLEURA.				Tubercular.				Tubercular.	Tubercular.									Tubercular, Tubercular, Tubercular.		Tubercular.
UDDER.				Tubercular.				Tubercular.										Tubercular.		
POSTERIOR MEDIASTINAL GLANDS.	Tubercular.	Tubercular.	Tubercular.	Tubercular, Tubercular, Tubercular, Tubercular,	Tubercular.	Tubercular.	Tubercular.	Tubercular, Tubercular, Tubercular, Tubercular,	Tubercular, Tubercular.	Tubercular.	Tubercular.	Tubercular.	Tubercular.	Tubercular. Tubercular.	Tubercular.	Tubercular.	Tubercular.	Tubercular.	Tubercular.	Tubercular. Tubercular.
BRONCHIAL GLANDS,	Tubercular. Tubercular.			Tubercular.	Tubercular, Tubercular.	Tubercular.	Tubercular. Tubercular.			Tubercular.					Tubercular.	Tubercular.				Tubercular.
LUNGS.	Tubercular.	Tubercular.	Tubercular.	Tubercular.	Tubercular.		Tubercular.	Tubercular.	Tubercular.	Tubercular.			Tubercular.	Tubercular.	Tubercular.		Tubercular.	Tubercular.	Tubercular. Tubercular.	Tubercular.
PBRITONEUM.				Tubercular.				Tubercular.	Tubercular.									Tubercular. Tubercular.	Tubercular.	Tubercular Tubercular. Tubercular. Tubercular.
LIVER.				Tubercular.			Tubercular, Tubercular.	Tubercular.				Tubercular.	Tubercular.	Tubercular.				Tubercular, Tubercular. Tubercular.		Tubercular.
PORTAL GLANDS.		Tubercular.		Tubercular.			Tubercular.	Tubercular.				Tubercular. Tubercular.	Tubercular	Tubercular.				Tubercular.		Tubercular
MESENTERIC GLANDS.				Tubercular. Tubercular.				Tubercular.	Tubercular.				Tubercular.	Tubercular.				Tubercular.	Tubercular.	Tubercular.
No. of Animal				Tubercular.				Tubercular.					48 Tubercular.			1		1 9		
No. of Ani- mal	1 00	4	2	00	10	16	30	288	37	33	40	41	48	55	64	89	75	76	79	25

#### NAGER BROS.

No. of Animal.		Age-Years	Weight	Amount Injected	Date and Time	Date	: Octo	ber 10,	1397.		Date:	Octob	er 11, 1	897.	
al	BREED.			ected	Of	ТЕМР	ERATUF 1NJEC		ORE	TEM	IPERAT	URE AF	TER IN	ECTION	s.
					Injection.	8 a. m.	12 n	6 p m.	12 m	8 a.m.	10 a.m.	12 n	2 p.m.	4 p.m.	6 p.m.
1	Mixed	9	1100			101.6	101.4	101.2	101.4	102	102	102.6	102	101.4	101.2
2	Mixed	6	1050			101.6	101.6	101.4	101.2	101.6	101.4	101.2	101	101.6	101.4
3	Mixed	7	1050			101.4	101.4	101.2	101.2	101.4	101.6	101.8	101.6	101.2	101.2
4	Mixed	12	1100			101.2	101.6	101.4	101.2	101.2	101.4	101.6	101.6	101.4	101.4
5	Mixed	6	1000			101.4	101.6	101.6	101.4	102.8	104.2	106	106.8	107	106.4
6	Mixed	5	1000			102	102	102	101.8	101.8	102 8	102.2	103.2	103	102.4
7	Mixed	8	1100			101.6	101.4	101.2	101.4	101.8	102.4	102.2	102	101.8	101.6
8	Mixed	7	1050			102.2	102	102	101.6	101.4	102	102	102	101.6	101.4
9	Mixed	9	1000			101,6	101.6	101.4	101.2	101.6	102.2	101.6	101.2	101.8	101.8
10	Mixed.,	8	1100		00	101.8	101.6	101.4	101.4	101.6	101_6	101.4	101.6	101.4	101.6
11	Mixed	7	1100	2 cu	October 11th,	100.8	101	101	101	101.2	101.4	101.2	101.6	101.2	101.6
12	Mixed	7	1050	cubic o	er 11	102	101.8	101.6	101.6	101.2	101.2	101.4	101.4	101.4	101.2
13	Mixed	12	1200	centimeters		102.2	102	102	101.6	103.8	104	104.8	105.6	106.6	106.4
14	Mixed	7	1100	met	12:30	101.6	101.8	101.6	101.4	103	104.8	106	106.8	106	106.4
15	Mixed	6	1050	ers.	>	101.4	101	101	101.4	101	101.4	101.6	101	101	101.4
16	Mixed	7	1050			101.6	101.6	101.6	101.4	101.2	101.4	101.2	101.4	101.2	101.4
17	Mixed	7	1100			102	102	102	101.8	101.8	101.8	102	103	102.8	102
18	Mixed	6	1050			101.8	101.6	101.4	101.2	101.4	101.4	101.4	101.2	101.6	101.8
19	Mixed	10	1100			101.6	101.6	101.4	101.2	101.6	101.8	101.6	101.8	101.4	101.6
20	Mixed	7	1050			101.4	101.2	101.4	101 2	101.8	102	102.2	102	101.8	101.6
21	Mixed	10	1100		-	101.8	101.6	101.2	101.4	101.8	102.2	102	102.2	102	102
22	Mixed	5	900			102	102	101.8	101.8	106	107	107.2	106.6	106	105
23	Mixed	10	1100			101.8	101.6	101.4	101.2	101.6	101.4	101.4	101.2	101.4	102
24	Mixed	1	1150			100.8	101	101.2	101 2	101.4	101	101	101	101.4	101.4
25	Mixed	1	1100			101	101	101.2	101.2	101.4	102.6	104	104.2	103	102.8
	1	1	1	L		1	1	1	1	1			1		

No. of Animal.		Age-Years	Weight	Amount In	Date and T	Date:	: Octob	per 10,	1897.		Date:	Octobe	r 11, 18	97.	
mal	BREED.			Injected	Time of I	TEM	PERATU		FORE	TE	MPERAT	TURES A	AFTER I	NJECTIO	N.
					Injection.	8 a.m	12 n	6 p.m.	12 m	8 a.m.	10 a.m.	12 n	2 p.m.	4 p.m.	6 р.ш.
26	Mixed	9	1100			101.2	101.2	101.2	101.2	102	102	101.8	101.6	101.4	101.4
27	Mixed	7	1150			101.4	101.2	101.2	101.2	102	101.8	101.6	101.4	101.4	101.6
28	Mixed	7	1050			101.4	101.2	101.2	101.2	101.8	101.8	102.2	102.6	103	102.6
29	Mixed	9	1050			101.6	101.6	101.4	101.4	101.4	102	101.6	101.8	101.8	101.6
30	Mixed	6	1000			101.4	101.2	101.2	101.4	102	102	102.8	101 4	101.2	101.2
31	Mixed	9	1100			101.8	102	102	101.8	101.4	101.6	101.8	101.6	101.6	101.4
32	Mixed	8	1100			101	101.8	101.6	101.4	101.4	101.6	101.8	101.6	101.2	101.2
33	Mixed	7	1050			100.8	101.2	101.2	101.2	101.6	101.4	101.2	101	101 4	101.4
34	Mixed	7	1100			101.2	102.2	102	101.8	102.8	104.2	106	106.8	107	106.8
35	Mixed	12	1150			101	101.6	101.6	101.6	101.8	102.8	102.2	103	102.6	102.2
36	Mixed	7	1050			101.6	101.8	101.8	101.6	101.8	102.2	102	101.8	101.6	101.4
37	Mixed	6	1050		Oct	102.2	102	101.8	101.8	102	102	102.6	102	101.4	101.2
38	Mixed	7	1100	2 01	October	101.8	101.2	101.2	101.6	101.4	101.8	101.6	101.6	101.4	101.6
39	Mixed	7	1100	cubic	7	101.2	101.4	101.2	101.4	101.6	101.6	101.4	101.4	101.6	101.4
40	Mixed	6	1100	90 %	11th,	101.6	101.4	101.2	101.4	101.2	101.4	101.6	101.6	101.4	101.6
41	Mixed	10	1050	centimeters	, 12	101.4	101.4	101.2	101.6	101.2	101.4	101.6	101.2	101.4	101.6
42	Mixed	7	1100	me	30	103 4	102	102	101.8	106	106.6	107	107.2	106.6	106.6
43	Mixed	10	1150	ters	>	101.6	101.6	101.6	101.6	101.2	101.6	101.8	102	101.8	101.8
44	Mixed	5	1000	ů.	M.	101	101.4	101.2	101.4	101.6	101.8	101.4	101.6	101.8	101.8
45	Mixed	10	1150			102.4	102	102	101.8	103.6	104	104.8	105.6	106.6	106.4
46	Mixed	9	1100			102	101.8	101.6	101.6	101.6	101.4	102	101.8	101.6	101.8
47	Mixed	9	1150			101.6	101.6	101.4	101.4	101.8	102.2	102	102.2	102.2	102
48	Mixed	7	1050			102	102	101.8	102	101.6	101.8	102	102	101.6	101.8
49	Mixed	9	1100			101.6	101.6	101.4	101.6	101.6	101.4	101.4	101.2	101.6	101.6
50	Mixed	7	1100			101	101.2	101.2	101.4	102	102	101.8	101.6	101.4	101.6
51	Mixed	9	1150			102.4	102.2	102	101.8	101.4	102.6	104	104.2	103	102.8
52	Mixed	7	1050			101.6	101.6	101.4	101.4	102	101.8	101.6	101.4	101.4	101.6
53	Mixed	7	1050			102.4	101.2	101.4	101.6	101.8	101.8	102.2	102.6	103	102.6
54	Mixed	9	1100			101.6	101.6	101.4	101.6	101.4	102	101.6	101.8	101.8	101.6
55	Mixed	7	1050			101.6	101.6	101.6	101.4	101.4	101	101	101.4	101.2	101.4
- 1									9 1/			- 1			

EPORT OF POST-MORTEM EXAMINATION-LOCATION OF LESIONS.

PLEURA. GLANDS OF MUSCLES.			Tubercular				
PLEURA.	Tuberculan		Tubercular		Tubercular		
UDDER.			Tubercular				
POSTERIOR MEDIAS- TINAL GLANDS.	Tubercular Tubercular	Tubercular	Tubercular	Tubercular	Tubercular Tubercular Tubercular	Tubercular	Tubercular
BE'NCHIAL MEDIAS- GLANDS, TINAL GLANDS, GLANDS,	Tubercular		Tubercular	7	Tubercular		
LUNGS.	Tubercular	Tubercular	Tubercular	Tubercular	Tubercular		Tubercular
PERITO- NEUM.			Tubercular				
LIVER.		1	Tubercular	Tubercular Tubercular Tubercular			
PORTAL GLANDS.		Ý	Tubercular	Tubercular			
MESEN- TERIC GLANDS.			Tubercular	Tubercular	Tubercular		
RETRO- PHARYN- GEAL GLANDS,			Tubercular	1			
No. of Animal	70	13	14	22	23	42	45

#### VETERINARY SURGEON'S REPORT.

# JOHN TSCHEINEN.

	BREED.			Injected	Time of In	TEM	PERATU	DWC DW							
				1	1	Anna State of State o	13020	CTION.	FORE	TE	MPERAT	TURES A	AFTER II	NJECTIO	N.
		1	1 .	:	Injection.	8 a.m.	J2 n	6 p.m.	12 m	8 a.m.	10 a.m.	12 n	2 p.m.	4 p.m.	6 p.m.
2		6	1000			101.6	101.4	101.4	101.2	101.2	101	101.4	101.6	101	101
	Mixed	9	1100			101.6	101.4	101.2	101.2	101.2	101.4	101.2	101.4	101.2	101.4
3	Mixed	7	1050			101.2	101.4	101.2	101.2	101	100.8	101.4	101.2	101.4	101.4
4 1	Mixed	7	1050			101.6	101.6	101.4	101.2	101.4	101.4	101.4	101.2	101.2	101.4
5	Mixed	9	1150			102.2	102	101.8	101.6	102	101.6	101.2	101.2	101.2	101.4
6	Mixed	. 7	1050			101.6	101.4	101.4	101.2	101.6	101.8	101.6	101.4	101.2	101.2
7 1	Mixed	9	1050			102.2	102	102	102	103	104.2	106	106.8	107.6	106
[8]	Mixed	10	1100			101.2	101.4	101.6	101.4	101.6	101.4	101.4	101.2	101.4	101.2
9 1	Mixed	5	1000			101.6	101.4	101.4	101.4	101.4	101	101	101	101.4	102
10	Mixed	10	1150		0	100.6	101	101.2	101.2	101.4	102.6	104	104.4	104.4	103
11	Mixed	7	1050	2 cu	October	102.6	102.4	102.2	102.2	102	102	101.8	101.6	101.4	101.2
12	Mixed	10	1150	cubic o	er 24	102.4	102.2	102	102	102	101.8	101.6	101.4	101.2	101.4
13	Mixed	6	1050	centimeters	24th,	102 6	102.4	102.2	102	102	101.2	101.4	101.6	101.6	101.6
14	Mixed	7	1050	met	12:30	102.4	102.2	102.2	102	103.8	104	104.4	105.6	106.6	106.4
15	Mixed	7	1100	ers.	M.A (	103.2	103	103	103	102.8	101.6	101.8	102	101.4	101.6
16	Mixed	6	1050			102.2	102.2	102.2	102	102	102.4	103	103.6	103.6	103.4
17	Mixed	7	1050			102	102	102	102	102	102	102	101.4	102.2	102
18	Mixed	12	1150			102.4	102	102	102	101.8	102.2	102.2	102.4	103.2	103.4
19	Mixed	7	1050			101.8	101.6	101.4	101.2	101.4	102	101.6	101.8	102.4	102.2
20	Mixed	7	1050			102	102	102	102	101.8	102.2	101.6	101	101.8	101.8
21	Mixed	8	1050			101.4	101.2	101.2	101.2	101.8	102.4	102.2	102	101.8	101.6
22	Mixed	9	1050			102.4	102	102	102	103.8	104.8	106	106.8	106	105.8
23	Mixed	7	1050			101.6	101.4	101.4	101.2	101.2	102.8	105	106	106.8	105
24	Mixed	8	1000			101.2	101.2	101.2	101.2	103	104.6	105.4	107	107	106.2
25	Mived	5	1000			102.4	102.2	102.2	102.2	102.4	101.4	101.2	101	101	101.2

No. of Animal	unt Injected.				Date and Time of I		: Octo	RES BE		Date: October 24, 1897.  TEMPERATURES AFTER INJECTION.					
					Injection.	8 a.m.	12 n	6 p.m.	12 m	8 a.m.	10 a m.	12 n	2 p.m.	4 p.m.	6 p.m.
26	Mixed	6	900			101.8	101.6	101.4	101.2	101	101.6	101.4	101.6	101.6	101.4
27	Mixed	9	1150			102	102	102	102	106.8	107.4	107.2	107	106.6	
28	Mixed	6	1050			101.6	101.4	101.2	101.2	101.4	101.6	101.4	101.6	101	101.2
29	Mixed	7	1050			102	102	102	102	101.6	101.4	101.2	101	101.6	101.4
30	Mixed	12	1100			102	102	102	102	102	102	102.8	101.4	101.2	101.2
31	Mixed	7	1100			101	101.6	101	101.4	101.4	101.2	101.4	101.2	101.2	101.4
32	Mixed	7	1050			101.8	102.4	100.4	100.8	101.6	101.6	101.4	101.4	101.2	101.4
33	Mixed	6	1000			100.6	102.2	101.4	101.8	101.8	101.8	101.8	101.8	101.6	101.4
34	Mixed	10	1150			101.2	101.2	100.6	101	101.4	101.8	101.6	101.4	101.6	101.6
35	Mixed	. 7	1100	2	October	101	102.6	100.6	101.2	102	102	101.8	101.2	101.4	101.2
36	Mixed	6	1050	cubic	ber	101.6	102.6	101.4	101.2	102	103	104	106	107.4	106.4
37	Mixed	6	1050	е се	24th,	102.2	102.6	101.6	101.6	101	101.2	102	102.2	102.2	102
38	Mixed	8	1100	centimeters	12	101.8	101.6	101.4	101.6	103.8	104	104	104	104	103.6
39	Mixed	9	1050	eter	:30 A.	101.2	101.6	101	101.4	102	102.8	102.8	103	103.8	103.8
40	Mixed	11	1100	ori ori	ж.	101.6	101.4	100.8	101	101	100.8	101.2	101.4	101.4	101.8
41	Mixed	9	1100			101.4	101.4	100.8	101.2	101.2	101.4	101.4	101.2	101.6	101.4
42	Mixed	8	1050			103.4	101.4	101	101.2	101.4	101.2	101.4	101.4	101.6	101.4
43	Mixed	9	1100			101.6	103.2	101.2	101.2	102.8	103.4	103.4	103.2	103.6	104
44	Mixed	6	1050			101	101.8	101.2	101.4	101	101	100.8	101	101.2	101.2
45	Mixed	9	1100			102.4	101.6	101	101.4	101.4	101.2	101.4	101.4	101.6	101.4
46	Mixed	5	1050			102.4	102.2	101	101.2	101.2	101.4	101.2	101.4	101.6	101.4
47	Mixed	7	1000			101.6	101.6	101.4	101.2	101.2	101.4	101.2	101.2	101.4	101.4
48	Mixed	12	1150			101.6	102.4	101	101.2	101.6	101	101	101.2	101.2	101
49	Mixed	7	1050			101.6	102.4	101	101 4	101.4	101	102	101.8	101.6	101.4

REPORT OF POST-MORTEM EXAMINATION-LOCATION OF LESIONS.

GLANDS  OF MUSCLES.		Tubercular.					
PLEURA.		Tubercular.	Tubercular.				Tubercular.
UDDER.		Tubercular.					
POSTERIOR MEDIASTINAL GLANDS.	Tubercular, Tubercular, Tubercular,	Tubercular.	Tubercular. Tubercular. Tubercular.	Tubercular. Tubercular. Tubercular.		Tubercular.	Tubercular,
BRONCHIAL GLANDS.	Tubercular.	Tubercular.	Tubercular.	Tubercular.		Tubercular. Tubercular. Tubercular.	Tubercular.
LUNGS.	Tubercular.	Tubercular.	Tubercular.	Tubercular.		Tubercular.	Tubercular.
PERITONEUM.		Tubercular.			Tubercular.		Tubercular.
LIVER.		Tubercular.	Tubercular. Tubercular.		Tubercular.		Tubercular.
PORTAL GLANDS.		Tubercular.	Tubercular.		Tubercular.		Tubercular.
MESENTERIC GLANDS.		14 Tubercular,			24 Tubercular, Tubercular, Tubercular, Tubercular,		36 Tubercular, Tubercular, Tubercular, Tubercular, Tubercular, Tubercular, Tubercular, Tubercular,
RETRO- GLANDS.		Tubercular.			Tubercular.		Tubercular.
No. of Ani mal	9	14	83	233	24	22	38

# LOMBARDI BROS.

No. of Animal		Age-Years	Weight	Amount Injected.	Date and Ti	Date:	Nover	nber 4,	1897.	Date: November 5, 1897.					
na1	BREED.			ected	Time of I	TEMP	ERATUR		RE	TE	(PERAT	URES A	FTER IN	SJECTION	ζ.
	1				Injection.	8 a.m.	12 n	6 p.m.	12 m	8 a.m.	10 a.m.	12 n	2 p.m.	4 p.m.	6 p.m.
1	Mixed	6				101	101.4	101.6	101.6		101.4	101	101	101	101
2	Mixed	5	850			100	100.6	100.8	101	101	100.6	101	101.2		101
3	Mixed		1000			101	100.8	100.8	100.8	100	100.8	101	101.4	103.4	103.2
4	Mixed		1050 1150			100.6	101.2	101.4	101.4		101.4	101.6	101.4	101	101.2 102.8
5	Mixed		1100			101	101	101.2	101.2	104.4	101.4	101.0	106.4	105.6	102.8
7	Mixed		1000			101.6	101.4	101.2	101.2	101	101.4	107	105.4		104.4
8	Mixed		1150			101.0	101.4	101.2	101.4	101	101.4	101	101.8		101.4
9	Mixed		1000			101.2	101.6	101.2	101.2	101.6	101.4	101.6		102.6	102.4
10	Mixed		1150			101.2	101.4	101.4	101.2	101	101.6	102.8	105	105.6	105
11	Mixed	1	1100	22	VO.	101.2		101.2	101 2	101	101.4	101	101.8		101.2
12	Mixed		1100	cu	November	101.2	101.4	101.2	101.4		101	102	102	102	101.8
13			1050	cubic	ber	101.2	101	100.8	101	101	101	102.8	105.8	105.8	105
14	Mixed		1100	cen	5th,	100.4	101	100.8	101	101.2	102.6	102	101.6	101	101,2
15	Mixed	1	1000	tin		101	101.2	101	101	101.2	101	101	101.2	101.2	101.4
16	Mixed		1050	centimeters	12:30	102.2	101.2	101.2	101.4	101.2	101	101	101.2	101.2	101.4
17	Mixed		1000	rs.	0 A.	101	101.4	101.2	101.2	101.2	101	101.2	101.4	101.4	101.8
18	Mixed	9	1050		×.	101	101.2	101.2	101.2	100.8	104	104	105	106	106.2
19	Mixed	10	1050			102.2	101.8	101.8	101.6	101.6	104	104.2	105.2	105.6	105
20	Mixed	7	1000			101	100.8	101	101	101	102.8	103	104.4	105	104.4
21	Mixed	6	950	111		101	100.8	100.8	101	101	101	101.6	101.6	101.6	101.4
22	Mixed	5	1000			102.4	101.6	101.4	101.4	103	104	106.8	105.8	105	105
23	Mixed	5	900			102.2	101.8	101.6	101.4	102.2	102	102	105	104	104.2
24	Mixed	7	1050			101	101.2	101.2	101.2	101	101.4	102	103	103	102.8
25	Mixed	8	1100			101.2	101.2	101.2	101.2			101.4			101.4
26	Mixed	7	1100			101.2	101	101.2	101	104.2		104.4	104.4	105	105
27	Mixed	8	1050			101.6	101.4	101.6	101.4	101	102.6	103	105	105.2	105.4

REPORT OF POST-MORTEM EXAMINATION-LOCATION OF LESIONS.

GLANDS OF MUSCLES.			1			glands	tubercular.	
PLEURA.	Tubercular, Tubercular, Tubercular,	Tubercular, Tubercular, Tubercular. Tubercular.	Tubercular, Tubercular, Tubercular, Tubercular.	Tubercular. Tubercular. Tubercular. Tubercular.		Tubercular.		
POSTERIOR MEDIAS- TINAL GLANDS,	Tubercular.	Tubercular.	Tubercular.	Tubercular.	Tubercular. Tubercular. Tubercular.	Tubercular.	Tubercular.	
BR'NCHTAL GLANDS.	Tubercular.	Tubercular.	Tubercular.	Tubercular.	Tubercular.	Tubercular.	Tubercular. Tubercular. Tubercular.	
LUNGS,	Tubercular.	Tubercular.	Tubercular.	Tubercular.	Tubercular.	Tubercular.	Tubercular.	
UTERUS.	1					Tubercular.	,	
PERITO- NEUM.	Tubercular.		Tubercular.			Tubercular.		
LIVER.	Tubercular.		Tubercular. Tubercular. Tubercular.			Tubercular.	Tubercular, Tubercular.	
PORTAL GLANDS.	Tubercular.		Tubercular.			Tubercular.	Tubercular.	
MESEN- TERIC GEANDS.	6 Tubercular, Tubercular, Tubercular, Tubercular, Tubercular.		-			20 Tubercular, Salanda		
RETRO- PHARYN- GEAL GLANDS,	Tubercular.	7 Tubercuiar.			-	Tubercular.		
No. of Animal	9	2	13	18	19	88	35	

# REPORT OF BAKERY INSPECTOR

San Francisco, July 1st, 1898.

To the Honorable the Board of Health
Of the City and County of San Francisco—

Gentlemen: I herewith submit the following report of inspection of bakeries for the fiscal year ending June 30th, 1898.

During the brief period that I have acted as Inspector of Bakeries I have found them generally in good condition, especially in the western portions of the city, where many of them are located on the ground floors.

In the eastern and more crowded sections, with few exceptions, they are in cellars. While this is unavoidable on account of the high rents that would be charged for more suitable places, and also the impossibility of obtaining locations outside of cellars in certain large sections of the city, they can be made less objectionable if statutes or ordinances could be enacted compelling owners of property in which bakeries are located to put down cement or stone floors. Most of the floors in cellar bakeries are constructed of wood, through the cracks of which the poisonous gases with which the soil of a large city is necessarily saturated rises into the bakeries, especially those imperfectly ventilated. With stone or cement floors well sealed, the exhalations from the soil could not rise into the bakeries, and the health of the men, as well as the quality of the bread, would be improved.

Through the efforts of my predecessor I find, as far as my observation goes, that the plumbing in many bakeries has

been renewed, and in this respect there is little cause for complaint.

Following is a synopsis of results of inspection of bakeries during the past year:

Total number of bakeries under inspection	237
Number of inspections from July 1st, 1897, to July 1st, 1898	1366
Number of nuisances abated	93
Number of bakeries referred to Plumbing Inspector	39
Number of nuisances unabated July 1st, 1898	4

Very respectfully,

J. T. WASHINGTON,
Inspector of Bakeries.

#### REPORT OF BATH AND LAUNDRY INSPECTOR.

San Francisco, July 1st, 1898.

To the Honorable the Board of Health
Of the City and County of San Francisco—

Gentlemen: I herewith submit my annual report as Bath and Laundry Inspector for the fiscal year ending June 30th, 1898:

#### NUMBER OF FIRST INSPECTIONS OF LAUNDRIES.

1897—July 12	1898—January —
August 23	February
September 2	March
October 3	April
November —	May –
December —	June 2
Total	42

#### NUMBER OF SECOND INSPECTIONS OF LAUNDRIES.

1897—July	230   1898—J	anuary170
August	164 F	'ebruary172
September		farch
October	110 A	pril161
November	122 N	May100
December	141 Ј	une 47
Total		
Total of First and	Second Inspections.	1750

#### LAUNDRIES FOUND IN GOOD CONDITION.

1897—July 55	1898—January131
August 59	February136
September 58	March128
October 89	April116
November101	May 93
December 99	June 40
Total	1105

#### LAUNDRIES FOUND IN BAD CONDITION.

1897—July187	1898—January 39
August128	February 36
September 40	March 67
October 24	April 45
November 21	May 7
December 42	June 9
Total	645

P. LYDON,
Bath and Laundry Inspector.

# REPORT OF CIGAR FACTORY INSPECTOR.

San Francisco, June 30th, 1898.

To the Honorable the Board of Health
Of the City and County of San Francisco—

GENTLEMEN: In submitting my report, covering the period from February 10th, 1898, to date, permit me to state that I have inspected and approved one hundred and ninetysix (196) cigar factories in the city and county of San Francisco. In many instances I found factories in bad sanitary condition, especially in Chinatown. Permits were withheld from many of these factories pending compliance with the requirements of your honorable Board, but am gratified to say all has been satisfactorily arranged, permits issued and the general condition of affairs in much better shape. On account of the number of complaints reported to your honorable board by the Health Inspectors from their several districts, an ordinance was drafted and submitted to the honorable Board of Supervisors and passed on January 17th, 1898, thus constituting this department, which I have the honor to represent in the Health Department.

# ORDER No. 46 (SECOND SERIES).

Regulating the establishment and maintenance of cigar factories within the City and County of San Francisco.

#### PREAMBLE.

Whereas, The indiscriminate establishment of cigar factories, where cigars are manufactured and prepared for use, is injurious and dangerous to public health and public safety, and prejudicial to the well-being and comfort of the community; now, therefore,

The people of the City and County of San Francisco do ordain as follows:

Section 1. On and after the passage of this Order it shall be unlawful for any person or persons to establish, maintain or carry on the business of a cigar factory, where cigars or other articles of tobacco are made, within the limits of the City and County of San Francisco, without having first complied with the conditions hereinafter specified.

(Persons Conducting Cigar Factories Must Obtain Certificates From Health Officer as to Sanitary Condition of Premises.)

Section 2. It shall be unlawful for any person or persons to conduct or maintain a cigar factory within the City and County of San Francisco without having first obtained a certificate signed by the Health Officer of said City and County that the premises are properly and sufficiently ventilated, and that all proper arrangements for carrying on the business without injury to the sanitary condition of the neighborhood have been complied with, and particularly that all provisions of all Orders of this Board have been complied with.

(Certificates of Health Officer—No Charge to Be Made Therefor.)

Section 3. It shall be the duty of the Health Officer, upon application from any person or persons proposing to open or conduct the business of a cigar factory within the limits of the City and County of San Francisco, to inspect the premises on which it is proposed to carry on such business, or in which said business is being carried on, with a view to ascertaining whether the said premises are provided with proper drainage and sanitary appliances; also, whether the provisions of all Orders of this Board relating thereto have been complied with, and, if found in all respects satisfactory, then to issue to said applicants the certificate provided for in Section 2 of this Order.

No charge whatsoever shall be made or compensation or fee collected or received, for the performance of any of of the services required by the provisions of this Order in the inspection of premises or the issuance of a certificate; but all services shall be performed free of charge.

(No Person Suffering From Contagious or Infectious Diseases to Be Permitted to Work, Sleep, Lodge or Remain in Any Cigar Factory.)

Section 4. No person or persons engaged in the cigar business within the limits of the City and County of San Francisco shall permit any person suffering from any contagious or infectious disease to work, sleep, lodge, or remain within or upon the premises used by him, her or them, for the purpose of a cigar factory.

(Prohibiting the Smoking of Opium in Places Wherein Cigars Are Manufactured.)

Section 5. No person or persons engaged in the cigar business within the limits of the City and County of San Francisco shall permit the introduction of or the smoking of opium within or upon the premises used by him, her or them, for the purpose of a cigar factory.

(Prohibiting Persons From Sleeping or Cooking in Rooms Wherein Cigars Are Manufactured.)

Section 6. It shall be unlawful for any person or persons owning

or employed in any cigar factory in the City and County of San Francisco to sleep or cook in the rooms wherein cigars are manufactured or prepared for use.

(Prohibiting the Placing of Cigars Between the Lips or in the Mouth For the Purpose of Biting or Moistening the Ends Thereof.)

Section 7. It shall be unlawful for any person or persons owning or employed in any cigar factory in the City and County of San Francisco to place between the lips or in the mouth the ends of cigars or other parts thereof for the purpose of moistening or biting same, or for the purpose of otherwise improving their appearance.

(Prohibiting the Spraying of Tobacco by Means of Water Emitted From the Mouth or by Means of Receptacles Whereby Water is Emitted by Means of Air Expelled From the Mouth.)

Section 8. It shall be unlawful for any person or persons owning or employed in any cigar factory in the City and County of San Francisco to spray tobacco or otherwise moisten it by means of water emitted from the mouth or by appliances whereby the water is expelled by means of the mouth.

(Prohibiting Expectoration Upon the Floors of Rooms Wherein Cigars Are Manufactured or Prepared for Use.)

Section 9. It shall be unlawful for any person or persons owning or employed in any cigar factory in the City and County of San Francisco to expectorate upon the floors of such rooms wherein cigars are manufactured or prepared for use.

(Prohibiting the Drying of Tobacco Upon Floors and Providing for the Use of Racks.)

Section 10. It shall be unlawful for any person or persons owning or employed in the cigar manufacturing business within the limits of the City and County of San Francisco to dry tobacco, previously moistened, upon floors or upon stands possessing a tendency to contaminate or injuriously affect the condition thereof, but upon clean cloths provided for the purpose and stretched over wooden frames, or upon such other contrivances previously approved by the Health Officer.

#### (Penalty.)

Section 11. Any person or persons establishing, maintaining or carrying on the business of a cigar manufactory wherein cigars are manufactured or prepared for use within the limits of the City and County of San Francisco, without having complied with the provisions of this Order, shall be guilty of a misdemeanor, and, upon conviction thereof, shall be punished by a fine of not more than one hundred dollars, or by imprisonment of not more than six months, or by both such fine and imprisonment.

(Certificates of Health Officer to Be Exhibited in a Conspicuous Place.)

Section 12. The certificate from the Health Officer, as required by Section 2 of this Order, shall be exhibited in some conspicuous place on the premises, and same shall be produced on the demand of any officer of the City and County of San Francisco.

#### (Health Officer to Enforce Provisions of Order.)

Section 13. The Health Officer is hereby directed to have the provisions of this Order strictly enforced.

In Board of Supervisors, San Francisco, January 17, 1898.

It certainly is a great acquisition to this city to have this regulation, as a comparison between former and present conditions will thoroughly demonstrate to any practical or intelligent mind. As this branch of the Department has only been organized for a short time, it is, in my opinion, hardly fair to form conclusions from present results, but from my experience thus far I feel more than confident that the Department of Cigar Factory Inspection will become one of the most important adjuncts to the Health Department.

In my rounds I have found many nuisances, which I have reported daily and caused to be abated; for instance, dirty paper on the walls, dirty clothes and floors; in several instances have required a general "clean up." I think I am justified in stating that the cigar factories in general are in good condition.

# Below find figures as follows:

Permits issued to date		196
Permits withheld to date		0
Factories found in good condition	196	
Factories found in poor condition	. 0	
Totals	196	196
Total number inspections		757
Total number first inspections	196	
Total number other inspections	561	
Totals	757	757

Very respectfully, etc.,

B. R. PORTER, Inspector of Cigar Factories.

# REPORT OF SUPERINTENDENT OF CITY CEMETERY.

San Francisco, July 1st, 1898.

To the Honorable the Board of Health

Of the City and County of San Francisco—

Gentlemen: I beg to submit the following report of Interments and Disinterments in the City Cemetery for the fiscal year ending June 30th, 1898:

	Total.	1897.							1898.				
PLATS.	1	July	August	September	October	November	December	January	February	March	April	May	June
INTERMENTS. Italian	124	12	8	18	18	15	18	16	17	2			
German	14	2		2	2	2			3				
G. A. R	13	3		2	2	1	3	2					
Seamen	1	1											
Jewish	10	3	3		1	1	1		1				
Select	92	10	8	17	17	8	15	10	7				
Indigent	479	41	37	26	28	51	38	40	29	65	47	38	39
Chinese	290	39	33	47	41	38	30	28	34				
Russian	8	2	• • • •	1	1	1	1		2				
French	9		3			2	1	1	2				• • • •
St. Andrew's	3		1			1	1						• • • •
Japanese	15		3	1	3	1	1	1	4	1			• • • •
Old Friends	1					1							
		-		_	_	-	-		-	-	-	-	
	1059	113	96	114	113	122	110	100	99	68	47	38	39
DISINTERMENTS.								-					
Whites	46	3	4	8			1	1		9	9	7	4
Chinese	489	192	111	3	62	107	1	2	2	3	3	1	2
3	-	-		-				-		-			
	535	195	115	11	62	107	2	3	2	12	12	8	6
			-				10						_

Respectfully,
J. O'KANE
Superintendent.

# REPORT OF DISINTERMENT INSPECTORS.

San Francisco, July 1st, 1898.

To the Honorable the Board of Health
Of the City and County of San Francisco—

Gentlemen: Herewith we beg to submit our report for the fiscal year ending June 30th, 1898.

Total number of permits issued	855
Amount of fees collected	\$5,420 00
Sarary account	
Turned over to City Treasurer 3,058 63	

\$5,420 00

# DISINTERMENT ACCOUNT-RECEIPTS AND EXPENSES DURING FISCAL YEAR ENDING JUNE 30, 1898.

	DATE.	FOR WHAT PURPOSE.	DR.	CR.
1897-	-July	Receipts	\$1,940 00	
		Inspectors' Salaries		\$200 00
	August		1,130 00	_
		Inspectors' Salaries		200 00
	September		50 00	200 00
		Inspectors' Salaries		200 00
	October	-	630 00	200 00
		Inspectors' Salaries		200 00
	November	Receipts Inspectors' Salaries	1 090 00	
	December	Receipts	90.00	200 00
	December	Inspectors' Salaries	20 00	200 00
		inspectors Salaries	4	200 00
1898-	-January	Receipts	30 00	
		Inspectors' Salaries	30 00	200 00
	February	Receipts	20 00	200 00
		Inspectors' Salaries		200 00
	March	Receipts	60 00	
		Inspectors' Salaries		200 00
	April		340 00	
	25	Inspectors' Salaries		200 00
	May		20 00	
	Tour	Inspectors' Salaries	00.00	161 37
	June	Receipts Inspectors' Salaries	90 00	900-00
		Inspectors Salaries		200 00
	Totals		\$5,420 00	\$2,361 37

#### DISINTERMENT REPORT, 1897-98.

	Total.			18	97.					18	98.		
REMOVALS FROM	al	July	August	September.	October	November	December.	January	February	March	April	May	June
Calvary Cemetery	129	7	8	10	13	27	2	10	2	14	17	11	8
City Cemetery	566	195	115	11	62	108	2	9	2	12	36	8	6
Laurel Hill Cemetery	32	1	2	3	2	6	3	3	2	3		2	5
Masonic Cemetery	27	1	5	4	1		2		1	1	1	2	9
Mission Dolores Cem- etery	12	5								3	4		
I. O. O. F. Cemetery	88	2	1	4	8	8	6	6	8	6	14	10	15
U. S. M. Hospital Cemetery	1							1					
Totals	855	211	131	32	86	149	15	29	15	39	72	33	43

#### DISINTERMENT REPORT, 1897-98.

	Totals.			18	97.					18	98.		
. REMOVALS TO	ls	July	August	September	October	November	December	January	February	March	April	Мау	June
Laurel Hill Cemetery	18					4	1	1	1	4	- 5	1	0 1
Calvary Cemetery	4	1		1				1		1			
Holy Cross Cemetery	137	13	8	6	13	25	2	11	1	16	20	13	9
Cypress Lawn Ceme-	450	1	6	4	7	3	5	2	1		7	5	
tery	47	. 1				3	9	1	2	2		2	4
I. O. O. F. Cemetery  Masonic Cemetery	8	1	• • • •			2	2	1	1	1			1
				• • • • •	• • • • •	~	2				• • • •		
New Salem Cemetery	LI I		2			• • • • •		3		****	1		3
City Cemetery	5		131	2	• • • •	,		1	• • • •		• • • •		2
Home of Peace Ceme- tery	1							1					
									-				

#### DISINTERMENT REPORT, 1897-98-CONCLUDED.

	Total			189	7.					189	8.		
REMOVALS TO	1	July	August	September	October	November	December	January	February	March	April	Мау	June
Mount Olivet Cemetery	2							0	2				
Oakland		1	1	3									
California	5%		1	3	3	5	3	4	5	8	1	7	12
Iowa	1	1											
Washington	9	1	1										
New Zealand	:	·		1									
New York		5		3							1		1
Illinois		ı			1								
Pennsylvania		2				1				1			
Massachusetts	- 1	2				1		. 1					
Ohio		1					1						
Guatemala		1							1				
Honolulu		1								1			
Germany		1								1			
Missouri		2								1	1		
Maine		1											1
Montana		1											1
Nevada		1											1
Connecticut		1											1
England		1											1
Home (ashes)		9									4	- 8	3 2
China	51	9 199	2 119	2	2 6	107	7	1 :	2	3	3%	1	2 3
Totals	85	5 21:	1 13	1 3	2 80	3 149	1	5 2	9 1	5 39	75	3	8 48

Respectfully,

A. K. HAPPERSBERGER, M. D.,

J. W. CAMERON,

Disinterment Inspectors.

# REPORT OF THE CITY PHYSICIAN.

San Francisco, July 1, 1898.

To the Honorable the Board of Health
Of the City and County of San Francisco—

Gentlemen: I have the honor of presenting the following report of the City Physician for the fiscal year ending June 30th, 1898:

Respectfully,
WM. S. HEREFORD, M. D.,
City Physician.

TABLE NO. I.

INDIGENT SICK TREATED OR VISITED.

MONTHS.	Males,	Females	Total	Times Treated or Visited	Permits to City and County Hospital.	Died  Permits to City and County Almsh'se.
1897—July	4	2	6	6		
August	4		4	4		
September	6	3	9_	9	- 3	
October		1	1	1	1	
November	11	7	18	29	5	1
December	17	8	25	96	3	
1898—January	15	15	30	64	3	
February	12	11	23	82	3	1
March	19	18	37	61-	7	2 2
April	20	14	34	146	4	1
May	17	16	33	141	1	
June	7	10	17	43	2	
	132	105	237	682	32	4 3

TABLE NO II.

AGES OF INDIGENT SICK VISITED AND TREATED.

	Totals			189	97.			1898.							
AGES.	ÇG.	July	August	September	October	November	December	January	February	March	April	Мау	June		
Under 1 year	9								1	2	2	3	1		
From 1 to 5 years	35	2				- 1	2	5		4	10	8	3		
From 5 to 10 years	39			1		2	6	9	6	2	5	6	2		
From 10 to 20 years	21					3	6	3		3	2	2	2		
From 20 to 30 years	35	1	2	3			4	3	3	7	3	8	1		
From 30 to 40 years	27		,.	1		4	1	5	5	3	4	2	2		
From 40 to 50 years	23	1		1	1	5	2	1	2	6	1	1	2		
From 50 to 60 years	27		1	1		3	4	2	4	5	3	1	3		
From 60 to 70 years	16	2	1					2	1	3	4	2	1		
From 70 to 80 years	2			2											
From 80 to 90 years	3		• • • •			••••			1	2	••••	••••	••••		
Totals	237	6	4	9	1	18	25	30	23	37	34	33	17		

#### TABLE NO. III.

# DISEASES FOR WHICH INDIGENT SICK HAVE BEEN TREATED OR VISITED.

Anemia 5	Hernia, inguinal 1
Apoplexy 1	Indigestion 6
Abortion, accidental 3	Immunized (diphtheritic serum). 14
Abscess, gluteal 1	Imbecile 2
Abscess, cheek 1	Inanition 1
Abrasion of lip 1	Leprosy (?) 1
Alcoholism 3	Lumbago 1
Asthma 2	La Grippe 6
Aortic insufficiency 2	Laryngitis 1
Bronchitis 16	Measles 4
Burn of finger 1	Malaria 5
Burn of leg (carbolic acid) 1	Miscarriage and adher. placenta. 1
Bubo, right groin 1	Nervous debility 1
Cystitis 5	Nervous prostration 1
Congestion of liver 1	Nasal catarrh 1
Cramps 1	Poison oak 1
Chicken pox 1	Phthisis pulmonalis 3
Childbirth 1	Pneumonia 6
Cancer of uterus 1	Paralysis of right arm 2
Cholera morbus 1	Paralysis of right side (partial) 1
Cholera infantum 3	Pregnancy 2
Contusion of ribs (accidental	Pleurisy 1
fall) 1	Rheumatism 10
Diphtheria 42	Rheumatoid arthritis 1
Delirium tremens 1	Stomachache 1
Dysentery 1	Syphilis 12
Diarrhea 1	Scarlatina 2
Epilepsy 4	Scrofula 8
Eczema 2	Stillbirth 2
Gonorrhea 3	Tonsillitis
General debility 2	Typhoid fever 1
Gumboil	Typho-malarial fever 1
Heart disease	Ulcer of leg 2
Hemorrhoids	Varicose veins, right leg 1
Hematuria 1	
Hip-joint disease 1	
	10tai 25/

#### TABLE NO. IV.

#### NATIVITIES OF INDIGENT SICK TREATED OR VISITED.

#### UNITED STATES.

Arizona	2	Michigan 2
California1	11	Mississippi 1
Connecticut	1	Missouri 4
Colorado		Nebraska
Florida		New Hampshire 2
Iowa	-	New York
Illinois	3	Ohio 4
Indiana	1	Oregon 1
Kansas	3	Pennsylvania 1
Kentucky	1	Tennessee 1
Louisiana	2	Texas 1
Maine	1	Washington 2
Massachusetts	3	
Minnesota	2	Total 163
FC	ORE	EIGN.
Austria	1	Germany 12
Australia		Holland
	_	Ireland
Canada		
China	6	Mexico 7
Denmark	3	Norway 2
England	6	Scotland 3
France	2	Total
		Total74
Grand Total		287
2000		· · · · · · · · · · · · · · · · · · ·

TABLE NO. V. PERSONS TREATED AT COUNTY JAIL NO. 1 (Broadway).

MONTHS.	OF CASES.	TIMES
1897—July		
	97	147
August	85	150
September	97	218
October	84	143
November	121	190
December	87	168
1898—January	70	90
February	90	185
March	79	168
April	90	
May		187
June	69	160
June	79	175
Totals	1,048	1,981

TABLE NO. VI.

DISEASES TREATED AT COUNTY JAIL NO. 1 (BROADWAY).

	Total	1/		189	97.					189	8.		
DISEASES.		July	August	September	October	November	December	January	February	March	April	Мау	June
Abscess	2					2							
Abscess, alveolar	1												1
Acne	- 1					1							
Alcoholism	14						1	2	4	3	1	2	1
Anemia	1											1	
Anorexia	1					1							
Asthma	1												1
Bronchitis	171	11	14	9	10	23	26	17	24	16	10	3	8
Catarrh, nasal	8				1	3	2	1	,.			1	
Constipation	251	22	12	34	22	30	15	16	24	18	19	28	11
Cramps	30			1	3	8		5	2		6	1	4
Coryza	. 6							1	1	2			2
Cystitis	9	2	1	1			1		1	1	2		1
Conjunctivitis	7					1	2		1		2	1	
Debility	3	2											1
Diarrhea	. 53	8	3	4		4	5	6	2	2	3	3	13
Eczema	5						1	1			1	1	1
Eczema capitis	1										1		
Eczema of hands	2									1	1		
Epistaxis	1												1
Fistula in ano	1	1											
Fracture of elbow	1												1
Furuncle	11	1	2			2		2	1	1		1	1
·Gonorrhea	37	4	14	6	4	3	1	2	2	4	5	1	1
Hemorrhoids	2	1											1

TABLE NO. VI-CONTINUED.

118 3 2 2 7 7	Total			18	97.		1			18	98.		
DISEASES.		July	August	September	October	November	December	January	February	March	April	Мау	June
Hemoptysis  Hematuria  Heart disease	1 2 2					1			•••	-		1	• • • • •
Heart, palpitation of  Hernia  Indigestion	1 3 20	3	 1 3		1	1	4		3	1	1	1	2
Inflammation of thumb Inflammation of elbow. Influenza (la Grippe) Insomnia	1 1 24 12		 5	2 2	7	3	1 3		4	 2	4		
Itch	14 1 1	3	3	2	4	2						1	1
Lumbago  Lungs, congestion of  Malaria  Malingery	11 2 38 1	6	6		2	3			2	1 1 1	1 4 1	1	7
Morphinism  Neuralgia  Neuralgia, intercostal.	15 24 1	1 3		1	1 3	4	2	3	1	3 2	3	1 2	1
Neurasthenia  Nocturnal emissions  Odontalgia	2 2 27	3	6	4	3	2			2	3	2	1 1 2	1
Otitis media  Painters' colic  Parenychia	7 1 6			2			••••	1	1	1	1	1	1 1 1

TABLE NO. VI—CONTINUED.

Pericarditis.         2         1         1         1         2         1         1         2         1         1         2         1         1         2         1         1         2         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         2         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         <										_				_
Pediculosis		Tota			189	97.					18	98.		
Pericarditis.         2         1         1         1         2         1         1         2         1         1         1         2         1         1         2         1         1         2         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         2         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         <	DISMASES.	als	July	August	September	October	November	December	January	February	March	April	Мау	June
Pericarditis.         2         1         1         1         2         1         1         2         1         1         1         2         1         1         2         1         1         2         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         2         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         <	Pediculosis	38	6	3	5	7	3	1	1	3	3	3	1	2
Pityriasis         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         2         2         4         4         1         2         1         1         1         1         1         1         1         1         1         1         1         1         1         1         2         2         4         1         2         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1	Pericarditis	2					1	. 1						
Pleurisy.         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1	Phthisis pulmonalis	9	3	3							1	2		
Prostatitis.         2         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1 <t< td=""><td>Pityriasis</td><td>1</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>1</td><td></td><td></td><td></td></t<>	Pityriasis	1									1			
Retention of urine.       4       1       2       1	Pleurisy	1						1						
Rheumatism       33       5       3       4       2       4       1       2       1       2       5        4         Ringworm       1       1                                                                                                <	Prostatitis	2										1	1	
Ringworm.       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1	Retention of urine	4				1	2				1			
Scables.       1       1       1         Sciatica.       1       1       1         Scorbutus.       4       4       4         Scrofula.       8       1       1       1       3         Sore knee.       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1	Rheumatism	33	5	3	4	2	4	1	2	1	2	5		4
Sciatica       1       1       1       1       1       1       3       2       3       3       2       3       3       3       3       3       3       3       3       3       3       4       4       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       4       4       3       3       4       3       3       4       3       3       3       3       4       3       3       4       3       4       3       4       3       4       3       4       3       4       3       4       3       4       3       4       3       4       3       4       3       4       3       4       3       4       3       4       3       4       3       4       3       4       3       4       3       4       3       4       3       4       3       4       3       4       3       4       3       4       3       4       3       4       3       4       3       4       3       4       3       4       3       4<	Ringworm	. 1				1								
Scorbutus.         4         4         4         3         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4	Scabies	1												1
Scrofula         8         1         1         1         3         2	*Sciatica	1			1									
Sore knee         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1	*Scorbutus	4					4							
Sprain         2         2           Sprain of ankle         1         1           Sprain of arm         1         1           Sprain of back         2         1           Stomatitis         1         1           Stricture of urethra         1         1           Stye         2         1           Syphilis         38         2         7         5         3         6         5         1         2         3         4           Tonsilitis         6         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1	Scrofula	8						1	1	1	3	2		
Sprain of ankle.         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1	Sore knee	1			1									
Sprain of arm         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         <	Sprain	, 2				2								
Sprain of back.         2         1         1         1           Stomatitis.         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1 <td>Sprain of ankle</td> <td>1</td> <td>ı </td> <td>ļ</td> <td>1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	Sprain of ankle	1	ı	ļ	1									
Stomatitis         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1	Sprain of arm	1	٠							Ŀ			1	
Stricture of urethra.       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1	Sprain of back	2	2		1								. 1	
Stye       2       1       1       1         Syphilis       38       2       7       5       3       6       5       1       2       3       4         Tonsillitis       6       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1	Stomatitis	1	١							1				
Syphilis       38       2       7       5       3       6       5       1       2        3       4         Tonsillitis       6       1       1       1       1       1       1       1	Stricture of urethra	1	ı					1						
Tonsillitis 6 1 1 1 1 1 1 1  Ulcer of arm 1 1  Ulcer of leg 1  1 1 1 1 1 1	Stye	2						1	• • • •		1			
Ulcer of arm	Syphilis	38	2	7	5	3	6	5	1	2			. 3	4
Ulcer of leg 1		6	3	1		1	1		1	1	. 1			
	Ulcer of arm	1	1					••••	••••	••••				
Ulcer, gluteal 1 1 1 1 1 1	Ulcer of leg	1										1	l	
	Ulcer, gluteal	1										1	l	

TABLE NO. VI-CONTINUED.

	Total			1897. 1898.										
DISEASES			July	August	September	October	November	December	January	February	March	April	Мау	June
														1111
Ulceration		1			1				.,					
Urticaria		4			2		1				1			
Varicocele		4	1					2				1		
Wound (abrasion) Wound of ankle (abra-		9		2	3	4								
sion)		1					1							
Wound of ear (abrasion)		1									1			
Wound of leg (abrasion)		1						••••						1
Wound (contused)		1	••••						•••	••••			••••	
Wound of hip (contused)							••••	1	••••	••••		••••		
Wound of face (con-		1	1	• • • •		••••	****	••••	• • • •	72.		••••	••••	••••
Wound of forehead		1		••••	****	• . • •	• • • •			1	• • • •			
(contused) Wound of shoulder	_	1				• • • •	• • • •	••••	••••	-10.	•••	• • • • •	1	
(contused)	1	1			1				1	0				
Wound of spine (contused)		1		1										
Wound of toe (con-				1	••••	••••	****	••••		1	• • • •		••••	
tused) Wound of chin (in-		2			••••	• • • •	1	• • • •	1	1	• • • •			••••
cised)		1		••••		• • • •	• • • •	***	• • • •	••••	• • • •	••••	1	••••
cised)		1								1				
Wound of scalp (incised)		1				1								1 1 7.0
Wound of finger		-					1							
Wound of foot														

### TABLE NO. VI-CONTINUED.

	Total.	1897.					1898.					-	
DISEASES.		July	August	September.	Oetober	November	December	January	February	March	April	May	June
Wound of head	2	1			• • • •				1				
Wound of leg	2	2											
Wound of wrist	1			1									
Wound of hand	5	2	1			2							
1									_	_	_	_	-
Totals	1048	97	85	97	84	121	87	70	90	79	90	69	79

### TABLE NO. VII.

### TWENTY-SIXTH STREET HOSPITAL.

### SUMMARY.

Patients in Hospital, July 1st 1897	20	
Admitted during fiscal year	7	
The state of the s		
Total to be accounted for		27
Discharged, cured		
Escaped	3	
Died	3	
		7
	-	
		00
Remaining in Hospital, June 30th, 1898		20

TABLE NO. VIII.

### DISEASES TREATED AT TWENTY-SIXTH STREET HOSPITAL.

NAME OF DISEASE.	MALE.	FEMALE.
Leprosy		2
Paraplegia (partial)	1	
Typhoid fever	m	1
Totals	. 24	3

### TABLE NO. IX.

### NATIVITY OF PATIENTS AT TWENTY-SIXTH STREET HOSPITAL. China 20 Hawaii 3 England 1 Finland 1 Germany 1 Total 27

### REPORT OF PUBLIC VACCINATOR.

San Francisco, July 1st, 1898.

To the Honorable the Board of Health
Of the City and County of San Francisco—

Gentlemen: Herewith I beg to submit my report of public vaccinations for the fiscal year ending June 30th, 1898.

### STATEMENT OF FREE VACCINATIONS.

	Total		g.	189	97.					189	98.		
	all	July	August	September	October	November	December	January	February	March	April	Мау	June
Free Vaccinations	8541	1636	1530	566	642	1245	385	665	441	426	393	316	696

Respectfully,

E. L. PARAMORE, M. D., Public Vaccinator.

### REPORT OF POLICE SURGEON.

and the second of the second of the second

San Francisco, July, 1st, 1898.

To the Honorable the Roard of Health
Of the City and County of San Francisco—

Gentlemen: I herewith respectfully submit the annual reports of the City Receiving Hospital and of the Harbor and Park Branch Receiving Hospitals for the fiscal year 1897-1898.

The year just ended has been the first year of activity in the two branch hospitals, and as a result we note a most remarkable increase in the number of persons treated in the Receiving Hospital service. The total number of persons given assistance in all the three hospitals is 9,433. Of these 5,393 were attended at the Main Hospital, 3,583 were attended at the Harbor Branch Hospital, and 457 were attended at the Park Branch Hospital.

As shown by these figures, the Main Receiving Hospital closely approaches the number of persons treated in former years (5,753 in 1896-1897). The increase, therefore, is due to the opening of the two branch hospitals, and especially to the Harbor Branch Hospital, clearly demonstrating the utility and necessity of these institutions.

Both branch hospitals have lately received a complete outfit of instruments and are prepared to meet all demands in the line of emergency service.

The medical staff of each Branch Hospital has been augmented from two to three, through the appointment of a third Assistant Surgeon at the Harbor Hospital and the transfer of one Assistant Surgeon from the Main Hospital to the Park Hospital. The hours of duty have been arranged to correspond at all three Receiving Hospitals, which arrangement permits of the transferring of the As-

sistant Surgeons from one hospital to another without causing any disturbance in the service or interference with the private business of the surgeons.

On April 12th, 1898, the Main Receiving Hospital was relieved of the care of the insane, for whom the Board of Supervisors had provided special quarters adjoining the Receiving Hospital, but under a separate management. The results of this measure have proven most beneficial to both the insane and the patients of the Receiving Hospital.

### DISPOSITION OF PATIENTS.

	Total number of persons admitted		5,393
Discha	arged—		
	Sent to their homes !	,064	
	Sent to City Prison	508	
	Sent to City and County Hospital	378	
	Sent to City and County Alms House	42	
	Sent to State Hospital for Insane	247°	
	Sent to German Hospital	- 11	
	Sent to French Hospital	13	
	Sent to U. S. Marine Hospital	7	
	Sent to St. Luke's Hospital	5	
	Sent to St. Mary's Hospital	16	
	Sent to Children's Hospital	9	
	Sent to St. Mark's Hospital	6	
	Sent to Waldeck Hospital	2	
	Sent to Lane Hospital	1	
	Sent to Mt. Joseph's Infant Asylum	4	
	Sent to Home for Feeble Minded (Glen Ellen)	1	
	Births (stillborn, 3 male)	5	
	Died	60	
	Brought in dead	12	
	Remaining in Hospital June 30th, 1898	2	
	Total		5,393
	Prescriptions compounded for City Physician		. 181

Yours most respectfully,

DR. CONRAD WEIL,
Police Surgeon.

DISEASES.	Male	Female	Discharged	Died
HEAD.				
A. INJURIES.				
Lacerated wound of scalp	589	41	630	
Incised wound of scalp	40	7	47	
Hematoma of scalp	11	5	16	
Abrasion of scalp	29	9	38	
Contusion of scalp	17	14	31	
Bullet wound of head	7	1	3	5
Burns of head	5	3	8	
Fracture of skull	17	4	17	4
Compound fracture of skull	9	1	4	6
Fracture of base of skull	3			3
Possible fracture of skull	35	1		2
Concussion of brain	4		4	
B. DISEASES.				
Mastoid disease		1	1	
Mastold disease			1	
FACE.	1 1 1			
A. INJURIES.				
Lacerated wound of forehead	160	29	189	
Lacerated wound of eyebrow		16	208	
Lacerated wound of eyelid	1010	17	70	
Lacerated wound of cornea	4	14	4	
Lacerated wound of ear	37	9	46	
Lacerated wound of cheek.		6	74	
Lacerated wound of nose		6	87	
Lacerated wound of lips	0.	7	90	
Daterated would of lips	53	1	90	

	DISEASES.	Male	Female	Discharged	Died
Α.	INJURIES—Continued.	MAT.			
	Lacerated wound of mouth	4	1	5	
	Lacerated wound of tongue	3		3	
	Lacerated wounds of chin	47	6	53	
	Incised wound of forehead	17	3	20	
	Incised wound of eyelid	3	2	5	
	Incised wound of eyeball	2		2	
	Incised wound of nose	5		5	
	Incised wound of ear	3	1	4	
	Incised wound of cheek	16	3	19	- 1
	Incised wound of lips	5		5	
	Incised wound of chin	2		2	П
	Punctured wound of forehead	2		2	- 1
	Punctured wound of nose	1		1	
	Bullet wound of cheek	2	1	3	
	Bullet wound of ear			1	
	Bullet wound of eye			1	
	Abrasion of forehead		3	29	
	Abrasion of nose	25	3	28	
	Abrasion of cheek	26	5	31	
	Abrasion of lips		2	8	
	Abrasion of ear	8	3	11	
	Abrasion of chin	9	4	13	
	Contusion of forehead	18	7	25	
	Contusion of eyelids	51	. 14	65	
	Contusion of nose	28	3	31	
	Contusion of lips		5	18	
	Contusion of hps	15	9	10	

DISEASES.
Contusion of cheek.       32       9       41          Contusion of ear.       5       2       7          Contusion of chin.       9       4       13          Burns of face.       21       4       25          Accidental amputation of ear.       2       2       2         Fracture of nasal bones.       26       2       28
Contusion of cheek.       32       9       41          Contusion of ear.       5       2       7          Contusion of chin.       9       4       13          Burns of face.       21       4       25          Accidental amputation of ear.       2       2       2         Fracture of nasal bones.       26       2       28
Contusion of ear.       5       2       7         Contusion of chin.       9       4       13         Burns of face.       21       4       25         Accidental amputation of ear.       2       2       2         Fracture of nasal bones.       26       2       28
Contusion of chin       9       4       13         Burns of face       21       4       25         Accidental amputation of ear       2       2       2         Fracture of nasal bones       26       2       28
Burns of face.       21       4       25          Accidental amputation of ear.       2       2          Fracture of nasal bones.       26       2       28
Accidental amputation of ear
Fracture of nasal bones
Fracture of inferior maxilla
Fracture of superior maxilla 1 1
Luxation of inferior maxilla
Hemorrhage from ear 9 9
Hemorrhage from gums
Hematoma of forehead
Hematoma of ear
Epistaxis
Ecchymosis of eye
Foreign body in eye
Foreign body in ear
Foreign body in nose
Man-bite of nose
Man-bite of ear 2 2
Man-bite of chin
Dog-bite of forehead 1 1
Dog-bite of cheek 1 1
Dog-bite of nose 1 1
Dog-bite of lip 1 2 3

DISEASES,	Male	Female	Discharged	Died
A. INJURIES—Continued.				
Dog-bite of ear	2		2	
Spider-bite of cheek	1	1	2	
D. DIGELAGEG				
B. DISEASES.  Abscess of cheek	2		2	
Conjunctivitis.	12	2	14	••••
Ulcer of cornea	2	~	2	
Iritis	1		1	••••
			1	
NECK AND THROAT.				
	•	111		
A. INJURIES.			-	
Lacerated wound of neck	4		4	
Incised wound of neck	6	1	7	• • • • •
Lacerated wound of throat	2		2	•••••
Incised wound of throat	9	3	10	2
Punctured wound of neck	1		1	• • • • • •
Abrasion of neck	3	2	5	
Contusion of neck	3	2	5	
Burns of neck	4	2	6	
Burns of throat	3	1	4	• • • • •
Bullet in neck	6	1	7	• • • • •
Foreign body in throat	20	6	26	
Sprain of neck	3		3	
		1-1-	- 1	
B. DISEASES.	. , 7			
Carbuncle of neck	2		2	•••••

		Male	Female	Discharged	Died
	DISEASES.		e:	arg	
				d:	
-		:	-:		
	THORAX AND DORSAL REGION.	100			
A.	INJURIES.				1
	Lacerated wound of thorax	4	1	5	
	Incised wound of thorax	5	3	8	
	Punctured wound of thorax	1		1	
	Lacerated wound of back	4	1	5	
	Incised wound of back	10	4	14	
	Punctured wound of back	1		1	
	Bullet wound of thorax	6	1	5	2
	Bullet wound of back	4		3	1
	Burns of thorax	3	4	5	2
	Burns of back	3	2	5	
	Abrasion of thorax	2		2	
	Abrasion of back:	3	1	4	
	Contusion of thorax	29	6	35	
	Contusion of back	36	5	41	
	Foreign body in thorax		1	1	
	Foreign body in back	1		1	
	Horse-bite of thorax (breast)	1		1	
	Fracture of ribs	38	2	40	
	Fracture of dorsal vertebrae	1		1	
	Luxation of rib	1		1	
	Sprain of back	7	2	9	
	Concussion of spine	2		2	
B.	DISEASES.	17		all or	
	Hemorrhage from lungs	11		10	1
	Abscess of back	1	^	1	100
	Abscess of thorax (breast)	- 1	1	1	

=		-	H		
	DISEASES.	Male	Female	Discharged	Died
	ABDOMEN.				
A.	INJURIES.				
	Lacerated wound of abdomen	1		1	
	Incised wound of abdomen	5		5	•••••
	Punctured wound of abdomen	1		1	
	Bullet wound of abdomen	4		3	1
	Abrasion of abdomen	4		4	• . • • •
	Contusion of abdomen	5	1	6	
	Burns of abdomen	2	1	2	1
	Internal injuries	9	2	8	3
	Possible internal injuries	23	3	26	•••••
B.	DISEASES.				
	Hernia	17	1	18	
	Hemorrhoids	2	2	4	
	Prolapsus recti	2		2	
	GENITO-URINARY ORGANS.				
Α.					
	Lacerated wound of scrotum	1		1	
	Punctured wounds of scrotum	1		1	
	Burns of scrotum.	1		1	
	Burns of penis	1		1	
•	Contusion of testicle.	- 2		2	
	Dog-bite of penis	1		1	
	Prolapsus uteri		1	1	
			-		1
В,	DISEASES.		11/6	= 1	
	- Endometritis		1	1	•••••
**!*		1.	1	11	l .

DISEASES.	Male	Female	Discharged	Died
B. DISEASES—Continued.				
Gonorrhea	2		2	
Hematuria.	2	- 1	1	• • • • •
Hemorrhage of urethra.	2	7	2	
Menorrhagia		1	1	*****
Nephritis	1	1	1	• • • • •
Orchitis	1	********	1	
Retention of urine.	17	1	17	•••••
Salpingitis	17	1	1	*****
	2	1	1	3
Uremia	2	1		3
UPPER EXTREMITY AND AXILLA.				
A. INJURIES.	-	1 - 4		
Lacerated wound of shoulder	3		3	
Lacerated wound of arm	19	6	25	
Lacerated wound of wrist	23	- 8	31	
Lacerated wound of hand	98	9	107	
Lacerated wound of fingers	297	24	321	
Incised wound of shoulder	3	1	4	
Incised wound of arm	40	11	51	
Incised wound of wrist	29	6	35	
Incised wound of hand	71	10	81	
Incised wound of fingers	77	13	90	
Punctured wound of shoulder	4		4	
Punctured wound of arm	2		2	
Punctured wound of elbow	2		2	
Punctured wound of wrist	2	1	3	
			L	

DISEASES.   DISE
Punctured wound of hand.       9       2       11         Punctured wound of fingers.       4       3       7         Bullet wound of shoulder.       3       3         Bullet wound of hand.       6       6         Bullet wound of fingers.       5       5         Burns of shoulder.       4       1       5         Burns of arm.       18       6       24         Burns of fingers.       37       4       41         Contusion of shoulder.       34       7       41         Contusion of shoulder.       34       7       41         Contusion of elbow.       12       4       16         Contusion of shoulder.       4       2       6         Abrasion of shoulder.       4       2       6         Abrasion of elbow.       15       7       2       9         Abrasion of hand.       36       6       42       2
Punctured wound of hand.       9       2       11         Punctured wound of fingers       4       3       7         Bullet wound of shoulder.       3       3         Bullet wound of hand.       6       6         Bullet wound of fingers.       5       5         Burns of shoulder.       4       1       5         Burns of arm.       18       6       24         Burns of fingers.       37       4       41         Contusion of shoulder.       34       7       41         Contusion of shoulder.       34       7       41         Contusion of elbow.       12       4       16         Contusion of shoulder.       4       2       6         Abrasion of shoulder.       4       2       6         Abrasion of elbow.       15       7       22       9         Abrasion of hand.       36       6       42       2
Punctured wound of fingers       4       3       7         Bullet wound of shoulder       3       3         Bullet wound of arm       6       6         Bullet wound of fingers       5       5         Burns of shoulder       4       1       5         Burns of arm       18       6       24         Burns of hand       34       2       36         Burns of fingers       37       4       41         Contusion of shoulder       34       7       41         Contusion of arm       25       7       32         Contusion of elbow       12       4       16         Contusion of shoulder       4       2       6         Abrasion of shoulder       4       2       6         Abrasion of elbow       15       7       22         Abrasion of hand       36       6       42
Bullet wound of shoulder       3       3         Bullet wound of arm       6       6         Bullet wound of hand       6       1       7         Bullet wound of fingers       5       5         Burns of shoulder       4       1       5         Burns of arm       18       6       24         Burns of hand       34       2       36         Burns of fingers       37       4       41         Contusion of shoulder       34       7       41         Contusion of arm       25       7       32         Contusion of hand       45       5       50         Contusion of shoulder       4       2       6         Abrasion of shoulder       4       2       6         Abrasion of elbow       15       7       22         Abrasion of hand       36       6       42
Bullet wound of arm.       6       6       6         Bullet wound of hand.       6       1       7         Bullet wound of fingers.       5       5       5         Burns of shoulder.       4       1       5         Burns of arm.       18       6       24         Burns of hand.       34       2       36         Burns of fingers.       37       4       41         Contusion of shoulder.       34       7       41         Contusion of arm.       25       7       32         Contusion of elbow.       12       4       16         Contusion of fingers.       31       6       37         Abrasion of shoulder.       4       2       6         Abrasion of elbow.       15       7       22         Abrasion of hand.       36       6       42
Bullet wound of hand.       6       1       7         Bullet wound of fingers       5       5         Burns of shoulder.       4       1       5         Burns of arm.       18       6       24         Burns of hand.       34       2       36         Burns of fingers.       37       4       41         Contusion of shoulder.       34       7       41         Contusion of arm.       25       7       32         Contusion of elbow.       12       4       16         Contusion of fingers.       31       6       37         Abrasion of shoulder.       4       2       6         Abrasion of elbow.       15       7       22         Abrasion of hand.       36       6       42
Bullet wound of fingers       5       5         Burns of shoulder       4       1       5         Burns of arm       18       6       24         Burns of hand       34       2       36         Burns of fingers       37       4       41         Contusion of shoulder       34       7       41         Contusion of arm       25       7       32         Contusion of elbow       12       4       16         Contusion of fingers       31       6       37         Abrasion of shoulder       4       2       6         Abrasion of elbow       15       7       22         Abrasion of hand       36       6       42
Burns of shoulder.       4       1       5         Burns of arm.       18       6       24         Burns of hand.       34       2       36         Burns of fingers.       37       4       41         Contusion of shoulder.       34       7       41         Contusion of arm.       25       7       32         Contusion of elbow.       12       4       16         Contusion of fingers.       31       6       37         Abrasion of shoulder.       4       2       6         Abrasion of elbow.       15       7       22       9         Abrasion of hand.       36       6       42
Burns of arm.       18       6       24         Burns of hand.       34       2       36         Burns of fingers.       37       4       41         Contusion of shoulder.       34       7       41         Contusion of arm.       25       7       32         Contusion of elbow.       12       4       16         Contusion of hand.       45       5       50         Contusion of fingers.       31       6       37         Abrasion of shoulder.       4       2       6         Abrasion of arm.       7       2       9         Abrasion of elbow.       15       7       22         Abrasion of hand.       36       6       42
Burns of hand.       34       2       36         Burns of fingers.       37       4       41         Contusion of shoulder.       34       7       41         Contusion of arm.       25       7       32         Contusion of elbow.       12       4       16         Contusion of hand.       45       5       50         Contusion of fingers.       31       6       37         Abrasion of shoulder.       4       2       6         Abrasion of arm.       7       2       9         Abrasion of elbow.       15       7       22         Abrasion of hand.       36       6       42
Burns of fingers.       37       4       41          Contusion of shoulder.       34       7       41          Contusion of arm.       25       7       32          Contusion of elbow.       12       4       16          Contusion of hand.       45       5       50          Contusion of fingers.       31       6       37          Abrasion of shoulder.       4       2       6          Abrasion of arm.       7       2       9          Abrasion of elbow.       15       7       22          Abrasion of hand.       36       6       42
Contusion of shoulder.       34       7       41         Contusion of arm.       25       7       32         Contusion of elbow.       12       4       16         Contusion of hand.       45       5       50         Contusion of fingers.       31       6       37         Abrasion of shoulder.       4       2       6         Abrasion of arm.       7       2       9         Abrasion of elbow.       15       7       22         Abrasion of hand.       36       6       42
Contusion of arm.       25       7       32          Contusion of elbow.       12       4       16          Contusion of hand.       45       5       50          Contusion of fingers.       31       6       37          Abrasion of shoulder.       4       2       6          Abrasion of arm.       7       2       9          Abrasion of elbow.       15       7       22          Abrasion of hand.       36       6       42
Contusion of elbow.       12       4       16          Contusion of hand.       45       5       50          Contusion of fingers.       31       6       37          Abrasion of shoulder.       4       2       6          Abrasion of arm.       7       2       9          Abrasion of elbow.       15       7       22          Abrasion of hand.       36       6       42
Contusion of endow       45       5       50          Contusion of fingers       31       6       37          Abrasion of shoulder       4       2       6          Abrasion of arm       7       2       9          Abrasion of elbow       15       7       22          Abrasion of hand       36       6       42
Contusion of fingers.       31       6       37         Abrasion of shoulder.       4       2       6         Abrasion of arm.       7       2       9         Abrasion of elbow.       15       7       22         Abrasion of hand.       36       6       42
Abrasion of shoulder
Abrasion of arm
Abrasion of elbow 15 7 22  Abrasion of hand 36 6 42
Abrasion of hand
Aprasion of hand
Abrasion of fingers
Man-bite of arm
Man-bite of hand 2 2
Man-bite of fingers 10 2 12
Dog-bite of arm 5 3 8
Dog-bite of hand 11 2 13
Dog-bite of fingers 7 7

DISEASES.	Male	Female	Discharged	Died
A. INJURIES—Continued.				
Cat-bite of hand	1		1	
Cat-bite of fingers	1		1	
Horse-bite of arm	1		1	
Horse-bite of wrist	1	1 1	1	
Horse-bite of hand	1		1	
Horse-bite of fingers	1		1	
Spider-bite of arm	1	0	1	
Foreign body in arm	2	2	4	
Foreign body in hand				
Foreign body in finger				
Hematoma of shoulder				
Hematoma of arm				
Fracture of scapula	6	1	7	
Fracture of scapula (acromion process)	4		4	
Fracture of clavicle	19	5	24	
Compound fracture of clavicle	1	1	2	
Greenstick fracture of clavicle	5	2	7	
Luxation of clavicle	2		2	
Fracture of neck of humerus	3	1	4	
Fracture of shaft of humerus	19	7	26	
Compound fracture of humerus	2		2	
Compound comminuted fracture of humerus	2		2	
Fracture of radius	15	3	18	
Fracture of radius (Colles')	13	7	20	
Greenstick fracture of radius	4	4	8	
Compound fracture of radius	1		1	
	11	1 1/1		

DISEASES.	Male	Female	Discharged	Died
A. INJURIES—Continued.				
Compound comminuted fracture	of radius	2	2	
Fracture of ulna		3	9	
Fracture of ulna (olecranon pro	cess)	3 1	4	
Compound fracture of ulna		2	2	
Greenstick fracture of ulna		3	7	
Fracture of ulna and radius		2	5	
Fracture of metacarpal bones	2	3	28	
Fracture of phalanges		3	24	
Compound fracture of phalange	s 22	1	23	
Compound comminuted fracture	of phalanges. 23		23	
Accidental amputation of finger	s 24		24	
Accidental amputation of tips of	fingers 14		14	
Luxation of humerus		3	34	
Luxation of radius and ulna	9	1	10	
Luxation of radius	2		2	
Luxation of ulna	2		2	
Luxation of phalanges			13	
Subluxation of radius	1		1	
Subluxation of phalanges	2		2	
Sprain of shoulder	8	1	9	
Sprain of elbow	17	4	21	
Sprain of wrist		13	94	
Sprain of hand	19	2	21	
Sprain of fingers	23	7	30	
D. Dide v ded		-	-	
B. DISEASES. Abscess of axilla		1		
Auscess of axilia	2	1	3	

DISEASES.	Male	Female	Discharged	Died
B. DISEASES—Continued.			1	
Abscess of arm	2	1	3	
Abscess of hand	1		1	
Cellulitis of arm	3	1	4	
Cellulitis of finger	3		3	
Synovitis of arm (elbow)	3		3	
	-11 -	- 14		
LOWER EXTREMITY AND GROIN.		. 11 - 25	30.	
A. INJURIES.			1	
Lacerated wound of hip	5	2	7	
Lacerated wound of thigh	6	1	7	
Lacerated wound of knee	33	4	37	
Lacerated wound of leg	5		5	
Lacerated wound of foot	21	2	23	
Lacerated wound of toes	13		13	
Incised wound of hip	2		2	
Incised wound of thigh	3		3	
Incised wound of knee	4	1	5	
Incised wound of leg	6	2	8	
Incised wound of foot	8	1	9	
Incised wound of toes	2		2	
Punctured wound of thigh	2		2	
Punctured wound of knee	1	100	1	
Punctured wound of leg	7	1	8	
Punctured wound of foot	11	3	14	
Bullet wound of thigh	3		3	
Bullet wound of knee				
		- 1		-
			1	

• DISEASES.	Male	Female	Discharged	Died
A. INJURIES—Continued.				
Bullet wound of leg	8		8	-11
Bullet wound of foot	1		1	
Burns of thigh	4		4	
Burns of knee	4	5	9	
Burns of leg	7	3	10	
Burns of foot	5	2	7	
Burns of toes	10	2	12	
Contusion of hip	29	11	40	
Contusion of groin	7	4	11	
Contusion of thigh	13	5	18	
Contusion of knee	26	2	28	
Contusion of leg	38	4	42	
Contusion of foot	29	2	31	
Contusion of toes	7		7	
Abrasion of hip	2		2	
Abrasion of thigh	4		4	
Abrasion of knee	11	1	12	
Abrasion of leg	21	5	26	
Abrasion of foot	7		7	
Abrasion of toes	3		3	
Foreign body in thigh	2		2	
Foreign body in leg	2		2	
Foreign body in foot	7	1	8	
Dog-bite of thigh	8		8	
Dog-bite of leg	16	2	18	
Dog-bite of foot	1		1	
	-	-		

A. INJURIES—Continued.  Monkey-bite of leg	DISEASES.	Male	Female	Discharged	Died
Monkey-bite of leg.         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1	A INTUDIES Continued				81 1
Hematoma of leg			- 10	1	
Hematoma of foot			9		
Fracture of pelvis.         3         3         3           Fracture of neck of femur.         4         3         7           Fracture of shaft of femur.         6         2         8           Compound fracture of shaft of femur.         2         2           Luxation of femur.         5         1         6           Fracture of patella.         7         7           Fracture of tibia and fibula.         5         1         6           Fracture of tibia.         34         2         36           Compound fracture of tibia.         4         1         5           Compound comminuted fracture of tibia.         4         2         6           Greenstick fracture of fibula.         20         1         21           Fracture of fibula (Potts').         6         1         7           Compound fracture of fibula.         3         1         4           Compound comminuted fracture of fibula.         3         1         4           Greenstick fracture of fibula.         3         1         4           Greenstick fracture of fibula.         3         1         4           Fracture of os calcis.         3         3         1					* * * * * * * * * * * * * * * * * * * *
Fracture of neck of femur.         4         3         7           Fracture of shaft of femur.         6         2         8           Compound fracture of shaft of femur.         2         2           Luxation of femur.         5         1         6           Luxation of femur.         5         1         6           Fracture of patella.         7         7         7           Fracture of tibia and fibula.         5         1         6            Fracture of tibia.         34         2         36            Compound fracture of tibia.         4         1         5          6           6          6           6			700		
Fracture of shaft of femur.       6       2       8         Compound fracture of shaft of femur.       2       2         Luxation of femur.       5       1       6         Fracture of patella.       7       7         Fracture of tibia and fibula.       5       1       6         Fracture of tibia.       34       2       36         Compound fracture of tibia.       4       1       5         Compound comminuted fracture of tibia.       4       2       6         Greenstick fracture of fibula.       20       1       21         Fracture of fibula (Potts').       6       1       7         Compound fracture of fibula.       3       1       4         Compound comminuted fracture of fibula.       3       1       4         Greenstick fracture of fibula.       2       2       2         Fracture of astragalus.       3       1       4         Fracture of metatarsal bones.       2       2       2         Fracture of phalanges.       7       7       7         Compound fracture of phalanges.       7       7       7         Compound fracture of phalanges.       14       14         Luxation			2		
Compound fracture of shaft of femur.       2         Luxation of femur.       5         Fracture of patella.       7         Fracture of tibia and fibula.       5         Fracture of tibia.       34         Compound fracture of tibia.       4         Compound comminuted fracture of tibia.       4         Greenstick fracture of tibia.       1         Fracture of fibula.       20         Fracture of fibula (Potts').       6         Compound fracture of fibula.       4         Compound comminuted fracture of fibula.       3         Greenstick fracture of fibula.       2         Eracture of astragalus.       3         Fracture of metatarsal bones.       2         Fracture of phalanges.       7         Fracture of phalanges.       7         Compound fracture of phalanges.       14         Luxation of tibia.       1					
Luxation of femur.       5       1       6         Fracture of patella.       7       7         Fracture of tibia and fibula.       5       1       6         Fracture of tibia.       34       2       36         Compound fracture of tibia.       4       1       5         Compound comminuted fracture of tibia.       4       2       6         Greenstick fracture of fibula.       20       1       21         Fracture of fibula (Potts').       6       1       7         Compound fracture of fibula.       4       2       6         Compound comminuted fracture of fibula.       3       1       4         Greenstick fracture of fibula.       2       2         Fracture of astragalus.       3       1       4         Fracture of os calcis.       3       3       3         Fracture of metatarsal bones.       2       2       2         Fracture of phalanges.       7       7       7         Compound fracture of phalanges.       14       14       14         Luxation of tibia.       1       1       1       1		-70			
Fracture of patella					
Fracture of tibia and fibula.       5       1       6         Fracture of tibia.       34       2       36         Compound fracture of tibia.       4       1       5         Compound comminuted fracture of tibia.       4       2       6         Greenstick fracture of tibia.       1       1       1         Fracture of fibula.       20       1       21         Fracture of fibula (Potts').       6       1       7         Compound fracture of fibula.       4       2       6         Compound comminuted fracture of fibula.       3       1       4         Greenstick fracture of fibula.       2       2       2         Fracture of astragalus.       3       1       4         Fracture of os calcis.       3       3       3         Fracture of metatarsal bones.       2       2       2         Fracture of phalanges.       7       7       7         Compound fracture of phalanges.       14       14       14         Luxation of tibia.       1       1       1       1					
Compound fracture of tibia.       4       1       5         Compound comminuted fracture of tibia.       4       2       6         Greenstick fracture of tibia.       1       1       1         Fracture of fibula.       20       1       21         Fracture of fibula (Potts').       6       1       7         Compound fracture of fibula.       4       2       6         Compound comminuted fracture of fibula.       3       1       4         Greenstick fracture of fibula.       2       2       2         Fracture of astragalus.       3       1       4         Fracture of os calcis.       3       3       3         Fracture of metatarsal bones.       2       2       2         Fracture of phalanges.       7       7       7         Compound fracture of phalanges.       14       14       14         Luxation of tibia.       1       1       1       1		5	1	6	
Compound comminuted fracture of tibia.         4         2         6           Greenstick fracture of tibia.         1         1         1           Fracture of fibula.         20         1         21           Fracture of fibula (Potts').         6         1         7           Compound fracture of fibula.         4         2         6           Compound comminuted fracture of fibula.         3         1         4           Greenstick fracture of fibula.         2         2         2           Fracture of astragalus.         3         1         4           Fracture of os calcis.         3         3         3           Fracture of metatarsal bones.         2         2         2           Fracture of phalanges.         7         7         7           Compound fracture of phalanges.         14         14         14           Luxation of tibia.         1         1         1         1	Fracture of tibia	34	2	36	
Greenstick fracture of tibia       1       1         Fracture of fibula       20       1         Fracture of fibula (Potts')       6       1         Compound fracture of fibula       4       2         Compound comminuted fracture of fibula       3       1         Greenstick fracture of fibula       2       2         Fracture of astragalus       3       1         Fracture of os calcis       3       3         Fracture of metatarsal bones       2       2         Fracture of phalanges       7       7         Compound fracture of phalanges       14       14         Luxation of tibia       1       1	Compound fracture of tibia	4	- 1	5	
Fracture of fibula       20       1       21         Fracture of fibula (Potts')       6       1       7         Compound fracture of fibula       4       2       6         Compound comminuted fracture of fibula       3       1       4         Greenstick fracture of fibula       2       2         Fracture of astragalus       3       1       4         Fracture of os calcis       3       3         Fracture of metatarsal bones       2       2         Fracture of phalanges       7       7         Compound fracture of phalanges       14       14         Luxation of tibia       1       1	Compound comminuted fracture of tibia	4	2	6	
Fracture of fibula (Potts')	Greenstick fracture of tibia	1		1	
Compound fracture of fibula.       4       2       6         Compound comminuted fracture of fibula.       3       1       4         Greenstick fracture of fibula.       2       2         Fracture of astragalus.       3       1       4         Fracture of os calcis.       3       3         Fracture of metatarsal bones.       2       2         Fracture of phalanges.       7       7         Compound fracture of phalanges.       14       14         Luxation of tibia.       1       1	Fracture of fibula	20	1	21	
Compound comminuted fracture of fibula	Fracture of fibula (Potts')	6	1	7	
Greenstick fracture of fibula       2       2         Fracture of astragalus       3       1         Fracture of os calcis       3       3         Fracture of metatarsal bones       2       2         Fracture of phalanges       7       7         Compound fracture of phalanges       14       14         Luxation of tibia       1       1	Compound fracture of fibula	4	2	6	
Fracture of astragalus       3       1       4         Fracture of os calcis       3       3         Fracture of metatarsal bones       2       2         Fracture of phalanges       7       7         Compound fracture of phalanges       14       14         Luxation of tibia       1       1	Compound comminuted fracture of fibula	3	1	4	
Fracture of os calcis.       3       3         Fracture of metatarsal bones.       2       2         Fracture of phalanges.       7       7         Compound fracture of phalanges.       14       14         Luxation of tibia.       1       1	Greenstick fracture of fibula	2		2	
Fracture of metatarsal bones.       2       2         Fracture of phalanges.       7       7         Compound fracture of phalanges.       14       14         Luxation of tibia.       1       1	Fracture of astragalus	3	1	4	
Fracture of phalanges	Fracture of os calcis	3		3	
Compound fracture of phalanges	Fracture of metatarsal bones	2		2	
Luxation of tibia 1 1	Fracture of phalanges	7		7	
	Compound fracture of phalanges	14		14	
Luxation of fibula 2 2	Luxation of tibia	1		1	
	Luxation of fibula	2		2	

### SURGICAL DIVISION.

DISEASES.	7	Female	Discharged	Died
A. INJURIES—Continued.				
Sprain of hip	4	1	5	
Sprain of knee	13	1	, 14	
Sprain of ankle	65	9	74	
Sprain of foot		2	. 14	
B. DISEASES.	11		-	
· Cellulitis of leg	1		1	
Cellulitis of foot	1		1	
Tendo-vaginitis of leg	- 3		3	
Synovitis of leg	- 1		-1	
Synovitis of knee	2		2	
Varicose veins of leg	2		2	
Hemorrhage from varicose veins of leg	1		1	
Ulcer of leg	. 4	1	5	
10	1	1		k.

[DISEASES.	Male	Female	Discharged	Died
A. DISEASES OF CIRCULATORY SYSTEM.  Angina pectoris	. 1	17,	1	-
Syncope	14	8	22	
Valvular disease of the heart	22	4	25	1

DISEASES.	Male	Female	Discharged	Died
B. DISEASES OF DIGESTIVE SYSTEM.	10	10 6	1170	NI V
Catarrh (intestinal)	- 1		1	
Colic (intestinal)	22	4	27	
Constipation	11-11-1		1	
Diarrhoea	4	1	5	
Dysentery	3		3	mg.
Gastritis	3	1	4	
A CONTRACTOR OF THE PARTY OF TH		1-1-1	10	197
C. DISEASES OF NERVOUS SYSTEM.			10_0	OF D
Apoplexy				
Alcoholism	6		2	4
Catalepsy	176	49	223	2
Cocainism	8_	-1	8	
Epilepsy	7		8	
Hysteria	96	14	108	2
Delirium tremens.	2	17	19	
Insomnia	127	16	142	1
Insanity	3	1	4	
Morphinism	241	173	413	1
Occipital neuralgia.	20	6	24	2
Otalgia	7	2	9	
Odontalgia	5	2	7	
Paralysis	21	3	24	
Sciatica	6	1	7	
Sciatica	4		- 4	01

DISE ASES.	Male	Female	Discharged	Died
D. DISEASES OF RESPIRATORY SYSTEM.				
Asthma	13	1	14	
Bronchitis	5	1	6	
Chronic laryngitis	1		1	
Phthisis pulmonalis	15	2	16	1
Pneumonia	6		6	
Pleurisy	5	2	7	
Pulmonary congestion	1			1
Tonsilitis	6	1	7	
E. SKIN DISEASES.				
Dermatitis	3	2	5	
Herpes zoster	1		1	
Scables		1	1	
F. SEPTIC DISEASES.				
Erysipelas	1	1	2	
Tetanus	1		1	
Septicemia	1		1	
G. ZYMOTIC DISEASES.				
Influenza	1		1	
Malarial fever	22		22	
Typhoid fever	2	1	3	
H. GENERAL DISEASES				
Ascites	5		5	
Diabetes	2		2	
Lumbago	4	1	5	
Rheumatism	20	4	24	
Syphilis	7	1	8	
	-			

_					
	DISEASES.	Male	Female	Discharged .	Died
				:	
_	MEDICAL EMERGENCIES.				
I.	ASPHYXIATIONS.		- 7		
	Asphyxiation by gas	10	3	13	
	Asphyxiation by smoke	•			
J	. POISONINGS.				
	Poisoned by arsenic	4		4	
	Poisoned by bromide of potassium	2		2	
	Poisoned by carbolic acid		19	13	4
	Poisoned by corrosive sublimate		2	2	
	Poisoned by coal oil	1		1	
	Poisoned by chloroform	1	3	4	
	Poisoned by chloral hydrate	1	1	2	
	Poisoned by creosote	2	1	3	
	Poisoned by iodine		. 1	1	
	Poisoned by lysol		1	1	
	Poisoned by morphine	3	2	5	
	Poisoned by opium	5	3	7	1
	Poisoned by oxalic acid	1		1	
	Poisoned by rat poison	1	1	1	
	Poisoned by strychnine	2		2	
	Poisoned by oil of pennyroyal		1	1	
	Poisoned by sulphate of zinc	1		1	
	Poisoned by lead	2		1	1
	Suspected poisoning	8	4	8	4
_			-		

DISEASES.	Male	Female	Discharged	Died
MISCELLANEOUS.		Minor.		,
Births (stillborn, 3 male)	1 4	1	2	
Deserted		2	2	
Foundling	1	3	4	
Lost	2	2	4	
Homeless		4	4	
Pregnancy		7	7	
			1	
Number of surgical cases				5,476
Number of medical cases				1,347
Number of miscellaneous cases		1		26
Number of miscenaneous cases	0 11			
Total number of cases	1.7			6.849
	•••			2
			. =1	

# LIST OF DEATHS IN THE CITY RECEIVING HOSPITAL.

1897—July 2 George Frost         Black Point.           July 6 Joseph Knauer.         736 Green street.           July 19 H. Dreyer.         4409 Twenty-fourth str           July 22 Joseph Grant.         518 Powell street.           July 29 Ferdinand Barell.         13 Mason street.           Aug. 1 George Powell.         1314 Kentucky street.           Aug. 8 Frank Higgins.         1419 Folsom street.           Aug. 16 John Masterson         1419 Folsom street.           Aug. 21 P. M. Dixon.         616 Folsom street.           Sept. 2 Yee Lick Chung         730 Jackson street.           (Chinese).         730 Jackson street.           Sept. 3 Ed. Eves.         11 Pacific street.           Sept. 16 Boyito Domanico.         226 Francisco street.           Sept. 16 Mrs. Calvert.         324 Jessie street.           Sept. 27 K. Outch (Jap).         112 Ellis street.           Sept. 27 K. Outch (Jap).         112 Ellis street.           Sept. 27 K. Outch (Jap).         337 Eddy street.			
	Black Point.	Fracture of skull	1897—July 2—9:10 a. m.
	736 Green street	Gunshot wound of abdomen	July 7-2:45 p. m.
	4409 Twenty-fourth street Co	Compound fracture of skull	July 19-4:05 p. m.
	518 Powell street El	Epilepsy	July 23—8:15 a. m.
	12 Mason street	Uremia	July 31-1:45 a. m.,
		Heart disease	Aug. 1—9:20 a. m.
	1128 Harrison street	Apoplexy	Aug. 4-3:00 a.m.
		Uremia	Aug. 4—6:50 p. m.
		Morphinism	Aug. 9-9:15 p. m.
		Gunshot wounds of arm,	
	The second secon	chest and temple	Aug. 18-9:55 a. m.
	1419 Folsom street	Gunshot wound of temple	Aug. 18-12:00 m.
-		Alcoholism	Aug. 31—2:35 p. m.
-	The second second		
-	730 Jackson street	Gunshot wound of back	Sept. 3-6:00 a. m.
		Insane	Sept. 6-3:30 p. m.
	326 Francisco street	Heat prostration	Sept. 16-10:10 a. m.
	324 Jessie street	Burns of entire body	Sept. 19—6:30 a. m.
		Fracture of skull and jaw	Sept. 20— 3:00 p. m.
	112 Ellis street	Suspected poisoning	Sept. 27—10:30 p. m.
	337 Eddy street	Fracture of skull	Sept. 30-4:30 p. m.
Oct 3 Kittle Burns 2 Rose Place	2 Rose PlaceCa	Carbolic acid poisoning	Oct. 3-2:00 a. m.

LIST OF DEATHS IN THE CITY RECEIVING HOSPITAL-Continued.

	NAMB.	RESIDENCE.	CAUSE OF DEATH.	DATE AND TIME OF DEATH.
897—Oct. 6 E	d. H. Miller	1897—Oct. 6 Ed. H. Miller Main and Howard streets Delirium tremens.	Delirium tremens	1897—Oct. 7—11:35 a. m.
Oct. 14 J.	Joseph Glissman	274 Minna street.	Uremia	
Oct. 15 J.	ohn Doe		Compound fracture of skull	Oct. 20-12:30 a. m.
Oct. 20 E	Hermon Frick (boy)	Oct. 20   Hermon Frick (boy)   1010 Buchanan street	Compound fracture of skull	Oct. 20— 5:45 p. m.
Oct. 27 J	Oct. 27 Joseph Jameson	Twenty-fourth and Castro sta Compound fracture of skull.	Compound fracture of skull	Oct. 27—5:30 p. m.
Nov. 1	Nov. 1 Chas. Hayes	861 Market street Opium poisoning	Opium poisoning	Nov. 2-2:50 a. m.
Nov. 13 J	ohn Carroll	Nov. 13 John Carroll City Prison	Alcoholism	Nov. 13-11:50 a. m.
Nov. 21 I	M. Blarcom	Nov. 21 I. M. Blarcom	Apoplexy	Nov. 22-4:30 a.m.
Dec. 4J	as. M. Collins	Dec. 4 Jas. M. Collins 225 Stevenson street	Epilepsy	Dec. 5-4:00 a.m.
Dec. 6J	Dec. 6 Jno. W. Sims	Third and Stevenson streets. Gunshot wound of head	Gunshot wound of head	Dec. 6-8:10 p. m.
Dec. 18	Dec. 18 Mrs. Alice Clever 1055 Howard		Carbolic acid poisoning	Dec. 18-1:50 p. m.
Dec. 21 J	ohn Doe (Chinese)	John Doe (Chinese) Unknown	Knife wound of throat	Dec. 21—7:30 a. m.
Dec. 24J	as. M. O'Rourke	Dec. 24 Jas. M. O'Rourke Oakland	Gunshot wound of thorax	Dec. 25-11:50 a. m.
Dec. 29 J	Dec. 29 John Doe (Chinese) Unknown		Knife wound of neck	Dec. 29— 3:20 p. m.
898-Jan. 3J	as. D. Burns	1898—Jan. 3 Jas. D. Burns	Lead poisoning	1898-Jan. 5-11:40 a. m.
Jan. 13 J	John Doe (Chinese) Unknown		Phthisis	Jan. 15-4:00 a. m.
Jan. 16J	ennie Webster	Jan. 16 Jennie Webster Leavenworth street	Suspected poisoning	Jan. 16-8:40 p. m.
Jan. 19 E	Jan. 19 Hugh Lund	88 Ninth street	Fracture of base of skull,	
			internal injuries	Jan. 19-10:30 a. m.
Jan. 30	Jan. 30 Geo. Slankard	South San Francisco	Fracture of base of skull	Jan. 30-11:05 p. m.
Feb. 6	Feb. 6 Nellie Ryan	7341/2 Howard street	Carbolic acid poisoning	Feb. 7-4:20 p. m.

LIST OF DEATHS IN THE CITY RECEIVING HOSPITAL-Continued.

DATE OF ENTRY. NAME.	ល់	RESIDENCE.	CAUSE OF DEATH	DATE AND TIME OF DEATH.
1898—Feb. 23 J. C. Kimble		Los Angeles	Compound fracture of skull. 1898—Feb. 24—7:30 a. m.	1898—Feb. 24— 7:30 a. m.
Feb. 26 Mrs. Sloan		410 O'Farrell street	Fracture of base of skull	Feb. 27-12:10 a. m.
March 2. W. H. Vreeland		123% Sixth street	Apoplexy	March 3-1:30 p. m.
March II. D. W. Pergrin		717 Bush	Gunshot wound of left temple	March 18—8:25 p. m.
March 11. G. H. Benneth	eth	602 Fourteenth street, Oakland Suspected poisoning	Suspected poisoning	March 11-10:45 a. m.
March 21. B. Furness		Unknown	Brought in in a dying	March 21-11:15 p. m.
and the state of			condition	March 24-8:15 a. m.
March 23. Thomas Conley		704 Howard street	Internal hemorrhage	
March 24. Adolph Kammer	:	773 Mission street	Fracture of skull	March 24— 2:50 p. m.
March 26. A. C. Morgan		Market street	Morphinism	March 28—2:50 p. m.
March 28. John Hohs	:	5541/2 Natoma street;;	Suspected poisoning	March 28 -8:20 p. m.
March 28. Giovani Minoglia.	:	Sixth and Natoma streets Pulmonary congestion	Pulmonary congestion	March 29-2:30 p. m.
March 29. David Brannan	:	Twenty-fourth and Harrison   Rough-on-rat poisoning	Rough-on-rat poisoning	March 29—6:45 p. m.
April 4 Lee Brown		16 Ellis streetOplum poisoning	Oplum poisoning	April 4-2:35 p. m.
April 7 Cassie Levy		Minna, bet. Third and Fourth Carbolic acid poisoning	Carbolic acid poisoning	April 7-7:55 p. m.
May 4 Mrs. Murphy		821 HowardCarbolic acid poisoning	Carbolic acid poisoning	May 5-3:05 p. m.
May 14 M. Gross		Seventeenth street	Apoplexy	May 14-9:35 p. m.
May 21 Wm. Anticell		216 Post street	Possible fracture of skull	May 22—3:45 p. m.
May 31 John Brown		37 Clementina	Fracture of base of skull	June 1-7:30 p. m.
8 John Archie	McDonald	June 8 John Archie McDonald Potrero	Burns of entire body	June 8-9:45 a. m.
29 Thos. Skelly	Z	June 29 Thos. Skelly Potrero Potrero Compound fracture of skull	Compound fracture of skull.	June 29-9:40 a. m.

## LIST OF PERSONS BROUGHT IN DEAD.

9	es.	1 32
. 6	. 1	1 6
:		
:	:	:
:	-:-	:
:	:	
:		:
	d	:
	lea	
	n d	
	+	:
	gh	
ed	no.	
di	pr	:
ns	ns	:
rsc	rso	
pe	pe	
Number of persons died60	Number of persons brought in dead	
er	er	tal
nb	qu	Tot
Zun	Zun	
-	-	

CHAS C. BUCHER,
Head Steward.

### REPORT OF HARBOR RECEIVING HOSPITAL.

San Francisco, July 1st, 1898.

Dr. Conrad Weil, Police Surgeon-

DEAR SIR: We have the honor to submit to you the following report in full of the work done at the Harbor Receiving Hospital from July 3rd, 1897, to June 30th of this year.

We feel that this is the proper time to thank the Assistant Surgeons who have served here without pay during that period for the material assistance they have given us.

The honorable Board of Harbor Commissioners have endeavored in every way to assist us. Any needed repairs or alterations that we have asked for have been cheerfully made, and too much cannot be said to express the thanks of all connected with this hospital for their extreme kindness and courtesy to us.

Respectfully,

ED. E. HILL, M. D.,
W. B. DEAS, M. D.,
ROLAND E. HARTLEY, M. D.,
Asst. Police Surgeons.

### DISPOSITION OF PATIENTS.

Γ	otal number of patients treated		3,647
Di	ischarged—		
	Sent to their homes	3,233	
	Sent to City Prison	167	
	Sent to City and County Hospital	93	
	Sent to City and County Alms House	1	
	Sent to City Receiving Hospital	55	
	Sent to Children's Hospital	1	
	Sent to French Hospital	8	
	Sent to German Hospital	11	
	Sent to St. Luke's Hospital	11	
	Sent to St. Mary's Hospital	9	
	Sent to U. S. Marine Hospital	20	
	Died	34	
	Brought in dead	3	
	Remaining in Hospital June 30, 1898	1	
	FD - 4 - 1		

DISEASES.	Male	Female	Discharged	Died
HEAD.	24 11	2/2/3		
		111111		
A. INJURIES.	007		970	
Scalp, wounds of, lacerated	365	5	370	•
Scalp, wounds of, incised			10	
Scalp, abrasions of			14	
Scalp, contusions of			6	
Scalp, burns of	i		1 6	
Skull, fracture of			0	2
Skull, fracture of, compound				1
Skull, fracture of base	3		1	2
Skull, gunshot wounds of		1	1 2	4
Brain, concussion of	2		2	
FACE.				
A. INJURIES.	11			
Lacerated wounds of forehead	114	5	119	
Lacerated wounds of nose	39	1	40	
Lacerated wounds of ear			21	
Lacerated wounds of cheek	58	1	59	
Lacerated wounds of eyelids	35	1	36	
Lacerated wounds of lips	44		44	
Lacerated wounds of chin	17		17	
Incised wounds of forehead			6	
Incised wounds of nose	2		2	
Incised wounds of ear	1		1	
Incised wounds of cheek	8		8	
Incised wounds of eyelids	3		3	

DISEASES.	Male	Female	Discharged	Died
A. INJURIESContinued.				
Incised wounds of lips	3	• • • • • • • • • • • • • • • • • • • •	3	
Incised wounds of chin	1		1	
Gunshot wounds of eye	1		1	
Gunshot wounds of nose	1		1	
Gunshot wounds of tongue	1		1	
Gunshot wounds of jaw	1		1	
Contusions of face	14		14	
Contusions of eye	33	2	35	• • • • • • • •
Abrasions of head and face	55	••••	55	
Burns of head and face	19	2	21	• • • • • • • • • • • • • • • • • • • •
Fractures of nose	12	2	12	• • • • • • • • • • • • • • • • • • • •
Fractures of nose, compound	2		2	• • • • • • • • • • • • • • • • • • • •
Fractures of inf. maxilla	- 6		6	• • • • • • • •
Fractures of inf. maxilla, comminuted	1	•••••	1	• • • • • • • •
Fracture of tooth	1	••••••	-	
Luxation of nasal cartilage	1			•••••
Foreign bodies in eye	187	1		• • • • • • •
Foreign bodies in nose	1	1		•••••
Foreign bodies in ear	2		2 .	,
Bites, insect, of ear	1	•••••	1 .	• • • • • • •
Bites, man, of lip	1			
Frostbite of ear	1		1 .	• • • • • • •
B. DISEASES.				
Blepharitis	2		2 .	
Conjunctivitis	10		10 .	
Iritis	1		1.	
	- 1			

DISEASES.	Male	Female	Discharged	Died
B. DISEASES—Continued. Epistaxis	13		13	
Odontalgia	39	1	40	
Tricophytosis barbae  NECK AND THROAT.	1		1	
A. INJURIES.				
Throat, wounds of, lacerated	3 5		5	
Neck, wounds of, gunshot  Neck, contusions of	2		3	
Neck, burns of Foreign body in throat	1 3		3	
B. DISEASES.  Tonsilitis	10		10	
Tonsilitis, suppurative	1		1	
THORAX AND DORSAL REGION.	1			
A. INJURIES.  Lacerated wounds	1		1	
Incised wounds	3	3	3	
Punctured wounds	3		3	
Abrasions	28		28	

DISEASES.	Male	Female	Discharged	Died
A. INJURIES—Continued.				0.71
Foreign bodies under skin	1		1	
Fracture of clavicle	5		5	
Fracture of clavicle (greenstick)	1		1	
Fracture of ribs	26		26	
Fracture of dorsal vertebrae	1		1	
Luxation of clavicle	3		3	
Luxation of costal cartilage	. 1		1	
Concussion of spine	1		0 1	
B. DISEASES.		1 1		
Traumatic pleurisy	× 1		1	
ABDOMEN AND LUMBAR REGION.		1	. 20	
A. INJURIES.				
Abdomen, wounds of, incised	2		2	
Abdomen, wounds of, gunshot			2	1
Abdomen, contusions of			2	
Abdomen, abrasions of	1		1	
Fracture of lumbar vertebrae	1		1	
Sprain of lumbar muscles	10		- 10	101
Internal injuries	. 3		3	
B. DISEASES.	-		-	-1
Ascites	3		3	
GENITO-URINARY ORGANS AND RECTUM.				
A. INJURIES.				
Lacerated wounds	4		3	1

DISEASES.	Male	Female	Discharged	Died
A. INJURIES—Continued.				
Foreign bodies in anus	1		1	
Prolapsus recti	3		3	
Retention of urine	21		21	
Urethral hemorrhage	1		1	
B. DISEASES.				
Chancroid	1		1	
Cystitis			1	
Epididymitis	1		1	• • • • • • •
Fistula in ano	- 7	•••••	1	
Orchitis.	1		1	
	•		1	
UPPER EXTREMITY AND AXILLA.				
A. INJURIES.				4
Lacerated wounds of shoulder	1		1	
Lacerated wounds of arm	14		14	
Lacerated wounds of wrist	19	•••••	19	
Lacerated wounds of hand		3	67	
Lacerated wounds of fingers and thumb	367	2	369	
Incised wounds of shoulder	3		3	
Incised wounds of arm	8		8	
Incised wounds of wrist			8	
Incised wounds of hand			36	
Incised wounds of fingers and thumb	51		51	
Gunshot wounds of shoulder	1		1	
Gunshot wounds of hand	4		4	
Gunshot wounds of fingers and thumb	3		3	

DISEASE3.	Male	Female	Discharged	Died
A. INJURIES—Continued.		0.11		
Punctured wounds of arm	11		11	
Punctured wounds of hand	29		29	
Punctured wounds of fingers and thumb	7		7	
Contusions	116	3	119	
Abrasions	111	4	115	
Burns	28		28	
Burns, acid	1		1	
Bites, dog	12		12	
Bites, horse	1		1	
Bites, fish	1		1	
Bites, insect	2		2	
Bites, man	4		4	
Foreign bodies in arm	3		3	
Foreign bodies in hand	26		26	
Foreign bodies in fingers	41		41	
Fracture of scapula	9	1 1	10	
Fracture of humerus	6	- 1	7	
Fracture of humerus, compound	_1		1	
Fracture of humerus, comminuted	1		1	
Fracture of humerus, compound com-				
minuted	1		1	
Fracture of radius	17		17	
Fracture of ulna	4		4	
2011 707	-	2	300	

DISEASES.	Male	Female	Discharged	Died
A. INJURIES—Continued.	-			
Fracture of radius and ulna	. 8		8	
Fracture of metacarpals	20		20	
Fracture of metacarpals, compound	2		2	
Fracture of phalanges	. 14		14	
Fracture of phalanges, compound	. 17		17	
Fracture of phalanges, compound com-			0.00	
minuted	6		6	
Luxation of humerus	31	1	32	
Luxation of elbow	. 7		7	
Luxation of elbow, compound	. 1		1	
Luxation of fingers	12		12	
Luxation of fingers, compound	. 2		2	
Luxation of thumb	. 7		7	
Luxation of thumb, compound	. 2		2	
Sprain of elbow	. 7		7	
Sprain of wrist	. 49	3	52	
Sprain of finger	. 6		6	
Sprain of thumb	13	1	14	
B. DISEASES.				
	1	- 3	1	
Abscess, axillary			1	
Abscess, palmar			1	
Paronychia	6		6	
Phlegmon	9		0	
LOWER EXTREMITY AND GROIN.	-			
Lacerated wounds of hip	. 1		1	
	-	1		

DISEASES.	Male	Female	Discharged	Died
A. INJURIES—Continued.				
Lacerated wounds of thigh	4		4	
Lacerated wounds of leg	22		22	
Lacerated wounds of foot			15	
Lacerated wounds of toes	10		10	
Incised wounds of groin	1		1	
Incised wounds of thigh	4		4	
Incised wounds of leg	5		5	
Incised wounds of foot	5		5	
Incised wounds of toes	2		2	
Gunshot wounds of hip	1		1	
Gunshot wounds of thigh	2		2	
Gunshot wounds of leg	4		4	
Punctured wounds of foot	24		24	
Punctured wounds of buttock	3		3	
Contusions	87		87	
Abrasions	14		14	
Burns	11		11	
Bites, dog	8		8	
Foreign bodies in leg	1		1	
Foreign bodies in foot	4		. 4	
Fracture of pelvis	1			1
Fracture of femur	9		9	
Fracture of femur, compound	1		1	
Fracture of patella	2		2	
Fracture of patella, comminuted	1		1	
Fracture of tibia	13	1	14	
		1		

DISEASES.	Male	Female	Discharged	Died
A. INJURIES—Continued.				
Fracture of tibia, compound	1		1	
Fracture of fibula	15	1	16	
Fracture of fibula, compound	1		1	
Fracture of tibia and fibula	10		10	
Fracture of tibia and fibula, compound	1		1	
Fracture of tibia and fibula, compound				
comminuted	4		4	
Fracture of tarsus	2		2	
Fracture of tarsus, compound commi-				
nuted	1		1	
Fracture of metatarsus	1		1	
Fracture of phalanges	7		7	
Fracture of phalanges, compound	5		5	
Luxation of femur	1		1	
Luxation of semilunar cartilage of knee			0 71	
joint	. 2		2	
Luxation of foot	3		3	
Sprain of hip	3		3	
Sprain of knee	14		14	
Sprain of ankle	56	2	58	
Hernia, inguinal	4		4	
Hernia, inguinal, strangulated	3		3	
Hernia, femoral	. 1		1	
B. DISEASES.	-			
Talipes	1		1	
Varicose ulcer	7		7	
		-		

#### SURGICAL DIVISION.

DISEASES.	Male	Female	Discharged	Died
DISEASES OF SKIN AND MISCELLA-				
NEOUS CONDITIONS.	1 10	100		
Furuncle	12	1	13	
Lipoma	1		1	
Pityriasis	1		1	
Secondary hemorrhage from operation	3	•••••	3	
Urticaria		1	1	
Total cases treated in Surgical Di- vision	3,182	49	3,219	12

# MEDICAL DISEASES.

DISEASES.	Male	Female	Discharged	Died
A. DISEASES OF RESPIRATORY SYSTEM. Asthma	1		1	
Bronchitis	3		3	
Hemoptysis	3		3	
Phthisis pulmonalis	2		2	
Pleurisy	2		2	
Pneumonia	5		5	

#### MEDICAL DIVISION.

DISEASES.	Male	Female	Discharged	Died
B. DISEASES OF CIRCULATORY SYS-				
TEM.				
Angina pectoris	. 1		1	
Apoplexy	. 1		1	
Cerebral anemia	2		2	
Syncope	20		20	
Tachycardia	1		1	
Valvular disease of heart	. 5		5	
C. DISEASES OF NERVOUS SYSTEM.				
Alcoholism	. 88		88	
Convulsions		1	1	
Epilepsy	59	1	58	2
Hemiplegia	1		2	~
Hysteria	1	7	8	
Insanity	. 4		4	
Insomnia	. 5		5	
Meningitis, spinal		1	1	
Morphinism	. 4		3	1
Neuralgia	. 3		3	
Paralysis	. 5		5	
Paresis	1		1	
Singultus	. 1		1	
D. DISEASES OF EXCRETORY AND	-			
D. DISEASES OF EXCRETORY AND GENERATIVE SYSTEM.				
Renal colic	1		1	
Dysmenorrhea		. 1	1	
Dysmenorraca				1

#### MEDICAL DIVISION.

DISEASES.	Male	Female	Discharged	Died
E. DISEASES OF DIGESTIVE SYSTEM.  Constipation	39 2 2		6 39 2 2 6	
F. GENERAL DISEASES.  Lumbago	3 2		2 3 2 2 3	
G. ZYMOTIC DISEASES.  Fever—(No further diagnosis)	1		19 1 1	
Asphyxiation by charcoal fumes	1 43 2	3 2	1 46 3	1

#### MEDICAL DIVISION.

DISEASES.	Male	Female	Discharged	Died
EMERGENCIES, POISONINGS, ETC.— Continued.				
Poisoning by chloroform	1		1	
Poisoning by cocaine	2		2	
Poisoning by iodoform	1		1	
Poisoning by mercuric oxide	1		1	
Poisoning by opium and derivatives	12	1	9	4
Poisoning by cebadilla	1			1
Poisoning by strychnine	1		1	••••
MISCELLANEOUS.				
General debility	3		3	
Pregnancy		2	2	
Total cases treated in Medical Di- vision	388	19	398	9

#### RECAPITULATION.

DISEASES.	Male	Female	Discharged	Died
Refused examination	2		2	
Brought in dead or moribund	11	1		12
Total cases treated in Medical Di- vision	388	19	398	9
Total cases treated in Surgical Di- vision	3,182	49	3,219	12
Total cases treated in Hospital	3,583	69	3,619	33

# LIST OF DEATHS IN THE HARBOR RECEIVING HOSPITAL.

DATE OF ENTRY.	TIME.	NAME.	RESIDENCE	BROUGHT FROM.	CAUSK.
1897-July 5	9:00 a. m.	James Graham	Lombard street	Steuart and Folsom sts	Epilepsy.
July 16	1:00 a. m.	Michael Dunn	Townsend street	Steamer Doric	Fracture of skull.
July 17	5:30 p. m.	Chas. Emerson	629 Clay street	Same place	Cebadilla poisoning.
July 23	6:30 a. m.	Geo. T. Brown	9031/2 Valencia street	Dupont street	Brought in dead.
July 28	5:20 p. m.	Edw. Olsen	Vallejo and Mason	Steamer Tiburon	Internal injuries.
Aug. 3	8:00 p. m	T. B. Ferguson	Unknown	Powell street	Gunshot wound in head.
Sept. 24	9:00 a. m.	John Doe Crowley	Unknown	California Street Station	Brought in dead.
Oct. 16	8:10 a. m	G. D. Garthorne	Oakland	228 Front street	Gunshot wound in head.
Nov. 3	12:15 p. m.	Edward O'Brien	Unknown	Howard Wharf No. 1	Brought in dead.
Nov. 15	6:15 a. m.	James Fanning	Unknown	Kearny street	Stab wound in neck.
Nov. 18	9:40 p. m.	John Godsel	Unknown	Sacramento street	Morphine poisoning.
Nov. 20	10:25 a. m.	John Doe	Unknown	533 Sacramento street	Morphine poisoning.
Nov. 29	10:00 a. m.	D. E. Young	95 Steuart street	Pier Saloon	Brought in dead.
Dec. 9	11:55 a. m	John Doe	Unknown	856 Howard street	Morphine poisoning.
Dec. 25	3:00 a. m.	John Doe	Unknown	Harbor Police Station	Brought in dead.
Dec. 28	8:55 a. m	M. Torre	215 Broadway	Same place	Fracture of skull.
Dec. 31		9:00 p. m. Rosa Conneff	Unknown	Jackson and Kearny	Brought in dead.

LIST OF DEATHS IN THE HARBOR RECEIVING HOSPITAL-CONCLUDED.

CAUSE.		Epilepsy.	Carbolic acid poisoning.	Gunshot wounds.	Morphine poisoning.	Brought in dead.	Carbolic acid poisoning.	Brought in dead.	Cyanide of potassium.	Fracture of skull.	Brought in dead.	Gunshot wound in head.	Brought in dead.	Brought in dead.	Internal injuries.	Fracture of skull.	Submersion.	Brought in dead.	
BROUGHE FROM,		Same place	Same place	Same place	Alpha House	California Street Station. Brought in dead	Same place	Same place	28 Sacramento street	Arizona Warehouse	Dupont and Washington Brought in dead	Same place	Kearny and Pacific	Pacific Mail Dock	Third and Kearny sts	Third and Berry sts	Mission Wharf No. 1	Ferry Depot	
RESIDENCE.		Steamer Alex Duncan	321½ Broadway	Kearny and California sts Same place	3426 Twenty-second st	Unknown	17B Hinckley alley	614 Pacific street	Unknown	Sixth and Harrison	Dupont and Washington	80 Jessie street	Unknown	261 First street	411 Fourth street	Schooner Louise	Unknown	Unknown Ferry Depot Brought in dead.	
NAMB.	Town To I own		Mary Duffy	Robert Johnson	Captain John Lee	Wm. Britton	Nellie Anderson	Fannie (Chinawoman).	John Doe Shubert	J. P. Gouth	John Doe (Chinaman).	Mary Antippa	John Doe	John Gibbons	E. Hayden	Gus Forstman	John Doe	Henry Magini	
TIME.	000	3.00 a. III.	7:30 p. m	6:30 p. m	9:00 p. m	7:30 p. m	12:00 m	7:30 a. m	12:00 m	12:20 p. m.	5:55 p. m	5:35 p. m	8:45 a. m	1:35 p. m	2:00 p. m	5:00 p. m	9:15 a. m.	1:30 p. m	
DATE OF ENTRY.	- COO	1000—Jan. IV	Jan. 10	Jan. 26	Feb. 2	Feb. 2	Feb. 12	Feb. 14	Feb. 22	Feb. 28	March 28	April 4	April 13	May 14	May 31	June 3	June 15	June 18	

Thirty-four (34) deaths for the fiscal year ending June 30, 1898.

# REPORT OF PARK RECEIVING HOSPITAL.

San Francisco, July 1st, 1898.

Dr. Conrad Weil, Police Surgeon-

Sir: We herewith submit the annual report of the Park Receiving Hospital for the fiscal year ending June 30th, Very respectfully,

> J. T. STAFFORD, W. W. WYMORE, Assistant Police Surgeons.

#### DISPOSITION OF PATIENTS.

	Discharged	384
	Sent to City and County Hospital	12
	Sent to City Receiving Hospital	7
	Sent to French Hospital	10
	Sent to German Hospital	1
	Sent to Marine Hospital	4
	Sent to St. Mary's Hospital	3
	Sent to St. Luke's Hospital	3
	Sent to Children's Hospital	1
	Sent to Lane Hospital	1
	Sent to Field Hospital, Camp Merritt	23
	Sent to Alms House	2
	Sent to City Prison	1
	Sent to Morgue	5
<b>.</b>	otal number of cases treated	-
T.C	otal number of cases treated	

DISEASES.	Male	Female	Discharged	Died
The second secon				
HEAD.		- 0		
A. INJURIES.	14		14	
Lacerated wounds of scalp		1	14	1
Incised wounds of scalp	2		2	
Contused wounds of scalp	4	1	5	
Abrased wounds of scalp	5		5	
Infected wounds of scalp			. 1	
Fracture of skull			1	
Compound depressed fracture of skull	1		•••	1
Concussion of brain	4		4	
Sebaceous cyst of scalp		1	1	
FACE.				
Lacerated wound of ear	3		3	
Lacerated wound of chin		1	1	
Lacerated wound of nose	7		7	
Lacerated wound of forehead	7	1	8	
Lacerated wound of lip	4		4	
Lacerated wound of eyelid	4		4	
Incised wound of cheek	1		1	
Incised wound of forehead	3	1	4	
Incised wound of lip	1	1	2	
Incised wound of temple	1		1	- 1
Contusion of mouth	4	1	5	
Contusion of cheek	6		6	
Contusion of eyelid	5		5	
Contusion of pose	3		3	
Contusion of ear	2		2	

DISEASES.	Male	Female	Discharged	Died
				1111
FACE—Continued.	0		3	
Contusion of temple	3	2	12	
Abrasion of mouth	5	z	5	
Abrasion of mose	6	1	7	
Abrasion of cheek.	5	1	6	
Abrasion of chin	1	1	1	
Burns.	2		2	
Foreign body in eye	- 81	or r	8	
Fracture of nasal bone.	2		2	
		1	1	
Insect bite of eyelid	2	- 00	2	
Insect bite of forehead	1	1	2	
1115000 5100 01 2010110000		100	(0)	
UPPER EXTREMITY AND AXILLA.	1 00	'		
Lacerated wound of hand	13		-13	
Lacerated wound of forearm	2	2	4	
Lacerated wound of finger	9	•••••	9	
Incised wound of hand	9	1	10	
Incised wound of finger	5	1	6	
Incised wound of forearm	1		1	
Abrased wound of hand	52	1	53	
Abrased wound of forearm	1		1	
Abrased wound of finger	1		1	
Infected wound of forearm	2		2	
Infected wound of hand	10		10	
Infected wound of finger	4		4	
Fracture of clavicle	5		5	
Fracture of scapula (coracoid process)	2	• • • • • • • • • • • • • • • • • • • •	2	
- statements and design	-			- mag

DISEASES.	Male	Female	Discharged	Died
UPPER EXTREMITY AND AXILLA-				
Continued.				
Fracture of ulna	1		1	
Fracture of radius	1		1	
Fracture of humerus		1	1	
Dislocation of humerus			2	
Sprain of wrist	9		9	
Sprain of thumb			2	
Burns of hand	7	5	12	
Burns of forearm		2	2	
Foreign body in hand	. 3		3	
Dog bite of hand	3		3	
Insect bite of hand		1	1	
Felon, index finger		1	1	
Felon, thumb	1		1	
LOWER EXTREMITY AND GROIN.				
Lacerated wound of thigh	1		1	
Lacerated wound of leg	1		1	********
Incised wound of leg	1		1	
Incised wound of foot			3	
Contused wound of thigh			4	
Contused wound of knee		1	9	
Contused wound of hip			2	
Contused wound of foot	1		4	
Contused wound of leg			5	*******
Contused wound of ankle	3		3	*******
Abrased wound of thigh			6	
Abrased would of knee				*******
Abrased would of leg	19		12	••••••
Abrased would or leg	4		4	

DISEASES.	Male	Female	Discharged	Died
LOWER EXTREMITY AND GROIN-				
Continued. Fracture of tibia	3	1	4	
Fracture of fibula.	3	1	4	
Fracture of femur				
Fracture of patella			1	
Compound fracture of tibia			2	- 1
Compound fracture of fibula	3		2	1
Compound fracture of femur	1			
Burns of legs		2	2	
Burns of thigh		2	2	• • • • • • • •
Sprain of ankle	5	2	7	
Sprain of knee		1	1	••••
Dog bite of leg	3	1	4	
Infected wound of ankle	1		1	
Hernia, right inguinal	1		1	
ABDOMEN.	THE Y	=	(12)	-573
Internal injuries	4		2	2
Contusion of abdomen	1		1	
Laceration of abdominal wall	1			1
			11-11-1	100
THORAX AND DORSAL REGION.		-	- make t	10
Gunshot wounds		•••••	2	
Fracture of ribs	3		3	
Concussion of spine	1	2	3	
Contusion of back	4		4	•••••

#### MEDICAL DIVISION.

DISEASES.	Male	Female	Discharged	Died
DISEASES OF THE CIRCULATORY SYS-				
TEM. Angina pectoris	1		1	
Epistaxis		2	2	
Syncope	5	5	10	
Palpitation of heart	. 1		1_	
Aortic regurgitation	. 1		1	
DISEASES OF THE RESPIRATORY SYS-		3=1	1	
TEM.	10	1 1		
Tonsilitis	. 1		1	
Bronchitis	5		5	
Pleurisy	. 1		1	
Pneumonia	. 11		11	
Pulmonary hemorrhage		1	1	
Pulmonary tuberculosis	1		1	
DISEASES OF THE NERVOUS SYSTEM.				
Apoplexy, cerebral	. 2		2	
Insanity	. 2	2	4	
Migraine		2	2	
Neuralgia	. 1		1	
Otalgia		1.	1	
Odontalgia		,	12	
Vertigo Epilepsy	3	1	1 4	
Hysteria	1	2	2	
Neuritis, general	1		1	
DISEASES OF THE DIGESTIVE SYSTEM.	1		1	
Diarrhoea, chronic			1	
Diarrioca, circumc	1		1	1

#### MEDICAL DIVISION.

DISEASES.	Male	Female	Discharged	Died
DIQUAQUA.			ged	
DISEASES OF DIGESTIVE SYSTEM				
—Continued.	6	2	8	
Gastritis	1	~	1	
Liver, acute congestion of		1	1	
Stomatitis	2		2	
DISEASES OF THE GENITO-URINARY SYSTEM.			_	
Ovaritis	7	1	1	
Orchitis, chronic	1		1	
Placenta previa		1	1	
Vulvitis		1	1	
Nephritis, chronic		1	1	
ZYMOTIC DISEASES.	Q1. 10.0			-
Typhoid fever	1		1	
Malaria	2	1	3	
Measles	24		24	
GENERAL DISEASES.				
Rheumatism, articular	1		1	
Syphilis	. 1		1	
Septicemia	1		1	
				-
EMERGENCIES.		-		
POISONINGS, ETC.				
Arsenical poisoning			1	
Alcohol poisoning		1	2	
Carbella and referring	1		1	
Carbolic acid poisoning	1		1	
		1		

#### MEDICAL DIVISION.

DISEASES.	Male	Female	Discharged	Died
POISONINGS, ETC.—Continued.				
Morphine poisoning	2		2	
Ptomaine poisoning	1		1	
Rhus poisoning	1	1	2	
Strychnine poisoning		2	2	
Electric shock	2		2	
Submersion	1		1	
7.00	1 1 1	bir 4	E .	
TOTAL NUMBER OF CASES	TREA	TED.		
Medical				130
Surgical				399
The second secon				
Total	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		529
LIST OF DEATHS IN PARK RECEIVE	NG HO	SPITA	L FROM	1

# JULY 1, 1897, TO JUNE 30, 1898.

DATE OF ENTRY.	NAME.	RESIDENCE.	CAUSE OF DEATH.	DATE AND TIME OF DEATH.
May 3, 1898	Patrick Kerrigan	107 Boyce street	Compound fracture of right femur and both legs. Inter- nal injuries.	May 3, 1 P. M.

### LIST OF PERSONS BROUGHT IN DEAD FROM JULY 1, 1897, TO JUNE 30, 1898.

DATE OF ENTRY.	NAME.	RESIDENCE.	DISPOSITION.	TIME.
	"Doc" Ehlers		Sent to Morgue	
Sept. 1, 1897 Oct. 7, 1897			Sent to Morgue	
Jan. 25, 1898	Michael O'Brien		Sent to Morgue	1:120 A. M.

# REPORT OF CITY AND COUNTY HOSPITAL.

San Francisco, July 1st, 1898.

To the Honorable the Board of Health

Of the City and County of San Francisco—

Gentlemen: I have the honor to present herewith, for your consideration, the Forty-fifth Annual Report of the City and County Hospital, for the fiscal year 1897-98.

The following summary has been compiled from several statements enclosed herewith, and which form a part of this report:

#### SUMMARY.

Patients in Hospital July 1st, 1897		378
Examined for admission during fiscal year4,440		
Rejected 538		
and the property of the second		
Admitted		3,902
Born (not including 10 stillborn)		121
Total to be accounted for		4,401
Patients discharged cured		
Improved 5	84	
Unimproved	17	
Own request 7	78	
The second secon	28	
	76	
	52	
	17	
	52	
Sent to Pesthouse.	1.	
	5	
Ran away		
Attempt to commit theft		
Died during the year		
Patients remaining June 30th, 1898	3	
Total accounted for		4.401

Least number of patients during the year (Sept. 6th, 1897) 319
Greatest number of patients during the year (Feb. 15th, 1898) 420
Total number of days' treatment137,877
Daily average of patients 377.92
Daily average of officers and employees
Percentage of deaths to results
Percentage of deaths to total number treated 12.82
Average time under treatment (days) 31.33
Cost of subsistence per person per diem\$0.1763
Cost of subsistence per patient per diem 0.2330
Total expenses per patient, per diem 0.6668
Total amount expended during the fiscal year\$91,390.43
Drugs and provisions furnished Smallpox Hospital 2,153.08
Drugs furnished Magdalen Asylum 92.95
Actual outlay for current expenses 89,144.40
Amount of appropriation for Hospital purposes 82,000.00
Amount of appropriation for "special repairs" 2,500.00
Deficiency met by special appropriation by the Board of
Supervisors 6,890.43

The duties of Superintendent Physician were assumed by me November 1st, 1898, after the resignation of Dr. S. P. Tuggle, who for a brief period succeeded Dr. J. M. Williamson in the administration of the affairs of this Hospital.

The Annual Report for the fiscal year 1896-97, by the last named gentleman, gives in detail the difficulties of the situation during his term of office, and ably shows the disgraceful state of the Hospital buildings, and mismanagement existing at the time he took matters in hand.

It is, therefore, unnecessary for me to go over that ground, especially since there was no large repair fund appropriated during the past year, to tempt the cupidity of rapacious contractors, "et als."

I have, therefore, been fortunate in not having had the disagreeable task of discovering similar acts of fraud and dishonesty in addition to other exacting duties.

Previous reports to your honorable body, regarding the unsanitary, dilapidated, and all-round disgraceful condition of the Hospital buildings have been elaborate in detail and graphic in description.

I do not think it possible to describe these conditions

more clearly, except to say that what was outrageously bad when your last report was received, is worse now.

The recent action of the Mayor and Board of Supervisors with regard to the building of a new and modern Hospital for the City and County of San Francisco, shows that the earnest efforts of your honorable body in the interest of humanity, have not been in vain, and it is to be hoped that all public-spirited citizens will aid you in urging upon the present honorable Board of Supervisors, and their successors, the necessity for speedy action in the premises, so that the least possible delay may be had in the erection and completion for occupancy of a great charity hospital for this city and county, worthy of a cultured, enlightened, and wealthy community.

Passing at present from considerations of the necessity for a new Hospital, and especially from the nauseating condition of the present buildings, I beg briefly to ask your attention to matters affecting the administration of the affairs of the institution, and the work accomplished in its different departments.

A few suggestions may also be ventured, which seem to me to be in the interest of good policy.

In the monthly reports rendered for the past eight months, matters of immediate interest were offered for consideration, together with minor details, as noted in journal.

These events I will not attempt to review, being on record for reference and information.

In the administration of your institution, it has been my endeavor to carry out, as far as lay in my power, the two chief objects of a charity hospital: First, the humane care and skillful medical treatment of the indigent sick; and second, the advancement of the science and art of medicine.

It has also been my endeavor to economize the expenditures of the Hospital appropriation, consistent with these objects.

The difficulties in the way of accomplishment of these ends are many. They have been the despair of all past ad-

ministrations, and are likely to continue to a more or less extent in the future, unless a more enlightened system of laws, State and municipal, are passed to govern this charity.

In regard to this subject, I would refer to the succinct and authoritative observations made in the Superintendent Physician's report of 1896-97.

My experience corroborates that statement in all particulars, for no one can properly conduct the affairs of so large an institution without full and unquestioned power in the premises.

One of my earliest experiences upon assuming office was the antagonistic attitude of a certain number of the medical staff, and almost every other officer and employee, to the ordinary rules requiring discipline and attention to duty. The Hospital was regarded as a huge joke, to be used only for personal privileges or political purposes.

Its reputation in the past had something to do with this, in which the public joined, but aside from that, it is hard to understand why the care of the indigent sick should be a theme for joking or that these patients should suffer from neglect or indifferent treatment.

It is one of the highest attributes of civilization to afford systemized care, humane and skillful medical treatment to the sick poor, and under proper conduct, such a great charity as this, should compel the respect of all thinking people and elicit their generous financial support.

I think I can truthfully state that this Hospital is the only place in this great city where patients are treated without having to pay a cent. There are not more than fifty free beds altogether in San Francisco for those unable to pay, outside this Hospital.

With a view, therefore, of conducting this institution for Hospital purposes, it has been my endeavor to see that the supply of articles of subsistence was of the best quality.

I believe that good nourishing food is particularly necessary and very essential for this class of patients. Com-

fortable beds, warmth and cleanliness are equally important.

The bedding up to January last was worn out and threadbare. In response to an appeal to your honorable board, I am glad to state that the honorable Board of Supervisors responded promptly to the urgent necessity of the occasion, and relieved much suffering by supplying in part, the need for blankets, comporters, and spreads.

The supply of steam for warmth, hot water, and laundry purposes, has for years been inadequate, but during the month of February, the old steam boiler, which had been in use for years, exploded, as had often been predicted. In its stead a new one was placed in position last March, which supplies all requirements.

The supply of illuminating gas up to the early part of 1898, was insufficient and poor; but, without cost to the city and county, an additional gas main, discovered running through the Hospital grounds, was, by permission of the proper authority, tapped, and old gas pipe on hand fitted, so that sufficient pressure and flow was obtained to give good light throughout the Hospital.

The General Operating Room, which for years has fallen short of common requirements, has been improved in two ways. Formerly the gaslight was so poor that when a surgical operation became necessary at night, light had to be obtained from three or four coal oil lanterns, held by attendants. On May 22d a drop-light chandelier, holding four Welsbach burners, was hung in position, which gives satisfactory illumination for such purposes.

A new and large steam sterilizer has been added. Heretofore, there was no way to properly heat this room for surgical purposes. Two steam radiators were put in, which now fulfill that requirement.

The improvement of the grounds, begun by my predecessor, has been followed up. Through the courtesy of Sheriff Whelan, convicts were detailed to cut down a number of trees, and top others that obstructed air and sunshine from the wards. The trees were cut into cordwood, which was a saving of considerable coal. The flowers have been carefully cultivated and another large plat added. This feature is of much benefit to the patients, and helps to divert attention from the cheerless and somber aspect of the buildings.

It is deplorable that, for lack of means, many repairs and a few requisite improvements could not be made.

Looking to the necessity of immediate improvements. I ask your attention to the need of a ward for the isolation of infectious and contagious diseases, especially of children.

Another matter that should be acted upon as soon as possible, refers to the wards of this Hospital. It is almost criminal to admit patients to them, saturated as they are by the emanations of disease for the past twenty-five years. This deleterious influence extends also to the medical staff and nurses, several of whom have contracted pulmonary diseases and typhoid fever from this cause.

In view, therefore, of the probable delay in the completion of the new Hospital, I would respectfully recommend that a system of disinfection be instituted for the interior of all wards, closing for a week at a time of two wards, and thoroughly as possible purifying them by means of formalin, or formaldyhyde vapor, or by such other means as may seem most efficient by your honorable board and under inspection of your Health Department. The wards could then be calsomined at but little expense by employees of the Hospital.

By reference to Summary Table, placed at the beginning of this report, it will be noticed that the daily average of patients is larger than for several years.

These figures, however, do not fully account for all the patients supplied with subsistence, medicines, surgical dressings, etc., by the Hospital.

It is generally overlooked, or forgotten by the authorities, that about thirty inmates of the Twenty-sixth Street Hospital, or Pesthouse, are furnished with subsistence, medical and surgical supplies, whiskey, etc., from requisitions drawn

on this Hospital and paid for out of its annual appropriations.

The Magdalen Asylum is also supplied by this Hospital with medicines, etc., as required. These two institutions cost quite a good sum.

With respect to the Twenty-sixth Street Hospital, I would suggest that it might be good policy to recommend that the honorable Board of Supervisors grant that institution a separate and distinct appropriation. The Steward's report on this point is referred to.

The inmates of the Pesthouse, together with the average of one hundred and seventy-two outclinic patients treated here might, I think, be fairly counted in the total number of patients to be accounted for in the estimate for a yearly appropriation.

It will be noticed that the Hospital statistics are unusually full and complete; this is especially so in regard to the "Classification of Diseases" and "Causes of Death," as instituted by your honorable board.

This is a marked improvement, and an educational advance over older methods.

A further study of these statistics will show that this Hospital affords one of the largest and most varied fields for the clinical study of diseases in this country. It offers an unsurpassed opportunity for the earnest student to equip himself by practical experience, under the direction of learned instructors, for the successful practice of his profession, and I am one who believes that only those who appreciate these splendid advantages should be allowed the privileges of being an interne to this Hospital. The diploma issued by your honorable body to house physicians and surgeons should be an assurance of the highest of postgraduate honors, and be esteemed as such everywhere.

The San Francisco Training School for nurses of the City and County Hospital continues to be of service, and is becoming more thorough in its system of instruction and training.

Looking to a more complete system of training, I offer the suggestion that the term of service be extended to three years.

It certainly takes two years of training for efficiency, and the third should be given for the benefit of the Hospital.

I ask also your attention to the fact that application has been made by graduate nurses from other hospitals for a course of training in this Hospital. This suggests the advisability of the establishment of a past graduate course for nurses. A four months' training course would probably be enough, for which privilege a fee might be charged, sufficient to pay for board and graduation expenses.

The money so collected could be used for augmenting the education facilities of the school.

In conclusion, let me say that, while my entire time has been devoted to this Hospital, I have not been able, in eight months, to establish perfect discipline, or work moral regeneration in an institution which has been known principally in the past by its irregularities.

A crusade of education, firmness of purpose, and constant vigilance have been the methods used to attain a better state of affairs, and I am pleased to state that some little advance has been made in that direction.

Respectfully submitted,

G. E. SUSSDORFF, M. D., Superintendent Physician.

#### YEARLY SUMMARY

SHOWING NUMBER OF PATIENTS ADMITTED, NUMBER BORN, NUMBER DIS-CHARGED, NUMBER DIED AND DAILY AVERAGE FOR 26 YEARS.

YEAR.	Number remaining on 1st of year	Number admitted dur- ing the year	Number born during the	Total number treated during the year	Number discharged dur- ing the year	Number died during the	Average daily for year
1872-73	244	2863	25	3132	2569	260	331.1
1873-74	303	3231	32	3566	2954	275	367.3
1874-75	337	3921	40	4298	3565	351	387.2
1875-76	382	3376	67	3825	3083	347	374.5
1876-77	295	3012	73	3380	2723	355	360.2
1877-78	368	3007	60	3435	2671	379	383.5
1878-79	351	3174	64	3589	2884	343	379.1
1879-80	362	2955	76	3393	2685	337	388
1880-81	371	3204	92	3667	2974	328	383.1
1881-82	365	3151	71	3587	2853	390	383
1882-83	344	3002	75	3421	2660	412	366.4
1883-84	349	3288	70	3707	2943	405	389.1
1884-85	359	3191	80	3630	2840	399	389.2
1885-86	391	3140	104	3635	2870	364	392.3
1886-87	401	3128	94	3623	2841	390	411.6
1887-88	292	2914	100	3306	2657	394	304.3
1888-S9	255	3022	111	3388	2718	365	310.5
1889-90	305	3466	136	3907	3151	404	324.3
1890-91	352	3468	128	3948	3188	392	375.2
1891-92	368	4393	111	4872	4107	377	294.2
1892-93	288	3614	116	4018	3293	382	318
1893-94	343	3782	148	4273	3457	391	413.6
1894-95	425	2680	143	3248	2598	384	301.95
1895-96	266	3422	170	3858	3099	465	332.2
1896-97	294	3583	128	4005	3123	504	357.04
1897-98	378	3902	121	4401	3454	564	377.92

SHOWING NUMBER OF PATIENTS REMAINING ON 1st OF EACH MONTH, NUMBER EXAMINED, NUMBER REJECTED, NUMBER ADMITTED, NUMBER BORN, NUMBER DISCHARGED, NUMBER DIED AND AVERAGE FOR MONTH.

1897—July       378       324       6       318       8       281         August       384       355       64       291       8       300         September       340       362       86       276       7       253         October       334       414       93       321       10       277         November       346       389       65       324       10       274         December       358       399       60       339       8       274         159S—January       380       354       34       320       18       272         February       393       350       15       335       15       286         March       410       409       29       380       14       323         April       413       347       37       310       6       305         May       375       352       25       327       5       283	39 43 36 42 48	369.74 353.8 342.2 360.9 361.07
September.       340       362       86       276       7       253         October.       334       414       93       321       10       277         November.       346       389       65       324       10       274         December.       358       399       60       339       8       274         1898—January.       380       354       34       320       18       272         February.       393       350       15       335       15       286         March.       410       409       29       380       14       323         April.       413       347       37       310       6       305	36 42	342.2 360.9
October.     334     414     93     321     10     277       November.     346     389     65     324     10     274       December.     358     399     60     339     8     274       1898—January.     380     354     34     320     18     272       February.     393     350     15     335     15     286       March.     410     409     29     380     14     323       April.     413     347     37     310     6     305	42	360.9
November       346       389       65       324       10       274         December       358       399       60       339       8       274         1\$9\$—January       380       354       34       320       18       272         February       393       350       15       335       15       286         March       410       409       29       380       14       323         April       413       347       37       310       6       305		
December. 358 399 60 339 8 274  1898—January. 380 354 34 320 18 272  February. 393 350 15 335 15 286  March. 410 409 29 380 14 323  April. 413 347 37 310 6 305	40	361.07
December       358       399       60       339       8       274         1\$9\$-January       380       354       34       320       18       272         February       393       350       15       335       15       286         March       410       409       29       380       14       323         April       413       347       37       310       6       305	48	
February.       393       350       15       335       15       286         March.       410       409       29       380       14       323         April.       413       347       37       310       6       305	51	374.84
March	53	394.87
April	47	407
	68	402 77
MOV 275 259 25 227 5 202	49	397.2
May 010 002 20 021 5 200	40	381.68
June	48	389
July 1st 383		
Totals		377.92

<sup>\*</sup>In the above number of born are not included 10 stillborn.

#### CIVIL CONDITION OF DECEASED PATIENTS.

	MALE.	FEMALE.	TOTALS.
Single	274	28	302
Married	78	51	129
Widowed	88	41	129
Unascertained	4		4
Totals	444	120	564

# AGES OF DECEASED PATIENTS.

	NUMBER.		NUMBER.
Under 1 year	14 3 9 75 104 126	From 50 to 60 years  From 60 to 70 years  From 70 to 90 years  From 80 to 90 years  Unascertained  Total	78 37 5 1

# SEX OF DECEASED PATIENTS.

SEX.	NUMBER.
Males	444
Total	564

# RACE OF DECEASED PATIENTS.

RACE.	Mumm
Caucasian	
African	9
Mongolian	15
Malay	2
Half-caste Indian	2
Half-caste Mongolian	1
	- 0 0 0
Total	564

#### NATIVITIES OF DECEASED PATIENTS.

#### UNITED STATES.

California	78	Nevada	2
Connecticut	2	New Hampshire	1
District of Columbia	1	New Jersey	4
Florida	1	New York	37
Illinois	3	Ohio	7
Indiana	2	Pennsylvania	12
Iowa	4	Rhode Island	2
Kansas	1,	South Carolina	1
Kentucky	3	Tennessee	1
Louisiana	5	Texas	3
Maine	8	Vermont	2
Maryland	1	Virginia	4
Massachusetts	20	Washington	2
Michigan	6	Wisconsin	2
Missouri	3		
Nebraska	1	Total	219
	- 4		
	FOR	ZICN	
	FORI	EIGN.	
Africa	FORF	EIGN.	8
Africa		- 11	8
	1	Japan	
Austria	1 8	Japan	3
Austria	1 8 16	Japan Mexico Norway	3:
Austria Canada Chile	1 8 16 2	Japan Mexico Norway Philippine Islands	3: 9
Austria Canada Chile China	1 8 16 2 10	Japan Mexico Norway Philippine Islands. Portugal	3 9 1 2
Austria Canada Chile China Denmark	1 8 16 2 10 3	Japan  Mexico  Norway  Philippine Islands.  Portugal  Russia	3 9 1 2 2
Austria Canada Chile China Denmark East Indies.	1 8 16 2 10 3	Japan Mexico Norway Philippine Islands. Portugal Russia Scotland	3: 9: 1: 2: 2: 9:
Austria Canada Chile China Denmark East Indies England	1 8 16 2 10 3 1	Japan Mexico Norway Philippine Islands. Portugal Russia Scotland Sweden	3: 9 1 2 2 9 16
Austria Canada Chile China Denmark East Indies. England Finland	1 8 16 2 10 3 1 29	Japan Mexico Norway Philippine Islands. Portugal Russia Scotland Sweden Switzerland West Indies.	3: 9 1 2 2 9 16 6
Austria Canada Chile China Denmark East Indies England Finland France Germany	1 8 16 2 10 3 1 29 4 14	Japan Mexico Norway Philippine Islands Portugal Russia Scotland Sweden Switzerland	3: 9 1 2 2 9 16 6
Austria Canada Chile China Denmark East Indies England Finland France Germany Greece	1 8 16 2 10 3 1 29 4 14 65	Japan  Mexico  Norway  Philippine Islands  Portugal  Russia  Scotland  Sweden  Switzerland  West Indies.	3 9 1 2 2 9 16 6 2
Austria Canada Chile China Denmark East Indies England Finland France Germany	1 8 16 2 10 3 1 29 4 14 65 2	Japan Mexico Norway Philippine Islands. Portugal Russia Scotland Sweden Switzerland West Indies.	3: 9 1 2 2 9 16 6 2
Austria Canada Chile China Denmark East Indies England Finland France Germany Greece Guatemala	1 8 16 2 10 3 1 29 4 14 65 2	Japan Mexico Norway Philippine Islands. Portugal Russia Scotland Sweden Switzerland West Indies.	3: 9 1 2 2 9 16 6 2

#### RECORD OF BIRTHS.

4997 - 2-1			189	97.		1			189	18.			Totals.
	July	August	September	October	November	December	January	February	March	April	Мау	June	
Males, white	2	5	4	7	6	9	8	8	7	2	1	6	65
Females, white	6					1	9	0	9	4	7	6	62
Males, colored			1	1		•••	1						2 2
Totals	8	9	7	10	10	10	18	17	16	6	8	12	131

#### RECORD OF STILL-BIRTHS.

-		1897.	1		1/2/17	Total.	
	August July	October	December	February	April	June	1
Males, white	1		2	1	1	2	6 4

#### RECORD OF CORONER'S CASES.

		1897.				1898.						Total.	
	July	August	September	October	November	December	January	February	March	April	Мау	June	
Males	4	2			1	3	2	1	7	2	5	2	31
Totals	4	2	2		2	3	2	1	8	2	5	3	3

#### NATIVITIES OF PATIENTS.

#### UNITED STATES.

Total Control of the			
Alabama	9	Massachusetts	129
Alaska	2	Michigan	31
Arkansas	3	Minnesota	13
California	701	Mississippi	4
Colorado	3	Missouri	47
Connecticut	14	Nebraska	10
Delaware	1	Nevada	17
District of Columbia	5	New Hampshire	9
Florida	2	New Jersey	20
Georgia	5	New Mexico	2
Illinois	57	New York	277
Indiana	23	North Carolina	2
Indian Territory	1	Ohio	77
Iowa	25	Oregon	18
Kansas	14	Pennsylvania	98
Kentucky	18	Rhode Island	7
Louisiana	25	South Carolina	3
Maine	42	Tennessee	14
Maryland	10	Texas	7

# NATIVITIES OF PATIENTS—CONTINUED.

Utah	3	Wisconsin 16
Vermont	16	Wyoming 4
Virginia	27	Unascertained 3
Washington	4	1
West Virginia	2	Total

#### FOREIGN.

	FOR	EIGN.	
Africa	1	Italy	86
Australia	13	Japan	32
Austria	55	Mexico	29
Azores Islands	4	New Zealand	4
Belgium	11	Norway	62
British Columbia	5	Peru	1
Canada	108	Philippine Islands	3
Chile	9	Poland	1
China	36	Portugal	17
Denmark	43	Roumania	1
East Indies	3	Russia	26
England	222	Salvador	1
Finland	30	Samoa	1
France	89	Sandwich Islands	8
Germany	417	Scotland	83
Greece	9	Spain	3
Guatemala	1	Sweden	128
Holland	5	Switzerland	59
Hungary	2	West Indies	10
Iceland	1	1	
Ireland	965	Total	2,581
Island of Java	1	Total United States	1,820
Island of Madeira	1		
Island of Malta	1	Total	4,401

# OCCUPATION OF PATIENTS.

Actor	1 ]	Cadet Volunteers of America	2
Actress	7	Candlemaker	1
Advertiser	2	Candymaker	3
Architect	1	Canmaker	1
Artist	1	Canner	5
Assayer	-2	Canvasser	4
Baggageman	1	Carbuilder	2
Baker	61	Carpenter	95
Barber	35	Carpetlayer	3
Barkeeper	7	Carpetweaver	1
Bartender	28	Carriagemaker	2
Bedmaker	4	Carriage painter	4
Bellboy	1	Carriage trimmer	1
Billposter	1	Carriage washer	2
Blacksmith	37	Cashier	1
Blacksmith helper	4	Cattledriver	1
Boatbuilder	1	Cigarmaker	9
Boatman	2	Cigarettemaker	2
Boilermaker	20	Civil engineer	3
Boilermaker helper	3	Clerk	102
Bookbinder	6	Cloakmaker	1
Bookkeeper	15	Clothingcutter	1
Bootblack	12	Coachman	5
Bottler	1	Collector	4
Boxmaker	5	Compositor	5
Brakeman	1	Conductor	3
Brassfinisher	4	Confectioner	8
Brassmolder	3	Contractor	3
Brassworker	2	Cook	208
Brewer	14	Cooper	20
Bricklayer	11	Coremaker	3
Buggywasher	2	Creameryman	3
Butcher	42	Currier	1
Cabinetmaker	9	Dairyman	2
	- 1		

#### OCCUPATION OF PATIENTS-CONTINUED.

Deckhand	4	Glovemaker	1
Decorator	1	Goldbeater	1
Designer	1	Governess	1
Dishwasher	30	Granite-polisher	1
Diver	2	Groceryman	1
Domestic	418	Groom	4
Drayman	1	Gunsmith	1
Dressmaker	39	Hackdriver	2
Driller	1	Hackman	3
Driver	6	Handbill-distributor	1
Druggist	5	Harnessmaker	5
Dyer	8 ,	Harnesswasher	2
Electrician	5	Hatmaker	3
Elevatorman	3	Horseman	1
Elocutionist	1	Horseshoer	7
Embalmer	1	Horsetrainer	1
Engineer	27	Hostler	39
Engraver	3	Hotelkeeper	1
Exercise boy	4	Housekeeper	36
Expressman	9	Housemover	2
Farmer	3	Housewife	247
Fireman	18	Infants	133
Fisherman	5	Insurance Agent	2
Florist	4	Ironmolder	11
Fortuneteller	1	Ironworker	10
Foundry apprentice	2	Ivorycarver	1
Fruitpacker	1	Janitor	17
Furrier	1	Jeweler	2
Gardener	25	Jockey	3
Gasfitter	1	Journalist	4
Gilder	5	Labeler	1
Glassblower	2	Laborer	989
Glazier	3	Lather	4
Glovecutter	1	Laundress	20

# CITY AND COUNTY HOSPITAL REPORT.

#### OCCUPATION OF PATIENTS -CONTINUED.

Laundryman	20	Newspaper-carrier	1
Lawyer	5	Nightwatchman	4
Leatherstamper	1	Nurse	25
Lecturer	1.	Nurseryman	1
Letter-carrier	1	Optician	1
Lineman	1	Oysterman	1
Locksmith	5	Painter	90
Logger	1	Pantryman	3
Longshoreman	68	Paperboxmaker	1
Lumberman	1	Paperhanger	2
Machinist	34	Paver	4
Machinist helper	3	Peddler	43
Map-engraver	2	Photographer	3
Marblecutter	1	Physician	5
Marblepolisher	2	Pianomaker	1
Master Mariner	3	Pianomover	1
Matchmaker	1	Pianopolisher	1
Mattressmaker	3	Piledriver	2
Merchant	7	Plasterer	20
Messenger boy	2	Plater	1
Metalmolder	1	Plumber	12
Metalworker	1	Plumber's helper	3
Midwife	1	Police Lieutenant	1
Milker	5	Police Officer, Ex	1
Milkman	1	Porkpacker	3
Miller	6	Porter	43
Millhand	3	Pressman	2
Milliner	7	Printer	38
Miner	97	Proofreader	2
Minister	1	Purser	1
Motorman	1	Quarryman	1
Musician	10	Reat Estate Agent	1
Music Teacher	3	Reporter	3
Newsdealer	1	Restaurant-keeper	1

#### OCCUPATION OF PATIENTS-CONTINUED.

Roofer         3         Sign painter         4           Rubberworker         2         Silversmith         3           Sacksewer         2         Soldier         3           Salimaker         3         Solicitor         16           Sallor         79         Stableman         6           Salesgirl         1         Stalrbuilder         2           Salesman         11         Steamfitter         2           Saloonkeeper         2         Steelworker         1           Sausagemaker         1         Stevedore         11           Sawfiler         1         Steward         4           Sawyer         2         Stonecutter         8           Scavenger         2         Stonemason         6           Schoolboy         27         Stonepaver         1           Schoolgirl         12         Storepaver         1           Schooljerl         12         Storepaver         1           Schooljerl         12         Storekeeper         3           Sea Captain         1         Surveyor         4           Seamstress         30         Switchman         3           <	Rigger	3	Sign cleaner	1
Sacksewer         2         Soldier         3           Salimaker         3         Solicitor         16           Salior         79         Stableman         6           Salesgirl         1         Stableman         6           Salesman         11         Steamfitter         2           Salesman         11         Steamfitter         2           Saloonkeeper         2         Steelworker         1           Sausagemaker         1         Stevedore         11           Sawiler         1         Stevedore         11           Sawiler         2         Stonecutter         8           Scavenger         2         Stonecutter         8           Scavenger         2         Stonepaver         1           Schoolboy         27         Stonepaver         1           Schoolgirl         12         Stonepaver         1           Schoolgirl         12         Storekeeper         3           Sea Captain         1         Surveyor         4           Seamstress         30         Switchman         3           Servant         5         Tailor         38           Sewer	Roofer	3	Sign painter	4
Sailor         79         Stableman         6           Salesgirl         1         Stairbuilder         2           Salesman         11         Steamfitter         2           Saloonkeeper         2         Steelworker         1           Sausagemaker         1         Stevedore         11           Sawfiler         1         Steward         4           Sawyer         2         Stonecutter         8           Scavenger         2         Stonemason         6           Schoolboy         27         Stonepaver         1           Schooljerl         12         Stonepolisher         1           School Teacher         2         Storekeeper         3           Sea Captain         1         Surveyor         4           Seamstress         30         Switchman         3           Servant         5         Tailor         38           Sewer-builder         1         Tailoress         4           Shademaker         3         Tamale-peddler         4           Shingler         1         Tanner         9           Shipbuilder         3         Teacher         9	Rubberworker	2	Silversmith	3
Sailor         79         Stableman         6           Salesgirl         1         Stairbuilder         2           Salesman         11         Steamfitter         2           Saloonkeeper         2         Steelworker         1           Sausagemaker         1         Stevedore         11           Sawfiler         1         Steward         4           Sawyer         2         Stonecutter         8           Scavenger         2         Stonemason         6           Schoolboy         27         Stonepaver         1           Schoolgirl         12         Stonepaver         1           Schoolgirl         12         Stonepaver         1           School Teacher         2         Storekeeper         3           Sea Captain         1         Surveyor         4           Seamstress         30         Switchman         3           Servant         5         Tailor         38           Sewer-builder         1         Tailoress         4           Shademaker         3         Tamale-peddler         4           Shipplider         1         Tanner         9	Sacksewer	2	Soldier	3
Salesgirl         1         Stairbuilder         2           Salesman         11         Steamfitter         2           Saloonkeeper         2         Steelworker         1           Sausagemaker         1         Stevedore         11           Sawfiler         1         Steward         4           Sawyer         2         Stonecutter         8           Scavenger         2         Stonemason         6           Schoolboy         27         Stonepaver         1           Schoolgirl         12         Stonepaver         1           Schooljerl         12         Storekeeper         3           Sca Captain         1         Surveyor         4           Sea Captain         1         Surveyor         4           Searstress         30         Switchman         3           Servant         5         Tailor         38           Sewer-builder         1         Tailoress         4           Shademaker         3         Tamalemaker         2           Sheetironworker         2         Tamale-peddler         4           Shippluilder         3         Teacher         9 <tr< td=""><td>Sailmaker</td><td>3</td><td>Solicitor</td><td>16</td></tr<>	Sailmaker	3	Solicitor	16
Salesman         11         Steamfitter         2           Saloonkeeper         2         Steelworker         1           Sausagemaker         1         Stevedore         11           Sawfiler         1         Steward         4           Sawyer         2         Stonecutter         8           Scavenger         2         Stonemason         6           Schoolboy         27         Stonepaver         1           Schoolgirl         12         Stonepolisher         1           School Teacher         2         Storekeeper         3           Sea Captain         1         Surveyor         4           Seamstress         30         Switchman         3           Servant         5         Tailor         38           Sewer-builder         1         Tailor         38           Sewer-builder         1         Tailoress         4           Shademaker         3         Tamalemaker         2           Sheetironworker         2         Tamale-peddler         4           Shipbuilder         3         Teacher         9           Shipbuilder         3         Teacher         9	Sailor	79	Stableman	6
Saloonkeeper         2         Steelworker         1           Sausagemaker         1         Stevedore         11           Sawfiler         1         Steward         4           Sawyer         2         Stoneoutter         8           Scavenger         2         Stonemason         6           Schoolboy         27         Stonepaver         1           Schoolgirl         12         Stonepolisher         1           School Teacher         2         Storekeeper         3           Sea Captain         1         Surveyor         4           Seamstress         30         Switchman         3           Servant         5         Tailor         38           Sewer-builder         1         Tailoress         4           Shademaker         3         Tamalemaker         2           Sheetironworker         2         Tamale-peddler         4           Shingler         1         Tanner         9           Shipbuilder         3         Teacher         9           Shipbuilder         3         Teacher         1           Shipcarpenter         4         Teapacker         1	Salesgirl	1	Stairbuilder	2
Sausagemaker         1         Stevedore         11           Sawfiler         1         Steward         4           Sawyer         2         Stonecutter         8           Scavenger         2         Stonemason         6           Schoolboy         27         Stonepaver         1           Schoolgirl         12         Stonepolisher         1           School Teacher         2         Storekeeper         3           Sea Captain         1         Surveyor         4           Seamstress         30         Switchman         3           Servant         5         Tailor         38           Sewer-builder         1         Tailoress         4           Shademaker         3         Tamalemaker         2           Sheetironworker         2         Tamale-peddler         4           Shipgler         1         Tanner         9           Shipbuilder         3         Teacher         9           Shipcalker         2         Teamster         118           Shipcarpenter         4         Teapacker         1           Shipwright         3         Telephone Operator         5	Salesman	11	Steamfitter	2
Sawfiler         1         Steward         4           Sawyer         2         Stonecutter         8           Scavenger         2         Stonemason         6           Schoolboy         27         Stonepaver         1           Schoolgirl         12         Stonepolisher         1           School Teacher         2         Storekeeper         3           Sea Captain         1         Surveyor         4           Seamstress         30         Switchman         3           Servant         5         Tailor         38           Sewer-builder         1         Tailoress         4           Shademaker         3         Tamalemaker         2           Sheetironworker         2         Tamale-peddler         4           Shipgler         1         Tanner         9           Shipbuilder         3         Teacher         9           Shipcalker         2         Teamster         118           Shipcarpenter         4         Teapacker         1           Shipwright         3         Telephone Operator         5           Shipwright         3         Telephone Operator         1     <	Saloonkeeper	2	Steelworker	1
Sawyer         2         Stonecutter         8           Scavenger         2         Stonemason         6           Schoolboy         27         Stonepaver         1           Schoolgirl         12         Stonepolisher         1           School Teacher         2         Storekeeper         3           Sea Captain         1         Surveyor         4           Seamstress         30         Switchman         3           Servant         5         Tailor         38           Sewer-builder         1         Tailoress         4           Shademaker         3         Tamalemaker         2           Sheetironworker         2         Tamale-peddler         4           Shingler         1         Tanner         9           Shipbuilder         3         Teacher         9           Shipbuilder         3         Teacher         9           Shipcalker         2         Teamster         118           Shipcarpenter         4         Teapacker         1           Shipifter         1         Telegraph-builder         1           Shipwright         3         Telegraph Operator         5	Sausagemaker	1	Stevedore	11
Scavenger       2       Stonemason       6         Schoolboy       27       Stonepaver       1         Schoolgirl       12       Stonepolisher       1         School Teacher       2       Storekeeper       3         Sea Captain       1       Surveyor       4         Seamstress       30       Switchman       3         Servant       5       Tailor       38         Sewer-builder       1       Tailoress       4         Shademaker       3       Tamalemaker       2         Sheetironworker       2       Tamale-peddler       4         Shingler       1       Tanner       9         Shipbuilder       3       Teacher       9         Shipcalker       2       Teamster       118         Shipcarpenter       4       Teapacker       1         Shipfitter       1       Telegraph-builder       1         Shipwight       3       Telephone Operator       5         Shipwright       3       Telephone Operator       1         Shirtmaker       4       Theater Manager       1         Shoediter       4       Tinsmith       9	Sawfiler	1	Steward	4
Schoolboy         27         Stonepaver         1           Schoolgirl         12         Stonepolisher         1           School Teacher         2         Storekeeper         3           Sea Captain         1         Surveyor         4           Seamstress         30         Switchman         3           Servant         5         Tailor         38           Sewer-builder         1         Tailoress         4           Shademaker         3         Tamalemaker         2           Sheetironworker         2         Tamale-peddler         4           Shingler         1         Tanner         9           Shipbuilder         3         Teacher         9           Shipcalker         2         Teamster         118           Shipcarpenter         4         Teapacker         1           Shipfitter         1         Telegraph-builder         1           Shipwright         3         Telephone Operator         5           Shipwright         3         Telephone Operator         1           Shoecutter         3         Tilesetter         2           Shoefitter         4         Tinsmith <t< td=""><td>Sawyer</td><td>2</td><td>Stonecutter</td><td>8</td></t<>	Sawyer	2	Stonecutter	8
Schoolgirl         12         Stonepolisher         1           School Teacher         2         Storekeeper         3           Sea Captain         1         Surveyor         4           Seamstress         30         Switchman         3           Servant         5         Tailor         38           Sewer-builder         1         Tailoress         4           Shademaker         3         Tamalemaker         2           Sheetironworker         2         Tamale-peddler         4           Shingler         1         Tanner         9           Shipbuilder         3         Teacher         9           Shipcalker         2         Teamster         118           Shipcarpenter         4         Teapacker         1           Shipfitter         1         Telegraph-builder         1           Shipwright         3         Telephone Operator         5           Shipwright         3         Telephone Operator         1           Shoecutter         3         Tilesetter         2           Shoefitter         4         Tinsmith         9           Shoemaker         28         Tobacconist         <	Scavenger	2	Stonemason	6
School Teacher         2         Storekeeper         3           Sea Captain         1         Surveyor         4           Seamstress         30         Switchman         3           Servant         5         Tailor         38           Sewer-builder         1         Tailoress         4           Shademaker         3         Tamalemaker         2           Sheetironworker         2         Tamale-peddler         4           Shingler         1         Tanner         9           Shipbuilder         3         Teacher         9           Shipcalker         2         Teamster         118           Shipcarpenter         4         Teapacker         1           Shipfiter         1         Telegraph-builder         1           Shipwight         3         Telephone Operator         5           Shipwright         3         Telephone Operator         1           Shoecutter         3         Tilesetter         2           Shoefitter         4         Tinsmith         9           Shoemaker         28         Tobacconist         1	Schoolboy	27	Stonepaver	1
Sea Captain.         1         Surveyor         4           Seamstress         30         Switchman         3           Servant         5         Tailor         38           Sewer-builder         1         Tailoress         4           Shademaker         3         Tamalemaker         2           Sheetironworker         2         Tamale-peddler         4           Shingler         1         Tanner         9           Shipbuilder         3         Teacher         9           Shipcalker         2         Teamster         118           Shipcarpenter         4         Teapacker         1           Shipfitter         1         Telegraph-builder         1           Shiphiner         1         Telegraph Operator         5           Shipwright         3         Telephone Operator         1           Shoecutter         3         Tilesetter         2           Shoefitter         4         Tinsmith         9           Shoemaker         28         Tobacconist         1	Schoolgirl	12	Stonepolisher	1
Seamstress         30         Switchman         3           Servant         5         Tailor         38           Sewer-builder         1         Tailoress         4           Shademaker         3         Tamalemaker         2           Sheetironworker         2         Tamale-peddler         4           Shingler         1         Tanner         9           Shipbuilder         3         Teacher         9           Shipcalker         2         Teamster         118           Shipcarpenter         4         Teapacker         1           Shipfitter         1         Telegraph-builder         1           Shipliner         1         Telegraph Operator         5           Shipwright         3         Telephone Operator         1           Shoecutter         3         Tilesetter         2           Shoefitter         4         Tinsmith         9           Shoemaker         28         Tobacconist         1	School Teacher	2	Storekeeper	3
Servant         5         Tailor         38           Sewer-builder         1         Tailoress         4           Shademaker         3         Tamalemaker         2           Sheetironworker         2         Tamale-peddler         4           Shingler         1         Tanner         9           Shipbuilder         3         Teacher         9           Shipcalker         2         Teamster         118           Shipcarpenter         4         Teapacker         1           Shipfitter         1         Telegraph-builder         1           Shipliner         1         Telegraph Operator         5           Shipwright         3         Telephone Operator         1           Shoecutter         3         Tilesetter         2           Shoefitter         4         Tinsmith         9           Shoemaker         28         Tobacconist         1	Sea Captain	1	Surveyor	4
Sewer-builder         1         Tailoress         4           Shademaker         3         Tamalemaker         2           Sheetironworker         2         Tamale-peddler         4           Shingler         1         Tanner         9           Shipbuilder         3         Teacher         9           Shipcalker         2         Teamster         118           Shipcarpenter         4         Teapacker         1           Shipfitter         1         Telegraph-builder         1           Shipliner         1         Telegraph Operator         5           Shipwright         3         Telephone Operator         1           Shoecutter         3         Tilesetter         2           Shoefitter         4         Tinsmith         9           Shoemaker         28         Tobacconist         1	Seamstress	30	Switchman	3
Shademaker         3         Tamalemaker         2           Sheetironworker         2         Tamale-peddler         4           Shingler         1         Tanner         9           Shipbuilder         3         Teacher         9           Shipcalker         2         Teamster         118           Shipcarpenter         4         Teapacker         1           Shipfitter         1         Telegraph-builder         1           Shipliner         1         Telegraph Operator         5           Shipwright         3         Telephone Operator         1           Shoecutter         3         Tilesetter         2           Shoefitter         4         Tinsmith         9           Shoemaker         28         Tobacconist         1	Servant	5	Tailor	38
Sheetironworker         2         Tamale-peddler         4           Shingler         1         Tanner         9           Shipbuilder         3         Teacher         9           Shipcalker         2         Teamster         118           Shipcarpenter         4         Teapacker         1           Shipfitter         1         Telegraph-builder         1           Shipliner         1         Telegraph Operator         5           Shipwright         3         Telephone Operator         1           Shirtmaker         4         Theater Manager         1           Shoecutter         3         Tilesetter         2           Shoefitter         4         Tinsmith         9           Shoemaker         28         Tobacconist         1	Sewer-builder	1	Tailoress	4
Shingler         1         Tanner         9           Shipbuilder         3         Teacher         9           Shipcalker         2         Teamster         118           Shipcarpenter         4         Teapacker         1           Shipfitter         1         Telegraph-builder         1           Shipliner         1         Telegraph Operator         5           Shipwright         3         Telephone Operator         1           Shirtmaker         4         Theater Manager         1           Shoecutter         3         Tilesetter         2           Shoefitter         4         Tinsmith         9           Shoemaker         28         Tobacconist         1	Shademaker	3	Tamalemaker	2
Shipbuilder         3         Teacher         9           Shipcalker         2         Teamster         118           Shipcarpenter         4         Teapacker         1           Shipfitter         1         Telegraph-builder         1           Shipliner         1         Telegraph Operator         5           Shipwright         3         Telephone Operator         1           Shirtmaker         4         Theater Manager         1           Shoecutter         3         Tilesetter         2           Shoefitter         4         Tinsmith         9           Shoemaker         28         Tobacconist         1	Sheetironworker	2	Tamale-peddler	4
Shipcalker         2         Teamster         118           Shipcarpenter         4         Teapacker         1           Shipfitter         1         Telegraph-builder         1           Shipliner         1         Telegraph Operator         5           Shipwright         3         Telephone Operator         1           Shirtmaker         4         Theater Manager         1           Shoecutter         3         Tilesetter         2           Shoefitter         4         Tinsmith         9           Shoemaker         28         Tobacconist         1	Shingler	1:	Tanner	9
Shipcarpenter         4         Teapacker         1           Shipfitter         1         Telegraph-builder         1           Shipliner         1         Telegraph Operator         5           Shipwright         3         Telephone Operator         1           Shirtmaker         4         Theater Manager         1           Shoecutter         3         Tilesetter         2           Shoefitter         4         Tinsmith         9           Shoemaker         28         Tobacconist         1	Shipbuilder	3	Teacher	9
Shipfitter         1         Telegraph-builder         1           Shipliner         1         Telegraph Operator         5           Shipwright         3         Telephone Operator         1           Shirtmaker         4         Theater Manager         1           Shoecutter         3         Tilesetter         2           Shoefitter         4         Tinsmith         9           Shoemaker         28         Tobacconist         1	Shipcalker	2	Teamster	118
Shipliner         1         Telegraph Operator         5           Shipwright         3         Telephone Operator         1           Shirtmaker         4         Theater Manager         1           Shoecutter         3         Tilesetter         2           Shoefitter         4         Tinsmith         9           Shoemaker         28         Tobacconist         1	Shipcarpenter	4	Teapacker	1
Shipwright         3         Telephone Operator         1           Shirtmaker         4         Theater Manager         1           Shoecutter         3         Tilesetter         2           Shoefitter         4         Tinsmith         9           Shoemaker         28         Tobacconist         1	Shipfitter	1	Telegraph-builder	1
Shirtmaker         4         Theater Manager         1           Shoecutter         3         Tilesetter         2           Shoefitter         4         Tinsmith         9           Shoemaker         28         Tobacconist         1	Shipliner	1	Telegraph Operator	5
Shoecutter         3         Tilesetter         2           Shoefitter         4         Tinsmith         9           Shoemaker         28         Tobacconist         1	Shipwright	3	Telephone Operator	1
Shoefitter         4         Tinsmith         9           Shoemaker         28         Tobacconist         1	Shirtmaker	4	Theater Manager	1
Shoemaker 28 Tobacconist 1	Shoecutter	3	Tilesetter	2
	Shoefitter	4	Tinsmith	9
Showman 1 Trunkmaker 1	Shoemaker	28	Tobacconist	1
	Showman	1	Trunkmaker	1

# OCCUPATION OF PATIENTS-CONCLUDED.

Typewriter	1	Watchman	8
Umbrellamaker	1	Weaver	1
Undertaker	1	Wellborer	2
Upholsterer	11	Window-cleaner	4
Varnisher	1	Winemaker	1
Vaquero	4	Wireropemaker	2
Vocalist	1	Wireworker	1
Wagonmaker	1	Woodchopper	1
Waiter	93	Woolsorter	2
Waitress	22	Unascertained	28
Watchmaker	3	Total	4,401

#### LIST OF DONATIONS.

NAME.	ARTICLES.
Henry Lunstedt	Papers.
San Francisco Fruit and Flower	er
Mission	Papers.
William V. Bryan	Papers and Books.
Dennett's Cafe	Papers.
San Francisco Fruit and Flower	er
Mission	Magazines.
Mrs. T. Pendergast	Books and Papers.
San Francisco Fruit and Flower	er
Mission	Books and Papers.
William V. Bryan	Books and Papers.
Dennett's Cafe	Papers.
San Francisco Fruit and Flower	er
Mission	Books and Papers.
Dennett's Cafe	Books and Papers
San Francisco Fruit and Flow	er
Mission	Books and Papers.
San Francisco Fruit and Flower	er
Mission	Fruit, Flowers and Books.

## LIST OF DONATIONS-CONCLUDED.

C. W. Locke
Dennett's Cafe
Dennett's Cafe
Mrs. T. Pendergast
Mrs. T. Pendergast
Society for Christian Work
San Francisco Fruit and Flower Mission
Mission
San Francisco Fruit and Flower Mission
Mission
Dr. John M. Williamson
San Francisco Fruit and Flower Mission
Mission
San Francisco Fruit and Flower Mission.  Mrs. Phebe Hearst.  San Francisco Fruit and Flower Mission.  Mrs. Galland.  San Francisco Fruit and Flower Mission.  San Francisco Fruit and Flower Mission.  Dr. R. A. McLean.  San Francisco Fruit and Flower Mission.  Books and Papers.  Books and Papers.  Magazines.  Magazines.  Books and Papers.  Books and Papers.  Magazines.  Magazines.  Magazines.  Magazines.  Magazines.  Magazines.  Magazines.
Mission
Mrs. Phebe Hearst
San Francisco Fruit and Flower Mission
Mission  Mrs. Galland  San Francisco Fruit and Flower Mission  San Francisco Fruit and Flower Mission  Dr. R. A. McLean  San Francisco Fruit and Flower Mission  San Francisco Fruit and Flower Mission  San Francisco Fruit and Flower Mission  Books and Papers.  Magazines.  Magazines.  Magazines.  Magazines.  Magazines.
Mrs. Galland
San Francisco Fruit and Flower Mission
Mission
San Francisco Fruit and Flower  Mission
Mission
Dr. R. A. McLean
San Francisco Fruit and Flower  Mission
Mission
Ladies' Aid Society Magazines. San Francisco Fruit and Flower
San Francisco Fruit and Flower
·
100
Mission
Mrs. Bullen Flannels.
San Francisco Fruit and Flower
Mission Magazines and Papers.
John Buck Magazines and Papers.
Mrs. Sweatland Magazines.

### MEDICAL AND SURGICAL DISEASES.

CLASSIFIED ACCORDING TO THE NOMENCLATURE OF DISEASES, AS PUBLISHED BY THE ROYAL COLLEGE OF PHYSICIANS OF LONDON
AND AMERICAN ASSOCIATION.
FROM JULY 1, 1897, TO JUNE 30, 1898.

	ADMITTED. DISCHA											
		AD	MITT	ED.	D. DISCHARGED.							
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June 30, 1898		
ACUTE GENERAL INFECTIOUS FEVERS.												
Typhoid fever	3	19	8	27	19			10	29	1		
With intestinal perforation		1		1			<i>.</i>	1	1			
With abscess of abdominal wall.		1		1	1				1			
With cystitis		1		1						1		
Diphtheria		3	2	5	3			1	4	1		
Pseudo-diphtheria		1	1	2	2				2			
Intermittent malarial fever	5	142	6	148	117	28	4		149	4		
Chronic		1		1	1				1			
Irregular	1	1		1	1			1	2			
Tertian		4		4	3		1		4			
With angioma	1				1				1			
With tuberculosis pulmonalis		1		1		1			1			
With aortic incompetence		1		1		1			1			
With tapeworm		1		1	1				1			
Remittent fever		3		3	2	1			3			
Influenza		5		5	5				5			
Measles		2	1	3	3				3			
Erysipelas of face		27	2	29	24	1	3	1	29			
Of face and neck		2	1	3	3				3			
Of face, scalp and neck		1	1	2	.2				2			
Of head		1		1				1	1			
Of thigh			1	1	1				1			
Of face with phlegmon of thigh		1		1	1				1			
		1	-	- (	1	-	1	1	-			

	In Hos	AD	MITT	ED.		DISC	CHAR	GED		Remai 30, 1
DISEASES,	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total.	Remaining in Hospital June
Erysipelas of face, with chronic										
diarrhea  Of face with irritable heart			••••	1			•••	1	1	
		1	1	1			• • • •	• • • • •	• • • •	1
DIATHETIC DISEASES AND DISEASES OF NUTRITION.			1							-
Articular rheumatism, acute	11	78	27	105	58	44			102	14
Articular rheumatism, acute, with										
cystitis	••••		1	1			• • • •			1
With external hemorrhoids	• • • •			1	1	• • • •			1	
With rheumatic iritis			• • •	1		- 1	• • • •		1	
With lumbago	••••			1	••••	1		• • • •	1	
With adenitis of inguinal glands.	••••		• • • •	1	0_	1		••••	1	
With laryngitis	••••		• • • •	1		••••	• • • •	• • • •	• • • • •	1
With gastric catarrh	••••		1	1			• • • • •	• • • • •	• • • •	1
Sub-acute	11	4	7	5	4	1	0.		5	
Chronic		54	- ]	61	12	48		• • • •	67	5
Chronic, with paralysis agitans	2	1 2	1	1		-1			1	• • • •
Muscular rheumatism, acute Chronic	1	9	2	3	1 2	8	1	• • • •	4	1
			2			8	1	••••	11	1
Chronic, with congest'n of lungs.  Gonorrheal rheumatism, acute	1	6.		6	2				7	1
With phimosis				1					1	****
With pes planus				1					1	
Chronic		- 1		2		1		-	1	1
Lumbago, acute	2	34	1	35	23	10 .			33	4
			1		-	-1		-	11	

	In Hos	ADI	MITTI	ED.		DISC	CHAR	GED.		Remain 30, 1
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June 30, 1898.
Lumbago, acute, with sciatic	a	2		2	1	1			2	
With acute bronchitis			1	1	1				1	
Gout, acute	1	2		2	1	2			3	
Chronic		2		2		1			1	1
Diabetes mellitus	4	9	2	11	1	7		4	12	3
With gangrene of foot		2		2			1	1	2	
Insipidus		2		2		2			2	
Marasmus, infantile			1	1				1	1	
Senile		1		1				1	1	
General tuberculosis		4	1	5				5	5	
Miliary tuberculosis		1		1	1				1	
Rheumatoid arthritis		. 2	1	3		2			2	1
Myositis of back and thighs		1		1	1				1	
Syphilis, secondary	3	3	5	8	1	9	1	••••	11	
Secondary late		1	••••	1				1	1	
Tertiary	7	12	•••	12	5	12			17	2
Cerebral		5		5	1	1		2	4	1
Cerebro-spinal		1		1		1	Ŧ		1	
Congenital	1		1	1				1	1	
Leprosy	••••••	1	••••	1			1		1	
DISEASES OF THE RESPIRA	ATORY				- 0					
OF THE MOUTH, NOSE AND PHA							0	1 1		
Pharyngitis, acute		3	1	4		4		• • • • •	4	
Tubercular	1	1	••••	2		1		1	2	• • • • •
	1			1	I.			1	1 1	

1	In Hos	AD	MITI	ED.		DISC	CHAR	GED.		Remaining i 30, 1898.
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	ning in Hospital June 898
Pharyngitis, tubercular, with asth-										
ma		1		1		1		• • •	1	
Ulcerative	.1 .	1		1						1
Stomatitis		1		1		1			1	
OF THE TONSILS.	1									
Tonsillitis, acute		4	4	8	7	1			8	
Follicular		2	1	,3	3				3	
Follicular, with pharyngitis		1		1	1				1	
Abscess of tonsils		1		1	1				1	
OF THE LARYNX.						-				2
Laryngitis, acute		2		2	1	1			2	1
Tubercular		2		2		1		1	2	
OF THE BRONCHI.							of the		0,00	
Bronchitis, acute	3	64	18	82	51	24	3		78	7
With cerebral softening			1	1				1	1	
With chronic morphinism		1		1		1			1	
With acute gastric catarrh		1		1	1				1	
With intercostal neuralgia		1		1	1				1	
Sub-acute		1	3	4	4				4	
Septic	1					,		1	1	
Chronic	1	15	3	18	3	13	2		18	1
Chronic, with senility			1	1		1			1	
Chronic, with ventral hernia		1		1	1				1	
Chronic, with mitral incompe-			-			1	-			
tence			1	1		1	!		1	
				100					-	-

	In Hos	AD	MITT	ED.		DISC	HAR	GED.		Remaining 30, 1898
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	vining in Hospital June
Asthma	4	22	6	28	3	22	3	3	31	1
With hematuria		1		1		1			1	
With dilatation of heart	1	3		3		2		1	3	1
With emphysema of lungs		1		1		1			1	
With opium habit	1					1			1	
With acute bronchitis		1		1		1			1	••••
With nervous debility		1		1		1	••••		1	
OF THE LUNGS. Tuberculosis pulmonalis	40	281	46	327		104	72	156	332	35.
And laryngeal				1				1	1	
And rectal.	1							1	1	••••
And of knee		1		1				1	1	••••
And of shoulder and knee				1				1	1	••••
Incipient	1			1		2			2	••••
Incipient, with neurasthenia			1	1					1	••••
Miliary				3	1			2	3	••••
With contusion of scalp		1		1		1			1	••••
With ulcer of leg		1		1		1			1	••••
With traumatic synovitis of										
knee	1					1			1	
With multiple neuritis			1	1				1	1	
With chronic interstitial ne-										
phritis		1		1			1		1	
With pulmonary hemorrhage		2		2				2	2	
With chronic enteritis		1		1				1	1	
				1						

	In Hos	AD	MITT	ED.		DISC	HAR	GED.		Remai 30, 1
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June 30, 1898
Tuberculosis pulmonalis, with epilepsy	1 1 2 2 1 1	2  3 1 1 1 2 	4	1 1 1  81 1 2  1 3 1 1 1 6 1 1		1	• • • •	21  1 3  6 1 1 2	2 1 1 79  3 1 1 1 3 1 1 1 6 1 1 2	4 1
Suppurative pneumonia  Broncho-pneumonia  With abscess of liver  Emphysema		4	1	1 5 1 4		2	1	1 3 1	1 4 1 3	1 
With mitral incompetence With locomotor ataxia		1		1		1	1		1	

	In Hos	AD	MITT	ED.		DISC	HAR	GED.		Remai 33, 1
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June
Emphysema, with asthma		1		1		1			1	
With dilatation of heart		1		1				1	1	
With chronic bronchitis		1		1	1				1	
With nasal polypi		1		1		1			1	
Congestion of lungs, with hemor-										
rhage		1		1				1	1	
Abscess of lung	1	2		2		2		1	3	
Atelectasis		1		1				1	1	
Gangrene of lung		1		1				1	1	
Hemorrhage of lung, with aneur-							i			
ism of aorta		1		1				1	1	
Hemorrhagic infraction of lung		1		1			1		1	
						-				
OF THE PLEURA.						4				
Pleurisy, dry		7	2	9	7	2			9	
Dry plastic		1		1	1				1	
Dry, with suppurative otitis me-										
dia		1		1	1				1	
With effusion		23		23	13	6		1	20	3
With effusion, and varicose ul-										
cer of leg		1		1		1			1	
With effusion, double		1		1				1	1	
With effusion, sub-acute	1	<b> </b>			1		1		1	
Tubercular		1		1		1			1	

	In Hos	AI	OMIT	TED.		DIS	CHAI	RGED		Remaining 30, 1898
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	ning in Hospital June 898.
DISEASES OF THE CIRCULATORY SYSTEM.										N.
OF THE HEART AND ITS MEMBRANES.							-			
Pericarditis, acute	1	2		2		1		1	2	1
With effusion		1		1				1	1	
With congestion of liver		1		1				1	1	
With dry pleurisy		1		1				1	1	
Endocarditis, septic		1		1	-			1	1	
Ulcerative		1		1				1	1	
With acute nephritis		1		1				1	1	
With chronic interstitial ne-								1	1	
phritis		1		1			- 11	1	1	
Myocarditis			1	1				1	1	
Degeneration of cardiac muscle			1	1		• • • •		1		1
Dilatation of heart		17	1	18	2	7	1		13	
Fatty heart		2	4	6						5
With acute bronchitis			1	1		4		1	5	1
Irritable heart		2		2				1	1	
Senile heart	1	2	• • • •	-		2	• • • •		2	
Patulous foramen oyale			• • • •			• • • •	• • •	1	1	
	••••		• • • • •	1	• • •		••	1	1	• • • •
Angina pectoris		7	2	9	1	5	2	1	9	
Mitral incompetence	3	44	23	67	2	44	2	16	64	6
Mitral incompetence and stenosis.		3	1	4		3	• • • •	1	4	****.
Mitral incompetence and aortic			-							
stenosis	• • • •	3	2	5		4		1	5	

*	In Hos	AD	MITT	ED.		DISC	HAR	GED.		Remai 30, 1
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June 30, 1898.
Mitral incompetence and stenosis with aortic incompetence and stenosis  Mitral incompetence with acute articular rheumatism  Mitral incompetence with chronic articular rheumatism  Mitral incompetence with chronic bronchitis		1 1 16 2	1 1 1	17		10		 1	2	
Aortic and mitral incompetence  Aortic incompetence and stenosis with mitral incompetence  Aortic incompetence with aortic and mitral stenosis  Aortic incompetence with articular rheumatism		7	4	7		1		5	6	1

	In Hos	AD	MITT	ED.		DISC	HAR	€ED.		Remaining 30, 1898.
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	ning in Hospital June 898.
Aortic incompetence with chronic										
interstitial nephritis		1		- 1					1	
Aortic incompetence with hematu-										
ria		1		1		1			1	
Aortic stenosis		1		1						1
Aortic and mitral stenosis	2					2			2	
Valvular disease (unclassified)	1					1			1	
OF THE BLOOD VESSELS. Atheroma general	1	1		1				2	2	
With cerebral softening			1	1				1	1	****
Aneurism of aorta		7		7	-	2	2		5	2
Of arch of aorta	1					~		1	1	~
Of thoracic aorta	1	1		1				2	2	****
Of innominate artery		1		1				~	~	1
Of subclavian and innominate				1						
arteries		1		1						1
Aneurismal varix with chronic pa-										
renchymatous nephritis	1			-				1	1	
Venous thrombosis of leg		1		1		1			1	
OF THE BLOOD.						Î	m			
Anemia	1	4	1	5		2	2		4	2
Chronic		1	• • • -	1			1		1	1.1.
Pernicious		- 1	• • • •	1				1	1	
Following sarcoma of neck	1							1	1	
With nervous debility			1	1		1			1	
Leucocythemia		1		1				1	1	
	-									_

DISEASES.  DISEASES.  DISEASES.  DISEASES.  DISCHARGED.  DISCHARGED.  DISCHARGED.  OUT Died  Cured d.  Unimproved.  Limproved.  Diseases.  DISEASES OF THE LIVER, ETC.  Congestion of liver.  2 3 5 1 4 5
Congestion of liver 2 3 5 1 4 5
With tuberculosis pulmonalis 1 1 1 1
Cirrhosis of liver   13   6   19     8   9   17
With chronic interstitial ne-
phritis 1 1 1 1 1 1
Carcinoma of liver 9 10 9 10
Abscess of liver 1 1 1 1 1 1
Enlargement of liver 1 1 1 1
Hydatid of liver 1 1 1 1 1
Hepatitis with sub-acute bronchitis     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1
Jaundice, catarrhal 3 1 4 1 3 4
Obstructive 1 1 1 1
Gastro-duodenal 2 2 2 2
Cholelithiasis 1 1 1 1
DISEASES OF THE THYROID.
Exophthalmic goitre 1 1 1 2 2
Myxedema 1 1 1 1 1
DISEASES OF THE DIGESTIVE
ORGANS. OF THE ESOPHAGUS.
Carcinoma of esophagus
Stricture of esophagus, with con-
stipation 1 1 1
OF THE STOMACH.
Gastritis, acute 1 42 13 55 40 13 54

	In Hos	AD	MITT	ED.		DISC	HAR	GED.		Remai 30, 1
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hespital June 30, 1898
Gastritis, sub-acute			1	1	1				1	
Catarrhal			3	3	3				3	
Chronic	2	33	1	34	7	23	1		31	5
Gastralgia		1	• • • • •	1	1				1	
Gastric ulcer	]	. 1		1		1			1	
Carcinoma of stomach	1	4	3	7	,		1	6	7	1
Dyspepsia, acute		3	1	4	3	1			4	
Atonic	1	1	1	2	2	1		• • • •	3	
Chronic		2	1	3		2	1	• • • •	3	
Gastro-enteritis	• • • •	2	1	3	1	2.2.0	• • • •	2	3	
Gastrectasis	• • • • •	1		1		• • • •	•••		• • • •	1
Tumor abdominis  OF THE INTESTINES.	••••	1	• • • •	1	• • • •	• • • •	1		1	
Enteralgia		1		1		1			1	
Enteritis	-	1		1				1	1	
Entero-colitis		2		2	2				2	
Appendicitis		1		1				1	1	
Intestinal obstruction		3		3	2	1			3	
Constipation, acute		3		3	2				5	1
Chronic		5	3	8	2	5			7	1
Diarrhea, acute	1	2	1	3	4				4	
Chronic		6	2	8	4	4 .			8	
Dysentery, acute	1	2 .		2	1	1	1		3	
Sub-acute		1 .		1	1.				1	
Chronic	1	3 .		3	1	3 .			4	
Chronic, with fistula in ano		1 .		1			1 .		1	• • • •

	In Hos	AD	MITT	ED.		DISC	HAR	GED.		Remain 30, 1
DISEASES	In Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June 30, 1898
Tapeworm  OF THE PANCREAS.  Abscess of pancreas			1	1	- • •		1		1	
Pancreatitis, chronic interstitial  OF THE PERITONEUM.  Peritonitis, acute		2	1	1	3		••••			1
With bronchitis	1							1	1	
Tubercular  Tubercular, with cirrhosis of		1	1	2			1	1	2	
liverFollowing operation for ingui-	••	1	•••	1				1	1	
nal hernia  DISEASES OF THE KIDNEYS, BLADDER, ETC.		1		1				1	1	
Parenchymatous nephritis, acute		4	1	5		1		4	5	
With mitral incompetence	••••	1		1				1	1	
With dilatation of heart		1		1		1			1	
With pelvic cellulitis	••••		1	1		• . •	1		1	
Sub-acute		1		1		1			1	
Parenchymatous nephritis, chronic	3	15	-	17		8		11	19	1
With cerebral hemorrhage		1		1				1	1	
Interstitial nephritis, acute	3	2		2		3		2	5	
With diabetes mellitus	1								1	
Chronie		8	1	9		3		4	7	2
Chronic, with lobular pneumo-								1		
nia		1		í		1		• • • •	1	••••

	In Hos	AD	мітт	ED.		DISC	CHAR	GED.		Remaining i 30, 1898.
DISEASES.	Hospital July 1, 1897	Male,	Female	Total	Cured	Improved	Unimproved	Died	Total	ining in Hospital June
Pyelitis		2	1	3	1			2	3	
Double		1		1				1	1	
With cerebral syphilis		1		1				1	1	
Haematuria, intermittent		1		1	1				1	
Incontinence of urine		1		1		1			1	
Carcinoma of kidney			1	1			1		1	
Cystic kidney		1		1				1	1	
Movable kidney			1	1	1				1	
Renal calculus		2		2	1	1			2	
DISEASES OF THE NERVOUS SYSTEM.										
Cerebral softening		2	1	3		1	1	-	2	1
Cerebral apoplexy	5	13	2	15				_		
With hemiplegia		1	1	2					1	1
Cerebral degeneration following										47
apoplexy,		1		1				1	1	
Cerebral abscess		1		1				1	1	
Concussion of brain		1		1					1	
Cerebral meningitis		2	2	4				3	4	
Syphilitic	1							1	1	
Tubercular		1		1				1	1	
Due to spina bifida		1		1				1	1	
Hemiplegia	5	17	6	23		17	1	3	21	7
Cerebral		1		1				1	1	:
Haematuria, intermittent  Incontinence of urine	5	2 2 13 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1	1 2 1 2 1	1 1 1 1 1 1 1 2 3 3 15 2 1 1 1 4 4 1 1 1 2 3 3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 5	1	15 1 1 1 1 1 1 1 1 1 3	1 1 1 1 2 2 20 1 1 1 1 1 1 1 1 1 1 1 1 1	1 

	In Hos	AD	MITI	ED.		DISC	HAR	GED.		30, 1898.
DISEASES.	In Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	898
		1		1					1	
Hemiplegia, traumatic				1	•					
Partial			1	1					1	
From cerebral hemorrhage			1	1						
With cyst of ovaries		1		1				1	1	
With retention of urine	1	4		4			1			
Paraplegia				2						
Partial				1					1	
Vertigo		1 9		1	1					
Aural				2					2	
Aphasia		~		~		~			~	1
OF THE SPINAL CORD.										
Spinal meningitis		1		1				1	1	
Lateral sclerosis of cord		1		1		1			1	
Myelitis, chronic	1					1			1	Ĭ.,
Syphilis of spinal cord		1		_1				1	1	
Locomotor ataxia	4	12		12		10	4		14	
OF THE NERVES.							-			1
Neuralgia	1					1			1	
Facial		2	2	4	1	2	1		4	
Intercostal		7	1	8	6	1	1		8	
Occipital		1		1		1			1	
Cervico-occipital		2		2		2			2	
Hemicrania		2	1	3	1	2			3	
Traumatic		1		1			1		1	1.

The latest the same of the sam	In Hos	AD	мітт	ED.		DISC	HAR	GED,		Remai 30, 1
DISEASES.	Hospital July 1, 1897 .	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June 30, 1898
Sciatica	4	13		13	5	10	2		17	
Pleurodynia		1		1	1				1	
Traumatic		1		1	1				1	
Paresis, general	2					2			2	
Paralysis, of quadriceps extensor										
muscles		1		1		1			1	
Paralysis agitans		3	1	4		3	1		4	
Agitans with ephysema of lungs		1		1		1			1	
Alcoholic		1		1		1			1	
Alcoholic, chronic	0	1		1		1			1	
Facial		1		1						1
Spastic		1		1		1			1	
Traumatic		2		2		1	1		2	
Senile		1		1		1			1	
Neuritis	1					1			1	
Alcoholic	2	4	2	6	1	3			4	4
Arsensical		1		1						1
Multiple	1	3	5	8	1	7			8	1
Multiple peripheral			1	1		1			1	
Peripheral with mitral incompe-					1					
tence			1	1		1			1	
Of legs			1	1		1			1	
Of legs and thighs		1		1		1			1	
Of thigh		1		1		1			1	
		1					1		1	

,	In Hos	AI	MITT	ED.		DISC	CHAR	GED.	Ī	Remai 30, 1
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June
NEUROSES.	4	1		1		4			4	1
Petit mal				6		4			6	-
Petit mal with lumbago			1	1		1			1	
Grand mal		10	4	14	1	4	9		14	
Grand mal with mitral incom-										
petence			1	1		1			1	
Jacksonian		2		2		1	1		2	
Hysteria		2	5	7	2	2	2		6	1
Neurasthenia	1	10	6	16	3	9	1		13	4
Sexual		1		1		1			1	
Hypochondriasis		3		3		1	2		3	
Chorea			1	1				1	1	
Chronic	1					1			1	
Insomnia		1		1	1				1	
Neurosis of nose		1		1			1		1	
Epileptiform convulsions		1		1		• • • •	1		1	
Eclampsia		1		1				1	1	
DISEASES OF THE INTELLECT.										
Dementia, senile		1	2	3			2	1	3	
Mania, hallucinatory			1	1			1		1	
Delirium tremens		3		3	1	2			3	
Insanity		6	5	11		• • • •	11		11	
Alcoholic		1		1	•••	• • • • •	1	• • • •	1	
With myxedema		1	•••	1		•••	1		1	

	1	í t	-							
	In Hos	AI	MITT	ED.		DIS	CHAR	ED.		Remainin 30, 1898
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June
DISEASES OF THE SKIN.										
Dermatitis, exfoliativa		1		1		1			1	
With acute articular rheuma-										
tism			1	1						1
Syphilitic	1				1				1	
Urticaria		1		1	1				1	
Herpes Zoster		5		5	3				3	2
Tinea sycosis	1				1				1	
Acne rosacea			1	1		1		,	1	
Schleroderma			1	1			1		1	
POISONS.										
Alcoholism, acute	1	65	7	72	39	24	5	3	71	2
With chronic nephritis (un-										
known variety)			1	1				1	1	
With epilepsy		1		1			1		1	
With fatty liver			1	1				1	1	
With hypostatic pneumonia		1	1	2				2	2	
With rheumatic iritis		1		1	1				1	
Chronic	1	8	1	9	1	2	3	1	7	3
Carbolic acid		2	1	3	3			• • • •	3	
Mercurialism, acute		1		1	1				1	• • • •
Morphinism, acute		2	1	3	• • • •	2	1		3	
Chronic		11		11	1	5	1	4	11	• • •
Chronic, with multiple ab-							11	1 1		
scesses	••••	1	• • • •	1		1		••••	1	

	In Hos	AE	MITT	ED.	-	DIS	CHAR	GED.		Remai 30, 18
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June
Morphine habit			1	1			1		1	1
Morphine and strychnine		1		1		1			1	
Opium poisoning, acute		1		1	1			.1	1	
Plumbism, acute		1		1	1				1	
Chronic		2		2			1	1	2	
Ptomaine		2	1	3	2	1			3	
Cocainism		1		1			1		1	
Rhus toxicodendron		1		1		1			1	
UNCLASSIFIED.						1				
Senility		11	1	12			5	7	12	
With cystitis		2		2				2	2	
With fracture of femur			1	1				1	1	
Senile debility		1	2	3		2	1		3	
General debility		4	1	5	1	2	1	1	5	
Senile degeneration		1		1				1	1	
Exhaustion		1		1	1				1	
Inanition		2		2				2	2	
Mercurial ptyalism		1		1		1			1	
Obesity		1	2	3		2	1		3	7
Simulation		1		1	1				1	
Infants, accompanying mothers,		-								
not ill		5	4	9	9				9	
Infants, born in hospital, not ill		55	52	107	99				99	8
Not diagnosed	4					2		2	4	
Not treated		15	5	20			20		20	
Total	196	1779	423	2202	743	781	221	464	2209	189

	In Hos	A	DMITT	ED.		DIS	CHAR	GED.		Remaining 30, 1898.
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June
OF THE HEAD, NECK, MOUTH AND NOSE Abscess of neck	2 1	1 2 2 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2 2 1 1 1	1 1 2 5 5 2 3 3 5 5 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	33	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	771122552244331122331111111111111111111111	1
Cicatricial contraction of mouth,.  Epistaxis				2	1.	1 .			1	1

1	In Hos	AD	MITTI	ED.		DISC	CHAR	GED.		Remail 30, 18
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June 30, 1898
Enlargement of lymphatics, follow-							- 4.7			
ing carcinoma of tongue		1		1			1		_ 1	
OF THE FACE.	1									
Rodent ulcer		1		1	1				1	£
Submaxillary				1					1	1
Infected wound of face				1	1				1	
Syphilitic necrosis of nose				1						1
Hypertrophy of lip				1			1		1	
OF THE EAR.						1,0				
Otitis media	• • • • •			4		3			- 4	
Mastoiditis	••••	4		4	1	3			4	• • • •
Suppurative, with otitis media		1	• • • •	1				• • • •		1
OF THE BACK. Abscess of back		1		1						h
Carbunele		3	2	5	2	1		1	4	1
New growth on back		1		1			1		1	
Ulcer over sacrum, with furuncu-					-					
losis		1		1	1				1	
OF THE CHEST.		1		1	,				1	
Abscess		1		1	1		••••		1	
Mastitis	1	1	•••	1	1	1			1	****
OF THE ABDOMEN AND PELVIS.	1					1			1	
Abscess of abdomen, with septi-						-	-			=
cemia		1		1				1	1	
Tubercular, of anus	1						1		1	
					1					J

	In Hos	AI	MITT	ED.		DIS	CHAR	GRAD.		Remaining i
DISEASES.	In Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	ning in Hospital June 898
Abscess of gluteal region		1	1	2	2				2	
In groin		3	1	4	2				2	2
Of perineum		2		2	1	1			2	
Ulcer of abdomen		1		1	1				1	
Tumor of abdomen		1		1			1		1	
Appendicitis	2	6	• • • •	6	5	2			7	1
Hernia, strangulated (location un-										
ascertained)		1		1	••••			1	1	
Inguinal hernia	2	21		21	13	1	5		19	4
Double		4		4	1	200	2		3	1
Irreducible	- 1		• • • •	• • • •		1			1	
Oblique	••••	6	••••	6	3	1	3		6	
Oblique, with acute alcoholism.			• • • •	1		1			1	
Strangulated		5	• • • •	- 5	4			1	5	
Strangulated, with erysipelas										
of body	••••	1	••••	_ 1	. 1				1	
Umbilical hernia		••••	2	2	1				2	
Strangulated	• • • •	••••	1	1	1				1	
Ventral hernia		2	1	3	1		1	1	3	
Hemorrhoids, internal	1	13	1	14	6	6		••-	15	••••
Internal and external	• • • • •	• • • •	1	1				• • • •	1	
External		10	1	11	7	2	1	• • • •	10	1
External, with fistula in ano		1	• • • •	1	• • • •	1		• • • •	1	
Prolapse of rectum	••••		1	1	1		••••		1	* * *.3
Stricture of rectum	1				•••		••••	1	1	••••

	In Hos	AD	MITT	ED.		DISC	HAR	ED.		Remainin 30, 1898
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June
Fistula in ano	3	19	4	23	11	11	1		23	3
With ischiorectal abscess		1		1						-1
Fissure in ano		1		1			1		1	
With internal hemorrhoids			1	1						1
Condylomata ani, syphilitic	1					1			1	
Papillomata ani		2		2	2		٠,٠٠		2	
Ulcer of anus	1	1		1	1	1			2	
Ischiorectal abscess	2	10		10	4	4	1		9	3
Traumatic bubo		1		1	1				1	
Enlarged inguinal glands		1		1	1				1	
Old sinus, following operation for										
inguinal hernia		1		1	1		• • • •		1	
Sinus in inguinal region		1		1			1		1	
OF THE RESPIRATORY SYSTEM. Purulent pleurisy	1	9		9	1	2	2	2	7	3
With fistula		1		1			1			
Septic pneumonia, following laryn-										
gotomy for carcinoma of lar-										
ynx		1		1				1	1	
OF THE THYROID.						-				-
Cystic goitre	•••	1	••••	1	1				1	
OF THE BLOOD AND BLOOD-MAKING GLANDS.						4				
Septicemia		1		1			1		1	
Puerperal			2	2	1			1	2	
Following amputation of leg			1	1				1	1	

	In Hos	AI	MITT	ED.		DISC	HAR	EED.		Remainin 30, 1898
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June 30, 1898.
Septicemia resulting from carbun-										
cle of face			1	1				1	1	
Resulting from external burns.			1						1	
Resulting from urinary fistula.		1		I				1	1	
Pyemia		1	1	2				2	2	
OF THE SECRETORY SYSTEM.										
Abscess of liver	••••	2		2	1	1		1	2	
Gallstones OF THE URINARY SYSTEM.	••••	1	••••	1	1			• • • •	1	••••
Cystitis, acute		1	1	2	1	1			2	
Chronic		7	2	9	2	6			8	1
Chronic, with chronic bronchitis										
and chronic articular rheum-										
atism	••••		1	1	• • • •	1		••••	1	
Gonorrheal		1	•••	1	1			••••	1	
Hemorrhagical	••••	1	••••	1			1		1	••••
Purulent	1		• • • •	• • • •		1	••••		1	
Prostatitis, acute			• • • •			1	• • •	• • • •	1	1.
Pyelitis			• • • •	3	• • • •	2	• • • •	1	3	
Calculus in bladder	• • • • •		••••	1	1		• • • •		1	
Paralysis of bladder	••••	2	• • • •	2		2	• • • •		2	
Sinus into bladder, due to supra-			_							
public cystotomy	••••	2	• • • •	2	1	1	• • • •		2	
Atony of bladder, with hypertrophy					- 1			11 1		
of prostate gland		1		1		1		• • • •	1	
										La-

	In Hos	AD.	MITT	ED.		DISC	CHAR	GED.		Remai 30, 1
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital Jure 30, 1898
Cystocele with laceration of cervix										
and perineum			1	1	1				- 1	-
With laceration of perineum			1	1		1			1	
Abscess of kidney and pancreas	,.	1		1				1	1	
Perinephritic		1		• 1	1				1	
Enlarged prostate gland		3		3		2	1		3	
Urinary fistula		2		2		1			1	1
OF THE HOUSE EVENTS									9	
OF THE UPPER EXTREMITIES.							-1			
Abscess of arm	1	4		5	2			• • • •	4	
Of axilla Of shoulder			-	1	4	2			6	
Amputation of arm	1	1			1	1		• • • •	_1	
Cicatricial contraction of hand		1		1	1	• • • •			1	
Dermatitis of hand				1		• • • •	1		1	
Furuncle of hand				1	1				1	
Of wrist				- 1	1	1		• • • •	1	••••
Gangrene of finger	1			2	2			• • • •	1	
Of hand				1	1				3	
Phlegmon of arm	1			1	2		• • • •		1	• • • •
Of axilla	-			1	~	1	• • • •	****	2	
Of hand	1			11	6				11	1
Of finger				2	2				2	
Septic infection of finger			1	1	~				1	
Tuberculosis of elbow		1		1	1	1			1	
									1	• • • •

	In Hos	AD	MITTI	ED.		pisc	HAR	₹D.		Remainin 30, 1898
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June 30, 1898
Ulcer of hand		1		1	1				1	
Of wrist, syphilitic		1		1		1			1	
OF THE LOWER EXTREMITIES.										
Abscess of foot		3	1	4	2	2			4	
Of knee		_ 1		1		1			1	
Of leg		1		1	1				1	
Of leg, multiple				3	3				3	
Of thigh					2	1			3	
Of thigh, multiple						1			1	
Of stump of thigh					1					
Of toe				2						1
Accidental amputation of toe, old		1		1	1	•••			1	
Amputation of thigh	1									
Re-amputation of legs	1									
Treatment after amputation of leg		1		1	1				1	****
Treatment after amputation of leg	-									
with lacerated wound of		1			0				=01	177
scalp				1					. 1	
Treatment after amputation of toe Carbuncle of hip										1
Cellulitis of foot										0 0.0.0
Dermatitis venenata of stump									1	
Gangrene of foot with amputation	***	1		1		1			1	****
of thigh	1	1			1				1	
VI talgaritation										

DISEASES.  DISEASES.  DISCHARGED.  Discharged.  Cured.  Cured.  Died.  Improved.  Distal June  Gangrene of foot, moist.  DISCHARGED.  Total.  1 1 1 1 1  Improved.  Cured.  Cured.  Improved.  Imp
Gangrene of foot, moist 1 1 1 1 1 1
Of foot, traumatic
Of foot, senile
Of foot, senile, with septicemia 1 1 1 1 1 1
Of leg 1 1 1 1
Of leg, diabetic
Of leg, dry 1 1 1 1 1
Of leg, from carbolic acid 1 1 1 1 1 1 1
Inequality of stumps (amputation) 1 1 1 1 1
Pes planus 1 1 1 1 1
Phlebitis of leg
Phlegmon of foot 1 1 2 2 2
Of leg 6 4 1 1 6
Of thigh 1 1 1 1 1 1
Of toe 2 2 1 1 2
Painful stump 1 1 1 1 1 1
Painful metatarso-phalangial joints
from pressure of shoes 1 1 1 1 1
Paralysis of muscles of foot (am-
putation) 1 1 1 1 1 1 1
Thrombosis of femoral vein with
gangrene 1 1 1 1 1 1
Traumatism of knee 2 2 2 2 2
Tuberculosis of leg and foot 1 1 1 1 1

		In Hos	AE	MITTI	ED.		DISC	CHAR	GED.		Remai 30, 1
	DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June 30, 1898.
					1		1		7		
	bercular sinus of hip	1	1			1	1			1	
Ul	cer of ankle	101		1	1	1	1		• • • •	2	
	Of ankle, varicose	****	2		2	1		1			1
	Of foot	••••		2		1	1	1		2	
	Of foot, traumatic	••••		2	~	1	1		• • • • •	2	
	Of foot, perforating, with talip-			1	1	1				4	
	es varus	6	22	7		15	16	3	1	35	****
	Of leg		1		1		1			1	****
	Of leg, multiple		9	4	13	3	7			12	
	Of leg, chronic	••••		1	1		1	- 17		1	1
	Of leg, phagedenic Of leg, syphilitic			3	3	1	1		• • • •	2	
	Of leg, traumatic	••••	3		3	2	1		•	3	1
	Of leg, tubercular	1	0	••••	٥	1	1	••••	••••		
		4	27	15	42	10	20	7	••••	1	9
	Of leg, varicose, with tubercu-	4	21	19	4.0	10	20	- 1		37	9
	losis pulmonalis			1	1				-		1
		••••		1	1			****	••••		1
	Of leg, varicose, with lobar				-	1				1	
	pneumonia	•••		1	1	1	• • • •	••••		1	
	Of leg, varicose, with neuras-						1				
	thenia	••••	1	1	1	• • • •	1		• • • •	1	
7.70	Of thigh		1	• • • •	1		1	• • • •	• • • • •	1	
Ul	cerated stump of metatarsal-							-			1
	phalangial joint		1		1	• • • •	1	••••		1	• • • •

	In Hos	AD	MITTI	ED.		DISC	CHAR	BED.		Remaining 30, 1898
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June 30, 1898
Ulceration of toes		1		1		1			1	
Varicose veins of leg	2	10	1	11	8	1	4		13	
Of leg and thigh			1	1						1
OF THE BONES.										
Caries of femur and tibia		1		1		1			1	
Of inferior maxilla		1		1		1			1	
Of vertebrae		6		6		2	2		4	2
Necrosis of femur		1		1			1		1	
Of frontal bone			1	1						1
Of frontal bone, syphilitic			1	1		1			1	
Of malarbone	:	1		1	1				1	
Of maxilla		4		4	1	3			4	
Of maxilla, syphilitic		1		1						1
Of metatarsal bone		1		1		1			1	
Of os calcis		1		1						1
Of rib		1		1	1				1	
Of skull with abscess of brain.		1		1	1				1	
Of tibia	1	3		3	1	1			2	2
Of toe		2		2	2				2	
Of ulna		1		1						1
Osteo-sarcoma of ilium		1		1	1				1	
Pericementitis		1		1		1			1	
Periostitis of leg	3 8	1	3	4		4			4	
Tuberculosis of clavicle		1		1	1				1	
				1	- 1	-				

	In Hos	AD	MITT	ED.		DISC	CHAR	₹D.		Remainin 30, 1898
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June 30, 1898
Tuberculosis of femur	1					1			1	
Of knee	1	1	1	2		2			3	
Of head and neck of femur	2					1			1	1
Of ribs		2		2		1			1	1
Of vertebrae	1	1		1		1		1	2	
Tubercular ostitis of iliac bone		1		1		1			1	
Of sternum		1		1						1
OF THE JOINTS.										
Ankylosis of ankle		2		2		1	1		2	
Of shoulder		1		1	1				1	
Arthritis, deformans	4					2		1	3	1
From plumbism	1					1		• • • •	1	
Of knee joint	1				1				1	
Of knee joint, rheumatoid			1	1			1		1	
Of knee joint, suppurative		1	1	2	1	_ 1		•••	2	
Of knee joint, traumatic	• • • •	1	1	2		1			1	1
Of knee joint, tubercular		• • • •	2	2		• • • •	1		1	1
Of hip joint, chronic	• • • •			1		1	• • • •		1	
Of wrist, tubercular	• • • •	1		1	1				1	
Coxitis, senile		1	• • •	1		1			1	
Tubercular	1		• • • •			1		1.00	1	
Floating cartilages in knee joint	• • •	1			- 1	1	1	.,	3	
Synovitis of elbow, tubercular	• • • •			1					1	1
Of knee	2	1		1	1	2		• • • •	3	
		1				1		1		

	In Hos	AD	MITTE	ED.		DISC	CHAR	GED.		Remair 30, 1
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June 30, 1898.
Synovitis of knee, chronic  Of knee, chronic, tubercular  Of knee, traumatic  Tuberculosis of elbow joint  Of hip joint  Of knee joint  Of wrist joint	1	1	••••	1 1 2	1		1		2 2 2 2 1 3	1 1 1 5
OF THE SPINE. Psoas abscess  OF THE TENDONS. Pes planus	••••	2	1	-		- 1		• • • •	3	1
Talipses planus  Hallex vulgus with hammertoe  Duypetren's contraction  Contraction of tendon Achillis  OF THE BURSÆ.		1		- 1	1	1			1 1 1	1
Of toe			1	1 1 1					1 1 1 1	
OF THE LYMPHATICS.  Lymphangitis of leg with pes planus  Of side	1	1		1'	1	1			1	

	In Hos	AD	MITTE	D.		DISC	HARG	ED.		Remaii 30, 1
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June 30, 1898
MALIGNANT TUMORS.										
(See also Special Regions.)										
Carcinoma of arm		1		1			• • • •	•••		1
Of bladder		3		3				3	3	
Of bowels and omentum			1	1				1	1	
Of face		1	1	2				1	1	1
Of gall ducts with rupture of										
gall bladder	١	1		1				1	1	
Of intestines			1	1				1	1	
Of hand		1		1	1				1	
Of larynx		2		2		2			2	
Of larynx and neck		1		1				1	1	
Of neck		4		4		1		3	4	
Of neck and maxilla, recurrent.		1		1		1			1	
Of pancreas		1		1		1			1	
Of pharynx	1							1	1	
Of rectum	1	2		2	1		1	1	3	
Of stomach		8	3	3	ll			3	3	
Of stomach with mesentery		1	1	1				1	1	
Of superior maxilla	-			l	l			1	1	
Of testicle					1				1	
Of tongue			3		11		1	1		1
Of tongue and inferior maxilla.										1
Of tongue, recurrent							1 1	1	1	
Of tonsil	1	1		1			1		1	
31 VOIDITITITITITITITITITITITITITITITITITITI			1	1	1	1		-		
	4	17	-		2.5	7	-			

	In	AD	MITT	ED.	İ	DISC	HAR	CED		ne ne
	Hosp					DISC	HAR	GED.		emain 30, 18
DISEASES, .	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June 30, 1898
Canalmanna wantniayili		1		1					1	
Carcinoma ventriculi		1	1	1		1	• • • •		- 1	
Epithelioma of ear		1	-	1	1				- 1	
Of hand		1		1		1			1	
Of larynx		1		1			1		1	l
Of lip.	1	3		3	2	2			4	
Of nose		2		2	2				2	
Of orbital region		1		1						1
Of tongue		2		2	1	1			2	
Sarcoma, multiple	1	3		3		1	1	2	4	
Of heel, spindle celled			1	1						1
Lympho-sarcoma of neck and chest			1	1			• • • •	• • • •	••••	1
Tumor in groin		1	• • • •	1		1	• • • •		1	• • • •
Of testicle		1		1	1	••••	• • • •	• • • •	1	
NON-MALIGNANT TUMORS.							-		TI	
Hematoma of back				1						10.
Of face		1		1	1	0				1
Of pelvis			1	1	1				1	
Lipoma of arms			1	1	1				1	
Of back		1		1	1				1	
Of gluteal region			1	1					]	1
					1	1 17				1
	J			-		-		1		

	In Hos	AD	MITT	ED.		DISC	CHAR	GED.		Remai 30, 1
diseases.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June 30, 1898
INJURIES.										
OF THE HEAD.										
Lacerated wound of ear	• • • •		• • • •	2		2		• • • •	2	
Of general and	• • • •		• • • •	1	1		• • • •		1	
Of forehead with contusion of	••••		••••	• • • •	• • • •					****
eye		1		1		1			1	
Of forehead, with contusion of										
face			1	1	1				1	1
Of scalp	2	9		9	3	6	2		11	
Of scalp, with ecchymosis of eye.		1		1		1			1	
Of scalp, with sebaceous cyst										
of neck		1		1	1				1	
Of scalp, with contusion of back										
and foot		1		1	1	••••		• • • •	1	• • • •
Of scalp, with concussion of brain										
Of scalp, with epilepsy (grand	****	2		2	••••	2	'.	•••	2	****
mal)		1		1	1				1	
Of scalp, with contusion of					1					••••
shoulder		1		1		1			1	
Lacerated, contused wound of scalp.		1		1	1				1	
Lacerated wound of temple		1		1	1				1	
Contusion of head	1	1		1	2				2	
Of scalp and face	••••	1		1	1				1	••••
									-	

	In Hos	AD	MITT	ED.		DIS	CHAI	RGED		Remaii 30, 1
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June 30, 1898.
Contusion of head and lacerated										
wound of ear			1	1		1			- 1	
Contused wound of scalp		1		1		1			1	
Incised wound of forehead		1		1	1				1	
Of head		1	1	2	1	1			2	
Of scalp	1	1		1	1	1			2	
Gunshot wound of scalp		1		1		1			1	
Of temple, with fracture of skull.		1		1	1				1	
Of occipital and cheek regions,										
with fracture of maxilla			1	1		1			1	
Fracture of skull		1		1		1			1	
Of skull, old		1		1				• • • •	• • • •	1
Of skull, with lacerated wound			.01			-		- 0		
of scalp		1	• • • •	1		• • • •				1
OF THE FACE.							0			1
Fracture of inferior maxilla	1	6		6	.5	1			6	1
Ununited		1		1		1			1	1
Double		1		1		1			1	
Fracture of malarbone with rup-										
ture of eyeball			1	1		- 1			1	
Fracture of nasal bone		2		2	1	1			2	
Contusion of face			1	1	1		10		1	
Of face and eye		1		1		1			1	
Of face and hands		1		1	1				1	1
			-					-		

D	In Hos	AD	MITT	ED.		pisc	HAR	GED.		Remair 30, 1
DISEASES.	In Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June 30, 1898.
Contusion of nose		1		1		1		1	1	
Contused wound of inferior max-										
illa			1	1	1				1	1 1
and the second s				1	1				1	100
Lacerated wound of cheek	• . • •			1	1	-	• • • • •	• • • • •		
Of cheek, with contusion of eye.				2	1				1	.,
Of face	111	2		2	1	1			2	****
Of face and arm	1		•		1	• • • •	10.		1	• • • • •
Of lip		2	• • • • •	2	2		• • • • •		2	
Lacerated, contused wound under	3					-		-		01.
eye	1		• • • •	1				• • • •	1	• • • •
Burn of face, 1st degree		1		1	••••	1			1	
And arms and back, 1st and 2d										
degree		1		1	• • • •	1	• • • •		1	
And body, extensive			1	1		••••		1	1	·
And chest, 2d degree		1		1	1				1	••••
And hands, 1st degree		1		1		1			1	
And hand, carbolic acid			1	1			1		1	
OF THE EYE. Contusion of eye		2	1	3	2	1			3	
Gunshot wound of eye and hand		-		1	1		••••			
OF THE NECK.		1	••••	-	-				1	
Fracture of cervical vertebrae		1		1	1				1	
Gunshot wound of neck		1		1		1			1	
Incised wound of throat		1		1						1 -
Of throat and wrist		1		1	1				1	
	1		1							

	In Hos	AD	MITT	ED.		DISC	HAR	GED.		Remaining 30, 1898.
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	aining in Hospital June
Lacerated wound of neck		3	1	4	3	1			4	
Contusion of back	2	16	1	17	10				18	1
Of back and thigh		1		1		1			1	
Sprain of back		7		7	2	4			6	1
Of back and hip		1		1		1	•••		1	
Of back, with lacerated wound										
of occiput and abrasion of										
scalp		1		1		1	• • •		1	
Burn of back, 3d degree OF THE CHEST.	••••							••••	1	• • • .
Fracture of ribs	• • • • •				9	4		••••	13	1
And lacerated wound of scalp	•••				• • • •			••••	••••	1
Contusion of chest	••••	4	1	5	3	2	••••		5	••••
Of chest with lacerated wound										
of scalp				1	1				1	••••
Of ribs	2			3	3				5	
Of ribs with sprain of ankle				1	1				1	
Of side				4	1	3	• • • •	• • • •	4	
Of side with wound of scalp	••••			1	1	• • • •	• • • •		1	
Incised wound of chest		1		1		1		• • • •	1	
Gunshot wound of chest		1		1		1			1	
Burn of side and body		1		1	1				1	
OF THE ABDOMEN.  Contusion over hypogastrium			1	1	1				1	
Incised wound of abdomen		2		2	1	1			2	
			-							

111	In Hos	AD	MITT	ED.		DISC	HAR	GED.		Remain 30, 1
DISEASES.	In Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June 30, 1898.
Luxation of ensiform cartilage		2		2	1		1	٩.	2	
Penetrating stabwound of abdomen		1		1	1				1	
OF THE PELVIS AND GENITALS. Fracture of crest of illum with			-							
dislocation of clavicle		1		1						, 1
Contusion of perineum		1		1			1		1	
Contusion of testicles	1	1		1	2				2	
Burn of scrotum	1	• • • •			1				1	
OF THE UPPER EXTREMITIES.										
Fracture of clavicle		11			7	5	• • • •		12	
Of clavicle and radius		1		-1	• • • •	1			1	
Of humerus		3			4	-			6	
Of humerus, intracondyloid	••••	1		1					1	
Of humerus, radius and ulna	1		• • • •	• • • • •					1	
Of surgical neck of humerus	1		• • • • •		1			• • • •	1	
Of radius Of radius (Colle's)	1	5			11			• • • •	5	1
Of radius with dislocation of	••••	0	10	10	11	3	1		15	1
wrist		1		1		1			1	
Of radius and ulna			1	1	1	1			1	
Of scapula		1		1	1				1	
Of ulna		1		1	1				1	
Of condyle at elbow with dis-										
location of radius and ulna		1		1	V	1			1	

	In Hos	AD	MITTE	ED.		DISC	CHAR	ED.		Remair 30, 18
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Pied	Total	Remaining in Hospital June 30, 1898
Fracture of metacarpal bone, with lacerated wound of scalp  Sprain of shoulder  Of shoulder, old  Of wrist  Of wrist and shoulder  Dislocation of clavicle  Of elbow  Of humerus  Of humerus, old  Of shoulder  Contusion of arm  Of hand and chest  Of shoulder  Of shoulder, old  Contused wound of wrist.  Gunshot wound of arm  Of hand  Of shoulder   :	2 1 3 1 6 1 3 3 5 1 1 1 1 1 1 1 1 2 2 1 1	1	2 1 4 1 1 6 1 1 1 1 1 1 1 1 1 1 2 1 1 1 1 1 1	1 1 2 1 3 5 7	2 1 1 1 1 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		3 1 5 1 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	
Incised wound of arm	••••			2	2				2	
Of hand		1		1					1	
Of wrist and chest		1			1				1	

7/4	In Hos	AD	MITT	ED.		DISC	HAR	GED.		Remaining 30, 1898.
DISEASES.	Hospital July 1, 1897 .	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	ning in Hospital June
Infected wound of hand		5		5	2	3			5	
Of hand with carbuncle of neck		1		1		1			1	
Lacerated wound of hand		2		2	2				2	
Of finger		1		1	1				1	
Laceration of finger		2		2					2	
Of hand		1		1		1			1	
Resection of elbow joint	1			11	7.1				1	
Of shoulder	1								1	
Scald of hand		1		1					1	
Burn of arm, 1st degree		1		1	1	ALC: Y			1	
Of arm, 2d degree		1		1	1	1.0			1	
Of arm, 3d degree			1	1	1				1	
Of arm and hand, 1st degree			1	1				- 1	1	
Of arm and side, 3d degree	1				1				1	
Of hand, 2d degree		1		1	1				1	
OF THE LOWER EXTREMITIES.		111								
Fracture of femur	2	7		7	6	2			8	1
Of femur, compound	2				2			- 0	3	
Of femur, extracapsular		1		1	1		- 11		1	
Of femur, extracapsular, old									1,	
Of femur, intracapsular	1		1		4				8	3
Of femur, multiple	1				1				1	
Of femur, supra-condyloid		1		1					1	1
Of neck of femur			1		4				4	1
						-				

0	In Hos	AD	MITT	ED.		DISC	HAR	GED.		Remai 30, 1
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June 30, 1898
77 / 6 - 1 - 6 6 13		1		1			1		1	
Fracture of neck of femur, old  Of neck of femur, impacted										
Of shaft of femur				1						1
Of tibia.	2	10		11	7					
Of tibia, old		1		1		1				
Of tibia, compound comminuted		1		1						1
Of tibia with traumatic catar-										
act		1		1	1				1	
Of tibia and fibula		15		17	8	6			14	3
Of tibia and fibula, old		1		1			0		1	
Of tibia and fibula, compound	3	4	1	5	5					1
Of tibia and fibula, compound,										
both legs		1		1	1				1	
Of tibia and fibula, compound								- 1		
comminuted		1		1						1
Of tibia and fibula, and both				-1						
astragali		1		1		1			- 1	
Of fibula		3		3	2	1			3	
Of fibula (Pott's)		14	2	16	12	1			13	3
Of fibula (Pott's), old		1		1		1			1	
Of fibula (Pott's) with asthma									-	
and emphysema	- 1							1	1	
Of patella	2	3		3	4	1			5	
Of patella, transverse		1		1		1			1	

	In Ho	AI	мітт	ED.		DIS	CHAR	GED.		Remainin 30, 1898
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June 30, 1898.
Fracture of astragalus		1		1	1				1	
Of metatarsal bone	1	1		1	1	1			2	
Of tarsal bone, comminuted		1		1		1			1	
Of phalanx of toe, compound		1		1	1				1	
Sprain of ankle	3	49	8	57	31	24	3		58	2
Of ankle and back		1		1		1			1	
Of ankle with contusion of leg	/	2		2	1				1	1
Of ankle and knee		1		1		1			1	
Of ankle and shoulder			1	1	1				1	,
Of ankle and wrist		1		1		1			1	,
Of hip		1	1	2	1	1			2	
Of knee		5		5	2	3			5	
Dislocation of femur			1	1	1				. 1	
Of tibia		1		1	1				1	
Of foot, inward	1				1				_1	
Of knee, internal lateral		1		1		1			1	
Abrasion of stump		1		1	1				-1	
Gunshot wound of foot		1		1						1
Of hip		1		1	1				1	
Of knee		2		2	1	1			2	
Infected wound of foot		3		3	2	1			3	
Of leg		2		2	1	1			2	
Of toe		1		1	1				1	
Lacerated wound of foot		1		1	1				1	
				3			. 1		-	

	In Hos	AI	мітт	ED.		DISC	CHAR	GED.		Remai 30, 1
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June 30, 1898
Lacerated wound of foot, with contusion of leg	1	1							1	
Of leg		1		1	1				1	
Of leg with concussion of brain.  Penetrating wound of instep		1			1				1	
Punctured wound of foot Of leg	1	4		4	2		1	••••	5	
Of thigh		1		1	1				1	
Rupture of internal lateral ligament of knee		2		2	1				1	1
Crushed foot  Contusion of ankle		2 2		2	1				1	1
Of foot with laceration		10		10	6				10	
Of hip		6	1	7	3				7	
Of hip, old		1		1						1
Of knee		8	1	6 9	4	1 3	1		5	1 1
and the second second		1		1	1				1	
Of malleolus			1	1	1	1			1	
Of toe		5		5	2 2	2	1		5	
Scald of foot		1	••••	1	1				1	

	In E	AD	MITT	ED.		DISC	HAR	GED.		Ren 30
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June
Scald of foot, with traumatic ulcer										
of leg		1								
Burn of foot, 1st degree					1				- 1	
Of leg, 1st degree		1		1	1				1	
Of leg, 2d degree				2	1				1	1
Of leg, 3d degree	1	1		1	1	1			2	
Of leg, carbolic acid		1		1	1				1	
Of knee, cantharidal			1	1		1			1	
OF THE SKIN.					-1		•			
Dermatitis venenata		1		1						1
Eczema, general		2		2		2			2	
Of face		1		1	1				1	
Of head and body		1		1						1
Of leg		6		6	2	4			6	
Of scalp, chronic		1		1		1			1	
Of scrotum	• • • • •	1		1		1			1	
Erythema multiforma		1		1		1			1	
Furunculosis		1		1	1				1	
Herpes Zoster			1	1	1				1	
Pediculosis corporis		7		7	5	2			7	
Psoriasis	• • • •	2		2	1	1			2	
FUNCTIONAL DISEASES OF THE NERVOUS SYSTEM.										
Sciatica										
Traumatic delirium	• • • • •	1	• • • • •	1	• • • •	1	• • • •	• • • •	1	
	-		1	- 1	4		1		11	

	In Hos	AI	MITT	ED.		DISC	HAR	ED.		Remai 30, 1
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June 30, 1898
OF THE FEMALE BREAST.  Abscess			1 7	1 7	1	1	2	3	1	
VENEREAL DISEASES.  Bubo, chancroidal	1 		2	22 2 6	12 1 5	7 1 1	1 		20 2 7	3
Syphilitic		1		2 1 1	1	1  1			1 1	
With syphilitic bubo Chancroids With bubo		1 5 1	1	1 6 1	1 4 1	2			6	
Chancroids, with phimosis  With paraphimosis  Chancroidal phimosis  Epididymitis		1		1 1	3	1	1		1 1 1	3
Gonorrheal	1	18		3 18 8	2 12 2	1 4 6	 1 1		3 17 9	1
With orchitis		1		1	1			• • •	1	

1	In H	AD	MITT	ED.		DISC	HAR	BED.		Rema
DISEASES.	In Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died.	Total	Remaining in Hospital June
Syphilis, primary			2	2		2		19	2	
Secondary		7	7	14		10	1		11	3
Secondary with phimosis		1		1		1			1	
Tertiary		6	4	10	1	7			8	2
Cerebral		1		1		1			1	
Hereditary		2		2		2			2	
Syphilitic gumma of mouth		1		1		1			1	
Syphilitic tumor of testicle		1		1		_ 1			1	
Syphilitic ulcer of palate		1		1			1		1	
Venereal warts		2		2	1	_ 1	1		2	
OF THE MALE URETHRA.									0.0	
Laceration of urethra		1		1		1			1	
Stricture of urethra	3	15		15	8	8	2		18	
Organic		4		4	4				4	
Spasmatic		1		1		1		11	1	• • • • •
With intermittent fever	1	1		1		1			1	
With multiple fistulae	1					1			1	
With perineal fistula				2		2			2	11
With sciatica				1	_1				1	
With perineal abscess				1			. 1		1	
Urethritis, acute	••••			1				;		1
Chronic	••••			1	• • •	••••	1	•••;	1	
Gonorrheal	••••	1		1	• • • • •	1			1	
Urinary fistula		4	• • • •	- 4		2	2		4	
	1								3	

<u>}</u>	In Hos	ADI	HITTI	ED.		DISC	HARG	ED.		Remair 30, 1
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June
OF THE GENERATIVE ORGANS. Abscess of penis		4		4	3	1			4	
Elongated prepuce				1	1				1	
Enlarged spermatic gland				1						1
Epididymitis				5	3	2			5	
Suppurative		1		1						1
Traumatic		1		1		1			1	١
With orchitis		1		1	1				1	
Fibro-sarcoma of testicle	1				1				1	
Hydrocele		7		7	7				7	
Double, with inguinal hernia		1		1	1	-			1	
Double, of spermatic cord		1		1				1	1	
Hypospadia	1				1				- 1	
Orchitis	1	14		14	9	6			15	
Tubercular				1						1
With epididymitis				- 1	1	1			1	-
Phimosis	1	1 1		7	5	2	1		8	
Paraphimosis		1		1	1	1			1	
Tuberculosis of testicle		2		2		1	1		2	
Varicocele	1	17		17	13		2		15	3
With congenital phimosis		1		1	1				1	
With inguinal hernia		1		1			1		1	
With phimosis		1		1	1				1	
UNCLASSIFIED.										
Coroner's cases	.,	31	3					34	34	
Not diagnosed		1	-	1						1
- Total	132	1222	199	1421	668	525	113	94	1400	153

#### DISEASES OF THE EYE.

/	In Hos	AD	MITT	ED.		DISC	CHAR	GED.		Remaining i
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	ning in Hospital June 898
OF THE CONJUNCTIVA.							- 1		- 1-	
Conjunctivitis, acute	1			1	2				2	
Chronic				1			1		1	
Granular		. 1		2		1		;	1	1
Granular, with panophthalmia		1		1		1			1	y
Purulent		1		1	1				1	• • • •
Purulent, with purulent rhinitis.			1	1	1		• • • •		1	
Pterygium	1	2		2	2			• • • •	2	
Double	1				1				1	
OF THE CORNEA.										-
Ulcer of cornea		1	.,	1		1			1	
Perforating		1		1		1			1	z
Phlyotenular		1		1		1			1	
Traumatic		1		1		1			1	
Traumatic, with iritis		1		1		1			1	
Keratitis		2		2	1		1		2	
Interstitial	.,	1		1		1			1	
Leucoma	1						1		1	
Sarcoma of cornea		1		1		. 1			1	
Staphyloma		1		1			- 1		1	
Foreign body in cornea		1		1	1				1	
Macular opacity of cornea		1		1			1		1	
OF THE LENS.				-				1.0	1-	
Cataract	2	1		1	1	2			3	
Double	1	1		1	1	1			2	
	V					- 1				

### DISEASES OF THE EYE.

	In Hos	AD	MITT	ED.		DISC	HAR	GED.		Remaining 30, 1898.
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June 30, 1898.
Cataract, senile		10	1	11	7		4		11	
Soft		4		4	1	2			3	1
Traumatic		1		1				- 0	1	
Traumatic, with leucoma		1		1		1			1	
Calcareous, with chronic iritis		1		1			1		1	
OF THE GLOBE.		3		3	3				3	
Blepharitis, ulcerative	1								1	
Trachoma	1	3		3					3	1
With rheumatic iritis		1							1	
Ectropion	.,	1		1					1	
With immature cataract of both										
eyes		1		1			1		1	
Ecchymosis			1	1	1				1	
Abscess of eyelids		2		2		1			1	1
Palpebral adhesion to stump of										
enucleated eye	1						1		1	
OF THE IRIS, CILIARY BODY AND										-3
CHOROID. Iritis, acute		2		2	1	1			2	
Chronic	1	1		1		1	1		2	
Chronic, with traumatic cata-										
ract		1		1		1			1	
Rheumatic		3		3		2	1		3	
Syphilitic	1	9		9	2	7	• • • •		9	1

#### DISEASES OF THE EYE.

11	In Hos	AI	MIT	red.		DISC	HAR	GED.		Remainin, 30, 1898
diseases.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June
Iritis, traumatic	1	1		1		1			1	-
Traumatic, with ulcer of cornea.		1		1						
With ulcer of cornea	.,			1						
Choroiditis		1		1						
Cyclitis, with iritis and ulcer of										
cornea		1		1						1
OF THE RETINA AND OPTIC NERVES.						ED-1		-0		
Retinitis, with paralysis of external										4-1
rectus of eye		1		1		_ 1			1	
With choroiditis and atrophy of				-		-				777
optic nerves		1		1		1			1	·
Optic atrophy	2						. 2		2	·
Double	1						1		1	
Atrophy of optic nerve		6	• • •	6		4	2		6	
With multiple fibroma of skin.	4		• • • • •	1			1		1	••••
Atrophy of eyeball	• • • •	1	••••	1	1				1	• • • •
Homonomous hemianopsia	1			• • • •		1			1	
UNCLASSIFIED.								-		
Carcinoma of eye		1	• • • • •	1	• • • •					1
Enucleation of eyeball	1				••••	1		• • • •	1	
Total	16	81	4	85	27	45	22		94	7

### GYNECOLOGICAL DISEASES.

1	In Hos	AD	MITT	ED.		Disc	HAR	GED.		Remain 30, 18
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital June 30, 1898.
OF THE VULVA AND VAGINA.										
Vaginitis	9		3	3	1	2			-3	
Gonorrheal			5	5	1	4			5	
With vaginismus			1	1		1			1	
Vulvitis, gonorrheal			1	1		1			1	1
Vulvo-vaginal abscess			1	1			1		1	
OF THE UTERUS.		1	-			,	10			10
Metritis, acute			1	1		1	1	1.0	1	D
Chronic			2	2	1	1			2	
Parametritis			2	2		2		.D.	2	
Endometritis, acute			7	7	3	1	3		7	
With retroflexion	1					1			1	
With salpingitis			1	1		1			1	-0
Chronic			4	4	1	3			4	
Chronic corporeal			1	1	1				1	
Fungoid			1	1	1				1	1
Gonorrheal			1	1		/1			1	
Hemorrhagic			2	2		2			2	
Endocervicitis, acute		<b></b>	3	3	1	2			3	
Chronic			4	4		4			4	
Purulent			1	1		1			1	
Retroversion			5	5	3	1			4	1
With laceration of perineum			2	2	2				2	
Retroflexion			6	6	2	4			6	
With laceration of perineum			1	1			1		1	

#### GYNECOLOGICAL DISEASES.

	In Hos	A1	DMITT	ED.		DIS	CHAR	GED.		Remai 30, 1
DISEASES.	Hospital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	Remaining in Hospital e
Anteflexion	1				1				1	
With cystitis	1									-0100
Laceration of cervix			5	5	3	1	, 1		5	
With laceration of perineum			8	8	7				- 7	101
Laceration of perineum			6	6	3	1	1		5	1
With laceration of rectum	1				1				1	
Carcinoma uteri			6	6	1	. 1		2	4	2
Carcinoma cervicis			3	3		1	1		2	1
Epithelioma uteri	1					1			1	
Prolapsus uteri			4	4	2		- 2		4	
Stenosis uteri			1	1			_ 1		1	
Of cervix uteri with dysmenor-				-	-		4		eun (	
rhea			1	1	1				1	
Fibroid of uterus			3	3	2	1			3	
With cystic ovaries			1	1	1				1	
Extra-uterine pregnancy			- 1	1	1 .				1	
Ectopic pregnancy			1	1						1
OF THE UTERINE APPENDAGES.		10)								
Oophoritis, acute	3		2	2	1	3			4	1
Chronic		,	1	1	1.				1	
With epilepsy, grand mal			1	1		1			1	
Chronic, with salpingitis			1	1		1			1	
Cyst of ovary			3	3	1.			1	2	1:
And tubes			1	1						1
			1		-1	1		1	1	- 1

# GYNECOLOGICAL DISEASES.

	In	AD	MITTE	n l	}	Disc	HARG	ED		Re
No.	Hospital July 1,	- AD	MILLE			Disc	HARC	EEI.		Remaining in 30, 1898
- 11/4 (11/17)	ital J	Male	Female	Total.	Cured	Impr	Unin	Died	Total	ing in
DISEASES,	uly 1		ale	[ ]	d	Improved	Unimproved	:		Hos
	, 1897.						ed.			pital
	7		:				1			Hospital June
					<u> </u>		1.			
Prolapse of ovary	1		1	1	1	1			2	
Fibro-sarcoma of clitoris			1	1		1			1	
Salpingitis, acute			2	2	1	1			2	
Chronic	3	••••	2	2	3	2	• • • •		5	• • • • •
Salpingo-ovaritis	••••	• • • • •	1	1	1			• • • •	1	••••
Pyosalpinx	••••		3	3	•••	1	1		2	1
Pelvic abscess			9	9	4	3	_		1 8	1
Pelvic cellulitis, acute			2	2	1	1			2	1
Pelvic hematocele	1					1			1	
Pelvic peritonitis			3	3		2	1		3	
Septic peritonitis following removal										
of ovaries and uterus for										
fibroid uterus			1	1				1	1	
FUNCTIONAL DISEASES.			1	1		• • • • •		1	1	
Dysmenorrhea			1	1	1		~ .	• • • •	1	
Menorrhagia, acute			1	1	1				1	
Chronic Metrorrhagia			1		1				1	
			3	3	. 2				2	1
DISEASES OF PREGNANCY AND PUER- PERAL STATE.									1 1111	
Abortion			12	12	10				10	2
Threatened			5	5	5				5	
After childbirth			- 7	7	6	1			7	
And morphinism	• • • • •		1	1		1			1	
	V.	H	1	1						1

#### GYNECOLOGICAL DISEASES.

ser land built	In Hospital	AD	MITTE	SD.		DISC	HAR	GED.		Remaining 30, 1898.
DISEASES.	pital July 1, 1897	Male	Female	Total	Cured	Improved	Unimproved	Died	Total	ing in Hospital June
Retained placenta	13		5 3 169	5 3  169	5 3 		16	4	5 3 ———————————————————————————————————	16

#### OBSTETRICAL CASES.

							1		
	In Hos			Delivered		DISCHA	RGED		Remaining 30, 1898
DISEASES.	Hospital July 1, 1897	ed		ed	Cured	Left Before Con- finement	Died	Total	ing in Hospital June
	1	.						:	1 20
Pregnancy	21	139	160	124	132	10		142	18
With dystocia		1	1	1			1	1	
With chronic parenchymatous						-		-	
nephritis		1	1	1	1			1	
With puerperal septicemia		1	1	1	1		1	1	
With gunshot wound of neck		1	- 1	1	1			1	
With secondary syphilis		1	1	1	1			1	
With puerperal eclampsia		-1	1	1	1		0	1	
Followed by thrombosis of fe-									
moral vein		1	1	1	1			1	
maka 1		_	_	-	-	-			-
Total	21	146	167	131	137	10	2	149	18
	1 4	1				1-	1		

DISEASES.	MALE.	FEWALE.	TOTAL.
ACUTE GENERAL INFECTIOUS DISEASES.			and the state of t
Typhoid fever	9	1	10
With intestinal perforation	1		1
Diphtheria	1		1
Erysipelas of face		1	1
Of face, with chronic diarrhea	1		1
Of head	1		1
DIATHETIC DISEASES AND DISEASES OF NUTRITION.	-		
Marasmus, infantile		1	1
Senile	1		1
Diabetes mellitus	4		4
Mellitus, with gangrene of foot	1		1
Rheumatoid arthritis		1	1
Syphilis, late secondary	1		1
Congenital		1	1
General tuberculosis	4	1	5
DISEASES OF THE RESPIRATORY	-		
SYSTEM.			
OF THE BRONCHI.		-	
Bronchitis, septic	1		1
With cerebral softening		. 1	1
Asthma	2		2
With dilatation of heart	1		1
OF THE LUNGS.			
Tuberculosis pulmonalis	130	28	158
Miliary	. 2		2
And laryngeal	1		1

47	DISEASES.	MALE, FEMAL	E. TOTAL.
Tubercu	ilosis pulmonalis, and rectal		
And	of knee	1	1
And	of shoulder and knee	1	1
With	a chronic enteritis	1	1
With	n epilepsy	1	1
With	n pulmonary hemorrhage	2	2
With	n multiple neuritis	1	1
With	tubercular meningitis	1	1
	onia, lobar		30
Loba	ar, double	4	4
Loba	ar, with mitral incompetence	2	2
Supp	ourative	1	1
Hyp	ostatic	2 4	6
Hyp	ostatic, with atheroma	1	1
Нур	ostatic, with enteritis	1	1
Chro	onic interstitial	1	1
Bronch	o-pneumonia	2 1	3
Witl	h abscess of liver	1	1
Supp	purative	1	1
Sept	ic, following laryngotomy	1	1
Witl	h fractured rib	1	, ì
Pulmon	ary hemorrhage with aneurism of		
aorta	a	1	1
Abscess	of lung	1	1
Atelecta	asis	1	1
Congest	tion of lungs, with hemorrhage	1	1
Emphy	sema of lungs with dilatation of		
hear	t	1	r
Gangre	ne of lung	1	1

DISEASES.	MALE.	FEMALE.	TOTAL.
OF THE MOUTH AND PHARYNX.			
Carcinoma of superior maxilla	1		1
Of pharynx	1		1
Of tongue	1		1
Of tongue, recurrent	1		1
OF THE LARYNX.		-	-1,
Carcinoma of larynx and neck	1	• • • • • • • • • • • • • • • • • • • •	I
Laryngitis, tubercular	, 1	1	2
OF THE PLEURA.			
Pleuritis, with effusion	1	• • • • • • • • • • • • • • • • • • • •	1
With effusion, double	1	••••	1
Tubercular	1	• • • • • • • • •	1
Purulent	2		2
DISEASES OF THE CIRCULATORY SYSTEM.			
OF THE HEART AND ITS MEMBRANES.			
Endocarditis, with acute nephritis	1	•••••	1
With chronic interstitial nephritis	1		1
Septic	1		1
Ulcerative	1		1
Pericarditis	1		1
With congestion of liver	1		1
With pleuritis sicca	1		1
With effusion	1		1
Heart, fatty degeneration of		1	1
Senile	1		1
Fatty, with acute bronchitis		1	1
Degeneration of cardiac muscle		1	1
Angina pectoris		1	1
Patulous foramen ovale	1	F	1

DISEASES.	MALE.	FEMALE.	TOTAL
Heart, mitral incompetence of	14	2	16
Aortic incompetence of	6	1	7
Aortic incompetence of, with articular		- 00	out.
rheumatism	1		- 1
Aortic and mitral incompetence of	2	1	3
Mitral incompetence, aortic stenosis,	Up-Val.	- 17 TO	
and incompetence of	6		6
Mitral stenosis, and incompetence of	1		1
Mitral incompetence and aortic ste-			
nosis of	1		1
Mitral incompetence of, and pleuritis			
with effusion	1		1
Aortic incompetence, aortic and mitral			1000
stenosis of	1		1
Dilatation of	2	1	3
Dilatation of from atheroma of ar-		alone .	-
teries	1		1
OF THE BLOOD-VESSELS.		7/7	
Aneurism of aorta	1		1
Of arch of aorta	1		- 101 1
Of thoracic aorta	2		2
Atheroma, general	1		1
General, with cerebral softening		1	7077
Gangrene, diabetic, of leg	1 1		1
Of foot, with septicemia		1	1
Senile, with anesthetics		1	1
Thrombosis of femoral vein, with gan-	- 1	-	
grene		1	1

· DISEASES.	MALE.	FEMALE.	TOTAL.
OF THE BLOOD.			
Anaemia, acute, from sarcoma of neck	1		1
Pernicious	1		1
Leucocythemia	1		1
Septicemia, puerperal		2	2
Resulting from external burn		1	1
From carbuncle of face		1	- 1
Following amputation of leg		1	1
From urinary fistula	1		1
Pyemia	2	1	3
DISEASES OF THE LIVER, ETC.			
Abscess of liver	1	1	2
Carcinoma of liver	8	1 0	9
Of gallducts, with rupture of gall-		-	
bladder	1		1
Cirrhosis of liver	5	4	9
With chronic interstitial nephritis		1. 1	1
DISEASES OF THE DIGESTIVE OR- GANS.			
OF THE ESOPHAGUS.			
Carcinoma of esophagus	2		2
OF THE STOMACH.			
Carcinoma of stomach	7	3	10
With mesentery	1		1
OF THE INTESTINES.			
Appendicitis	1		1
Carcinoma of bowels and omentum	••••	1	1
Of intestines		. 1	. 1
Of rectum	1		1
Enteritis	1		1

	DISEASES.	MAUE.	FEMALE.	TOTAL.
Gastro-e	enteritis	1	1 .	.2
Strangu	lated hernia	1		00=1 1
	lated inguinal hernia	1		1000 1
	hernia		7 1 0	1
Stricture	e of rectum	1		1
	OF THE PANCREAS.	FU	100	
Abscess	of pancreas		1	1
	OF THE PERITONEUM.			
Peritoni	tis, septic, following removal of			
	aries and uterus		1	1
	rcular, with cirrhosis of liver	1		1
	wing operation for inguinal			- 107
	ernia	1		1
With	bronchitis		1	, 1
Cubercul	osis of peritoneum	1		1
DISEAS	ES OF THE KIDNEY, BLAD-		173	
	DER, ETC.	0.00	D-In	
Nephriti	s parenchymatous, acute	3		No. or
Parei	nchymatous, with mitral in-		-1	2007
co	mpetence	1		1
Paren	nchymatous, chronic	9	2	11
Parer	nchymatous, chronic, with cere-			
br	al hemorrhage	1		1
Inters	stitial, acute	1		1
	stitial, chronic	6		6
	of kidney and pancreas	1		1
	idney	3		3
arcinon	na of bladder	1		1

DISEASES.	MALE.	FEMALE.	TOTAL.
Pyelitis	2	1	3
Double	1		1
With cerebral syphilis	1	Jt.	1
DISEASES OF THE NERVOUS SYSTEM.			
OF THE BRAIN.			
Cerebral abscess	1		1
Degeneration following apoplexy	1		1
Apoplexy	13	3	16
Apoplexy, with hemiplegia		1	1
Meningitis	1	2	:
Meningitis, syphilitic	1		1 1
Tubercular meningitis	1		1
Meningitis, due to spina bifida		1	1
Cerebral syphilis	2		6
Hemiplegia	1	2	
Cerebral		1	6
With retention of urine	1		1
Paraplegia	1		
Tumor of the brain	1		
DISEASES OF THE INTELLECT.			
Senility	6	1	-04
With cystitis	2	1	
With fracture of femur	- 1	1	,
Senile dementia		1	
DISEASES OF THE SPINE.			
Spinal meningitis	1		
Tuberculosis of spine	- 1		1

DISEASES.	MALE.	FEMALE.	TOTAL.
Syphilis of spinal cord	1		1
NEUROSIS.		"	
Chorea		1	1
POISONS.	*** **********************************		
Acute alcoholism	2	1	3
With chronic nephritris		1	1
With fatty liver	••••••	1	1
With hypostatic pneumonia	1	1	2
Chronic alcoholism	1	1	1
With pneumonia	4		1
Morphinism, chronic	1		1
Plumbism, chronic	•		1
UNCLASSIFIED.		,	
Carcinoma of breast		3	3
Of face		1	1
Of neck	3		3
Of uterus		2	2
Sarcoma, multiple	2		2
Carbuncle of back	1		1
Of neck	1		1
Phlegmon of leg	1	1	1
Dystocia  Extensive burns of body and face		1	1
Inanition	2		2
	. 1		1
Senile degeneration	1		1
Eclampsia	1		1

DISEASES.	MALE.	FEMALE.	TOTAL.
Double hydrocele of spermatic cord and		1	
operative shock	1		. 1
femur		1	1
ovaries for ovarian cyst		1	_ 1
leg		1	1
Abscess of abdomen, with septicemia UNDIAGNOSED.	1	0	1
Coroner's cases	33	2	35
Total	444	120	564

#### SURGICAL OPERATIONS.

				1					-
OPERATIONS.	Males	Females	Total	Cured	Improved	Unimproved	In Hospital	Died	Total
Adhesions broken up							1-		1 1
Elbow	1		1		1		- 1		1
Knee	1		1	1					1
Amputations—									
Arm	2		2	2					2
Hand	3		3	3					3
Fingers	3		3	2	1				3
Thigh	8		8	5			2		8
Leg	9	3	12	5	5		1	1	12
Toes	6		6	4	1		1		6
Circumcisions	20		20	16	1		3		20
Curetted—	6								
Necrosis of maxilla	2		2	1	1				2
Of os calcis	3		3		3				3
Of rib	1		1	1					1
Of sternum	1		1	1					1
Of tibia	1		1		1				1
Elbow	1		1		1				1
Lymphangitis of chest	1		1	1					1
Sinus	6		6	2	4				6
Tubercular ostitis of sternum and						3 _			
clavicle	1		1				1		1
Ulcer in ano	1		1		1				1
Fissure in ano		1	1				1		1
		1		1		1			

OPERATIONS.	Males	Females	Total	Cured	Improved	Unimproved	In Hospital	Died	Total
Curettage-Continued:									
Uterus		24	24	19	2		3		24
Curettage and Cauterization—			1						
Bubo	1		1				1		1
Dislocations reduced—  Clavicle									
Humerus	1		1	1	• • • •	•••		••••	1
Excisions—	2		2	1	1	• • • •		• • • •	2
Cervical glands									
Spermatic glands	7	3		5	5			• • • •	10
Inguinal glands.	1		1			• • • •	1		1
Thyroid glands	1	1	2	2	• • •	••••		• • • • •	2
Cervix uteri	1	1	1						1
Lipoma over trochanter		1	1		1		1		1
Malignant growth of neck	}		2	2	••••			.,	2
Myoma of uterus and ovaries		1	1	1					1
Palmar fascia	1		2	1			1		2
Papillomata recti	1		2	1	1				2
Testicle			4	4					4
Tumor of chest			1	1					1
Of neck		1	1	1					1
Of testicle	1		1		1				1
Ulcer of foot, perforating		1	1	1					1
Varicose veins	5	3	8	6	1		1		8
Venereal warts	1		1		1				1
		1		l.		_	-	1	

OPERATIONS.	Males	Females	Total	Cured	Improved	Unimproved	In Hospital	Died	Total
	<u>-</u>	<u>·</u>		-	-	-		-	
Excisions—Continued:									
Wen on vertex	1		1	1					1
Fibula	1		1		1				
End of femur	1		_ 1		1				1
Head of tibia and fibula	1	• • • •	1		•••			1	1
Malarbone	1	• • • •	1		1				1
Os calcis	1	1	2	1	1				2
Part of inferior maxilla	1		1	1					1
Rib	1		1		• • • •		1		1
Floating cartilage in knee joint	2		2		- 2				2
Necrotic bone of skull	1		1		1				1
Phalanx	1		- 1	1					1
Fibula	1		1				1		1
Tibia	2		2		1		1		2
Ulna	1		1		1				1
Eye-							111		
Cataract removed	11		11	6	5				11
Enucleation	11			6		- 1	1		12
Extraction and iridectomy	-		1	1			1		1
Iridectomy			5	2		1			5
Pterygium				2		-		000	2
Trachoma curetted		710		- ~	1				1
Foreign bodies removed—			1		1	-			
Bullets	2		2	2		-			2
				-					~
			-		-		-	-	

### SURGICAL OPERATIONS.

OPERATIONS.	Males	Females	Total.	Cured	Improved	Unimproved	In Hospital	Died	Total
	1	:	<u>:</u>		:	:	1	:	<u>:</u>
Fractures wired—									
Clavicle	1		1		1				_1
Malarbone		1	1		1				1
Maxilla, inferior	1	1	2	1	,.		1		2
Tibia	1		1		1				1
Tibia and fibula	1		1	1	• • • •	,		• • • •	1
Genito-urinary—						10			9.5
Dilatation of cervix		2	2	1	1				2
Of urethra	2		2		2				2
Hydrocele aspirated	1		1	1					1
Radical cure	8		8	7				1	8
Hysterectomy, vaginal	• • • •	3	3	3					3
Cystocele		2	2	1	1				2
Rectocele	1		1	1					1
Perineal cystotomy	3		3		1			2	3
Trachelorrhaphy		6	6	6					6
Urethrotomy, external	8		8	2	6				8
Internal	10		10	8	2				10
Varicocele	12		12	10			2		12
Herniotomy—								-	+1
Inguinal hernia	20		20	15			4	1	20
Strangulated inguinal hernia	4		4	3				1	4
Umbilical hernia		1	1	1	- 63				1
Ventral hernia	3	2	5	4				1	5

OPERATIONS.	Males	Females	Total	Cured	Improved	Unimproved	In Hospital	Died	Total
Incisions—									-
Abscess, abdominal	1		1	1					1
Alveolar	1	1	2	1	1				2
Of arm	1		-1	1					1
Axillary	1	1	2	2					2
Of back	1		1	1					1
Bubo	9		9	6	3				9
Of chest			1	1					1
Cerebral	1		1		-1				21
Of foot		2	2	1					2
Of hand	1		1	1					1
Ischio-rectal	9		9	4	3		2		9
Of leg	1		1		1	11/1			1
Of liver	1		1		1	l.			1
Lumbar	2		2	1			1		2
Maxillary			2	1			1		2
Multiple	1		1		1				1
Of neck	5		5	4	1				5
Penile	1		1	1		1			1
Perinephritic	1		1	1					1
Psoas	1		1				1		1
Rectal	1		1	1					1
Of shoulder	1		1		-1				1
Of side	1		1	1					1
52 Macritica (1971)	1		1		-				

	OPERATIONS.	Males	Females	Total	Cured	Improved	Unimproved	In Hospital	Died	Total
	IncisionsContinued: Abscess of thigh	1		1	1					1
	Urethral	1		1	1					1
	Exploratory	7	1	8	2	1		2	3	8
	Carbuncle	3	1	4				2	2	4
	Cellulitis		1	1		1				1
	Hematoma	1		1					1	1
	Orchitis	3		3	2	1				3
	Phlebitis	1		1	1					1
	Phlegmon	14	1	15	11	3			1	15
	Pyonephrosis	1		1		1				1
	Thyroid gland	1		1		1				1
	Over sternum for neurasthenia	1		1				1		1
I	ncisions and Aspirations—							-		
	Pyenophrosis	1		1					1	1
I	ncisions and Curettage—									
	Abscess—									
	Bubo	6		7	6	1	• • • •	• • • •	• • • •	7
	Of chest	1	-	1		1				1
	Of groin	2		2	1		••••	1		2
	Ischio-rectal	5		5	2		1			5
	Maxillary	2		2	2					2
	Of neck	2			3					3
	Urinary	1	1	1	1	• • •				1
	Bursa of patella		1	-	1		****			1
				_	-					

Incisions and Curettage—Continued:   Bursa of toe.	OPERATIONS.	Males	Females	Total	Cured	Improved	Unimproved	In Hospital	Died	Total
Bursa of toe.       1       1       1       1       1       1       1       1       2       2       2         Infected finger.       1       1       2       1       1       2       2       1       1       2       2       2       2       3       3       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       <	Incisions and Curettage—Continued:			<u> </u>	Ė	-		-	-	_
Infected finger			1	1	1					1
Sinus of thigh       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1	Carbuncle	1	1	2	2					2
Syphilitic frontal bone         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1	Infected finger	1	1	2	1	1				2
Incised and drained—       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1	Sinus of thigh	1		1				1		1
Abscess in groin.	Syphilitic frontal bone		1	1		1				1
Epididymitis       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1 <t< td=""><td>Incised and drained—</td><td></td><td></td><td></td><td>,</td><td></td><td></td><td></td><td></td><td></td></t<>	Incised and drained—				,					
Gunshot wound of head.       1       1       1       1       1       1       1       1       1       1       6       6       5       1       6       6       Pleura       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1	Abscess in groin		1	1				1		1
Mastoiditis       6       6       5       1       6         Pleura       1       1       1       1       1         Suppurative arthritis of knee       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1	Epididymitis	1		1				1		1
Pleura       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1 <td>Gunshot wound of head</td> <td>1</td> <td></td> <td>1</td> <td></td> <td>1</td> <td></td> <td></td> <td></td> <td>1</td>	Gunshot wound of head	1		1		1				1
Suppurative arthritis of knee.       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       3       3       2       1       3       3       2       1       3       3       2       1       3       3       2       1       3       3       2       1       3       3       2       1       3       3       2       1       3       3       2       1       3       3       2       1       3       3       2       1       3       3       1       2       3       3       3       1       2       3       3       3       1       2       3       3       3       3       1       1       1       1       1       <	Mastoiditis	6		6		5		1		6
Urethral fistula       1       1       1       1       1       1       1       1       1       2       2       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       3       3       2       1       3       3       2       1       3       3       2       1       3       3       2       1       3       3       2       1       3       3       2       1       3       3       2       1       3       3       2       1       3       3       2       1       3       3       2       1       3       3       2       1       3       3       2       1       3       3       2       1       3       3       2       1       3       3       2       1       3       3       3       1       2       3       3       3       2       1       3       3       3       3       2	Pleura	1		1		1			• • • •	1 .
Urinary fistula.       2       2       1       1       2         Wound of thigh.       1       1       1       1       1         Laparotomy—       3       3       2       1       3         Appendicitis       5       5       4       1       5         Caesarian section       1       1       1       1       1         Cholecystotomy       3       3       2       1       3         Colotomy       1       1       1       1       1         Cystotomy, suprapubic       3       3       1       2       3         Exploratory       1       1       1       1       1       1	Suppurative arthritis of knee		1	. 1					1	1
Wound of thigh       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       3       3       2       1       3       3       2       1       3       3       2       1       1       1       1       1       1       1       1       1       1       1       1       1       3       3       2       1       3       3       2       1       3       3       2       1       3       3       1       2       3       3       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1	Urethral fistula	1		1		1				1
Laparotomy—       3       3       2       1       3         Appendicitis       5       5       4       1       5         Caesarian section       1       1       1       1       1         Cholecystotomy       3       3       2       1       3         Colotomy       1       1       1       1       1         Cystotomy, suprapubic       3       3       1       2       3         Exploratory       1       1       1       1       1       1	Urinary fistula	2		2	1	_1				2
Alexander's operation.       3       3       2       1       3         Appendicitis       5       5       4       1       5         Caesarian section.       1       1       1       1       1         Cholecystotomy       3       3       2       1       3         Colotomy       1       1       1       1       1       1         Cystotomy, suprapubic       3       3       1       2       3       3         Exploratory       1       1       1       1       1       1       1	Wound of thigh	1		1			1	• • • •		1
Appendicitis       5       5       4       1       5         Caesarian section       1       1       1       1       1         Cholecystotomy       3       3       2       1       3         Colotomy       1       1       1       1       1         Cystotomy, suprapubic       3       3       1       2       3         Exploratory       1       1       1       1       1       1	Laparotomy-		. 1				-			
Caesarian section.        1       1        1       1         Cholecystotomy       3       3       2        1       3         Colotomy       1       1        1       1       1       1       1       1       1       1       1       2        3       3       1       2        3       3       Exploratory       1       1       1        1       1        1        1        1        1         1 <t< td=""><td></td><td></td><td>3</td><td>3</td><td>2</td><td>1</td><td></td><td>• • • •</td><td>• • • •</td><td></td></t<>			3	3	2	1		• • • •	• • • •	
Cholecystotomy       3       3       2       1       3         Colotomy       1       1       1       1       1       1         Cystotomy, suprapubic       3       3       1       2       3       3         Exploratory       1       1       1       1       1       1       1	Appendicitis	5		5	4	• • • •		1	••••	
Colotomy	Caesarian section		1			• • • •	• • • •			
Cystotomy, suprapubic	Cholecystotomy	3			2		• • • •	••••		
Exploratory 1 1 1 1 1					• • • •				1	
Exploratory						, "			• • • •	
TT3-413 of Haram			• • • •		1		200		• • • •	
Hydatid of fiver	Hydatid of liver	1	• • • •	1		1	• • • •	• • • •		1

OPERATIONS,	Males	Females	Total	Cured	Improved	Unimproved.	In Hospital	Died	Total
012111111	: 1	:		:-	:				:
							:		
						:			:
	<u>:</u>	:	:	:	:	<u>:</u>	:	<u>:</u> .	<u>:</u>
Laparotomy-Continued:									
Hysterectomy, abdominal		2	2	1			••••	1	2
Ovariotomy		5	5	2	1		2		5
Tubal pregnancy		1	1	1					1
Ventral fixation		2	2	1	1				2
Ventral suspension		1	1		1				1
Ligation of vessels—									
Varicose veins	4		4	3				1	4
Femoral artery	1		1	1			,		1
Nephrorrhaphy		1	1	1					1
Nephrotomy		1	1		1				1
2									
Paracentesis—									
Abdomen (for Ascites)	1		1	• • • •				1	1
Kidney	2	1	3		2			1	3
Knee	1	• • • •	1		1				1
Liver	1	••••	1		1				1
Pleura	1		1			1			1
Tumor	1		1			1			1
Perineorrhaphy		56	56	49	4	2	1		56
Perineorrhaphy and trachelorrhaphy		5	5	4			1		5
Plastics—									
Rhinoplasty	6		6	2	2		2		6
Skin graft	12	6	18	12	6				18
Elongation of urethra		2	2		2				2
		1		10					

## REPORT OF SURGICAL OPERATIONS AT THE CITY AND COUNTY HOSPITAL.

operations.	Males	Females	Total	Cured	Improved	Unimproved	In Hospital	Died	Total
Rectum—									
Fistula ani, cut	5	2	7	4	2		1		7
Cut and curetted	6		6	4			2		6
Hemorrhoids, external—									}
Cauterized	1		1	1					1
Ligated	2	1	3	3					3
Ligated and excised	3	1	4	3			1		4
Hemorrhoids, internal—									
Cauterized and ligated	2		2	1	1				2
Ligated and excised	5	1	6	5			1		6
Resections—									
Clavicle	4		4	1	9				4
Elbow	3		3	1			1		3
Shaft of femur.	1		1		1				1
Head of femur	1		1					-	1
Knee	5	1	6	1			1		6
Rib	2		2						2
	-		~	****	2				2
Sutured wounds—									
Vulva		1	1	1					1
Trephine, skull	4		4	1	3				4
Sarcoma—									
Of groin.	2		2		1			1	2
Of neck	1		1					1	1
			-						-
		- 17			_				

### REPORT OF SURGICAL OPERATIONS AT THE CITY AT THE CITY HOSPITAL.

	OPERATIONS.	Males	Females	Total	Cured	Improved	Unimproved	In Hospital	Died	Total
E	oithelioma—									
	Of clitoris		1	1		1				1
	Of hand	1		1		1				1
	Of lip	3		3	2				1	3
	Of nose	1		1	1					1
	Of tongue	2		2		2				2
Ca	rcinoma—				-					
	Of anus	1		1		1				1
	Of bladder	1		1					1	1
	Of breast		2	2	1			1		2
	Of intestines		1	1					1	1
	Of larynx	2		2		1			1	2
	Of neck	1		1		1		.1		1
	Of nose	1		1	1					1
	Of pylorus	1		1					1	1
	Of tongue	4		4			2		2	4
Mi	scellaneous-								-	
	Sciatic neurectasis	1		1		1				1
	Tenotomy	1	1	2	1			1		2
	Tibia straightened		1	1	1					1
	Toe straightened	1		1		1				1
	Tracheotomy	1		1		1				1
	Enlargement of mouth	4		4		4				4
	Total	459	177	636	367	167	9	59	34	636

DISEASES.	MALE.	FEMALE.	TOTAL.
INJURIES.			
OF THE HEAD.		11.0	
Contusion of forehead	1	*****	1
Of scalp	2	• • • • • • • • • • • • • • • • • • • •	2
Gunshot wound of scalp	1	••••	
Of head, face and shoulder	1	• • • • • • • • • • • • •	
Infected lacerated wound of forehead	1	• • • • • • • • • • •	1
Lacerated wound of forehead	6	1	7
Of scalp	22	2	24
Of scalp, with fracture of nose	2	•••••	2
Of scalp and eyebrow	2	• • • • • • • • • • • • • • • • • • • •	2
Of scalp and wrist	1	• • • • • • • • • • • • • • • • • • • •	1
Of temple	1		1
Punctured wound of scalp		1	1
OF THE FACE.			
Abrasions of face	1		1
Contusion of cheek	3		3
Of nose	1		1
Incised wound of face and head	1		1
Of cheek	1		1
Of ear	1		1
Of lip,	1		1
Laceration of nose	2		2
Lacerated wound of cheek	3		3
Of chin	1		1
Of ear	1	•, ••	1
Of face	1		1
Of lip	4		4
Traumatic epistaxis	1		1
Fracture of pose	1		1

DISEASES.	MALE.	PEMALE.	TOTAL.
Lacerated wound of scalp and contusion			
of eye	1		
Burn of face, 2d degree	1		
OF THE EYE.			
Contusion of eye	1		
Of eye and forehead	1		
Of eye and lip	1		
Lacerated wound of eyebrow	3		- :
Wound of eyelid	1	1	:
Wound of orbital region	1		
OF THE NECK.			
Gunshot wound of neck	1		
OF THE BACK.			
Contusion of back	1		
OF THE CHEST.			
Contusion of side	2		
Fracture of rib	1		
Splinter in chest	1		
OF THE UPPER EXTREMITIES.			
Abrasions of finger	1		
Amputation of finger	2		:
Burn of arm, 1st degree	2		5
Of hand, 3d degree	1		
Contusion of arm	1		
Of arm and chin	1		
Of arm and face	1		
Of finger	1		
Of shoulder and hip	1		
Of wrist	1		
Dogbite of wrist	1	1	5

		1	
DISEASES.	MALE.	FEMALE.	TOTAL.
Dislocation of finger	1		1
Of humerus	1		1
Of head of humerus		1	1
Of head of radius	1		1
Of thumb		1	1
Gunshot wound of finger	1		1
Of hand	1		- 1
Incised wound of finger	1		1
Of wrist	1		1
Infected wound of hand	. 1		1
Lacerated wound of elbow	1		1
Of finger	6	1	7
Of hand	4	2	6
Of wrist	6		6
Punctured wound of finger	1		1.1
Fracture of radius	2		2
Of radius (Colle's)	1		1
Fracture of metacarpal bone	1		1
Sprain of elbow	1		1
Needle in finger		1	1
In hand		1	1
Splinter in thumb	1		1
Separation of distal epiphysis of ulna	1		1
OF THE LOWER EXTREMITIES.			
Contusion of ankle	1		
Of leg	1		1
Of toe	1		1
Dislocation of fibula	1		1
Dogbite of leg	1	1	2


DISEASES.	MALE.	FEMALE.	TOTAL.
Dogbite of thigh	1		1
Lacerated wound of foot	1		1
Of leg	1		1
Incised wound of foot	1		1
Old wound of knee	1		1
Fracture of patella	1		1
Of tarsal bone	1		1
Of tibia	1		1
Sprain of ankle	2		2
MISCELLANEOUS.			
Abscess of eyelid	1		1
Of hand	1		1
Of lip	1		1
Of maxilla	1		1
Of nose	1		1
Alcoholism, acute	1		1
Blood poisoning of lips		1	1
Sugar of lead poisoning		1	1
Dermatitis	1		1
Foreign body in pharynx		1	1
In throat	1		1
Furuncle of hip	1		1
Alveolar abscess	1		1
Gastritis, acute	1		1
Paronychia	1		1
Phlegmon of finger	1		1
Shock		1	1
Varicose ulcer of leg	1		1
Total	154	18	172

### DIAGRAM No. 1.

SHOWING POPULATION OF CITY, (Light Black Line.)

NUMBER OF DEATHS IN CITY. (Dotted Line.)

DAILY AVERAGE OF PATIENTS IN HOSPITAL. (Heavy Black Line.)




Patients in Hospital
Deaths in City.....

Population of City

Daily Average of Patients

DIAGRAM No. 2.

DAILY AVERAGE OF PATIENTS. (Black Line.) TOTAL EXPENSE. (Dotted Line.)



\* Including special repairs....\$14,718 36 Cost of maintenance..... 81,029 81 Total ..... \$95,748 15

DIAGRAM No. 3.

SHOWING TOTAL NUMBER OF CASES TREATED. (Black Line.)
TOTAL NUMBER OF DEATHS. (Dotted Line.)





DIAGRAM No. 4.

SHOWING TOTAL NUMBER OF DEATHS. (Black Line.)
NUMBER OF DEATHS FROM TUBERCULOSIS. (Dotted Line.)




Total number of deaths

Deaths From Tuberculosis......

DIAGRAM No. 5.

SHOWING TOTAL NUMBER OF DEATHS. (Black Line.)
DEATHS FROM DISEASES OF THE HEART AND CIRCULATORY SYSTEM. (Dotted Line.)




Total Number of Deaths.

Deaths from Diseases of the Heart, Etc.....

DIAGRAM No. 6.

SHOWING TOTAL NUMBER OF DEATHS. (Black Line.)

DEATHS FROM PNEUMONIA. (Dotted Line.)




Total number of Deaths
Deaths from Pneumonia......

DIAGRAM No. 7.

REPORT OF THEFTYAL

SHOWING TOTAL NUMBER OF DEATHS. (Black Line.) DEATHS FROM CANCER. (Dotted Line.)



Total Number of Deaths

### REPORT OF HOSPITAL STEWARD.

San Francisco, July 1st, 1898.

G. E. Sussdorff, M. D., Superintendent Physician-

DEAR SIR: The annual statement of expenses and averages of the Steward's Department of the City and County Hospital, herewith submitted, does not take into consideration the maintenance during the year of thirty persons at the Twenty-sixth Street Hospital, or Pesthouse. This cost our institution \$2,153.08—quite an item considering the meagerness of our appropriation.

I would recommend in this connection that efforts be made to have an appropriation made directly to the Pesthouse each year, and that that hospital buy its own supplies through requisition. This would be a more convenient plan for both institutions. Even the books of the Pesthouse are kept at this hospital.

The year just past has seen the usual struggle under the handicap of improper appliances and general dilapidation. Despite all these, many improvements have been made at little cost, much to the betterment of the hospital.

I would again urge that every effort be put forth to establish a proper scale of wages for employees, and that this matter be considered when the next appropriation is made. Especially is it necessary that the corps of ward tenders receive adequate wages instead of the paltry \$5 each a month now paid them. As you well know, patients cannot be made to work, and efficient service cannot be secured from men who are paid a mere pittance, neither is it just to expect men to work for such a small return.

Every effort has been made by this department to keep the supplies up to a proper standard, and the coming year will see these efforts maintained.

Respectfully,

PAUL EDWARDS,
Steward.

STATEMENT SHOWING MONTHLY EXPENDITURES DURING FISCAL YEAR.

Ham	\$21 10	32 00	22 70	26 10	25 10	26 00	35 00	25 00	26 10	26 10	26 10	98 00	\$997 30
Stoceries	\$124 07	154 58	212 70	184 98	143 23	213 09	250 00	245 03	225 16	232 65	238 30	170 96	\$2,394 75
ruit and Vegetables	\$242 45	188 62	211 46	160 41	170 03	223 73	183 70	. 195 44	222 91	236 18	275 82	275 26	\$2,586 01
lour	\$214 04	165 62	188 49	177 14	210 34	234 85	212 29	815 78	264 56	248 83	219 32	273 44	\$2,624 70
lish	\$40 75	38 96	50 11	48 07	40 82	45 48	40 07	46 32	74 34	49 32	46 32	27 90	\$578 46
Sggs	\$273 47	227 88	205 10	227 88	159 53	176 62	193 71	182 32	239 29	216 49	182 31	210 80	\$2,495 40
Coffee	\$39 02	79 80	54 43	87 43	64 66	87 85	70 53	84 44	84 57	70 11	105 32	88 65	\$916 81
Sutter	\$139 05	142 15	143 38	102 39	61 60	87 56	65 93	65 93	140 29	172 42	110 63	157 18	\$1,388 51
eef ,	\$620 14	546 93	548 62	537 46	515 21	567 51	589 11	521 71	651 91	573 30	515 45	505 33	\$6,692 68
acon	\$9 54	9 86	8 22	12 49	11 75	10 11	10 11	8 71	13 07	11 67	11 51	12 74	\$129 78
MONTHS.	1897—July	August	September	October	November	December	1898—January	February	March	April	May	June	

Dry Goods.	\$255 81	180 77	182 42	413 13	121 56	114 38	161 61	248 00	86 063	236 32	290 17	190 60	85 75
							_						\$2685
Crockery and Glassware	\$30 28	2 30	21 00		27 25	34 33		4 65	86 39	57 65	32 80	3 60	\$350 25
Coal Oil		\$11 98	3 39	66 6	66 6	15 98	5 99	15 98	2 33	13 98	2 99		\$101 86
Coal	\$223 51	313 86	307 10	356 20	462 50	674 80	560 40	549 40	470 40	409 70	348 40	335 40	\$5011 67
Brooms, Brushes, etc	\$47 03	39 00	50 03	43 18	1 80	2 00	66 36	69 01	48 53	42 53	47 28		8461 75
Blankets						:	:		:		:	\$1283 00	\$1283 00
Total Subsistence	\$2,845 26	2,628 91	2,619 77	2,658 10	2,239 33	2,701 68	2,593 58	2,466 40	2,925 87	2,846 67	2,683 89	2,732 02	\$31,941 57
Sugar	\$138 49	137 65	122 96	230 35	53 99	155 27	159 62	120 42	150 38	153 47	. 137 47	154 33	\$1,714 70
Poultry	\$37 45	50 20	33 00	34 90	91 10	161 10	44 90	53 70	71 45	19 90	28 50	27 05	\$653 25
Mutton	\$366 04	306 01	296 95	315 70	282 02	285 51	290 31	251 04	262 59	333 68	311 89	281 83	\$3,583 57
Milk	\$579 65	558 65	521 65	512 80	409 95	427 00	458 30	450 65	499 25	502 25	474 95	490 55	\$5,885 65
MONTHS.	July	August	September	October	November	December	1898—January	February	March	April	May	June	

Telephone Service	87 50	8 82	2 80	8 00	7 50	7 50	15 00	15 00	15 00	15 00	15 00	15 60	\$137 85
Stationery and Printing	\$112 05	130 30	135 20	43 75	21 30	33 30	93 80	58 30	104 00	11 25	14 80	72 50	\$830 55
Repairs to Utensils	\$2 00		31 60		80 00	:	:	50 18			:		\$163 78
Paints, Oils, etc	\$34 30	26 73	21 25	44 55	8 75	31 37	6 40	22 53	21 65	19 80	6 28		\$243 61
Petty Expense	\$52 80	6 55	26 25	10 20	7 70	13 80	10 65	2 00	15 81	18 55	11 85	19 25	\$200 41
Laundry Supplies	\$60 47	57 50	33 83	33 32	18 70	24 70	52 91	29 82	87 49	31 01	28 32	37 96	\$487 03
Laundry Repairs	1	:	:	:	:			:	00 9%	:	6 40		\$12 40
Lumber		\$33 95	106 06		:	:	:	:	24 35	14 20	2 90	7 50	\$188 96
Ice	\$53 32	34 06	34 90	37 40	24 40	21 55	19 80	27 02	32 75	36 90	26 75	28 30	\$367 15
Hardware	\$8 77	66 40	55 65		10 45	67 28	73 10	34 05	16 58	112 05	32 00	12 08	\$488 41
Furniture and Carpets	\$41 55	23 95	12 75	:	:		8 03	15 00	:	13 55		u į	\$114 82
Expressage	\$70 75	75 75	78 72	08 99	00 09	00 09	00 09	00 09	00 09	00 09	00 09	00 09	\$771 55
Engine Supplies	\$3 00		12 85		:	1 88	:	13 65		:	-		\$31 38
Electrical Supplies	\$6 60	:	:	:	:		:	:			:		\$6 60
MONTHS.	1897—July	August	September	October	November	December	1898—January	February	March	April	May	June	

Hay and Straw	\$11 76	30 30	24 92	26 17	96 19	25 72	24 41	36 05	25 18	23 79	12 65	11 34	\$268 38
Barley, Oats, etc	\$22 45	23 21	24 31	25 54	21 81	21 38	19 53	26 98	22 79	23 37	21 19	20 17	\$272 67
Total Miscellaneous	\$1,110 69	1,080 27	1,324 69	1,086 46	877 59	1,166 01	1,156 83	1,487 67	1,383 36	2,065 43	1,154 84	2,093 60	\$15,987 44
Sundry		\$20 25								31 75			52 00
Heating and Lighting Operating Room								\$123 62					\$123 62
New Smokestack and Boiler			\$120 00					:	38 20	915 00	137 50		\$1,210 70
Tule and Moss	\$21 40	16 05	16 05	19 30	12 84	25 10	16 05	35 95	19 26	19 26	55 66	17 12	\$274 04
Tools and Implements	:	:	\$26 73	:	:	:	:	00 6	:		:		\$35 75
Tobacco	\$5 77	14 53	14 58	10 64	2 85	6 74	6 74	10 69	18 48	14 53	10 64	10 69	\$126 88
Tinware and Kitchen Utensils	\$13 78	17 49	26 30	:	:	36 30	:	88 82	21 50	2 40	29 10		8225 69
молтня,	.897—July	August	September	October	November	December	8-January	February	March	April	May	June	

Total Dispensary	\$848 76	855 21	1031 96	, 743 52	700 20	618 64	705 81	940 28	1046 73	899 93	882 43	286 10	\$9554 57
Wines and Liquors	\$345 62	207 20	220 85	187 92	145 73	174 98	172 23	274 95	485 95	175 31	280 35	80 60	\$731 69
Surgical Instruments	\$4 25	4 50		1 00	91 00					:	00 9		\$106 75
Repairs to Instruments	\$2 10	2 75	1 25	:	12 25	:	1 00	:	1 00	2 25	1 75	:	\$24 35
Sundry		:	\$6 77	:	:	:	:	:	:	:	:	:	\$6 77
Sugar	\$15 00		14 97	15 32		:	14 85		15 33	15 60	16 03		\$107 10
Drugs, Medicines and Sur- cical Supplies	\$481 79	640 76	788 12	539 28	451 22	438 66	517 73	665 33	544 45	77 902	598 30	205 50	\$6577 91
Total Stable Expense	\$56 01	66 36	101 23	17 99	29 90	54 60	63 29	26 68	56 47	16 09	65 34	82 51	\$823 60
Sundry Stable Expense		\$5 45	16 70	7 50	4 40	:	:	:	:	5 25	7 50	-	\$46 80
Repairs to Vehicles	\$14 30	:	97 80				11 15	28 50			15 50	40 00	\$137 25
Horse-shoeing	87 50	7 50	7 50	7 50	7 50	7 50	8 50	8 50	8 50	8 50	8 50	11 00	\$98 50
MONTHS.	1897—July	August	September	October	November	December	1898—January	February	March	April	May	June	

Total Daily Expense per Patient	\$.6640c	3 36971c	. 7570c	.6623c	.6162c	.6300c	. 5930c	.6800c	.6566c	.7240c	.6414c	. 6800c	\$.6668c
Daily Subsistence Expense per Patient	\$.2558c	.2476c	. 2542c	.23760	.2067e	. 23230	.2119c	.2167c	.2343c	. 23880	.22680	.23410	\$.2330c
Daily Subsistence Expense per Person	\$.1940c	.1862c	.1900c	.1782c	.1545c	.1768c	.1630e	.1661c	.1787c	.1812c	.1705c	.1767c	\$.1763c
Total Maintained	487.68	470.74	461.57	481.16	483.14	492.65	513.74	531.03	529.13	523.70	507.65	515.37	499.77
Daily Average Officers and Employees	117.94	116.94	119.37	120.26	122.07	117.81	118.87	124.03	126.35	126.50	125.97	126.37	121.86
Daily Average Patients	369.74	353,80	342.20	360.90	361.07	374.84	394.87	407.00	402.77	397.20	381.68	389.00	377.91
Grand Total	\$7,523 22	7,399 25	7,757 55	7,417 09	6,663 52	7,285 93	7,258 36	7,738 91	8,108 53	8,626 39	7,558 20	7,963 48	\$91,390 43
Salaries	\$2,662 50	2,768 50	2,679 90	2,862 30	2,786 50	2,750 00	2,738 55	2,754 50	2,786 10	2,753 45	2,771 70	2,769 25	\$33,083 25
MONTH.	1897—July	August	September	October	November	December	1898—January	February	March	April	May	June	

## AMOUNTS USED OF PRINCIPAL ARTICLES SUPPLIED CITY AND COUNTY HOSPITAL FOR FISCAL YEAR OF 1897-98.

ARTICLES.	TOTAL.
Bacon, pounds	1,577
Beef, pounds	108,000
Butter, pounds	6,740
Coffee, pounds	6,721
Eggs, dozen	13,141
Fish, pounds	20,202
Flour, pounds	101,000
Ham, pounds	2,973
Milk, cans	11,976
Mutton, pounds	70,266
Sugar (granulated), pounds	15,815
Sugar (brown), pounds	15,851
Coal, tons	587
Hay, tons	225
Oats, pounds	22,106
Tobacco, pounds	652
Tule, bales	217
Potatoes, pounds	135,200
Total hour make the C	A STATE OF

When the your real popular

### PRICES OF CONTRACT GOODS SUPPLIED CITY AND COUNTY HOSPITAL FOR YEAR 1897-98.

ARTICLES.	PRICE.
Beef, first quality steer, per pound	4.740
Mutton, first quality wethers, per pound	5.100
Fish, fresh, best, per pound	
Coal oil, 150 deg. test, per gallon	19.970
Beans, best quality white, per 100 pounds	\$1.17
Cracked wheat, best, per 100 pounds	2.140
Syrup, G. C. Refinery, per gallon	8.190
Currants, Zante, per pound	6.730
Jelly, currant, per dozen tins	1.24
Macaroni, No. 2, per pound	3.830
Pickles, No. 2, per gallon	14.9c
Pie fruit, per case of 2 dozen	1 78
Rice, No. 2, new mixed	3 73
Sago, best, per pound	3.090
Salt (table), best, per 100 pounds	.430
Soap (laundry), best, per pound	2,230
Tapioca (pearl), best	3.9c
Tobacco, black navy, per pound	19.470
Tomatoes, per case of 2 dozen	1 29
Yeast powder (G. G.), 5-pound tins, per dozen	13 95
Flour, California best roller wheat, per 100 pounds	1 92
Beets, best, per 100 pounds	75c
Cabbage, best, per 100 pounds	63c
Corn meal, fresh ground, best, per 100 pounds	1 421/2
Semola, best, per 100 pounds	2 75
Hominy, best, per pound	2c ·
Oatmeal, best fresh ground, per 100 pounds	2 25
Sugar, Ex. C., per pound	4,800
Sugar, best granulated, per pound	5.330

### PRICES OF CONTRACT GOODS SUPPLIED CITY AND COUNTY HOSPITAL.

	)
ARTICLES.	PRICE.
Desan California aurad aidea non naund	0.00
Bacon, California cured sides, per pound	8,22c
Butter, cooking, per pound	18.70c
Codfish, best California, per pound	3e
Mackerel, Eastern No. 1, per kit	\$1 22
Fruits, dried apples and peaches, per pound	3.87½c
Fruit (table), per case of 2 dozen	2 42
Mustard (ground), best, per pound	7.96c
Pearl barley No. 2, per pound	3.85c
Pepper (ground), first quality black, per pound	7.32e
Raisins, first quality layer, per pound	5e
Salt (rock), best, per 100 pounds	35e
Salsoda, California, per pound	.98c
Tea, Japan Diamond L, per pound	12.87c
Coffee, Guatemala roasted, best, per pound	13.64c
Butter, fresh, first quality California, per pound	20.60e
Eggs, fresh California candled, per dozen	18.99c
Cornstarch, Kingford's, per pound	4.49c
Vinegar, 30 deg., per gallon	6.98c
Coal, Wellington, per 2240 pounds	8 50
Cheese, best California, per pound	10 ½ c
Ham, best California sugar-cured, per pound	10e
Vermicelli (white), No. 2, per pound	4c
Carrots, best, per 100 pounds	60c
Onions, best, per 100 pounds	97c
Turnips, best, per 100 pounds	75e
Potatoes, best Burbank, Salinas or Oregon, per 100 pounds	51c
Hay, best wheaten, per ton	11 88
Oats, best w. feed, per 100 pounds	1 23
Tule, per bale	1 07
Carrots (feed), per 100 pounds	54
Bran, best, per 100 pounds	71
Ground barley, best, per 100 pounds	89 1/4

### REPORT OF APOTHECARY.

San Francisco, July 1st, 1898.

G. E. Sussdorff, M. D., Superintendent Physician-

DEAR SIR: I herewith submit the report of the Drug Department for the year ending June 30th, 1898.

Respectfully,

WM. M. HICKMAN,

Apothecary.

STATEMENT SHOWING THE MONTHLY EXPENDITURES DURING THE FISCAL YEAR ENDING JUNE 30, 1898.

Total	\$848 76	855 21	1,031 96	743 52	700 20	613 64		940 28	1,023 98	992 68	882 43	286 10	\$9,554 57
Alcohol		90 %							312 43				\$317 43
Brandy	\$15 40						10)						\$15 40
Sherry Wine		\$51 50						20 20					\$102 00
Port Wine				\$45 50				53 00			51 50		\$150 00
Whisky	\$330 22	150 70	230 85	142 43	145 73	174 98	172 23	171 45	173 52	175 31	208 85	80 60	\$2,146 86
Surgical Repairs	\$2 10	2 75	1 25	1 00	12 25		1 00		1 00	2 25	/1 75	.)	\$25 35
						- 10							
Surgical Instru-	\$4 25	4 50			91 00					W 1	00 9		\$105 75
Surgical Instruments			397 29	240 39		132 82	246 05	253 25	198 75	277 50			\$2,559 96 \$105 75
ments	76 \$4	77 4			00 91				75	50	38 6	205 50	\$105

### STATEMENT OF DRUGS PURCHASED.

DATE.	FROM WHOM PURCHASED.	AMOUNT.	TOTAL.
1897—July	Langley & Michaels Co William Cluff Co	\$371 03 15 00	
August	Langley & Michaels Co	\$298 46 36 73	\$386 O3
Chambanahan	Miller, Scloss & Scott	1 80	336 99
September.	Redington & Co	\$364 76 3 54	
	I. H. Kelly & Co	6 77 18 53	
	Lengfeld's Prescription Pharmacy	14 97	412 57
October	Mack & Co	\$283 24 7 65	
	William Cluff Co Lengfeld's Prescription Pharmacy	15 32 8 00	314 21
November	Redington & Co	\$221 95 16 12	
	Clinton E. Worden & Co	25 15	263 22
December	Redington & Co	\$217 15 51 55 26 39	
	Lengfeld's Prescription Pharmacy	10 75	305 84
	Langley & Michaels Co	\$39 12 192 00	
	Clinton E. Worden & Co	40 56	286 53

### STATEMENT OF DRUGS PURCHASED.

DATE.	FROM WHOM PURCHASED.	AMOUNT.	TOTAL.
	Dishards 0 Co		
February	Richards & Co	\$193 85	
410	Langley & Michaels Co	218 23	\$412.08
March	Langley & Michaels Co	\$274 23	*****
	Clinton E. Worden & Co	48 72	III Self-
	William Cluff Co	15 33	
Anvil	Do Bin orton C. Co		338 28
April	Redington & Co	\$376 75	
	Clinton E. Worden & Co	49 18	
0.1	William Cluff Co	15 65	
	Langley & Michaels Co	26 09	(02.00
May	Mack & Co	\$308 71	467 67
	Langley & Michaels Co	46 95	
	Clinton E. Worden & Co	31 26	
	Goldberg, Bowen & Co	16 03	
			402 95
June	Mack & Co		205 50
	The second secon	W-1	
	Total	Market -	<b>\$4,131</b> 87

v

### STATEMENT OF SURGICAL GOODS PURCHASED.

DATE.	FROM WHOM PURCHASED.	AMOUNT.	TOTAL.
	CITECIONY IN TRIMENTO PEO		
897—July	SURGICAL INSTRUMENTS, ETC. William Hotterroth		
osiJuly	Deckelman Bros	\$4 25	
Anguet		2 10	
	William Hotterroth	7 25	
	J. H. A. Folkers & Bro	1 25	
October		1 00	
November		36 00	
	William Hotterroth	67 25	
898—January	Deckelman Bros	1 00	
March		1 00	
April		2 25	
May		1 75	
	William Hotterroth	6 00	\$131
	SURGICAL SUPPLIES.		
897—July	Langley & Michaels Co	\$71 96	
	William Hotterroth	3 75	
	Kohler & Chase	25 25	
	O. P. Downing & Co	9 80	110
August	William Hotterroth	650.00	110
August		\$56 00	
	O. P. Downing & Co	185 60	
	J. H. A. Folkers & Bro	64 17	303
September.	Redington & Co	\$93 98	
	Clinton E. Worden & Co	101 81	
	Langley & Michaels Co	11 25	
-	O. P. Downing & Co	183 50	
	Lane Hospital	6 75	000
			397

### STATEMENT OF SURGICAL GOODS PURCHASED.

DATE.	FROM WHOM PURCHASED.	AMOUNT.	TOTAL.
1897—October	Langley & Michaels Co	\$22 50	
	Sherman, Clay & Co	5 55	
	Johnson & Johnson	212 34	\$240 39
November	Langley & Michaels Co	<b>\$26 15</b>	
	N. W. Mallery	13 75	
	Johnson & Johnson	148 10	188 00
December	Langley & Michaels Co		132 82
1898—January	Mack & Co	\$153 10	
	Langley & Michaels Co	92 95	246 05
February	Langley & Michaels Co		253 25
March	Langley & Michaels Co	\$183 75	
	Lane Hospital	_15 00	198 75
April	William Hotterroth	\$22 75	
	Lane Hospital	37 50	
	Langley & Michaels Co	217 25	277 50
May	Gilbert S. Noble		211 38
25 (3)			\$2,559 96

### STATEMENT OF LIQUORS PURCHASED.

	DATE.	FROM WHOM PURCHASED,	ARTICLE.	AMOUNT.	TOTAL.
1897—	July	Dallemand & Co	Whisky	<b>£236 92</b>	
		Dallemand & Co	Brandy	15 40	
	10.000	F. M. Ferguson	Whisky	93 30	094F 66
	August	Dallemand & Co	Sherry	\$51 50	\$345_6
		Dallemand & Co	Whisky	150 70	
		J. E. Youngberg	Alcohol	5 00	
					\$207 20
	September	Dallemand & Co	Whisky		220 88
	October	Dallemand & Co	Whisky	\$142 42	
		Dallemand & Co	Port Wine	45 50	187 99
	November	Dallemand & Co	Whisky		145 78
	December	Dallemand & Co	Whisky		174 98
		Dallemand & Co	Whisky	-	172 23
		Dallemand & Co	Sherry	50 50	
		Dallemand & Co	Port	53 00	
		Dallemand & Co	Whisky	171 45	274 9
			7		214 9
	March	Dallemand & Co	Whisky	<b>\$173 52</b>	
		Langley & Michaels Co	Alcohol	121 53	
		Crown Distilleries Co	Alcohol	190 90	485 9
	April	Dallemand & Co	Whicky		175 3
	May	Dallemand & Co		\$85 10	
		Dallemand & Co		51 50	
		Alex. McDonald		123 75	260 3
			1, 222, 3		
	June	Dallemand & Co			80 60
					\$2,731 6

### REPORT OF THE MATRON.

San Francisco, July 1st, 1898.

G. E. Sussdorff, M. D., Superintendent Physician-

DEAR SIR: In submitting to you my yearly report, I desire to call your attention to the unusually large amount of sewing being turned out of my department, and request that I be relieved of such work as the making of mattresses, and that the same be relegated to the mattress maker's department; also, the great need of some motive power being placed in my department to facilitate our work.

The constant disregard to the rule that "bed patients" only be furnished with garments demands that a cheap ging-ham shirt be provided for the convalescent patients (averaging one hundred and twenty-five), thereby obviating the loss and mutilation of nightshirts appropriated only for wear of patients confined to bed.

The thanks of this hospital is due Mrs. Hooper, of the Occidental Hotel, for old linen, a much needed article; to Mr. W. H. Cross, 626 Polk street, and to the ladies of the First Baptist Church, for frequent donations. Also, to the ladies of the California Woman's Club for interest and promise of future aid.

Respectfully submitted,

MARY E. BLACK, Matron.

### MATERIAL RECEIVED AND ISSUED DURING THE YEAR.

ARTICLES.	On hand Last Report	Received	Total	Issued	On hand
Tennis flannel, yards	29	44	73	53	20
Baby flannel, yards	513/4	227	2783/4	2443/4	34
Shaker flannel, yards	39	2291/2	2683⁄2	2141/2	54
Canton flannel, yards		535	535	513	22
Bandage muslin, yards		4,795	4,795	4,564	231
Bleached muslin 10-4, yards	87	44	131	87	44
Bleached muslin 8-4, yards		176	176	132	44
Bleached muslin 5-4, yards		9851/2	9851/2	9791/2	6
Bleached muslin 4-4, yards	•••••	404	404	318	86
Unbleached muslin 6-4, yards		2,147	2,147	2,147	
Unbleached muslin 5-4, yards		1,746	1,746	1,437	309
Shroud muslin, yards	1163/4	123	2393/4	23934	
Green muslin, yards	6		6	2	4
Indian head, yards		152⅓	152½	103 ½	49
Huckaback crash, yards		596	596	596	
Asnland Sheeting, yards	391/2	783	822 1/2	7831/2	39
Dairy cloth, yards	96	675	771	753	18
Cheese cloth, yards	77	4,777	4,854	4,501	353
Curtain netting, yards		178	178	128	50
Cretonne, yards		318	318	267	51
Ticking, yards	••••	523	523	469	54
Oilcloth (white), yards	22	216	238	234	4
Gingham, yards		266 ½	2661/2	$226\frac{1}{2}$	40
Table linen, yards	121/2	851/2	98	60	38
Webb's crash, yards		2,049	2,049	2,049	
Crinoline	136		136	5	131
Crossbar	76		76	12	64

### MATERIAL RECEIVED AND ISSUED DURING THE YEAR.

ARTICLES.	On hand Last Report	Received	Total	Issued	On hand
Duck, yards	183/4	731/4	92	47	45
Cotton batts, number	16	1,700	1,716	1,585	131
Sheet cotton, number	251	1,129	1,380	1,143	237
Safety-pins, dozen	141	1,728	1,869	865	1,004
Eagle pins, papers	138	216	354	293	61
Buttons, dozen	153	248	401	104	297
Bobbins, dozen		22	22	15	7
Needles, papers	59	180	239	144	95
Thread, spools	1,013	2,376	3,389	779	2,610
Knitting cotton, balls	52		52	11	41
Tape, rolls	126	864	990	338	652
Thimbles, number	31	216	247	84	163
Buckles, number	552		552	16	536
Bleached sheets, number	8	83	91	75	16
Ward sheets, number		794	794	734	60
Pillowslips, number	30	922	952	736	216
Pillowticks, number	12	53	65	65	
Straw ticks, number	6	52	58	40	18
Mess ticks, number		22	22	15	7
Aprons, number		239	239	210	29
Eye-shields, number	16	24	40	37	3
Shrouds, number	13	46	59	52	7
Patients' towels, number	6	1,165	1,171	878	293
Roller towels, number	6	329	335	206	129
Huckaback towels, number	76	817	893	654	239
Ward shirts, number		466	466	384	82
Sleeves, pair	5	5	10	6	4
					J.

### MATERIAL RECEIVED AND ISSUED DURING THE YEAR.

ARTICLES.	On hand Last Report	Received	Total	Issued	On hand
Blankets, pair	6	220	226	213	13
Comforters, number		109	109	45	64
Rubber sheets, number		48	48	43	5
Rubber sheeting, yards		112	112	103	9
Spreads, number		384	384	372	12
Curtains, number		71	71	63	8
Mosquito netting, yards	51	208	259	183	76
Waiters' shirts, number		24	24	3	21
Waiters' socks, pair		60	60	39	21
Napkins, dozen		23	23	21	2
Doctors' coats, number		8	8	8	
Table-covers, number		14	14	14	
Butchers' linen, yards		901/2	90%	901/2	

## REPORT OF SAN FRANCISCO TRAINING SCHOOL FOR NURSES.

San Francisco, July 1st, 1898.

### G. E. Sussdorff, M. D., Superintendent Physician-

Dear Sir: I beg to submit herewith the report of the San Francisco Training School for Nurses for the fiscal year ending June 30th, 1898:

The Training School commenced its seventh year (July 1st, 1897) with the following staff of nurses:

Graduate Nurses	1
	_
Senior Pupil Nurses	13
Junior Pupil Nurses	11
Male pupils	1
Probationers	2
Total	28

The demands of the Hospital require a larger number than this, which the limited capacity of the nurses' quarters makes it impossible to meet.

The number of nurses during the year has varied but little. The names of five pupil nurses have been dropped from the rolls.

Twenty-five probationers have been admitted into the School; four were dropped at the end of probationary period.

Thirteen nurses have been graduated. One of the past year graduates, Miss Nickson of Chicago, remains (without salary) to take charge of the women's medical department, and is doing excellent work for the Hospital and School.

The satisfactory conduct of the women's medical and

general operating room shows the advantage of having graduate nurses in charge of departments and one to act as Night Superintendent of Nurses.

A larger staff of nurses would also allow of a visiting nurse to obstetrical and other patients amongst the poor who are not able to pay for the services of a trained nurse and prefer not coming to the Hospital. The benefits derived would be very great for this particular class. The nurse would be able to advise and instruct as to preparation of food, applications, baths, and general care in filling the orders left by the physician. There is indeed a wide field for such mission work.

Eighty-nine patients have been furnished with special night and day nurses for various periods. It has been found impossible to assign special nurses in all cases requiring them.

The usual work of the year has been carried on in a satisfactory manner by lectures, teaching in class, and lessons in massage and cooking.

The work of the nurses in the wards and lecture room has been well done and they have shown themselves attentive and studious—an *esprit de corps* existing effectually raising the standard of their work.

All pupils have spent on an average six hours weekly attendance in class and lecture. Miss Edna Davies has given twenty-four lessons in cooking to a class of twenty-two nurses. These lessons have been most thorough, have covered a very liberal course and have been much appreciated by the nurses, and in their private family work will be to them of incalculable value.

Necessary changes of schedule for meals and hours of duty that would add to the comfort and welfare of the nurses cannot be effected in our present environment.

It is my sad duty to record the death of pupil nurse William Hawkins, which occurred November 10th, 1897, after an illness of two weeks, contracted whilst nursing at the Pest-

house a patient supposed to be suffering from typhus fever. We wish to bear witness to his faithful and conscientious performance of duty, and our conviction that his life was sacrificed not only to duty but also to the barbarous provision afforded by the city for the care of patients suffering at the City and County Hospital with contagious diseases [wines, stimulants, etc., that could not be furnished by the Hospital were contributed by Hon. James D. Phelan and others |-- conditions but slightly mitigated when caring for Mr. Hawkins during his fatal illness at the City and County Hospital. It would no doubt be most gratifying to the citizens of San Francisco would the Supervisors appropriate a small sum of money to fittingly mark the grave of this loval and devoted nurse. The heroic nurses, Miss O'Reilly and Miss McLean, the physicians in attendance, Dr. F. W. Dudley and Dr. McLean, for their constant care and attendance to Mr. Hawkins, have our gratitude and admiration.

It is apparent that the term of instruction (two years) does not allow time or opportunity for routine or administrative work and taxes the time and strength of pupil nurses severely. I would suggest that all pupils entering during the coming year sign for a three years' course. The leading hospitals of the East having adopted the three years' course report favorably of the experiment, which system has always been a success in the hospitals abroad.

An additional number of graduates should be retained as head nurses of the following departments, Maternity and Nursery, Women's Surgical, Men's Medical and Night Superintendent, to be selected for executive ability, exercise of discipline and careful teaching of their assistant nurses, obviating the constant changing of charge-nurses and dividing the responsibility that now exists under the present system of departments being placed in charge of pupil nurses subject to frequent change necessary to allow pupil nurses an equal length of time for experience in each of the various wards of the Hospital during their service of two years.

The exceedingly crowded condition of the nurses' quarters leads me to again ask for the erection of a dormitory apart from the Hospital, the basement of such a building to be fitted up as a gymnasium for the nurses. Physical education as the recognition and merits of this branch of education are now neglected for lack of accommodations.

The Training School has been largely indebted to the help, advice and support of the physicians of the staff and the cordial and helpful co-operation of the Superintendent and Resident Physicians.

Respectfully,

MARY PATTON,

Chief Nurse and Principal of the Training School.

### LIST OF GRADUATES.

### GRADUATES-1892-93.

Archibald, Alice, Private Nurse, San Francisco.
Coffield, Mary, Private Nurse, San Francisco.
Hanson, Kate, Private Nurse, San Francisco.
McGovern, Katherine L., Private Nurse, San Francisco.
Robinson, Robin M., Private Nurse, San Francisco.
Waterman, Adelaide M., Private Nurse, San Francisco.

#### GRADUATES-1894-95.

Espeset, Belle S., Private Nurse, San Francisco. Whicher, M. Louise, Librarian Public Library, San Francisco.

### GRADUATES-1895-96.

Buchler, Lillie C., Private Nurse, San Diego.
Covert, Nellie D., Private Nurse, San Francisco.
Gibbel, Fannie B., Private Nurse.
Gray, Annie Irving, Private Nurse, New York, N. Y.
Mead, Mary E., School Department, San Francisco.
Parry, Frances A., Private Nurse.
Ranson Jennie, Private Nurse, San Francisco.
Ryan, Hattie D., Private Nurse, Denver, Col.
Reed, Elizabeth A., Private Nurse, San Francisco.
Wood, Adeleine M., Portland Oregon.
Walker, E. Maud.

### POST-GRADUATE-1895-96.

Hulda E. Graves, Private Nurse, Victoria, B. C.

### GRADUATES-1896-97.

Beasley, Mary L., Matron County Hospital, Santa Rosa. McAfee, Mary S., Private Nurse, San Francisco. Kane, Julia M., City and County Hospital, San Francisco. Nelson, Jessie R., Private Nurse, San Francisco. Thompson, Eugenie, Private Nurse, San Francisco. Young, Lena G., Private Nurse, San Francisco. Young, Mattie, Private Nurse, San Francisco.

## GRADUATES-1897-98.

Cathcart, Josephine, Home, Pomona, Cal. Gracier, Jennie, Private Nurse, San Francisco. Howard, Carrie, Private Nurse, San Jose. Hayden, Elsie S., Private Nurse, San Francisco. Karstens, Ottlie, Private Nurse, San Francisco.
Lampkin, Bertha, Private Nurse, San Jose.
McLean, Eliza, Private Nurse, San Francisco.
Nickson, Jane P., City and County Hospital, San Francisco.
O'Reilly, Mary, Private Nurse, San Francisco.
Roney, Margaret, Private Nurse, San Francisco.
Rist, Ella, Private Nurse, San Francisco.
Strand, Mary F., Soldiers' Home, Los Angeles County, Cal.
Tierney, Ellen, Private Nurse, San Francisco.

## COURSE OF LECTURES, 1897-98.

### DR. WM. WATT KERR.

- 1. Pneumonia.
- 2. Hygiene.
- 3. Ventilation.
- 4. Ventilation.
- 5. House Drainage.
- 6. Disinfectants.
- 7. Disinfectants.
- 8. Nursing Febrile Cases.
- 9. Bath and Diet.

### SURGERY-DR. G. FRANKLIN SHIELS.

### (Wednesday-8 p. m.)

- 1. Cell Life: Healing of Wounds.
- 2. Principles and Practice of Aseptic and Antiseptic Surgery.
- 3. Dressings and Their Disinfectants; Their Methods of Preparation and Use.
  - 4. Surgical Instruments (Care of).

#### SURGERY-DR. EMMET RIXFORD.

### (Friday-11 p. m.)

- 1. Anesthetics: Their Administration and Effects.
- 2. Care of Patient Before, During and After Operation.
- 3. Methods of Sterilization.
- 4. Preparation of Irrigating Fluids.

# GYNECOLOGY-DR. C. A. VON HOFFMAN.

### (Thursday-10 a. m.)

1. Gynecological Instruments. Preparing Patients for Examination. Preparation for Operations and Aftercare.

# ABDOMINAL SURGERY-DR. C. A. VON HOFFMAN.

1. Technique to be Observed by Nurses. Post-Operative Care of Abdominal Cases.

## EYE, EAR AND THROAT-DR. LAGAN.

(Friday-4 p. m.)

## OBSTETRICS-DR. JAMES F. McCONE.

(Saturday-4 p. m.)

- 1. Pregnancy. Impregnation.
- 2. Parturition. Natural Labor.
- 3. The Puerperal State. Aftercare.
- 4. Care of Infant in Health and Disease.

### DISEASES OF THE SKIN-DR. W. G. HAY.

(Tuesday-4 p. m.)

- 1. Anatomy and Care of the Skin.
- 2. Nursing in Diseases of the Skin.

# THE URINE-DR. L. BAZET.

- 1. Elementary Analysis of Urine.
- 2. Tests With Practical Work.
- 3. Nursing in Diseases of Urinary Organs.

### PHYSIOLOGY-DR. W. W. WYMORE.

### (Monday-4 p. m.)

- 1. Phenomena of Life: Structure of Elementary Tissues.
- 2. Blood: Its Circulation.
- 3. Respiration.
- 4. Food and Diet. Digestion.
- 5. Absorption. Animal Heat, Skin and Kidneys.
- 6. Vascular Glands. Muscular System.
- 7. Voice. Speech. Cerebro-Spinal Nervous System.
- 8. Cranial Nerves. Senses.
- 9. Sympathetic Nervous System.
- 10. Reproductive Organs. Development.
- 11. Development (continued).
- 12. Relation of Life to Other Forces. Chemical Basis of Human Body.

## MATERIA MEDICA-DR. MEYER.

# (Wednesday-8 p. m.)

- 1. Medicines and Their Methods of Administration. Dosage, Weights, and Measures. Terms and Preparations.
- 2. Classification of Drugs. Cathartics, Emetics, Stimulants, Hypnotics, Sedatives, etc.
- 3. Drugs Acting on Respiratory, Circulatory and Excretory Systems; and Physiological Action in Each.
  - 4. Poisons. Symptoms and Antidotes.

# ANATOMY-DR. S. J. FRASER.

### (Friday-8 p. m.)

- 1. Anatomy Proper: The Cell.
- 2. Bone: Development and Classification.
- 3. Bones of Skull.
- 4. Bones of Trunk.
- 5. Bones of Upper and Lower Extremities.
- 6. Joints.
- 7. Muscles.
- 8. Arteries and Veins: Lymphatics.
- 9. Brain and Spinal Cord.
- 10. Heart and Lungs.
- 11. Organs of Digestion.
- 12. Pelvic Organs.
- 13. Landmarks.

#### GENERAL MEDICINE-DR. H. C. MOFFITT.

- 1. Anatomy of Nervous System.
- 2. Physiology of the Nervous System.
- 3. Nursing in Diseases of Nervous System.
- 4. The Care of the Nervous and Insane.

## MASSAGE-DR. HEDWIG MALMESTROM.

# (Tuesday-4 p. m.)

- 1. History—In Hands of Masseuse; in Hands of Nurse. Demonstration in Hand and Arm.
  - 2. Effect on Digestion. Demonstration on Chest and Abdomen.
  - 3. Demonstration on Foot and Leg.
  - 4. Thigh. Passive Movements.
    - 5. Massage of Head. Soporific Effect. How Obtained.

- 6. Demonstration on Back, Back and Gluteal Regions. Resistive Movements.
- 7. Sprains: Dislocations: Indurations: Paralysis: Percussion: Position: Use of Oils.

### DIETETICS-MISS E. DAVIES.

### (Tuesday-3 p. m.)

- 1. Introductory.
- 2. Elementary Composition of Food. Food Classification.
- 3. Water. Uses in Human Body. Purity of Water. Variety of Drinking Water.
  - 4. Water (continued). Experiments.
- 5. Force-Producing Value of Foods.
- 6. Strengthening Foods. Digestive Ferments.
- 7. Nutrition of Animal and Vegetable Foods Compared. Vegetarianism.
  - 8. Changes Produced in Foods by Cooking.
  - 9. Salts and Vegetable Acids.
  - 10. Animal Foods.
  - 11. Vegetable Foods.
  - 12. Stimulants and Beverages.

## DEMONSTRATION LECTURES-MISS E. DAVIES.

- 1. Broths and Soups.
  - 2. Cooking of Eggs.
  - 3. Cooking of Eggs (continued).
- 4. Meats.
- 5. Toast Preparations.
- 6. Stimulants and Beverages.
  - 7. Oysters.
  - 8. Gruels.
  - 9. Predigested Foods.
- 10. Special Diet for Certain Diseases.
  - 11. Special Diet for Certain Diseases (continued).
- 12. Invalid Desserts.

# THE FOUNDING OF THE TRAINING SCHOOL FOR NURSES.

The San Francisco Training School for Nurses was established in August, 1891, this being the first effort to bring the trained skill of the Eastern schools to bear upon the amelioration of the dependent afflicted in this Western metropolis. Briefly stated, during the previous year Mrs. J. G. Lemmon of Oakland was cared for through a severe illness, and her life no doubt saved through the skillful services of Miss Ida M. Forsyth, a graduate nurse from the famous Blockley Hospital of Philadelphia. Grateful for her own recovery, her solicitude for the welfare of others became greatly enhanced; and with her, desiring and doing are coincident as a general rule. Consulting with Miss Forsyth, it was decided to visit the City and County Hospital of San Francisco, this being the largest institution of its kind on the Pacific Slope, and one that would afford the best opportunities for clinical instruction and experience. The Superintendent Physician, Dr. C. S. Healy, welcomed these earnest women cordially and the subject was laid before him. Though evidently appreciating to the full the value of special and thorough training to prepare nurses for the proper care of invalids, he at first thought such a school would not be feasible in the City and County Hospital, because of the lack of suitable rooms for their accommodation and funds to carry on the work. During a subsequent interview, however, when Mrs. Lemmon introduced Miss Forsyth, it was discovered that the importance of instituting a training school in the Hospital had grown in the Superintendent Physician's estimation—for he had already applied to the Board of Health and the Board of Supervisors for their approval and assistance. The Superintendent Physician found that a majority of the Board of Health (not in-

cluding Mayor Sanderson, who was heartily in accord with the project from the first) were still undecided upon this innovation. They cited in objection the impropriety of placing young women in a hospital of mixed patients, the want of proper rooms, and lack of funds. Perhaps the chief objection, though unstated, was reluctance on the part of the Board to remove from the Hospital wards the old-time nurses who, though inefficient, and some of them often intoxicated, were nevertheless persons of influence in political circles. The objectors were called upon again and again. and the various objections were gradually overcome, particularly that of placing young women in such positions, this being clearly demonstrated as having already passed the stage of experiment and become an unbounded success in similar institutions in the East. About this time Dr. Healy, the Superintendent Physician, had found rooms in a wing of the Hospital that might perhaps be made available for living quarters. He invited inspection of them, and they were pronounced suitable. These rooms, the same now occupied by the Training School, were then used in part by certain employees of the Hospital, and it was not without loud protest that they were transferred to other quarters.

The rooms were devoid of furnishings of any kind, and Mrs. Lemmon, often accompanied by Miss Forsyth, set about soliciting aid from her friends and citizens of San Francisco, who responded generously, and these persevering women were finally successful in procuring various articles for furnishing the rooms with some degree of comfort. A careful account of all articles and money so contributed was kept and the names of the donors preserved. No sooner was the School in active operation than it was discovered that its establishment was a decided measure of economy. Heretofore the patients had been committed to the care of untrained nurses, employed at wages of from \$20 to \$75 per month, while the pupils of the Training School receive the nominal sum of \$10 per month after having given three

months free service—a large saving in favor of the Training School.

The work of the School, within a few months after its inauguration, with even the small number of young women under the careful supervision of Miss Forsyth and her assistant, Miss Elise K. Mohl, eventuated in great improvement throughout the Hospital. Neatly attired nurses were constantly on duty in the various wards, and where formerly the medicines were kept on the table at the bedside of the patients, who helped themselves at will, the drugs were placed in closets under lock and key, to be carefully measured and administered in the exact doses prescribed by the physicians. Neat charts were also seen at the heads of the beds, where the nurses kept record of temperature. respiration, and pulse—an indispensable requisite in the treatment of many diseases, especially fevers. The surgeons were also quick to appreciate the careful and intelligent preparation of patients for operations, and watchful care during the critical hours following. One of the leading physicians remarked that before the advent of the Training School he often found it difficult to distinguish between a nurse and patient, as patients were often trying to nurse each other.

In the year 1891 twelve nurses only were enrolled. In 1893-94 the number averaged sixteen. This number was recognized by the Board of Health as entirely inadequate for the work of the Hospital. Up to 1895 no appropriation had been made to meet the expense of a larger force of nurses, although the Board of Health in office at that time was very willing to increase the nursing staff, but had no funds on hand for such purpose. In October, 1895, and April, 1896, two musicales were given at the Occidental Hotel under the auspices of the leading society women of San Francisco, the proceeds (\$217.00) to be utilized for dormitory furnishings. This enabled us to accommodate nine more pupils, increasing the number of pupil nurses from nineteen to twenty-eight. The names of the patron-

esses and artists who so generously gave their time and interest will be found appended hereto.

With the increased number of nurses the advantages to the patients are many; the relief to the nurses scarcely perceptible. The night force was increased from three to six, and frequently eight. A senior nurse is detailed as Night Superintendent of Nurses, directing the work and seeing that all emergencies arising during the night are properly met.

Critical medical and surgical cases, demanding extra care, are furnished with special nurses—an arrangement impossible when the school numbered but nineteen pupils, the custom then being to strap or tie down delirious pneumonia and typhoid patients.


# DONATIONS TO THE TRAINING SCHOOL.

NAME. AUGUST, 1891.	DONATION.
Mrs. O'Sullivan	One chair.
Messrs. Ray & Hampton	One hassock.
Gullixon & Bros	One hassock.
Alex. Mackay	One ingrain carpet.
Mrs. E. P. Jones	Two chairs and one fur rug.
City of Paris	One pair of portieres.
Vicky	One picture.
Mrs. J. G. Lemmon	Two corner shelves.
1896. Dr. C. N. Ellinwood	Kirk's physiology. Worcester's dictionary.
Mrs. Selden S. Wright	Jewel gas stove.

# CONTRIBUTIONS TO THE TRAINING SCHOOL.

		-11
NAME.	AMOUNT.	TOTAL.
1,		
August, 1891.		1000
Mrs. Henry Schmeidell	<b>\$</b> 5 00	-
Mrs. Henry Kunthal	2 50	
Mr. Adolph Sutro	20 00	
Mrs. H. M. Miller	2 00	0.07.00
Mrs.George Fife	20 00	
Mrs. F. T. Hooper	2 00	
Mrs. G. N. Beaver	5 00	
Mrs. M. A. Swan	5 00	-
Mrs. H. M. Newhall	2 00	
Mrs. Levi Strauss	5 00	
Messrs. Goldberg, Bowen & Lebenbaum	5 00	
W. & J. Sloane & Co	5 00	
Mr. Harry K. Miller	5 00	
Hub Clothing Co	5 00	- 10
O'Connor, Moffatt & Co	5 00	100
Roos Bros	5 00	
Newman & Levison	5 00	-
Murphy, Grant & Co	5 00	
Payot, Upham & Co	4 50	
Total		\$113 0

-AVERAGE NO. PATIENTS TO ONE NURSE IN AMERICAN HOSPITALS WITH TRAINING SCHOOLS. Ξ PATIENTS. 1



# STATISTICS OF TRAINING SCHOOL FOR NURSES.

## INITIAL YEAR.

1891-92.

Senior pupil nurses.....

Senior pupir nurses	
Junior pupil nurses	
Probationers 3	
makal manadatan	
Total remaining	17
Probationers received during the year	34
1892-93.	
Senior pupil nurses	
Junior pupil nurses	
Total remaining	15
Probationers received during the year	14
Probationers accepted	5
Pupils resigned	7
·	
1893-94.	
Graduate nurse 1	
Senior pupil nurses 2	
Junior pupil nurses 7	
Probationers 6	
Total remaining	16
Probationers received during the year	26
Pupils resigned	11
Nurses graduated first class, September, 1893	6
Left the school	5
Retained as assistant to the head nurse until November, 1894	1
	1
1894-95.	
Senior pupil nurses 5	
Junior pupil nurses 12	
Probationers 2	
Total remaining	1
Total remaining	19
Probationers received during the year	15
Probationers accepted	10
Nurses graduated	2
1895-96.	
Senior pupil nurses 10	
Junior pupil nurses	
Probationers	
Total remaining	29

TRAINING SCHOOL REPORT.	469
Probationers received during the year	28
Probationers accepted	14
Pupils resigned	3
Graduates taken post-graduate course	1
Pupils returned to finish unexpired term	4
Graduates of the class 1896	12
Monthly average of pupil nurses on roll	18
Monthly average of probationers	8
Monthly average of days special nursing	33
Monthly average of day nurses off duty ill	25
Formal applications received during the year	47
1896-97.	
Graduate nurses	
Senior pupil nurses	
Junior pupil nurses	
Male pupil nurse	
Probationers 2	
Probationers	
Total remaining	28
Probationers received during the year	12
Probationers accepted	8
Senior pupil nurses resigned	4
Graduates of the class 1897	8
Monthly average of pupil nurses on roll	24
Monthly average of probationers	5
Monthly average of days special nursing	23
Monthly average of day nurses off duty ill	5
Number of applicants on file	82
	-
1897-98.	
Graduate Nurses 2	
Senior pupil nurses9	
Junior pupil nurses	
Male pupil nurses	
Total remaining	. 33
Probationers received during the year	. 23
Probationers accepted	
Junior pupil nurse discharged	
Junior pupil nurse died	
Graduates of the class of 1897-8	
Number of applications on file	

# REPORT OF CITY AND COUNTY ALMS HOUSE.

San Francisco, July 1st, 1898.

To the Honorable the Board of Health

Of the City and County of San Francisco—

Gentlemen: I respectfully submit to your honorable Board the following report of the City and County Alms House for the fiscal year ending June 30th, 1898:

### NUMBER OF INMATES ADMITTED.

Males	567
Females	119
Total admitted	686
Remaining in the house July 1st, 1897	921
Total to be accounted for	1,607
NUMBER OF INMATES DISCHARGED.	
Number of inmates discharged at own request	300
Number of inmates ran away	53
Number of inmates discharged for cause	122
Number of inmates died	142
Remaining in the house July 1st, 1898	990
Total	1,607
Daily average of inmates	961

The appropriation for the City and County Almshouse for the fiscal year 1897-98 was	
Balance unexpended	791.25
Total balance unexpended	\$1,424.76
Which being deducted from	1,424.76
Actual total cost to City for 1897-98.  Daily average number of officers, employees and inmates.  Daily cost of food per officer, employee and inmate.  Total cost of dry goods, clothing, bedding, shoes, etc.  Daily average number of inmates.  Daily cost per inmate of above articles.	992 08 86-100c \$3,211.65 961
According to our books the total amount paid out for 1897-98 was  Less amount turned into Treasury from sale of junk, etc  Total cost to city for 1897-98	791.25
Daily cost of institution	79.17c
Received from the sales of junk, bones, rags, etc	676.00
Total turned over to City and County Treasurer  Effects of deceased inmates turned over to City and County Treasurer	\$791.25 89.10

All vegetables consumed by the inmates were grown on the grounds this year, and the thirty acres growing in potatoes look very promising for a dry year.

About thirty tons of hay have been harvested from the grounds and saved in good condition.

Thirty cords of wood have been cut from the tree tops on the road.

The Board of Health have selected nine acres of land for the New City and County Hospital, and the same has been surveyed by the County Surveyor.

Water is still furnished an adjoining milk ranch, for

which we receive as compensation one can milk per day, valued at fifty cents.

The doctors and ambulance drivers from the Park Receiving Hospital have been boarded here during the year. The monthly entertainments for the amusement of the inmates have been kept up, and thanks are due to the many who have contributed time and talent to them.

We desire to return thanks to Mrs. Phoebe Hearst for the present of a handsome piano to our institution.

Dr. Pischl has continued his regular visits and given his gratuitous services as oculist to the inmates. The clergy of St. Dominic's and St. James' parishes, the Rev. D. O. Kelly, the Rev. W. H. Tubb, the Salvation Army, the Catholic Ladies' Aid Society, the German Ladies' Benevolent Society and the French Ladies' Aid Society have made regular visits and administered to many of the inmates in one way or another, to all of whom we desire to return thanks. During the past year the want of means has prevented many much needed improvements and repairs, and while the whole of No. 1 building needs new flooring, I was only able to newly floor a portion of the main hall, a part of the main stairway and the office. The roof of the new building needs new skylights and many other repairs. The old latrine having become a nuisance in reality as well as in appearance, has been replaced by a new one, with all modern improvements. I also found it necessary to lav 1,800 feet of new pipe to guard against fire. I desire to return thanks to the honorable Board of Fire Commissioners for the fine fire engine. I found it necessary to shelter the new fire engine in the new concrete house which has been built for that purpose. The cost of the new round-house or latrine was \$1,609.62; the cost of the new fire engine house, the new pipes, etc., was \$1,924.86. I am indebted to Chief Sullivan and Assistant Dougherty for many valuable suggestions in connection with the management of the fire engine.

Thanking the honorable Board of Health and the honorable Board of Supervisors for their kind support and cooperation, I respectfully submit this report.

E. A. REDDY, Superintendent.

# STATISTICS.

### ALMSHOUSE EXPENSES FOR 1897-98.

	Salaries of officers and employees	\$20,249.20
	Provisions, groceries, fruit, etc	32,080.16
	Dry goods, clothing, etc	3,211.65
	Tobacco	856.68
	Medicines, drugs, liquors and alcohol	1,487.06
	Repairs and materials of building	3,055.11
	Repairs of ranges and stoves	3.38
	Repairs of vehicles and horse-shoeing	1,047.85
	Feed of horses and cattle	2,245.84
	Tools, implements and hardware, etc	531.43
	Crockery and utensils	184.83
	Laundry supplies	229.68
	Furniture, carpets, paints and oils	674.99
ł	Printing and stationery	88.80
	Petty expenses	56.01
	Telephone	90.00
	Material and labor and construction of new buildings	353.48
	Fuel, light and water	7,239.47
	Total	\$76,866.49
	Total cost of food for 1897-98	\$32,080.16
	Less amount turned into Treasury from sale of junk	791.25

### NATIVITY OF INMATES ADMITTED.

### UNITED STATES.

Alabama 2	Louisiana 3
California 9	Maine 7
Connecticut 4	Maryland 4
District of Columbia 2	Missouri 1
Indiana 2	Massachusetts 12
Georgia 1	Michigan 5
Illinois 3	New Hampshire 5
Kentucky 4	New Jersey 1

# UNITED STATES—Continued.

UNITED SIAI	ES Continued.
Ohio 13	Utah 1
New York 55	Virginia 8
Pennsylvania 11	Vermont 7
Rhode Island 2	Wisconsin 1
South Carolina 1	_
Tennessee 2	Total166
	•
EOD	EIGN.
r Oit.	EIGN.
Austria 7	Italy 6
Azores 1	Mexico 1
Belgium 3	Norway 6
Canada 11	Poland 3
Chile 1	Russia 2
China 5	Scotland 14
Canary Islands 1	Sweden 12
Denmark 6	Switzerland 5
England 40	West Indies 4
Finland 7	Western Islands 2
France 18	—
Germany 85	Total foreign520
Holland 1	United States166
Ireland278	_
Iceland 1	686
OCCUPATION OF	INMATES ADMITTED
Architect 1	Boilermaker 2
Assayer 1	Bricklayer 4
Baker 12	Brickmaker 1
Barber 6	Butcher 10
Barkeeper 2	Cabinetmaker 4
Blacksmith 4	Carpenter 24
Bookkeeper 5	Canvasser 2
Book agent 2	Carriage-maker 1

# OCCUPATION OF INMATES-Continued.

Carriage painter	Machinist 5
Carpet sewer 1	Marble polisher 3
Cement worker 1	Mattressmaker 1
Chairmaker 1	Merchant 3
Clerk 16	Miner 26
Coachman 4	Miller 3
Collector 1	News agent 2
Cook 46	Nurse 10
Cooper 10	No occupation 10
Coppersmith 1	Packer 1
Dishwasher 4	Painter 13
Dressmaker 4	Peddler 17
Druggist 1	Plasterer 4
Domestic 67	Plumber 2
Dyer 1	Pianomaker 1
Engineer 8	Porter 1
Engraver 1	Printer 6
Farmer 9	Preacher 1
Fireman 3	Railroadman 6
Florist 1	kancher 1
Foreman 1	Reporter 2
Furrier 1	Rigger 4
Gardener 9	Sailor 19
Harnessmaker 1	Sawyer 2
Hack driver 1	Seamstress 3
Hostler 4	Sheepherder 1
Housekeeper 8	Shoemaker 9
Ironmolder 2	Shirtmaker 1
Janitor 1	Slateroofer 1
Laborer	Stableman 4
Laundress 1	Stevedore 1
Laundryman 4	Steward 1
Lecturer 1	Stonecutter 2
Liveryman 1	Tailor §
Lodging-house keeper 1	Tanner 1
Longshoreman 7	Teacher 5

# OCCUPATION OF INMATES-Continued.

Teamster 8	Watchman 3
Telegraph operator 1	· Watchmaker 2
Tinsmith 5	Weaver 3
Traveler 1	Wheelwright 1
Upholsterer 2	Window cleaner 3
Varnisher 3	Wiredrawer 2
Waiter 6	
Washer and ironer 4	Total
1	Total
-	
AGES OF INM.	ATES ADMITTED.
7	Franco 60 to 70 moons
From 10 to 19 years	From 60 to 70 years
From 20 to 30 years	
From 30 to 40 years 32	From 80 to 90 years
From 40 to 50 years 59	From 90 to 100 years 6
From 50 to 60 years122	Total
SOCIAL CONDITION OF	INMATES ADMITTED.
South Companies	
Single	319
Married	71
Widowed	
Divorced	10
Ilnknown	
Total	
	TO A DAKEMENT
RACE OF INMAT	ES ADMITTED.
Caucasian	673
African	
Mongolian	
Total	686

## BY WHOSE ORDER ADMITTED.

By His Honor Mayor Phelan 529
By Superintendent City and County Hospital 143
By Dr. Washington Dodge 1
By Dr. Gallwey (Health Office) 1
By Supervisor Smith
By Supervisor Devany
By Superintendent Reddy 10
Total688
NUMBER OF TIMES ADMITTED AND RE-ADMITTED.
NUMBER OF TIMES ADMITTED AND RE-ADMITTED.
First time
Second time
Third time
Fourth time
Fifth time
Sixth time
Seventh time 9
Eighth time
Ninth time
Tenth time
Eleventh time         1           Twelfth time         1
Fifteenth time
Twenty-first time
_
Total

The following is a resume of the work done in the different departments during the year:

# TAILORING DEPARTMENT.

Men's cassimere coats made	37
Men's cassimere pants made	52
Men's cassimere vests made	56
Men's blue jean overalls made	246
Men's blue jean blouses made	78
Coats, pants, vests, etc., repaired	278

Th

### SHOEMAKING DEPARTMENT.

Men's shoes made, pairs	67
Men's slippers made, pairs	6
Men's shoes repaired, pairs 7	
Women's shoes repaired, pairs	33
FEMALE DEPARTMENT.	
e female inmates have made:	
Men's overshirts 99	
Men's undershirts	
Men's caps	
Men's shrouds	
Men's aprons 18	
Women's drawers	
Women's Canton shirts	
Women's nightgowns	
Women's aprons 15	23
Women's Canton undershirts	
Women's shrouds	
Women's dresses	42
Women's underwaists	36
	20
Women's chemise	27
Women's burial chemise	3
Women's caps	48
Women's knit stockings	11
Women's flannel undervests	4
Sheets	72
Pillowslips 20	02

 Pillowticks
 52

 Bedticks
 42

 Bedspreads
 38

 Roller towels
 63

 Hand towels
 35

 Scrin curtains
 25

 Napkins
 88

## FARM.

House, lot No. 1, grounds and road	5 acres
No. 2 building, grounds and road	5 acres
Hospital lot, grounds and road	4 acres
No. 4 building, grounds and road	2 acres

## UNDER CULTIVATION.

Potatoes	30	acres
Hay	9	acres
Pasturage	8	acres
Vegetables	15	acres
Waste lands	2	acres
growth of the State of the property of the Colly		
Total		

# LIVE STOCK.

Horses	14
Cows	2
Calves	
Hogs, large	50
Hogs, small	30
Chickens	60

# REPORT OF MEDICAL DEPARTMENT OF THE CITY AND COUNTY ALMS HOUSE.

San Francisco, July 1st, 1898.

To the Honorable the Board of Health
Of the City and County of San Francisco—

Gentlemen: I hereby present to your honorable board the yearly report of the Medical Department of the City and County Almshouse for the fiscal year ending June 30th, 1898:

Number of inmates July 1st, 1897	921
Average number of inmates	961
Number of deaths during year	142
Number of cases treated during year	4,432
Number of prescriptions	8,203
Cost of drugs, alcohol, liquors, surgical supplies, etc \$1,	487.06
Remaining in house July 1st, 1898	990

# NATIVITY OF DECEASED PERSONS.

Austria 2	Italy 1
Azores Islands 1	Norway 3
Belgium 1	Poland 1
China 1	Portugal 1
Canada 3	Scotland 2
East Indies 1	Sweden 4
England 10	Turkey 1
Finland 2	United States
France 11	Unknown 1
Germany 17	_
Ireland 49	Total142

# CAUSES OF DEATH.

	1	1	1
DISEASES.	MALE.	FEMALE.	TOTAL.
CLASS A—GENERAL DISEASES			
SEPTIC—			
Septicemia (due to anthrax)	1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1
CONSTITUTIONAL—	*		1-17
Epithelioma of pharynx and larynx	2	1	3
Rheumatism		2	2
Sarcoma of breast and liver	1	1	2
Tuberculosis pulmonalis	9	2	11
		7 213	
DEVELOPMENTAL—		-	
Senility	37	7	44
CLASS B-LOCAL DISEASES.			
NERVOUS SYSTEM—			
Apoplexy, cerebral	2	1	3
Brain, softening of	21	1	22
Epilepsy	2		2
Meningitis, cerebral	1		1
Paralysis, spinal	4		4
Paralysis, general	2		2
CIRCULATORY SYSTEM—	min.	1	
Heart, valvular disease of	10	1	11
Heart, fatty	2		2
Heart, dilatation of	12	1	13
DEGDED A MODEL GROWING			
RESPIRATORY SYSTEM—			
Bronchitis, chronic	2		2
-			

# CAUSES OF DEATH-CONTINUED.

DISEASES.	MALE.	FEMALE.	TOTAL,
RESIRATORY SYSTEM—Continued—			
Bronchitis and asthma	1	1	2
Pneumonia	1	l	2
Pleurisy, purulent	1		1
DIGESTIVE SYSTEM—			100 -
Enteritis, acute	1		1
Liver, cirrhosis of	1		1
URINARY SYSTEM—			
Nephritis, chronic	6	2	8
		~	· ·
CLASS C-VIOLENT DEATHS.			
Coroner's cases (suicides)	2		2
	121	21	142

TABLE SHOWING AVERAGE NUMBER OF INMATES, TOTAL DEATHS,
DISPENSARY EXPENSES AND PERCENTAGE OF MORTALITY
FOR TWELVE YEARS.

YEAR.	Average Num- ber Inmates.	Deaths	Dispensary Expenses	Percentage of Mortality
1886-87	613	110	\$1,881 83	.1794
1887-88	625	121	2,652 35	.1936
1888-89.	687	135	2,108 16	.1965
1889-90	750	143	2,090 61	.1907
1890-91	736	156	1,924 09	.2106
1891-92	748	178	2,382 72	.2380
1892-93	752	139	1,591 08	.1848
1893-94	782	138	1,485 72	.1764
1894-95	824	166	1,439 31	.2014
1895-96	847	146	1,459 99	.1724
1896-97	912	119	1,118 46	.1305
1897-98	961	142	1,487 07	.1478

Respectfully submitted,

W. E. CONLAN, M. D. Resident Physician.

-----

the state of the state of

SELECTION AND ADDRESS.

# STATISTICAL DIVISION.

MORTUARY STATISTICS.

TABLE CLASSIFIED REPORT OF DEATHS,

CAUSES OF DEATH.	Total Males	Total Females	Grand Total
GENERAL DISEASES	1558	1129	2687
SPECIFIC FEBRILE	156	145	301
Cerebro-spinal meningitis	18	12	30
Diphtheria	76	78	154
Influenza (La Grippe)	5	10	15
Malarial fevers	5	5	10
Measles	1		1
Pertussis (whooping-cough)	11	14	25
Scarlet fever	3	6	9
Typhoid fever	37	20	57
DIARRHEAL	44	24	68
Cholera infantum	32	15	47
Cholera morbus	2	2	4
Diarrhea	1	2	3
Diarrhea, infantile	4	3	7
Dysentery	5	2	7

NO I.

ARRANGED ACCORDING TO MONTHS.

		18	97.					189	98.		
July	August	September.	October	November.	December.	January	February	March	April	Мау	June
Female Male	Female Male.	Female Male	Female Male	Female Male	Male	Female Male	Female Male	Female Male	Female Male	Female Male	Female Male
1	2	2 5 6 1 2 3 1 4 5 1 2 1 1	5 9	1 8 6 1 5	3 1	2 1 11 12 2 2 2 5 2	1 1 5 6 2 1 1 2 1 1 3	3 2 8 4 2 1 1	2 15 9 1 3 1	1 2 7 12 1 1 1 4 4 4 5 1 1	4 1 2 3 3 ·······························

TABLE NO. I CLASSIFIED REPORT OF DEATHS

CAUSES OF DEATH.	Total Males	Total Females	Grand Total		
VENEREAL	24	9	33		
Syphilis, acquired	9		9		
Syphilis, congenital	15	9	24		
SEPTIC	39	56	95		
Erysipelas	5	2	7		
Puerperal septicemia		23	23		
Pyemia	7	8	15		
Septicemia (cause not stated)	17	10	27		
Septicemia following laryngectomy	1		1		
Septicemia following celiotomy	1	2	3		
Septicemia following intrapelviotomy	3	7	10		
Septicemia following repair of cervix		1	1		
Septicemia following Caesarean section		1	1		
Septicemia following carbuncle of face		1	1		
Septic endocarditis	2		2 -		
Septic pericarditis	2		2		
Tetanus	. 1	1	2		
PARASITIC	1	1	2		
Intestinal worms	. 1		1		
Thrush		1	1		
DIETETIC	122	111	233		
Malnutrition	. 4	4	8		
		1	1		

# -CONTINUED.

# ARRANGED ACCORDING TO MONTHS.

1897.									1898.															
	July		August		September.		October		November.		December .		January		February		March		April		Мау		June	
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	
٠																								
5		2		1	1	2		1	2	3	2	1		1		1	3	1		1			1	
								1	1				1	1		1		1		1				
	2		1			2	2	1	5		3		2				3		2		2		1	
2	1	<sup>'</sup> 1	1					2	2	1	1	3		1		3	3	1	1	2	1	1		
		1			1								2								0.01		1	
	1																						1	
							1									1							•••	
											• • •			2										
										1							1						• • •	
														-		7								
2	2	1	1		•••										1							1	• • •	

TABLE NO. I CLASSIFIED REPORT OF DEATHS

CAUSES OF DEATHJ	Total Males	Total Females	Grand Total	
DIETETIC—Continued.				
Inanition	118	107	225	
	970	641	TOTA	
CONSTITUTIONAL			1611	
Arthritis deformans	1	3	4	
Anemia, chlorosis	11	10	21	
Carcinoma of breast		24	24	
Carcinoma of liver	29	25	54	
Carcinoma of rectum	7	5	12	
Carcinoma of stomach	48	30	78	
Carcinoma of uterus		61	61	
Carcinoma of ovaries		1	1	
Carcinoma (not specified)	19	8	27	
Carcinoma disseminata		1	1	
Carcinoma of arm	1	1	2	
Carcinoma of axilla	1		1	
Carcinoma of bile ducts	2		2	
Carcinoma of bladder	4	1	5	
Carcinoma of colon	3	2	5	
Carcinoma of esophagus	7		7	
Carcinoma of face	9	2	11	
Carcinoma of intestines	1	4	5	
Carcinoma of kidney	1	1	2	
Carcinoma of maxilla	2		2	
		111		

-CONTINUED.

		1897.										1.											
					15	397.											18	98.					
e ary	Inly	0,00	Amonist	Sopromoor.		Occopies	Ontohor	aror canoca.	November	December.	Donamhou	S STATE OF THE STA	January	r cornar)	Fohmon	mat CII	March	vinde		мау	1	eanc	Typo
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male.	Female
8	8	16	9	7	7	18	8	11	16	5	8	10	4	6	9	6	9	10	9	12	10	9	10
			1	1	1						1												•••
2		3	2		2 2				2	1	2	2	2		1	1	3	1		1	1 3		2 2
5	4	1	3	1	3	1	2	4	1	3		2	1	4	2	3	3			2	3	3	3
5		2	3	8	4			4	3	5	2	3	1	2	1	5	5	2	3	5	6	7	2
	4		3		3		8		5		6		6		8				5		5		4
3	2	2	1	6	1	2	1	1	1	2		2	1	1	1								• • •
									1		• • •						• • •	1			• • •	•••	• • •
																		1		1			
						1				1		1		_1		2					1		2
1				2				2	1			1				2		2		1	1	1	• • •
	2	• • •		1	1																1		
1																		1					
				1		11								1	1				1		1	- 1	

TABLE NO. I
CLASSIFIED REPORT OF DEATHS

Total Fema Total Males	
Total Males  CAUSES OF DEATH.	
CONSTITUTIONAL—Continued,	
Carcinoma of mediastinum.	1
Carcinoma of neck	7
Carcinoma of nose	1
Carcinoma of omentum	9
Carcinoma of pancreas	2
Carcinoma of parotid gland 1	1
Carcinoma of peritoneum	3
Carcinoma of pharynx	6
Carcinoma of prostate gland 2	2
Carcinoma of spleen	2
Carcinoma of tongue 7	7
Diabetes	55
Gout	1
Hemophilia 2 4	6
Leucocythemia	6
Leprosy 2	2
	8
Rickets	1
Sarcoma (not specified) 1 2	3
Sarcoma of abdomen 4	4
Sarcoma of colon	1
Sarcoma disseminata 4 1	5
Sarcoma of groin	1

			189	97.											189	98.					
July	August	обресшоет.	Q I	October	[	. Janua Ann		December .	December	o actual	Topical	reornary	E change are	March	Manch	Apru		мау		Male	_
Female Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Мане	Female	Male	Female	Male	Female
	. 1																				•••
	•		•••			1	• • •	1	• • •			1	•••	1	• • •	2	• • •			1	•••
			•••			1			•••					• • •	• • •	•••	•••	• • •	• • •	• • •	•••
	1		1	1		3		1	• • •			1	•••		• • •	•••	1	•••	• •	•••	•••
									•••						•	1	1				1
				1									1						1		
1									1			1				1	1	1			
																		1		1	• • •
1							1														
1	1				• • • •					2								2		1	•••
1 1	1	2	4	1	2	1	1	1	3	3	4	3		6	4	5	2	4	3	2	1
1					• • •		•••				• • •										•••
		1	•••			•••	•••	•••	1		1		•••	• • •	1		• • •		• • •	1	1
					• • •	1	•••	2	•••	•••	•••	1	•••	• • •	•••	1			1		•••
		1	2			•••				1		•••	•••	• • •					• • •		
			2	1			1		1		1	-	-		2	1	4	2	•	•••	3
									1		•	1			1						•••
									3				1								•••
								1													
1	. 1											1				1				1	
																		1			0.0 0
	-1/1																				
- 11	-	-		-	-		-		-					1	1	1	-		- '		

TABLE NO. I CLASSIFIED REPORT OF DEATHS

Total Males CAUSES OF DEATH.		Grand Total
CONSTITUTIONAL—Continued.		
, , , , , , , , , , , , , , , , , , , ,		- 1
Sarcoma of intestines.		1
Sarcoma of kidney 1		1
Sarcoma of larynx		1
Sarcoma of liver. 1		1
Sarcoma of lung		1
Sarcoma of mediastinum.	1	1
Sarcoma, melanotic		1
Sarcoma of maxilla	1	1
Sarcoma of neck		4
Sarcoma of omentum	1	1
Sarcoma of uterus	4	4
Tuberculosis, articular 7	3	10
Tuberculosis, cerebral, meningeal	25	53
Tuberculosis, glandular 2	3	5
Tuberculosis, general 7	9	16
Tuberculosis, miliary 8	1	9
Tuberculosis, peritoneal	8	21
Tuberculosis, pulmonary 654	340	994
Tuberculosis, laryngeal 3	1	4
Tuberculosis, intestinal 5	2	7
Tuberculosis, spinal 5		5

-CONTINUED.

=						18	97.											18	98.					_
	July		ing uov	Amoust	popoumou.	Sentember	October	Octobor	Moremou.	November	Document.	Dacambar	Consideration of the	January	Tobinary		ATAOLA CAA	March	apin	Appil	moy	Wa:	9 4110	Tuno
mate	Mala	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
																	-							111
••		• •	٠٠.						1													• • •		٠٠.
••		• •	•••	• • •			• • •	• • •					•••	• • •	• • •	• • •		•••	1		•••		• • •	•••
													1											
••	. .	••											• • •	• • •					1					
••		• •				• • •	•••	• • •		•••	• • •	• • •	1	• • •	• • •	• • •	• • •	•••	•••					•••
																					1			
						1																		
••					1				1		• • •			•••	1	• • •	1	•••						
				1				1		1	•••					1		1						
		٠.	1	1		1									1		3		1	1	_1			
••		• •	1	2	3	1	1	2	3	1	2	2	6	4	2	3	2	2	3	3	4	2	1	3
••	•	1	• • •	1	1	1	1	• • •		1 2	• • • •		1		•••		2	1	2		• • •	1	1	1
							1				1			1	1		3				1		1	
			1		2	3	2			1	1	1	2	2	2					1	2		1	•••
4	8 8	28	30	25	42	20	49	21	60	32	53	33	64	33	61	28	75	35	71	33	58	32	45	20
••	1					1		• • • •	3			• • • •			3							1	1	1
	2 .				1														2					
_	-																							

TABLE NO. I CLASSIFIED REPORT OF DEATHS

CAUSES OF DEATH.	Total Males	Total Females	Grand Total
DEVELOPMENTAL	202	142	_ 344
Atelectasis, congenital	15	9	24
Cardiac malformation (cyanosis)	8	8	16
Icterus neonatorum	9	1 24	10
Marasmus, infantile	28	8	52
Dystocia.	15	1	23
Senility.	121	89	210
Spina bifida.	1	2	3
Asphyxia neonatorum		~	2
Strangulation of umbilical cord	1		1
Settinguitation of unibitical columnia	1		1
LOCAL DISEASES	2044	1372	3416
NERVOUS SYSTEM	425	287	712
Alcoholism	25	11	36
Apoplexy, cerebral	167	116	283
Brain, abscess of	4	3	7
Brain, congestion of	4	7	11
Brain, softening of	28	13	41
Brain, tumor of	9	3	12
Brain, edema of		1	1
Brain, sclerosis of	1	1	2
Chorea	1	2	3

-CONTINUED.

													1										-
					189	97.											189	98.					
July	1	August		september.	2	October		November.		December.	_	уанца: ј	Tonione	repruary	Fohmiort	March		April		мау		June	
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
			-									-											
																			1			0	
3	1	1	1	1		1	2	2	• • •		1	4	1	3	1		1		1				
• • •	1	1	1	•••	• • •	2			1	1	1	1	2	•••	1	• • •	•••		• • •	•••	• • •	3	1
5	2	2	2	4	1	3	3	6	2	1	1	2	2	1	4	1	1	1 2	1	2	3	1	2
1		1	1		1	1	1	3	1			1	3	2		3	1	1		2			
														1								1	1
7	4	7	8	11	3	6	5	11	7	18	4	6	11	11	9	11	10	15	10	13	5	5	13
			• • •		٠		1		• • •					1			99.		1		• • •		• • •
	•••	• • •	• • •	• • •	•••			•••	•••		•••		••••	•••	• • •	• • •	•••		•••	2	• • •	• • •	• • •
• • • •			•			• • •	•••					•••		1			• • •	***		111			
1		2		2		3	1	3	3	4	2	1	2	1		2		2		2	1	2	2
14	5	5	8	11	7	12	7	13	16	16	11	12	12	17	10	21	14	15	4	16	14	15	8
• • •	1 3	1	1	1	1	• • •	• • •	1	• • •	•••	1	1	1		1	2	1	1	•••	•••	• • •	•••	• • •
2		1	1		1	4	2	2		3	1	3		2	3	4	2	3	1	3	2	1	
1		_1		1	1	-2						1		1		1	1				1	1	
																					1		
	• • •			1			1																
	•••	1	•••				1			1	•••		1		•••		•••		111	•••	• • • •		•••
															- 1								

CLASSIFIED REPORT OF DEATHS

TABLE NO. I

CAUSES OF DEATH.	Total Males	Total Females	Grand Total
NERVOUS DISEASES—Continued.			
Convulsions, infantile	40	40	80
Acromegalia		1	1
Eclampsia (not puerperal)		3	3
Encephalitis, Cerebritis	13	6	19
Epilepsy	5	6	11
Hydrocephalus	2	5	7
Insanity	1	1	2
Laryngismus stridulus	1		1
Locomotor ataxia.	6		6
Meningitis, cerebral	63	46	109
Meningitis, spinal	4	1	5
Morphinism	12	2	14
Myelitis	12	3	15
Neuritis (not specified)		1	3
Paralysis, ascending		1	1
Paralysis, traumatic	1		1
Paralysis, bulbar	3	1	4
Paralysis agitans	5	2	7
Paralysis, general; paresis	15	9	24
Progressive muscular atrophy		1	1
Sclerosis of spinal cord	1	1	2
CIRCULATORY SYSTEM	481	246	727
Aneurism of aorta	19	5	24

-CONTINUED.

-		1897.  July 1898   Oct   Nov																18	98.					
-	oury	Tala	30000	Amonet	Schoomoor.	Sontombor	October	October	November.	W. hu	Бесентиет.	Doombor	varianty	Tonnowy	Tronual J.	Fohrmory	MAGA CAL	March	apiu	A	may	1	оппо	Time
	Male	Female	Male	Female	Male	Female.	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Mare	Female	Male	Female	Male	Female	Male	Female
	1	4	2	1	3	3	3	2	5	1	5	5	4	3	2	4	7	4	2	8	2	2	4	3
										1														•••
	2	2		1	3		1		1	1	1		1		1		3	2		1	1		1	
	1																1	1	1					1
	2		4		4		2		5	2	2	5			1 1 7		7	6	1 8	8	7		5	4
	1		1		2		2		2		3	1							1				2 2	
		•••			1	1	1	1	2		1		1		2		1			1		1		
						•••												1		• • •			1	•••
	4		1		1	2	•••		2			•••	2			1	1 3	1				1		1
												•••				1		•••				1	1	
	2		2		2	2	2	1	3	1	2		2	1					4	• • •				
_	2		2		2	2	2	1	3	1	2		2	1					4	•••				•••

TABLE NO. I CLASSIFIED REPORT OF DEATHS

CAUSES OF DEATH.	Total Males	Total Females	Grand Total
CIRCULATORY SYSTEM—Continued.			
Angina pectoris	19	14	33
Arterio-Sclerosis, Endarteritis	15	5	20
Embolism, Thrombosis	8	9	17
Endocarditis	47	28	75
Heart, fatty	47	38	85
Heart, valvular disease of	307	129	436
Hydropericardium	2	1	3
Myocarditis	8	6	14
Pericarditis	5	5	10
Senile heart	1		1
· Senile gangrene	3	5	8
Phlebitis		1	1
RESPIRATORY SYSTEM	554	426	980
Asthma	21	14	35
Bronchitis	86	93	179
Broncho-Pneumonia	65	72	137
Croup, catarrhal	5		5
Hydrothorax	1		1
Laryngitis	9	4	13
Pharyngitis, phlegmonous	. 1		1
Pseudo-diphtheria	1	3	4
Pleurisy	6.	3	9
Purulent pleurisy	. 15	5	20
	1		

***************************************			
	1897.		1898.
August July	October September.	December.	May  April  March,  February
Male Female Male	Female  Female  Male	Female Female Male	Male Female Male Female Male Female Male Female Male
2 2	4 1 3 2 1 1 1 1 3 3 2 2 1 3 4 22 8 20 12 1 1 1 1	4 1 1 1 1 1 6 2 2 3 9 4 1 2 25 13 36 7 4 2 1 2	5     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1
1 1 1  2 4 1 6 7 11 5 1 1 1	3 2 1 6 10 4 7 2 2 4 7 1 1 2 2	1 1 2 1 4 8 8 9 4 4 7 5 1 1 3 1 1 1 1	12 11 10 7 12 10 7 9 3 7 3

TABLE NO. 1
CLASSIFIED REPORT OF DEATHS

CAUSES OF DEATH.	Total Males	Total Females	Grand Total
	:	! :	<u> </u>
RESPIRATORY SYSTEM—Continued.			
Preumonia	301	217	518
Pulmonary congestion.	31	12	_910
Fibroid phthisis.	31	3	6
Lung, abscess of.	5	3	_ 0
Lung, gangrene of	4		
Dung, gangrene of	4		
DIGESTIVE SYSTEM	331	231	562
Appendicitis	22	6	28
Enteritis, entero-colitis	70	64	134
Gallstones	3	2	5
Gastric hemorrhage (cause not stated)	3	6	9
Gastric ulcer	6	6	12
Gastritis	15	27	42
Gastro-enteritis	40	29	69
, Hernia, strangulated	9	7	16
Intestines, obstruction of	16	17	33
Intestines, intussusception of	6	5	11
Volvulus		2	2
Liver, abscess of	8	5	13
Liver, cirrhosis of	96	28	124
Liver, inflammation of	15	6	21
Liver, congestion of		1	1
Liver, acute yellow atrophy of	1	*	1
Esophagus, stricture of	3		3

			18	97.											189	98.					=
July	August	October		November.		December.	,	vanuary		reoruary	E de la constant de l	Marcn		Арги		May		9 dina			
Male	Male	Female.	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
15 11	21	8	5 9	15	11	31	18	37	17	31	36	29	32	31	27	44	21	25	18	17	9
3 1	1.		. 1	3			1	3	1	1	2	3	1	7 3	2	1	• • •	1		3	
2			1											1							
8 7		- 11	3	1 3	7	7	10	1 8	3		1 5		3	3	3	1 - 2 2	5	6 9	1 7	2 9	1 5
				1	1			2 2					1 2 1	1	1 1			2	2 3		•••
2 5		6	1 1 5 3	2 2	2 4	2	2 2	3	3 2	2	5 2 2	3	3	3 4	6 2 2	1 2 2	2	5	2	2	1 2
1 1		2 1	1 2	3	2	1	3	1	• • •	3	4	2		1	1	1	1	2	1		•••
2	2	1	. 2	14	2	12		1 4		13	1 5	5	1	2 15	4	1 8	2	1 8	1 3	 1 5	1 1
1 1			2	2			1	1		1	2	2		- 1		1	1	1		2	1
		1	1		1											•••					

TABLE NO. I

# CLASSIFIED REPORT OF DEATHS

*				
	CAUSES OF DEATH.	Total Males	Total Females	(Frand Total
	DIGESTIVE SYSTEM—Continued			
	Pancreas, abscess of		-1	- 1
	Stomatitis, gangrenous	1	1	2
	Peritonitis	17	17	34
	Typhlitis		1	
	A DOOD DELY AND OF A STATE OF A S			0
	ABSORBENT AND GLANDULAR SYSTEM	13	5	8
	Lymphadenoma	1	•••••	1
	Myxedema		1	1
	Tonsilitis		4	5
	Tonsilitis, suppurative	1		1
	URINARY SYSTEM	234	127	361
	Calculus, renal	2		2
	Calculus, vesical	2	. 11	3
	Cystitis, acute	- 3	2	5
	Cystitis, chronic	. 8	2	10
	Nephritis, acute	39	26	65
	Nephritis, chronic	145	79	224
	Kidney, abscess of	.3	1	4
	Kidney, cystic disease of	1		1
	Anuria (post-operative)	1		1
	Prostate gland, abscess of	. 1		1
	Pyelitis	13	4	17
	Uremia (cause not stated)	16	12	28
		1		

-CONTINUED.

-000				18	97.											18	98.					
July	on and and and and and and and and and an	Amongt		Sentember	Occoport	October		November -		December		January	r cordary	Fohmory	Trian Cit.	March	apin	April	may	Wat	Julie	1
Female Male	Male.	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
			•••							• • •		1										•••
1	2		1	••.	1	3	1	2	1 2	2	1	3	2	1	1	2	3	1			3	1 1
1	• • •			•••																	•••	•••
												1 2	1		1		• • •					
	•••	• • •	•••	•••			• • •		•••				1				• • •				• • •	•••
1	1			•••		1	1		1	•••					1 1		•••					• • •
5 3	2	1 3	1 3 15	4	1 4 12	2 8	8	8 2	2 2	1	1 5 12	2 4	2		1 4	1	3	1		1	1	• • •
									17	10		5	13	6	12	6	1 1	11	11	6	14	8
1			5																		11	
	1	2	2	1	5	2	4	2	1	1	2		1	3								1

TABLE NO. 1
CLASSIFIED REPORT OF DEATHS

CAUSES OF DEATH.	Total Males	Total Females	Grand Total
REPRODUCTIVE SYSTEM		42	42
Abortion, miscarriage		5	5
Dystocia		3	3
Pelvic abscess		5	5
Pelvic peritonitis		2	2
Placenta previa		5	5
Puerperal eclampsia		4	4
Puerperal hemorrhage		6	6
Pelvic hematoma		1	1
Puerperal insanity		1	1
Puerperal emesis		2	2
Phlegmasia alba dolens		1	1
Pyosalpinx		6	6
Salpingitis		1	1
OSSEOUS AND INTEGUMENTARY SYSTEM	16	8	24
Abscess multiple		1	1
Abscess, lumbar			1
Abscess, mastoid		1	3
Abscess of abdomen		1	4
Abscess of leg		1	2
Abscess of mediastinum	1		1
Cyst, sublingual dermoid	1		1
Carbuncle of neck	2		5
Eczema		1	1

											1											
				189	97.											18	98.					
July	August		pepuember.	Contombor	October		Movember.		ресепрег.	Doomhor	o constant of the	January	repruary	Fohrmore	маген		April		мау		June	
Female Male	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
1										1						1		1		- 1		
1						1		,		1												
				1		1						1				2				• • • •		
2				• • •		• • •		• • •		• • •	ep. 6	• • •	• • •	• • •		• • •		• • • •	• • •	• • •	• • •	•••
1		1		1		•••	•••					1		•••	•••	1		1	•••	1		•••
		1		1		1						2				1						
				1																		
																		1				
						• • •						•••			.,.	1	•••			1	• • •	
		•				•••		•••	• • •			•••		je.e p	•••		• • •			1	• • •	•••
		1	• • • •	2		• • •		•••		1			• • •	• • •	•••	• • • •	••••	. 1		1	•••	• • •
		•		1														•				
													_0	9		-	1					
		• • •			•••	• • •		• • •						o i	•••		-		1	1		•••
									1				1					1				
					1					1					1		1					
													١			1					1	
													1									
		•••		••			1	• • •		•••		•••		•••						• • •		•••
		•,••			1					1		••••			-			•	1			•••
					-				-	1			-								E 11	
				-					-				-	-	-	-	-		-			-

TABLE NO. 1

CLASSIFIED REPORT OF DEATHS

CAUSES OF DEATH.	Total Males	Total Females	Grand Total
OSSEOUS AND INTEGUMENTARY SYSTEM—Continued	i		
Gangrene of leg		1	2
Gangrene of umbilical cord	1		1
Mastoiditis	1		1
Necrosis of sternum and ribs	. 1		1
Pemphigus		2	2
Phlegmon of leg	1	• • • • • • •	1
VIOLENT DEATHS	336	105	441
	400		~~~
MISADVENTURE AND NEGLIGENCE		74	257
Anesthesia		1	2
Shock following amputation	2	3	. 5
Shock following celliotomy		8	15
Shock following intrapelviotomy	1	13	13
Shock following Caesarean section		1	1
Asphyxiation, foreign body in trachea		1	5
Asphyxiation by illuminating gas	12	- 13	25
Asphyxiation, smothered in bed	. 1	1	2
Burns and scalds	5	9	14
	1		1
Burns (sat on hot stove)			
Burns (sat on hot stove)	1		1
			2
Crushed by falling gate	2		
Crushed by falling gate	2		2

mgay ja Malahara ani Maka Agaring Jaharan	1				189	07.											189	98.					
omy	Ind.	mug uso	America	Sopromooi.	Centember	October	Oatobox	November.	Vincenton	December.			January	T Cor cont J	February	TITOM CAT	March	apin	April	лау	4	0 11110	
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
1 1 1 1 1 1 1	1 1		1 2	1	3	1	1		1 4	1	1 1	1	2 1	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 3	1	1	1 1 3 3	3	1	· · · · · · · · · · · · · · · · · · ·	2 1
1 4	•••	3		3		2		3		2		5	•••	2		2	•••	6	•••	2		2	

TABLE NO. I CLASSIFIED REPORT OF DEATHS

	CAUSES OF DEATH.	Total Males	Total Females	Grand Total
ij				
	MISADVENTURE AND NEGLIGENCE—Continued.			
	Explosion	3		3
	Exposure		1	1
	Fall from building	9	1	10
	Fall from ladder	1		1
	Fall from electric light pole	1		1
	Fall down stairs	5		5
	Falls	12	7	19
*	Fall on coal chute	1		1
	Fall from cable car	1		1
	Fall from bicycle	1		1
	Fall from vehicles	5		5
	Fall down embankment	2		2
	Fall from rigging of ship	1		1
1	Fall into hold of ship	6		6
	Fall down elevator shaft	1		1
	Firearms	4	3	7
	Criminal abortion		3	3
	Killed by electricity	2		2
	Killed by machinery	6		6
	Killed by elevators	3		3
	Killed by falling iron	1		1
	Killed by falling plank	1		1
	Killed by railroads	6	1	7
	Killed by street cars (electric)	8	3	11
-				

					19	397.											18	98.					-
- Cary	July	August		эерестост.	Santamhar	October	Octobou	TAOACTHOCT.	November	Decemost.	Danamhar		January		February		March	ta print	April	лау		June	
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male.	Female
									1 -													-	
1		·	• • •							1								1					
			1																				
	•••					1		1	1	3	• • •	1	• • •	1		1						1	
		1	•••				٠.				• • •							•••				•••	
1	• • •		•••		• • •					ļ	• • •						•••		• • •		••••		
	• • •				• • •			1	• • •	2			• • •	2									
2		1	1	1	1	1	1	2			1		1	1		2		1	• • • •	1	2		
• • •			•••				•••		•••		•••		•••		• • •	1					• • • •		
			• • •		.,.			• • • •	•••							1					• • •	;	
• • •	•••		• • •		• • •				•••				•••	• • •	• • •				•••	1			
				1	• • •	2	•••	1	•••													1	Į.
			•••		• • •	1					• •		•••			1			• • •		•••		
•••			•••				• • •		• • •	1	• • •		• • •					• • •	• • •		• • •		
	• • •					1	•••		•••		• • •			1	• • •			1		3	• • •		•
•••	• • •		• • •	• • •	•••		• • •											1		• • •			•
1	1	1	1	1			• • •		•••		• • •	1	•••	• • •	• • •		•••		1		• • •		
	• • •			• • •	• • •		•••		•••		• • •						• • •				3		
•••	• • •		• • •	1	ŀ		• • •				• • •		• • •		•••			1					
1		1	•••				• • •	1	•••		• • •	- 1		1		1					• • •	• • • • • • • • • • • • • • • • • • • •	•
•••	•••						• • •		•••			1		1		1							•
	•••					1					• • •												
										1											. , .		
1		2	1	1		1														1			•
1				. 1		1			•••	2	• • •	1	2	1			1			1	•••		•

CLASSIFIED REPORT OF DEATHS

TABLE NO. I

CAUSES OF DEATH.	Total Males	Total Females	Grand Total
MISADVENTURE AND NEGLIGENCE—Continued.			
Killed by street cars (cable)	2		- 2
Run over by vehicles	8	3	11
Kicked by cow.	1		1
Kicked by horse	2		. 2
Thrown from horse.	2		2
Lead poisoning.	4		4
Ptomaine poisoning.	2	1	3
Poisons, carbolic acid	2	1	3
Poisons, morphine.	3		. 3
Poisons, wine of colchicum	1		1
Decomposed and disorganized remains	1		. 1
HOMICIDE	26	2	28
By blows	4	1	. 5
By cutting instrument	5		_ 5
By firearms	16	1	17
Infanticide	1		1
SUICIDE	127	29	156
By cutting instrument	4	1	5
By charcoal fumes	1		1
By drowning	7	1	8
By firearms	41	3	44
By hanging	. 6	2	8
By illuminating gas	20	3	23
		71	

-												1											=
					189	97.											18	98.					
July		September.						Male		December.		Commence y	Tonnor	repruary	Fohrmory	marcu	Moud	Apru		мау		oune	1
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
	1																						
				1												10					0 0	1	
							1		1	2		1		1		1			1	2		1	
						1																	
										1				1									• • •
		•••	•••		• • •		• • •	1	•••			1	• • •	1	•••	•••	• • •						• • •
• • •	• • •	1	•••	1	•••		• • •		•••			1	• • •	• • •	•••	1	• • •		•••	•••	•••		•••
1		•••	1	• • •	• • •	•••	• • •		•••	1	•••		• • •		•••	•••				• • •		2	• • •
- 1					• • •			1		1						1					1		• • •
		1												1									
		1																					
				1							1				-			2				1	
								1		2		1		1				~	•••			1	
1		1		1		1		1		2	1	3				2		1				3	
						1																	
												1		1		1	1			1			
				1																			
	1					1				3				3									
2		3		3	1	2		3	1	5		3	1	4		6		2		4		4	
		1	1		1			1		2										1		1	
1	• • •	2	• • •	1		1	1	2	1	1	1			5		2		1		2	•••	2	

TABLE NO. I CLASSIFIED REPORT OF DEATHS

CAUSES OF DEATH.	Total Males	Total Females	Grand Total
SUICIDE—Continued.			
By jumping from building	3	1	4
By amylic alcohol	1		1
By carbolic acid	15	15	30
By cebadilla	1		1
By cyanide of potassium	7		7
By hydrocyanic acid	2		2
By opium; morphine	13	1	14
By strychnine	6	2	8
TOTALS	3938	2606	6544

-CONTINUED.

					189	97.					1						18	98.					=
July		August		pepurmoer.	Conton	October		November.		December.	Popular	-	January	- Con con J .	February	ATOL CH	March	rapan	April	may	Morr	our c	
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
																							-
				1		1						•••						1				1	
2				1		1	1				2		2			3	2	2	3	1		4	1
		1		1		1				• • •						1		• • • •				3	
	1	1 2		2		1				2	1	1		1		2		3		1			
289	184	254	172	279	189	298	202	355	231	356	212	368	291	337	 223	424	269	367	225	321	237	284	177
289 184 254 172 279 189 298 202 355 231 356 212 368 291 337 223 424 269 367 225 321 237 2													1, 1										

TABLE

## CLASSIFIED REPORT OF DEATHS

CAUSES OF DEATH.	Total Males	Total Females	Grand Total	year	Under 1		1 to 2	years	2 to 3
DE UDANELLOS	\			Male	Female	Male .	Female	Male	Female
GENERAL DISEASES	1558	1129	2687						
SPECIFIC FEBRILE	156	145	301				-		
Cerebro-spinal meningitis	18	12	30	. 7	1		2	3	1
Diphtheria	76	78	154	2	1	12	4	6	10
Influenza (La Grippe)	. 5	10	15						1
Malarial fevers	5	. 5	10		1				
Measles	1		1						
Pertussis (whooping-cough)	11	14	25	6	7	2	5	3	1
Scarlet fever	3	6	9				1		
Typhoid fever	37	20	57						
DIARRHEAL	44	24	68						
Cholera infantum	32	15	47	26	13	5			I,
Cholera morbus	2	2	4	1	1	3	1		
Diarrhea	1	2	3						
Diarrhea, infantile	4	3	7	3	3			1	
Dysentery	5	2	7	1					
VENEREAL	24	9	33				- 1		
Syphilis, acquired	9	• • • • •	9						
Syphilis, congenital	15	9	24	15	. 8		1		
SEPTIC	39	56	95						
Erysipelas	5	2	7						
Puerperal septicemia		23	23						
		-			1				

NO. II.

									AGES																		
years	3 to 4	years	4 to 5	years	5 to 10	years	10 to 20	years	20 to 30	years	30 to 40	years	40 to 50	years	50 to 60	years	60 to 70	years	70 to 80	years	80 to 90	years	00 to 100	years		tained	Unascer-
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male .	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
12 1	1 12		7	2 24 1 1 1 2	4 38 1 2	3 9 1 5	2 5	1 1 18	1 1 1 1 1 1 1	1 6	1 5	4	3	1 1	2	1	2	1	3 1 1		1		ale		ale : : : : : : : : : : : : : : : : : : :		ale
							1 2			2			1 2			3											
								1	13		1										1						

~-.~---

TABLE NO. II

# CLASSIFIED REPORT OF DEATHS

¢ CAUSES OF DEATH.	Total Males	Total Females	Grand Total	year	Under 1	J.cars	1 to 2	years	2 to 3
			1	Male	Fema!e	Male	Female	Male	Female
SEPTIC—Continued.									
Pyemia	7	8	15						
Septicemia (cause not stated)	17	10	27		1				
Septicemia following laryngectomy	1		1						
Septicemia following celiotomy	1	2	3						
Septicemia following intrapelviotomy	3	7	10						
Septicemia following repair of cervix		1	1		·				
Septicemia following Caesarean section		1	1						
Septicemia following carbuncle of face		1	1						
Septic endocarditis	2		2	1					
Septic pericarditis	2		2						
Tetanus	1	1	2						
PARASITIC	1	1	2						
Intestinal worms	1		1					1	
Thrush		1	1		1				••••
DIETETIC	122	111	233						
Malnutrition	4	4	8	4	3				
Inanition	118	107	225	111	98	2	2		
CONSTITUTIONAL	970	CAT	1011				1		
		641	1611						
Arthritis deformans	1	3	4					••••	
Anemia, chlorosis	11	10	21	1		1	••••	••••	1
Carcinoma of liver		24				••••			••••
Caremonia of fiver	29	25	54			••••			
		- 1		1	- 11			I.	

-CONTINUED.

								AGE	s.		Ī															=
3 to 4 years		4 to 5	years	5 to 10	years	10 to 20	years	20 to 30	years	30 to 40	years	40 to 50	years	50 to 60	years	60 to 70	years	70 to 80	years	80 to 90	years	90 to 100	years	Over 100	tained	Unascer-
Male	K'emale	Female	Male .	Female	Мае	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female		Female
								2																		
	1	. 1				1	1	1	3		5		6	2 2	2	1	1	• • •	• •	••		•••		•••		••
	.														1							• •		• •		• •
	.							1				1	1													
	.					1		1		3	1		2	2												
	.			•••	•••	• • •		•••		1																
		•	•••	• • • •		• • •		1	•••	• • •	• • • •	• • •	• • •	• • •			• • •	• • •		••	• •					
							1		• • •			• • •	•••	-1	• • •	• • • •		• • •		•		••	• •	• •	• •	• •
			1				1						1	• • •				•		•			•	•	•••	• •
									1	1									1							
- 4										-						-										
							1								0-	-1	- 1						-			
	<b></b>																									
	-					-									100			9								• •
	1									1											1					
						1				1							3	3	2	1	•	1			1	•
										1			1						~	1					-	•
								1						-			0					10.00		-		
		[]					3	1 4			2	1	1	1	1 2	2	1			1		1				
												8	-	7	~	7	1	2		1						
								1	1	3	6	6	11	6	6	7	2	2	3.							
	11	1		1	1		1	1		1	1			1			1		1	1	1	li	1	1		

TABLE NO. II

	CLA	SSIFI	ED R	EPO	ORT	OF	DI	EAT	HS
CAUSES OF DEATH.	Total Males	Total Females	Grand Total	year	Under 1		1 to 2	ye.	2 to 3
10 " 3 1 1 2 8				Male	Female	Male	Female	Male	Female
CONSTITUTIONAL—Continued.									
Carcinoma of rectum	7	5	12						
Carcinoma of stomach	48	30	78						
Carcinoma of uterus		61	61						
Carcinoma of ovaries		1	. 1						
Carcinoma (not specified)	19	8	27						
Carcinoma, disseminata		1	1						
Carcinoma of arm	1	1	2						
Carcinoma of axilla	1		1						
Carcinoma of bile ducts	2		2						
Carcinoma of bladder	. 4	1	5						
Carcinoma of colon	3	2	5						
Carcinoma of esophagus	7		7						
Carcinoma of face	9	2	11						
Carolnoma of intestines	1	. 4	5						
Carcinoma of kidney	. 1	1	2						
Carcinoma of maxilla	. 2		2						
Carcinoma of mediastinum		1	1						
Carcinoma of neck	. 7		7						
Carcinoma of nose	1		1						
Carcinoma of omentum	7	2	9						
Carcinoma of pancreas		2	2						
Carcinoma of parotid gland	1		1						
Carcinoma of peritoneum	. 1	2	3		<b>\</b>				
	1								

-CONTINUED.

=									AGES	3.								-			_				_		
years	3 to 4	years	4 to 5	years	5 to 10	years	10 to 20	years	20 to 30	years	30 to 40	years	40 to 50	years	50 to 60	years	60 to 70	years	70 to 80	years	80 to 90	years	90 to 100	years	Over 100	tained	Unascer-
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Fennale	Male	Female	Male	Female	Male	Female										
																							-	0			
							.5.	1		2	2		1	1	1	2	1	1									
•••									• • •	2	1	6	5	14	11	21	9	3	4	2							٠.
	•••		• • •		• • •		• • •		• • •		7		18		20		13		1		1		1				• •
•••	•••	• • •			• • •		• • •		• • •		• • •		2							• •	•		• •				••
•••	•••						• • •	1	• • •	• • • •		5	2	4	2	7	1	2	2		1		•				• •
•••	• • •								•					1	1	• • •	• • •				•						• •
																				-1							
,														1		1					1						
												2				1	1	1			. ,						
			,			١		2				1					2										
												1		5		- 1											
						1						1	1	1		3		3		1	1						
											2				,	1	1		1								
	• • •								• • •		•••		•••	1	1						•		••				
•••	•••		• • •		•••		•••		•••	•••			• • •	1	••••		• • •	1		•			••				
•••	•••		•••				• • •	•••	1				•••		• • •		• • •			• •	•						
• • •	•••				• • •		• • •		•••			2		4		1					•		• •				
•								1		1		1	2	1		3			ij		••				••		• •
													1				1										
																1											
											2					1								1.			
															-					Ì							
_		-	1			1	- 1	-	- 1			1	-	1		1			-		1	1	-			1	

CLASSIFIED REPORT OF DEATHS

TABLE NO. II

	Total	Total	Grand						
CAUSES OF DEATH.	Total Males	Females	l Total	year	Under 1	years	1 to 2		2 to 3
				Male	Female	Male	Female	Male	Female
CONSTITUTIONAL—Continued.									
Carcinoma of pharynx	4	2	6						
Carcinoma of prostate gland	2		2						
Carcinoma of spleen		2	2			<b> </b>			
Carcinoma of tongue	7		7			<b> </b>			
Diabetes	30	25	55						
Gout	1		1						
Hemophilia	2	4	6	2	4				
Leucocythemia	5	1	6			] 1			1
Leprosy	2		2						
Rheumatism	4	14	18			<b> </b>			
Rickets		1	1	<b> </b>					1
Sarcoma (not specified)	1	2	3		1				
Sarcoma of abdomen		4	4	<b></b>	1				
Sarcoma of colon	1		1	<b> </b>					
Sarcoma, disseminata	4	1	5	<b> </b>					·
Sarcoma of groin	1		1	<b> </b>	1				
Sarcoma of ileum	1		1						
Sarcoma of intestines	1		1		1				
Sarcoma of kidney	1		1						
Sarcoma of larynx	1		1		1				
Sarcoma of liver	1		1						
Sarcoma of lung	1		1	l					
Sarcoma of mediastinum		1	1						1

## MORTUARY STATISTICS.

#### -CONTINUED.

	Unas  tail  Over  yea  90 to 60 to yea  70 to yea  40 to yea  yea  10 to o  yea  4 to 6  yea  3 to yea													
3 to 4 Female vears Male	4 to 5 years	5 to 10 years	10 to 20 years	20 to 30 years	30 to 40 years	40 to 50 years	50 to 60 years	60 to 70 years	70 to 80 years	years	90 to 100 years	Over 100 years	Unascer tained	
Female Male	Female Male	Female Male	Female Male	Female Male .	Female Male	Female Male	Female Male	Female Male	Female Male	Female Male	Female Male	Female Male	Female Male	
			1 1 1	2 2	1 4 1  2 2 4	1 1	2 1 1 2 8 5 2 2 2	1 1 3 1 7 1   1 1	4 5	1 2				
				1 	1 1 1   	1	2 1	1	1 1 1					

TABLE NO. II
CLASSIFIED REPORT OF DEATHS

			CLA	ASSIF	ED F	REP	ORT	OI	r D	EAT	HS
	CAUSES OF DEATH.		Total Males	Total Females	Grand Total	year	Under 1	years	1 to 2		2 to 3
İ	10 5 40 1 5 5 14					Male	Female	Male	Female	Male	Female
(	CONSTITUTIONAL—Continued.										
	Sarcoma, melanotic		1		1						
	Sarcoma of maxilla	٠		1	1						
	Sarcoma of neck		4		4						
	Sarcoma of omentum			1	1						
	Sarcoma of uterus			4	4						
	Tuberculosis, articular		7	3	10				1		
	Tuberculosis, cerebral, meningeal		28	25	53	5	7	6	5	3	4
	Tuberculosis, glandular		2	3	5						
	Tuberculosis, general		7	9	16						1
	Tuberculosis, miliary		8	1	9			1			
	Tuberculosis, peritoneal		13	8	21	3	1	1	1	1	1
	Tuberculosis, pulmonary		654	340	994	4	1	2	2	1	3
	Tuberculosis, laryngeal		3	1	4						
	Tuberculosis, intestinal		5	2	7		1		1		
	Tuberculosis, spinal		5		5						,
,	OFFICE OFFICE OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PARTY OF A PAR		202	142	344						
	DEVELOPMENTAL	4	15				9		Ш		
	Atelectasis, congenital		-	9	24	15			• • • •		• • • •
	Cardiac malformation (cyanosis)		8	8	16	8	8		• • • •		• • •
	Icterus neonatorum		9	1	10	9	1				
	Marasmus, infantile		28	24	52	25	22	3	2		
	Marasmus, senile		15	8	23		• • • •	• • • •		••••	••••
	Dystocia		2	1	3	2	1			••••	
	Senility		129	89	210		• • •				

						,	AGES		1																_
3 to 4  Years Male				10 to 20	years	20 to 30	years	30 to 40	years	40 to 50	years	50 to 60	years	60 to 70	years	70 to 80	years	80 to 90	years	90 to 100	years	Over 100	tained	Unascer-	
Female Male	Male	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male .	Female	Male	Female
9																	7								
										1															
															1		• •								
		11.	•••	• • •	• • •		• • •	1	• • •	1	• • •	2	•••			• • •	• • •		• •		• •	• •			
			•••		•••		1	• • •	2		1			•••	1			1				i		•	
1			2		4			1																	
2 4	1	. 7	2	1			2	3			1														
		.			1	1	1			1			1												
		1			1	3	2	2	2	1	1	• • •	1		•		• • •	- 4.2	•••			• •	• •		
					.1.	3	1	1	• • •	2	•••	• • •	1		• • •	•••	• • •	• •	• •		•	• •	• •	• •	
1	1	5	11	23	27		2 131	176	79	160	39	80	25	2 41	14	10	1		3		1	•••			• •
					.1.			1	1			2													
	1	. 1				1						2													
		.				2				2						1									
				-								1					(10)								
		.																							
		.																							
		.					• • •		• • •		•••		•••		• • •								• •	• •	
					• • •		• • •					1	1	4	•••	4	6	1	4	2					
																			×						
										1	1	1	1	39	16	41	31	34	32	4	7	1	1		
1																									

TABLE NO. II
CLASSIFIED REPORT OF DEATHS

_										
	CAUSES OF DEATH.	Total Males	Total Females	Grand Total	year	Under 1	years	1 to 2	years	2 to 3
-	CONSULTER STATE				Male	Female	Male	Female	Male	Female
1	DEVELOPMENTAL—Continued:									
ĺ	Spina bifida	1	2	3	1	2				
	Asphyxia neonatorum	2		3	2					
	Strangulation of umbilical cord	1		1	1					
	2017	2044	1970	3416						
H	OCAL DISEASES	2044	1912	9416						
1	VERVOUS SYSTEM	425	287	712						
	Alcoholism	25	11	36						
	Apoplexy, cerebral	167	116	283	- 2					
	Brain, abscess of	4	3	7			• • • •	1		
	Brain, congestion of	4	7	11	1					1
	Brain, softening of	28	13	41						
	Brain, tumor of	9	3	12						
	Brain, edema of		1	1		• • • •				
	Brain, sclerosis of,		1	2		• • • •				
	Chorea		2	3						
	Convulsions, infantile	40	40	80	31	27	4	11	2	5
	Acromegalia		1	1	• • • •	••••				
	Eclampsia (not puerperal)		3	3		•••				••••
	Encephalitis, Cerebritis	13		19	5	••••		2	1	••••
	Epilepsy		6	11			••••	1	••••	••••
	Hydrocephalus		5		1	2		1	••••	
	Insanity	1	1	2						
	Laryngismus stridulus	1		1	1		1			
	THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RESERVE OF THE RE		1							

-CONTINUED.

0-1-0-0-0-0								AGE	s.	1		-														=
3 to 4 years	years	4 to 5	years	5 to 10	years	10 to 20	years	20 to 30	:	30 to 40	years	40 to 50	years	50 to 60	years	60 to 70	years	70 to 80	:	80 to 90	years	90 to 100	years	Over 100	tained	Unascer-
Male	Male	Female	Male	Female	Male	Female	Male.	Female	Male	Female	Made	Female	Male	Female	Male	Female	Male	Female	Male	Femala	Male	Female	Male	Female	Male	Female
		,-						•••	• • •			•••	• • •	• • •			•••	•••				•	• •	••		
							6 3	1 1 1	4 10 1	4 5 	9 13 1	4 12 	5 32 1	1 26 1	1 47 1	1 31 	52	31	8	10						
	•••						2		2	•••	3	1 1	2	3 2	10	6	1	1  1		3						•••
1						 1 			3	 1  2	 1	 2				1 1 1			1							•••
1	-	1				1			1		•••				•••											

TABLE No. II
CLASSIFIED REPORT OF DEATHS

CAUSES OF DEATH.	Males	Females	Grand Total	year Male	Under 1 Female	years Male	1 to 2 Female		2 to 3   Female
	:		:	:	ale	:	ale	:	ale
NERVOUS DISEASES—Continued.									
Locomotor ataxia	6		6			1			
Meningitis, cerebral	63	46	109	21	19	11	7	5	1
Meningitis, spinal	4	1	5						
Morphinism	12	2	14						
Myelitis	12	3	15						
Neuritis (not specified)	2	1	3						
Paralysis, ascending		1	1						
Paralysis, traumatic	1		1						
Paralysis, bulbar	3	1	4						
Paralysis, agitans	5	2	7						
Paralysis, general, paresis	15	9	24						
Progressive muscular atrophy		1	1						
Sclerosis of spinal cord	1	1	2						
COLORES AND THE COLORES AND THE COLORES AND THE COLORES AND THE COLORES AND THE COLORES AND THE COLORES AND THE COLORES AND THE COLORES AND THE COLORES AND THE COLORES AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AND THE COLOR AN	481	246	727						
CIRCULATORY SYSTEM	19	5	4						
Aneurism of aorta			33						
Angina pectoris	15	1	20	-					
Arterio-sclerosis, endarteritis			17						
Embolism, Thrombosis	477	1000	75					1	. 1
Endocarditis	477	1		1					
Heart, fatty	005	1		1	2 2				
Heart, valvular disease of				11 1					
Myocarditis	8	-	1						
My ocarditis		-			1				

-CONTINUED.

									GES																		_
co	3 to 4	years	4 to 5	years	5 to 10	years	10 to 20	years	20 to 30	years	30 to 40	years	40 to 50	years	50 to 60	years	60 to 70	years	70 to 80	years	80 to 90	years	90 to 100	years	Over 100	tained	Unascer-
Male	Femula	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
												1				4	- 11										
3	2.	3	2	3	3	3		3	2	5	5	3	3	2	1	1	1	1	• • •			• •					• •
1			~					2	~					2	1	-1		1	1						• •		
								5		7	1						1										
1						1		2	1	1		1		3	1	3			1								
										1	1			1													
																	1										
										1																	
															1			3									
													• • •	1	1	2		2	1								
• • • •			11		• • •				• • •		1	7	1	1	3	3	2	3	2	1							
• • •	•••								• • •				1				•••						• •		• •		
• • •	•••		•••		1				•••		••	1	• • •				• • •		• • •				• • •				
															-												
									1	5		8	1	1	2	4	1			1	.01						
				• • • •			2	2	1		2	4	4	2	1	5	3	5		1	1						
				į				1		1	1			4	1	4	1	3	1	2			1				
	٠.,							1	1	3	2	1		1	3		1	2	. 2								
		1		2		3	4	6	5	8	7	12	3	8	2	3	2	2	4	1		1					
							1	1	2	2	1	11	5	9	5	14	10	10	11		3					1.	
		1		1	3	5	7	18	10	32	13	50	15	59	26	83	23	50	25	5	5	2				1	
	• • •									1		1							1								
	••							1	• • •		1		• • •	4	1	2		2	4								

TABLE NO. II
CLASSIFIED REPORT OF DEATHS

	Males.	Females	Grand						
CAUSES OF DEATH.		38	Total	year	Under 1		1 to 2	years	2 to 3
THE PHILIPPINE				Male	Female	Maie	Female	Male	Female
CIRCULATORY SYSTEM—Continued.									
Pericarditis	5	5	10						
Senile heart	1		1						
Senile gangrene	3	5	8						
Phlebitis		1	1			,			
RESPIRATORY SYSTEM	554	426	980						
Asthma	21	14	35	1					
Bronchitis	86	93	179	32	30	1	8	1	2
Broncho-pneumonia	65	72	137	17	22	11	6		5
Croup, catarrhal	5		5	1	•••			1	
Hydrothorax	1						• • • •		
Laryngitis	9	4	13		••••	1	1		1
Pharyngitis, phlegmonous	1	•••••	1						
Pseudo-diphtheria	1	3	4		• • • •				
Pleurisy	6	3	9	1					
Purulent pleurisy	15	5	20			•••:			1
Pneumonia	301	217	518	36	36	16	8	8	2
Pulmonary congestion	31	12	43	4	3	. 1	1	1	
Fibroid phthisis	3	3	6						
Lung, abscess of	5		5						
Lung, gangrene of	4		4		:•••			.,	
DIGESTIVE SYSTEM	331	231	562						
Appendicitis	22	. 6	28	1					
		1			1	1	'	2	1

				AGE	s								
3 to 4 Female years Male	4 to 5 years	5 to 10 years	10 to 20 years	20 to 30 years	30 to 40 years	40 to 50 years	50 to 60 years	.60 to 70 years	70 to 80 years	years	90 to 100 years	Over 100 years	Unascer- talned
Female Male	Female Male	Female Male	Female Male	Female Male	Female Male	Female Male	Female Male	Female Male	Female Male	Female Male	Female Male	Female Male	Female Male.
		1	1		3	1 2	1 1	1			1.		
							1 1	1 1	1 2	1 1			
							1		1 ~				
•••				1		1 4	6 1	11 5	2 2				
1	1	1	1	2	2 2	4 4	9 14	15 11	12 15	6 4	1		
1 1	3 3	2 6	2	2	7 4	1 2	9 3	8 6	3 11	1 1			
1	1	2											
1 1	2	3		1	1	1		1					
1 1	1	3		1	1	1				0			
1	1	1 2											
			1		3 1		1 1	1	-				
1	1	-	1 1	1 1	5	1	2 1	2		1 1			
4 1	5 6	4 3		27 18	32 23	52 20	48 20	43 36	18 30	3 8			
1		1		2	2 2	7	3 1	7 1	2 2	1 1		0	
				1 1			1 1	1 1					
			1		1	1		2	·				
		1			1			1	1				
							710						
		3 2	5 2	8 1	2 1		1	1					1
		0 2			~ 1		1 -	- 1					13
		11		11		11	1 1			11 1			

TABLE NO. II
CLASSIFIED REPORT OF DEATHS

	Total	Total	Grand						
CAUSES OF DEATH.	Males	Females	Total	year	Under 1	years	1 to 2	ye	2 to 3
IN WILLY DIED				Male	Female	Male .	Female	Male	Female
DIGESTIVE SYSTEM—Continued.									
Enteritis, entero-colitis	70	64	134	55	38	2	-3		1
Gallstones	3	2	5						
Gastric hemorrhage (cause not stated)	. 3	6	9		1				
Gastric ulcer	6	6	12						
Gastritis	15	27	42	3	3		2		
Gastro-enteritis	40	29	69	25	19	_3	2	1	
Hernia, strangulated	. 9	7	16	1			1	• • • •	
Intestines, obstruction of	16	17	33	1	1				
Intestines, intussusception of	6	5	11	1	2				
Volvulus	1.	2	2		1				
Liver, abscess of	. 8	5	13						
Liver, cirrhosis of	. 96	28	124				1		
Liver, inflammation of	15	6	21						
Liver, congestion of		1	1						
Liver, acute yellow atrophy of	1		1						
Esophagus, stricture of			3						
Pancreas, abscess of		1	1						
Gangrenous stomatitis	. 1	1	2					1	1
Peritonitis		17	34	1	1 2				
Typhlitis	•	1	1				. 1		
ABSORBENT AND GLANDULAR									
SYSTEM	. 3	5	8	1			1		
Lymphadenoma	. 1		1	1					
	1	1	1	1	-		1		

-CONTINUED.

				AGES.	,								
3 to 4 years	4 to 5 years	5 to 10 years	10 to 20 years	20 to 30 years	30 to 40 years	years	50 to 60 years	60 to 70 years	70 to 80 years	years	90 to 100 years	years	Unascer- tained
Male	Female Male	Female Male	Female Ma e	Female Male	Кешше Male	Female Maie	Female Male .	Female Male	Кошые Мале	Female Male	Female Male	Female Maie	Female Male
4	1 2 1	3	2	3 1 1 2 1 2 1 2 1 2 1 2 1 2 1 3	5 5 1 2 2 3 1 1 3 2 1 2 1 2 2 10 6 1	1 1 2 1 1 2 2 1 2 2 1 1 39 2 8 1 1 1 2 2 1 1 2 2 1 1 39 2 1 39 2 1	2 1 1 1 2 3 2 1 25 6 2 1 1 2 2 2	2 3 3 4 1 2 1 15 10 2 1 1 1 2 2 2	1 2 1 3 1 4 1 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3			
					1								

CLASSIFIED REPORT OF DEATHS

TABLE NO. II

	***************************************								
CAUSES OF DEATH.	Total Males	Total Females	Grand Total	year	Under 1	years	I to 2	years	2 to 3
				Male	Female	Male	Female	Male	Female
ABSORBENT AND GLANDULAR									
SYSTEM —Continued.	1								
Myxedema		1	1						
Tonsilitis	1	4	5		1				
Tonsilitis, suppurative	1		1		,.				
URINARY SYSTEM	234	127	361				- 1		
Calculus, renal	2		2						
Calculus, vesical	2	1	3						
Cystitis, acute	3	2	5						
Cystitis, chronic	8	2	10						
Nephritis, acute	39	26	65	6	4				
Nephritis, chronic	145	79	224	1		1		1	1
Kidney, abscess of	3	1	4						
Kidney, cystic disease of	1		1						
Anuria (post-operative)	1		1						
Prostate gland, abscess of	1		1						
Pyelitis	13	4	17						
Uremia (cause not stated)	16	12	28		.,				
REPRODUCTIVE SYSTEM		42	42						
Abortion, miscarriage		5	5						
Dystocia		3	3						
Pelvic abscess		5	5						
Pelvic peritonitis		2	2						
	1 1	17					1		

				AG	ks								
3 to 4  Years Mule	4 to 5 years	5 to 10 years	years	years	30 to 40 years	years	50 to 60 years	60 to 70 years	70 to 80 years	years	90 to 100 years	Over 100 years	Unascer- talned
Female Mare .	Female Male	Male	Male	Male	Male	Female Male	Female Male	Female Male	F'ema.c Male	Female Male	F'emale Male	Female Male	Female Male.
1		1 5					1						
		1					1	1					
						1	1	2 1	1 1 2 1	1 1 3			
	1	2 1		5 4 2 5 8	11 9	9 3	30 16	3 3 3 3 14 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 2		•• ••	
		1	1	2	1 3 1 2 1	2 1	2 1 3 3	6 5	3	1			
		1			2		•••			. 1			
				2		1							

TABLE NO. II
CLASSIFIED REPORT OF DEATHS

_	,	Males	Females	Grand '			t			
	CAUSES OF DEATH.		œ	Total	year	Under 1		1 to 2	years	2 to 3
					Male	Female	Male .	Female	Male	Fen-a'e
Ŧ	REPRODUCTIVE SYSTEM—Continued.									
	Placenta previa		5	5						
	Puerperal eclampsia		4	4						
	Puerperal hemorrhage		6	6						
	Pelvic hematoma		1	1						
	Puerperal insanity		1	1						
	Puerperal emesis		2	2						
	Phlegmasia alba dolens		1	1						
	Pyosalpinx		6	6						
Ť	Salpingitis		1	1						
(	SSEOUS AND INTEGUMENTARY				-					
,	SYSTEM	16	8	24						
	Abscess multiple		1	1						
	Abscess, lumbar			1						
	Abscess, mastoid		1	3	1					
	Abscess of abdomen	i	1	4						
	Abscess of leg		1	2						
	Abscess of mediastinum			- 1						
	Cyst, sublingual dermoid	1		1	1					
	Carbuncle of neck	2		5						
	Eczema		1	1		1				
	Gangrene of leg	1	1	2						
	Gangrene of umbilical cord	1		1	1	,				
	Mastolditis	1		1						
						1 8	11			

						Ī		AGES	3.																	
years Male		4 to 5		5 to 10 years		10 to 20 years	years	20 to 30	years	30 to 40	years	40 to 50	J COLLS	50 to 60	J caro	60 to 70	years	70 to 80	years	80 to 90	years	90 to 100	years	Over 100	tained	Unascer-
Male	Female	Mala		Маје	Formal	Male	Male	Female	Male	Female	Male	Female	maie .	Female	plate	Female	Maie	Female	Male	Female	Male	Female	Male	Female	Male	Female
				-			-									-		-			1.					
	.		<b> </b>		<b></b>			1		3		1														
	.							3		1																
	-							4	• • •	2					,				, .						••	••
								1	• • •	• • •				• • •		• • •	•••			•	• •	•	• •			• •
								1		1							11.9						•			••
	.   .									1																
	.					1		3		2						,	5									
	.									1								• • •						• •		٠.
						141						-	- 1		109			-			1			1		
														10	-						7			1		
	.			٠٠.					• • •	• • •		• • •				1		• • •		[]						
•••		• • •		•••			1	•••			• • • •		• • •	• • •							• •	•	• •	•		
•••					2				• • •	1			1	1	•	•	•••	•••		•	•					
						1											1									
											1.															
								1.			1.		1									-				
•••			••••		• • •			• • •		• • •	• • • •	••				•••	• • • •				• •		• •			
				• • •			• • • •				•••		1			1							-		1	
											1.															
								1	1	1	-							1		-		1	1	1	1	

TABLE No. II

# CLASSIFIED REPORT OF DEATHS

	Males.	Females	Grand						
CAUSES OF DEATH.		les	l Total	year	Under 1		1 to 2	ye	2 to 3
				Male	Female	Male	Female	Male	Female
OSSEOUS AND INTEGUMENTARY									
SYSTEM -Continued.									4
Necrosis of sternum and ribs	1		1						
Pemphigus		2	2						
Phlegmon of leg	1		1						
VIOLENT DEATHS	336	105	441						
		103							۱
MISADVENTURE AND NEGLIGENCE	183	74	257						ı
Anesthesia	1	1	2			••••			
Shock following amputation		3	5			••••			
Shock following celiotomy		8	15	1					
Shock following intrapelviotomy	]	13	13		• • • • •			•••	
Shock following Caesarean section		1	1				• • • •		
Asphyxiation, foreign body in trachea		1	5	2		1	1		••••
Asphyxiation by illuminating gas		13	25	7			••••		• • • •
Asphyxiation, smothered in bed	1	1	2	1					••••
Burns and scalds	5	9	14		• • • •	1	•••		•••
Burns (sat on hot stove)			1						
Crushed by falling gate	1		1		• • •				
Crushed, collision on bay  Caving-in of excavation		•••••	1						
Caving-in of excavation			2 2						
Drowning			36			1			
Explosion	4		3			1	1		
Language Control of the Control of t	3		3			1			
	-	100		1	1	1		1	

								Ī	AGE	s.		7.														
3	3 to 4	years	4 to 5	years	5 to 10	years	10 to 20	years	20 to 30	years	30 to 40	years	40 to 50	years	50 to 60	years	60 to 70	years	70 to 80	years	80 to 90	90 to 100	years	Over 100	tained	Unascer-
- man	Мого	Ма е	Female	Male .	Female	Maie	Female	Male	Female	Male	<b>Р'ещаје</b>	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female.	Female	Male	Female		Female
						1	2	2	1 4	2 5	1 1 2 1	1	2 1 1 	1	5 4	1 1 1	1 2		4							
			1	1	1	2	1	1 3	2	1 2 7	1	6	1	2		1 4	1		1						-	

TABLE NO. II
CLASSIFIED REPORT OF DEATHS

	Total Males	Total I	Grand						
CAUSES OF DEATH.	Wales	Total Females	Total	year.	Under 1	years	1 to 2	years	2 to 3
					_	:	_		
120 800 11 2011				Male	Female	Male	Female	Male	Female
MISADVENTURE AND NEGLIGENCE									
-Continued.									
"Exposure		1	- 1-						
"Fall from building	. 9	1	10						1
Fall from ladder			1						
Fall from electric light pole	1		1						
Fall down stairs	5		5						
Falls	12	7	19						
Fall on coal chute	1		1	1.1					
Fall from cable car	1.		1	:					
Fall from bicycle	/ 1		1						
Fall from vehicles	5		5	11	1.1.				
Fall down embankment	. 2		2						
Fall from rigging of ship	1		1						
Fall into hold of ship	6		6						
Fall down elevator shaft	- 1		1		1.1.				
Firearms	4	3	7					2	
Criminal abortion		3	3						
Killed by electricity	2		2						
Killed by machinery	6		6						
Killed by elevators	3		3						
Killed by falling iron	1		1						
Killed by falling plank	1		1						
Killed by railroads	6	1	7						
			4		,				

									AGE																	
years Male	3 to 4	years	4 to 5	years	5 to 10	years	10 to 20	years	20 to 30	years	30 to 40	years	40 to 50	years	50 to 60	years	60 to 70	years	70 to 80	years	80 to 90	years	90 to 100	years	Over 100	Unascer- tained
Male	Female	Maie	Female	Maie	Female	Male	Female	Male	Female	Male	Female	Male	Female	Maie	Female	Male	Female	Maie	Female	Male	Female	Male .	Female	Male .	Female	Female Male.
		-																								
								1																		
						1		1				3														
• • •					• • •					1				1		3					• •	1			.  .	
				2	1	1			1	2		2		3		2			1				2			
						•••		1		1																
1								1		1		1		_ 1												
• • •										1		2													.  .	
•••	• • •							2				2		1				1							.  .	
•••					1	2	1	1		1	1															
						• • • •	•••	1		1																
		• • • •				1		1		1		1		1		1									1	
								1	• • •																	
						1						3		.1	1			1								
						1	•••	1 2 1	1		1 2				•••											

TABLE NO. II
CLASSIFIED REPORT OF DEATHS

	CLA	.551F1	ED R	EPU	RI	OF	נע	EAT.	HS
	Total Males	Total 1	Grand						
CAUSES OF DEATH.	Males	Total Females	Total	year	Under 1	years	1 to 2	years	2 to 3
				Male	Fema <sup>l</sup> e	Male	Female	Male	Female
MISADVENTURE AND NEGLIGENCE-									
-Continued.									
Killed by street cars (electric)	8	3	11		Ĵ.,			2	
Killed by street cars (cable)	2		2						
Run over by vehicles	8	3	_11		.ž				
Kicked by cow	1		1						
Kicked by horse	2		2	,					
Thrown from horse	2		2						
Lead poisoning	4		4					<b> </b>	
Ptomaine poisoning	2	1.	3	1					
Poisons, carbolic acid	2	1	3						
Poisons, morphine	3		3				. 25.		
Poisons, wine of colchicum	1		1		••••	.,			
Decomposed and disorganized remains	1		1						
	20		00			143			
HOMICIDE	26	2-	28	,		-			
By blows	4	1	5					• • • • •	
By cutting instrument	5		5	•••			• • • • • • • • • • • • • • • • • • • •		••••
By firearms	16	1	17	1	• • • •				• • • •
Infanticide	1		1	1	••••		••••	***	
SUICIDE	127	29	156						ш
By cutting instrument	4	1	5						
By charcoal fumes	1		1					1	111
By drowning	7	1	8						1
		-							

-Continued.

	-								AGE	8.											-						=
vears	3 to 4	years	4 to 5	years	5 to 10	years	10 to 20	years	20 to 30	years	30 to 40	years	40 to 50	years	50 to 60	years	60 to 70	years	70 to 80	years	80 to 90	years	90 to 100	years	Over 101	tained	Unascer-
Maic	Female	Male	Female	Male	Fema'e	Male	Female	Male .	Female	Male.	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Femala	Male	Female	Male	Female	Male	Female
	TO SERVICE OF THE PERSON NAMED IN COLUMN NAMED										1																
										1	1	2	2	2		1											
	• • •	1	• • •		• • •			•••	•		• • •	• • •			•••	1		• • •	• • •				• •			• •	
•••	1	1	•	2	1		• • • •	1	• • •	1	• • •	1		1	1			•••	• • •		•		••			•	• •
•••												1				1								1			
								1		1																	
								1		1		2	•••														
	• • •		• • •					1	1				• •]												• •		
• • •	• • •		• • •	•••	•••		• • •	1	• • •		1	• • •	• • •		•••	1			•••						••	••	
• • •			• • •	•••	•••	,		1	•••	. 3		•••		• • •	•••							1			i		
										20.4																1	
													1										1		0	*	
								1		1		2	1														
								2		1		1		1							• •						
							1	4		5		4		1		1		1									
																									1		
										,				1			1				1						
***				• • •					1	1		1		1		1	• • •	1	•••				• •		• •		
								1	1	2		2		1												1	
			1																				1				

TABLE NO. II CLASSIFIED REPORT OF DEATHS

CAUSES OF DEATH.	Total Males	Total Females	Grand Total	year	Under 1	years	1 to 2	years	2 to 3
				Male	Female	Mala	Female	Male	Female
SUICIDE—Continued.									
By firearms	41	3	44						
By hanging	6	2	8						
By illuminating gas	20	3	23						
By jumping from building	3	1	4				•••		•••
By amylic alcohol	1		1				••••		
By carbolic acid	15	15	30	• • • •	• • • •				
By cebadilla			1			••••	• • • •		
By cyanide of potassium			7				••••		
By hydrocyanic acid			2		• • •	• • • • •	• • • •	• • • •	• • • •
By opium; morphine	13	1	14		• • • •		•••		• • • •
By strychnine	6	2	8						
TOTALS	3938	2606	6544	515	410	91	86	43	45

-CONTINUED.

									AGE	3.																	_
years	2 4 0	years	4 to 5	years	5 to 10	years	10 to 20	years	20 to 30	years	30 to 40	years	40 to 50	years	50 to 60	years	60 to 70	years	70 to 80	years	80 to 90	years	90 to 100	years	Over 100	taine 1	Unascer-
Male	Female	Male	Female	Male	Female	Male.	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
												4.1							14		11						14
	• •							8	3	10		7		7		4		, 5			4.	ul.				١.	
	•	•••	• • •		•••		• • •	3	• • •	7	1	5	1 2	2		2		•••	•••		••	• •	• •	••	••	1	• •
									1			2				1											
												1							.,.		• •						
	• •	• • •	• • •				1	4	12	7	2	2	• • •	1				1						••			• •
								1				3		3					400								
	• •		•••											2		.,											
	• •	•••			•••			2		6 2	1	1 2		3	•	1							••			2	g
	-							2	1					-						-		_		-	_		_
40	30	42	29	86	101	100	94	373	308	504	291	609	249	537	288	560	309	322	258	93	96	10	14	1	1	9	
		1				1				Parties in		1						-									

TABLE CLASSIFIED REPORT OF DEATHS, ARRANGED

	Total Males	Total	Grand			RA	CE.		
CAUSES OF DEATH.	Males	Total Females	Total	Concession	Cancasian	0	Mongolian		African
L. HIJET	Ī			Male	Female	Male	Female	Male.	Female
GENERAL DISEASES	1558	1129	2687						
SPECIFIC FEBRILE	156	145	301						
Cerebro-spinal meningitis	18	12	30	18	12				
Diphtheria	76	78	154	70	74	6	4		
Influenza (La Grippe)	5	10	15	5	10				
Malarial fevers	5	5	10	5	5				
Measles	1	!	1	1					
Pertussis (whooping-cough)	11	14	25	11	14				
Scarlet fever	3	6	. 9	3	6				
Typhoid fever	37	20	57	34	20	3			:
DIARRHEAL	44	24	68						-
Cholera infantum	32	15	47	32	15				
Cholera morbus	2	2	4	2	2				
Diarrhea	1	2	3	1	2				
Diarrhea, infantile	4	3	7	4	3				*. * 2. *
Dysentery	5	2	7	4	2	1			
	24	9	33						
VENEREAL									
Syphilis, acquired	9	• • • • • • • • • • • • • • • • • • • •	9	7		2			
Syphilis, congenital	15	9	24	15	9				
SEPTIC	39	56	95						
Erysipelas	5	2	7	5	2				
Puerperal septicemia		23	- 23		21		2		
			- 1					1	

NO. III.

ACCORDING TO RACE, NATIVITY AND SOCIAL CONDITION.

-			NATI	VITY.	1	M				s	OCIAL C	ONDIT	non				
Coast	Pacific	States	Other	r oreign		tained	Unascer-	2 in	2		Married		Widowed		Divorced	tained	Unascer-
Male	Female	Male	Female	Male	Female	Male	Femaie	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
	,				- 1											11,11	
15 73	10 74	3			2		••••	18 75	10 77	2	1	• • • •	• • • • •	• • • •	••••	• • • •	
1	2	1		2	6	1		2	3	3	2		5				
4	3	1	1		1			3	3	2	2						.,.
		1						1									
11	14	,		, , , , ,				11	14								
2	5	1			1			2	6	1							
14	11	8	5	15	4	• • • •	• • • •	25	8	11	10	1	2			.,	• • •
										1					-		
32	15							32	15			,.					
1	2	• • •		1				1	2	1		,.	• • • •				
		1			2		• • • •			1	1		_1	••••			
4	3	• • • •	••••				••••	4	3				••••		· · · ·		• • •
1		1		3	2		••••	3	• • • • • •	2	1				••••	••••	1
					-											1	
1				8		•••		3		4		1				1	
15	9							15	9			•••					
							11										
	1	1		4	1				1	4	1	1					
	9		6		8				1		22						
										3				1			

TABLE NO. III

# CLASSIFIED REPORT OF DEATHS, ARRANGED

	Total	Total	Grand			RA	CE.		
CAUSES OF DEATH.	Total Males	Females	l Total		Cancasian	U	Mongolian	1000000	African
12111111111				Male	Female	Male	Female	Male	Female
SEPTIC—Continued.									
Pyemia	7	8	15	6	8	1			
Septicemia (cause not stated)	17	10	27	17	10				
Septicemia following laryngectomy	1		1	1					
Septicemia following celiotomy	1	2	3	1	2				
Septicemia following intrapelviotomy	3	7	10	3	7				
/ Septicemia following repair of cervix		1	1		1				
Septicemia following Caesarean section		1	1 1		1			:	
Septicemia following carbuncle of face		1	1		1				
Septic endocarditis	2		2	- 2					
Septic pericarditis	2		2	2					
Tetanus	1	1	2	1	1				
PARASITIC	1	1	2.		. 1	- 9			
Intestinal worms	1		. 1= 1	1					
Thrush		1	1	. 1	1				- • • •
1 .					. 1				• • • •
DIETETIC	122	111	_ 233						
Malnutrition	4	4	8	4	4				
Inanition	118	107	225	109	101	9	6		• • • •
CONSTITUTIONAL	970	641	1611						
Arthritis deformans	1	3	4	1	3				
Anemia, chlorosis	11	10	21	10		1			
Carcinoma of breast		24	24		24				
Carcinoma of liver	29	25	54	24	25	5			
					1				

-CONTINUED.

	NATI	VITY.			SOCIAL	CONDITION.		
		11		70	11	11 . )		
Pacific Coast	Other States	Foreign .	Unascer- tained	Single	Married	Widowed	Divorced	Unascer- tained
Female Male	Female Male	Fomale Male	Female Male	Female Male	Female Male	Female Male	Female Male.	Female Male .
1 2 4 3 1 2 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 3 5 2	4 3 8 5 1 1 1 2 2 1 1 1 1 1 1 1		2 3 9 3 1 2 1 1 2 1 2 1 1 1 1 1 1 2 1 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 5 5 1 1 1 1	1		1
1  4 3 112 101 1 2 3 3 1	3 - 3	3 3 1 2 5 3 16 23 16		4 4 113 101 5 4 5 8	2 2 2 3 4 9 16 10	3 4 1 1 2 2 10 5 14		1

TABLE NO. III
CLASSIFIED REPORT OF DEATHS, ARRANGED

	Total	Total	Grand			R.A	CE.		
CAUSES OF DEATH.	Males	Females	Total		Caucasian		Mongolian.		African
				Male	Female	Male	Female	Male	Female
CONSTITUTIONAL—Continued.									
Carcinoma of rectum	7	5	12	7	5				
Carcinoma of stomach	48	30	78	44	30	4			
Carcinoma of uterus		61	61		59		2		
Carcinoma of ovaries		1	1		1				
Carcinoma (not specified)	19	8	27	1	7	17	1	1	
Carcinoma, disseminata		1	1		1				
Carcinoma of arm	1	1	2	1	1				
Carcinoma of axilla	1		1	1					
Carcinoma of bile ducts	2		2	2					
- Carcinoma of bladder	4	. 1	5	4	1				
Carcinoma of colon	3	2	5	3	2				
Carcinoma of esophagus	7		7	7					
Carcinoma of face	9	2	11	9	2				
Carcinoma of intestines	1	4	5	1	4				
Carcinoma of kidney	1	1	2	1	1				
Carcinoma of maxilla	2		2	2					
Carcinoma of mediastinum		15	1		1				
Carcinoma of neck	7		7	7					
Carcinoma of nose	1		1	1					
Carcinoma of omentum	7	2	9	7	2				
Carcinoma of pancreas		2	2		2				
Carcinoma of parotid gland	1		1	1					
Carcinoma of peritoneum	1	2	3	1	2				
		3	1	1				-1	

							11									_
		NAT	IVITY.	3.1	å				8	SOCIAL (	CONDI	TION.				
Pacific Coast	States	Other		Foreign	tained	Unascer-		Single		Married		Widowed		Divorced	tained	Unascer-
Female Male	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
3 1 1 3 3 3 1 1 1 3 1 1 1 1 1 1 1 1 1 1	1 1 4 1 1 4 2 4	1 11 20 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 44 19 2 4 2 6 3 1 1 1 1 5 1 2	3 18 37 1 4  1  1	1	1	2 155 177 2 3 5 3 3 1 2 2 1 2 2 1 2 2 1 2 1 2 1 2 1 2 1	1 1 1	2 23 1 2 6 6	3 14 38 1 4  1 2 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 15 20 4 1 1 1 1 1			3	
G*		1	1	1			1	1	1	1		1				

CLASSIFIED REPORT OF DEATHS, ARRANGED

TABLE NO. III

	Tot	Total	Gra			D A	CE.		=-;
- '	Total Males	tal Females	Grand Total		3		1	2	
CAUSES OF DEATH.		nales	tal	Caucasian .		OF CO.	ongolian	Allican	e de con
		- 1		Male	Female	Male	Female	Male	Female
CONSTITUTIONAL—Continued.									
Carcinoma of pharynx	4	2	6	4	2				
Carcinoma of prostate gland	2		2	2					
Carcinoma of spleen		2	2		2				
Carcinoma of tongue	7		7	7					
Diabetes	30	25	55	30	25				
Gout	1		1	1					
Hemophilia	2	4	. 6	2	4				
Leucocythemia	5	1	6	5	1				
Leprosy	2		2	1		1			
Rheumatism	4	14	18	4	14				
Rickets		1	1		1				
Sarcoma (not specified)	1	2	3	1	1		1		
Sarcoma of abdomen		4	4		4				
Sarcoma of colon	1		1	1					
Sarcoma, disseminata	4	1	5	4	1				
Sarcoma of groin	1		1	1					
Sarcoma of ileum	1		1	1					
Sarcoma of intestines	1		1	1					
Sarcoma of kidney	1		1	1					
Sarcoma of larynx	1		1	1					
Sarcoma of liver	1		1.	1					
Sarcoma of lung	1		1	1					
Sarcoma of mediastinum		1	1		1				

																	_
			NAT	IVITY.	1					8	OCIAL (	CONDIT	rion.				
Coast	Pacific	States	Other		Foreign	tained	Unascer-	Single	2	THE COLUMN TWO CO.	Morriod		Widowed		Divorced	tained	Unascer-
Ma¹e	Feniale	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male.	Female	Male	Female	Male	Female
1		1		1	2	1		2	1	2			+ 1				
				2					• • • • • •	2					••••		
1		2		4	2			1		5	1	1	1				
4	4	4	5	22	16			8	5	19	13	2	7			1	
				1				1					•••		• • • •		
2	4	3	1	1				2 2	4	2	1	1					•••
				2	1			1		1							
1	2		. 3	3	9	)		1	3	3	7		3				1
	1	1			2				1	1	1						
	1				3		٠		1		3						
				1	1					1							
1			1	3				3		1	1					1	
		1														1	
				1				1.					• • • • •	••••			
				1						1							
				1						1							
				1						1							
					1		• • • •				1	• • • •				• • • •	• • •
1	- 1			<u> </u>	1	<u></u>		L]								-	

TABLE NO. III

# CLASSIFIED REPORT OF DEATHS, ARRANGED

	Total l	Total l	Grand			RAC	E.		
CAUSES OF DEATH.	Males	Females	Total	Caucasian		Mongonan.		African	
				Male	Female	Male	Female	Male	Female
CONSTITUTIONAL—Continued.							Ì		
Sarcoma, melanotic	1		1	1					
Sarcoma of maxilla		1	1		1				
Sarcoma of neck	4		4	4					
Sarcoma of omentum		1	1		1				
Sarcoma of uterus		4	4		4				
Tuberculosis, articular	7	3	10	6	3	1			
Tuberculosis, cerebral, meningeal	28	25	53	28	25				
Tuberculosis, glandular	2	3	5	1	3	1			
Tuberculosis, general	7	9	16	6	8	1			
Tuberculosis, miliary	8	1	9	7	1	1			
Tuberculosis, peritoneal	13	8	21	11	8	2			
Tuberculosis, pulmonary	654	340	994	508	322	137	16	9	
Tuberculosis, laryngeal	3	1	4	3	1				
Tuberculosis, intestinal	5	2	7	5	2				
Tuberculosis, spinal	5		5	5					
DEWELOPMENTAL.	202	142	344						
	- 11			15	9				
		24	52			6	1		
		8							
			3	1	10				
	1					20	1	1	
	1.01	30							
	CONSTITUTIONAL—Continued.  Sarcoma, melanotic	CAUSES OF DEATH.  CONSTITUTIONAL—Continued. Sarcoma, melanotic	CAUSES OF DEATH.  CONSTITUTIONAL—Continued. Sarcoma, melanotic. 1 Sarcoma of maxilla. 1 Sarcoma of neck. 4 Sarcoma of omentum. 1 Sarcoma of uterus. 4 Tuberculosis, articular. 7 Tuberculosis, cerebral, meningeal. 28 Tuberculosis, glandular. 2 Tuberculosis, general. 7 Tuberculosis, miliary. 8 Tuberculosis, miliary. 8 Tuberculosis, peritoneal. 13 Tuberculosis, peritoneal. 13 Tuberculosis, peritoneal. 13 Tuberculosis, intestinal. 5 Tuberculosis, intestinal. 5 Tuberculosis, spinal. 5  Cardiac malformation (cyanosis) 8 Icterus neonatorum. 9 Imarasmus, infantile. 28 Marasmus, senile. 15 Bystocia. 2 Integration of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the prop	CONSTITUTIONAL—Continued.  Sarcoma, melanotic	CONSTITUTIONAL—Continued.  Sarcoma, melanotic	CONSTITUTIONAL—Continued.  Sarcoma, melanotic.  Sarcoma of maxilla.  Sarcoma of neck.  Sarcoma of omentum.  1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	CONSTITUTIONAL—Continued.  Sarcoma, melanotic.  Sarcoma of maxilla.  Sarcoma of neck.  Sarcoma of omentum.  Sarcoma of omentum.  Tuberculosis, articular.  Tuberculosis, glandular.  Tuberculosis, glandular.  Tuberculosis, general.  Tuberculosis, miliary.  Tuberculosis, miliary.  Tuberculosis, peritoneal.  Tuberculosis, peritoneal.  Tuberculosis, peritoneal.  Tuberculosis, intestinal.  Tuberculosis, intestinal.  Tuberculosis, pulmonary.  Sarcoma of uterus.  Tuberculosis, pulmonary.  Sarcoma of uterus.  Tuberculosis, peritoneal.  Tuberculosis, peritoneal.  Tuberculosis, pulmonary.  Sarcoma of uterus.  Tuberculosis, peritoneal.  Tuberculosis, pulmonary.  Sarcoma of uterus.  Tuberculosis, peritoneal.  Tuberculosis, pulmonary.  Sarcoma of uterus.  Tuberculosis, peritoneal.  Sarcoma of uterus.  Tuberculosis, pintoneal.  Sarcoma of uterus.  Tuberculosis, pulmonary.  Sarcoma of uterus.  Sarcoma of neck.  4	CAUSES OF DEATH.	Male   Causes of Death   Male   Causes   Male   M

-					1			11									
		11		TVITY.						,	SOCIAL	CONDI	TION.				
:	Pacific		Other		Foreign	tained	Unascer-	G	Single		Married		Widowed		Divorced	tained	Unascer-
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
4 23 1 2 1	1 3 23 1 4	1 2 2	1	1 4 2 3 1 3 7	1 2 2 2 1		1	1 26 27 1 7 5	1 3 24 1 4	1 1 1 2	1 3 1 2 3		2				
8 160 3 2	5 152 2	1 102 1 1	59	387 2 1 2	3 129 1	5		10 426 1 4	5 123 1 2	2 158 2 1	1 173	1 47	43	3		20	1
15 8 9 28 2	9 8 1 24 1	3 21	1 222	12	7 86	2		15 8 9 28 3 2	9 8 1 24 2 1 9	43	19	8 36	6				•••

CLASSIFIED REPORT OF DEATHS, ARRANGED

TABLE No. III

	≥	15	Q I	1					=
	Males.	Females	Grand			RA	CE.		
CAUSES OF DEATH.		ša	Total	Cancastan	Compagion	0	Monoolian	TALL ACCOUNT	African
				Male	Female	Male	Female	Male	Female
DEVELOPMENTAL—Continued.									
Spina bifida	1	2	3	1	2				
Asphyxia neonatorum	2		5	2					
Strangulation of umbilical cord	1		1	1					
LOCAL DISEASES	2044	1279	3416						ı
LUCAL DISEASES	2011	10.2	9410						
NERVOUS SYSTEM	425	287	712						
Alcoholism	25	11	36	25	11				
Apoplexy, cerebral	167	116	283	161	116	4		2	••••
Brain, abscess of	4	3	7	4	3				
Brain, congestion of	4	7	11	4	7				
Brain, softening of	28	13	41	27	13	1			
Brain, tumor of	9	3	12	9	3				
Brain, edema of		1	1		1				
Brain, sclerosis of	1	' -1	2	1	1				
Chorea	1	2	3	1	2				
Convulsions, infantile	40	40	80	39	38	1	1		1
Acromegalia	• • • • • •	1	1	•••	1				
Eclampsia (not puerperal)		3	3		3				
Encephalitis, Cerebritis	13	6	19	12	6	1			
Epilepsy	5	6	11	5	6				
Hydrocephalus	2	5	7	2	5				
Insanity	1	1	2	1	1				
Laryngismus stridulus	1		1	1					
			-						

	:	NATI	VITY.						/ 8	SOCIAL (	CONDI	TION.				
Pacific Coast	States	Other	Foreign		tained	Unascer-	Singila	Circle 1	TI WILLIAM	Monitor		Widowed	Dar Caccoa .	Divorced	tained	Unascer-
Female Male	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male.	Female	Male	Female
1 2 2 1 1 3 1 1 39 40 1 39 40	4 58 2 1 6 6	5 39  1 6 1 1 1 1 3 1	16 100 2 21 8 	5 73 2 3 7 7 2 1 1 1	1 4	1	1 2 1 1 4 37 1 1 10 7 1 40 12 3	2 2 6 6 1 1 4 4 1 40 3 4 4	7 99 3 2 13 2 1	7 61 2 2 4 2 1 1 1 2 2 1 1	3 27	1 48 9 1 1 1 1			1 4 1 1	1 1 1 1
2 5		••••					2	1	1					• • • •		•••

TABLE NO. III

# CLASSIFIED REPORT OF DEATHS, ARRANGED

	Total Males	Total	Grand			RA	ACE.		
CAUSES OF DEATH.	Males	Females	Total	Condition of the contraction of	Canasian	and Care	Mongolian		African
L. C. LONG STATE OF				Male	Female	Male	Female	Male	Female
NERVOUS DISEASES—Continued.	-								
Locomotor ataxia	6		6	6					
Meningitis, cerebral	63	46	109	63	45				1
Meningitis, spinal	4	1	5	4	1				
Morphinism	12	2	14	12	2				
Myelitis	12	3	15	10	3	1		1	
Neuritis (not specified)	2	1	3	2	1				
Paralysis, ascending		1	1		1				
Paralysis, traumatic	1		1	1					
Paralysis, bulbar	3	1	4	3	1				
Paralysis, agitans	5	2	7	5	2				
Paralysis, general, paresis	15	9	24	15	9				
Progressive muscular atrophy		1	1		1				
Sclerosis of spinal cord	1	1	2	1	1				
	481	246	727						
CIRCULATORY SYSTEM			24						
Aneurism of aorta	19	5		18			••••	1	• • • •
Angina pectoris	19	14	33	18			• • • •	••••	• • • • •
Arterio-sclerosis, endarteritis	15	5	20	15	1	••••	;	1	
Embolism, Thrombosis		9	75	7	9				• • • •
Endocarditis	47	28	85	24	3	23	5		• •
Heart, fatty		38		47	38	••••			• •
Heart, valvular disease of	307	129	436	291		11	2	5	
Hydropericardium		1	3	2	1				
Myocarditis	8	6	14	8	5			••••	
		- 1	1	1	11	100		1	

-				NATI	VITY.						, 8	SOCIAL (	CONDI	rion.				_
	Coast	Pacific	States	Other	0	Foreign	tained	Unascer-	G. I.	Single		Married		Widowed		Divorced	tained	Unascer-
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
												A Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Cont						
	1		2		3				2		4					• • • •		
	51	35	5	2	7	9			59	37	4	6		3		••••		
	2		1		1	1			4					1		• • • •		
	4		4	!	2	1	2	1	3	1	4		1	1		• • • • •	4	
	2	1	4	1	6	1		•••	6	1	3	1	2				1	1
4 .	• • • •	1	1		1				1	1	1					••••	• • • •	• • •
• •	• • • • •					1		• • • •				• • • • • •		1	• • • •		••••	• • •
• •	• • • •				1			• • • •			1			• • • •	• • • •			•••
* *	••••			• • • •	3	1		····	1			1	1				1	
••			5		3	2		• • • •			4	1	1	1				• • •
	• • • •	1	9	6	10	2		• • • •	8	1	7	5		3			****	
* *	1			1			••••	••••		1	1	1		• • • • •		•••		
	1	1		1		•••••				1	1			• • • •	• • • •			
		1	6	3	13	1			7		9	3	3	2				
ı	2	4	4	4	13	6			_6	3	11	7	1	4			1	
ı	1		5	1	9	4			5		7	2	2	3	1			
ı	1	3	2	1	5	5			1		4	6	1	- 3			2	
	8	9	4	4	34	15	1		30	5	14	21	1	2			2	
		4	11	11	35	23	1		13	6	22	16	9	15			3	1
	28	21	61	21	209	86	9	1	109	27	125	53	52	47	2		19	2
	1				1	1			1		1			1				
			2	2	в	4		• • •	1		6	3	1	3				•••
-		1		0					J	1	1				1			

CLASSIFIED REPORT OF DEATHS, ARRANGED

TABLE NO. III

	Total	Total	Grand			RA	CE.		
CAUSES OF DEATH.	Males	Females	Total	Caucasian.		mongonan.	Wandlin	Alficall	
				Male	Female	Male	Female	Male	Female
CIRCULATORY SYSTEM—Continued.									
Pericarditis	5	5	10	5	5				
Senile heart	1		1	1					
Senile gangrene	3	5	8	3	4				1
Phlebitis		1	1		1				
RESPIRATORY SYSTEM	554	426	980						
Asthma	21	14	35	21	14				
Bronchitis	86	93	179	78	92	8	1		
Broncho-pneumonia	65	72	137	54	67	11	4		1
Croup, catarrhal	5		5	5					
Hydrothorax	1		1	1					
Laryngitis	9	4	13	9	4	,	,		
Pharyngitis, phlegmonous	1		1	1	••••				
Pseudo-diphtheria	1	3	4	1	, 3				
Pleurisy	6	3	9	5	3	1			
Purulent pleurisy	301	217	20 518	15	5	8	1	4	3
Pneumonia	31	12	43	289	213	8		4	. 3
Pulmonary congestion	3	3	6	3	3	2			
Fibroid phthisis			5	5			•••		
Lung, abscess of	4		4	4					
man, sanstene or									
DIGESTIVE SYSTEM	331	231	562						
Appendicitis	2	6	28	22	6				
		1 3					-		

-CONTINUED.

																	-
			NATI	VITY.							SOCIAL	COND	ITION				
:	Pacific	1	Other	3	Foreign	tained	Unascer-	2111210	Cinal	Januar II Co.	Married		Widowed	Direction .	Divorced	tained	Unascer-
Male	Female	Male	Female	Maie	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
	40	2 1 2 13	4 8	3  177 36	1 4 1 10 42		3	8 49	1 2 45	1 1 2 9 23	2 7 22	2 11	2 2 1 4 21	1		1 3	1 4
36 5 6 1	3	1	9	1 2	21			49 5 7 1	47	10	13		12				
2 5 105	2 81	65	1 35	10 127	101	4		7 155	1 88	6 107	2 3 76	2 31	1 50	1	1	7	2
10 1 1	7	1 1 1	2	17 2 3 2	3 2			13 1 2 2	6	2 2	1	1 1	2 2				
10	5	6	1	6				16	6	5						1	

TABLE NO. III
CLASSIFIED REPORT OF DEATHS, ARRANGED

	Males.	Females	Grand			RAG	CE.		
CAUSES OF DEATH.		es	Total	Cardendian	Campagian	Di Oligoriani.	Mongolian	Alrican	
Francisco (Contraction Contraction Contrac				Male	Female	Male	Female	Male	Female
DIGESTIVE SYSTEM—Continued.									
Enteritis, entero-colitis	70	64	134	69	61	1	2		1
Gallstones	3	2	5	3	2				
Gastric hemorrhage (cause not stated)	3	6	9	3	6				
Gastric ulcer	6	6	12	6	5		1		
Gastritis	15	27	42	15	27				
Gastro-enteritis	40	29	69	34	25	6	3		1
Hernia, strangulated	9	7	16	9	7				
Intestines, obstruction of	16	17	33	15	17	1			
Intestines, intussusception of	6	5	11	5	5	1			
Volvulus		2	2		2				
Liver, abscess of	8	5	13	8	5				
Liver, cirrhosis of	96	28	124	56	28	38		. 2	
Liver, inflammation of	15	6	21	10	6	5			
Liver, congestion of		1	1						1
Liver, acute yellow atrophy of	1		1	1					
Esophagus, stricture of	3		3	3					
Pancreas, abscess of		1	1		1				
Gangrenous stomatitis	1	1	2	1	1			·	
Peritonitis	17	17	34	16	17	1			
Typhlitis		1	1		1		,.		
ADGODDDWE AND GLANDILLAD			-						
ABSORBENT AND GLANDULAR	3	5	8						
SYSTEM					1				
Lymphadenoma	1		1	1					
				11	1	11.	1	(1	

-CONTINUED.

									-									=
			NATI	VITY.							8	OCIAL O	CONDI	rion.				
Coast	Pacific	States	Other	313	F. C.	tained	Unascer-		omgre	Q:noll	Wight Troub			Widowed		Divorced	tained	Unascer-
Male	Female	Male	Female	Male	Female	Male	Female	Male		Female	Male	Female	Male	Female	Male	Female	Male .	Female
63 5 35 2 6 3 1 9 2 1 7	51 1 2 1, 7 24 3 4 2 1  5 3	1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 1 1 2 5 5 3 1 5 5 3 1 8 1	6 2 1 5 7 4 5 9 3 5 73 11 3 8	10 3 3 3 15 2 3 3 8  1 4 15 3  1	1 1			68  1 1 7 38 3 8 3  3 46 8  1 7	511 22 25 22 3 3 11 	3 2 4 6 1 4 7 1 3 39 5 1 10	77 11 33 55 111 3 11 6 22 11 3 13 5	1 1 1 1 1 1 1 1 1 7 1 1 1 1 1 1 1	6 1 1 1 7 1 4 7 2 10 3 1 4			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1
				1													1	

CLASSIFIED REPORT OF DEATHS, ARRANGED

TABLE NO. III

	Total Males	Total	Grand			RA	CE.		
CAUSES OF DEATH.	Males	Total Females	Total		Caucasian	0	Mongolian.		African
1112111111111				Male	Female	Male	Female	Male.	Female
ABSORBENT AND GLANDULAR									
SYSTEM—Continued									
Myxedema		1	1		1				
Tonsilitis	1	4	5	1	4				
Tonsilitis, suppurative	1		1	1					
TIDINA DI GUGENIA	234	127	361						
URINARY SYSTEM	204		2						
Calculus, renal	2	1	3	2	1		••••		
Calculus, vesical	3	2	5	2	2				
Cystitis, chronic	8	2	10	8	2			• • • •	
Nephritis, acute	39	26	65	37	24	2	2		
Nephritis, acute	145	79	224	114	78			2	1
Kidney, abscess of	3	1	4	3	1			~	•
Kidney, cystic disease of	1		1	1					
Anuria (post-operative)	- 1		1						
Prostate gland, abscess of	1		1	1					
Pyelitis	13	4	17	12	4	1			
Uremia (cause not stated)	16	12	28	16	12				
REPRODUCTIVE SYSTEM	• • • • • •	42	42						
Abortion, miscarriage		5	5		5				
Dystocia		3	3	• • • • •	3				• • • •
Pelvic abscess		5	5		5				
Pelvic peritonitis		2	2		2				
•									

-CONTINUED.

			NATI	VITY.						/ BI	OCIAL C	ONDIT	ion.				
Coast	Pacific	States	Other	G G	Foreign	tained	Unascer-	Single		married	Y .		Widowed		Divorced	tained	Unascer-
Male	Female	Male	Female	Male	Female	Male	Femaie	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
	3	1 1 1 1	1 1 2	1 1 2				1 1	4	2	1	1				1	
15 10	11 12	3 6 37 1 	5 28 1	4 18 95 2 1	1 10 39	3		2 22 60 1 1	6 10 1	4 12 60 2  1 7	1 14 41 3	2 19 1	5	1		3 5	1 1
	2 1 1 2 2	3			3 1 1			5	1 1	8	5 2 4	2	8		1	1	

TABLE NO. III

### CLASSIFIED REPORT OF DEATHS, ARRANGED

	Total Males	Total	Grand			RA	CE.		
CAUSES OF DEATH.	Males	Total Females	Total	. 000	Cancacian	u	Mongolian	CALL I COULT	African
				Male	Female	Male	Female	Male	Female
REPRODUCTIVE SYSTEM —Continued.									
Placenta previa		5	5		5				
Puerperal eclampsia		4	4		4				
Puerperal hemorrhage		6	6		6				
Pelvic hematoma		1	1		1				
Puerperal insanity		1	1		1				
Puerperal emesis		2	2		2				
Phlegmasia alba dolens		1	1	\	1				
Pyosalpinx		6	6		6				
Salpingitis		1	1		1				
CONTRACTO INDESCRIPTION DV									
OSSEOUS AND INTEGUMENTARY	16	8	24						
SYSTEM		1	1		1				
Abscess multiple	1		1	1					
Abscess, lumbar		1	3	1	1			1	
Abscess, mastoid	3	1	4	3	1				
Abscess of leg	1	1	2	1	1				
Abscess of mediastinum	1		1	1					
Cyst, sublingual dermoid	1		1	1					
Carbuncle of neck			5	2					
Eczema		1	1		1				
Gangrene of leg	1	1	2	1	1				
Gangrene of umbilical cord			1	1					
Mastoiditis	1		1	1					
ALLENS COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUMNIA COLUM						-	1	1	

# -CONTINUED.

		NATI	VITY.			Ī			8	BOCIAL (	CONDIT	TION.				=
Pacific Coast	States	Other		Foreign	tained	Unascer-	0	Sincle		Married	1 1000000	Widowed		Diroggad	tained	Unascer-
Female Male	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male.	Female	Male	Female	Male	Female
2 1 3 3 1 3			1 1 1 1 1	2 3 3 1		1	1 2 2	3		5 4 5 1 1 2 1 3 1						
1	1		1				1				2					
1	1		1	1			1	1	1			1				

TABLE NO. III

## CLASSIFIED REPORT OF DEATHS, ARRANGED

	Males.	Females	Grand			RA	CE.		
CAUSES OF DEATH.		es.	Total	Caucasian .		тиовиота.		Airicail	
f(T) (1, T) (1, L)				Male	Female	Male	Female	Male	Female
OSSEOUS AND INTEGUMENTARY									
SYSTEM —Continued.									
Necrosis of sternum and ribs	1		1	1					
Pemphigus	- 1	2	2						
Phlegmon of leg	1		1						
VIOLENT DEATHS	200								
VIOLETT DEATHS	336	105	441						
MISADVENTURE AND NEGLIGENCE	183	74	257						
Anesthesia	1	1	2	1	1				
Shock following amputation	2	3	5	2	3				
Shock following celiotomy	7	8	15	7	8				
Shock following intrapelviotomy		13	13		12		1		
Shock following Caesarean section		1	1		1				
Asphyxiation, foreign body in trachea	4	1	5	4	1				
Asphyxiation by illuminating gas	12	13	25	11	13	:	١		
Asphyxiation, smothered in bed		1	2		1		1		
Burns and scalds		9	14	5	9				
Burns (sat on hot stove)	1		1	1	•••				
Crushed by falling gate			1	1					
Crushed, collision on bay	1		1	1					
Caving-in of excavation			2	1 2		1			
Crushed by freight		1	2	1	3	11			
Drowning	1		36		3				
Explosion	3		3	1 3	3				
				1	1				1

-CONTINUED.

			NATI	VITY.						8	OCIAL C	ONDI	rion.				
Coast	Pacific	States	Other	r oreign		tained	Unascer-	2113	Cincle Cincle	MARGINA	Maria		Widowed		Divorced	tained	Unascer-
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
		1			• • • • • • • • • • • • • • • • • • • •					1					••••	••••	
•••••			1	1	1			1	1		1						
		1	1						1	1							
3		1	5	3	2			4	1	2 2	1		1				•••
	1		7		6				2		8		3				•••
3	1 2		2	11	9			4		3	3	1	5	1	1		
1	1 4			2	2			1 3	1	2			1				
1				1				1		1							
		1		1				1		1						1	
8				2				2									
		1	1	2		11		19		2				]		11	
	1		1		1	1	1		h		l	1	Ī	11			1.

TABLE NO. III

## CLASSIFIED REPORT OF DEATHS, ARRANGED

	1	1							_
	Total Males	Total	Grand			RA	CE.		
CAUSES OF DEATH.	Males	Total Females	Total		Cancasian	0	Mongolian		African
APRIL OF BUILDING				Male	Female	Male	Female	Male	Female
MISADVENTURE AND NEGLIGENCE									
Continued.									
Exposure		1	1		1				
Fall from building	9	1	10	9	- 1		\		
Fall from ladder	. 1		1	1					
Fall from electric light pole	. 1		1	1					
Fall down stairs	. 5		5	5					
Falls	. 12	7	19	12	7				
Fall on coal chute	. 1		1	1					
Fall from cable car	1		1	1				ļ	
Fall from bicycle	1		1	1					
Fall from vehicles	. 5		5	5					
Fall down embankment	2		2	1		1			
Fall from rigging of ship	1		1	1	,				
Fall into hold of ship			6	6					
Fall down elevator shaft	. 1		1	1					
Firearms	4	3	7	4	3				
Criminal abortion		3	3		3				
Killed by electricity	. 2		2	2					
Killed by machinery	6		6	6					
Killed by elevators			3	3					
Killed by falling iron			1	1					
Killed by falling plank			1	1					
Killed by railroads		1	7	6	1				
,		1		11					

-CONTINUED.

		-														
		NATI	VITY.						£	SOCIAL C	ONDII	ion.				
Pacific Cuast	Search	Other	Foreign		tained	Unascer-	Singre	Single	1000	Married	1	Widowed	District	Divosod	tained	
Female Male	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
									LIL (					1111		
	1	3	7				4	1	5							
1			1 3				2		1 3							
4		1	5	. 4	1		6	. 1	3	2	2	3		1	1	
			1				1 1									
1			3		1 2		2		1		1	••••			1 2	
2			1 4				2		1 2		2					
2	2		1 2	1		•••	3	3	1							
1		. 1	1	1			1	1	1	2						
1		2	4				2 2		3			••••	1			
1	- 11	1					1		1						2	
1		1	2	1	2		3		1	1					2	

CLASSIFIED REPORT OF DEATHS, ARRANGED

TABLE NO. III

	Total Males	Total	Grand			RA	CE.		
CAUSES OF DEATH.	Males	Females	l Total		Canosian	and distance	Mongolian		African
				Male	Female	Male	Female	Male	Female
MISADVENTURE AND NEGLIGENCE-									
Continued.									
Killed by street cars (electric)	8	3	11	7	3			1	
Killed by street cars (cable)	2		2	2					
Run over by vehicles	8	3	11	8	3				
Kicked by cow	1		1	1					
Kicked by horse	2		2	2					
Thrown from horse	2		. 2	2					}
Lead poisoning	4		4	4					
Ptomaine poisoning	2	1	3	2	1	••••			
Poisons, carbolic acid	2	1	3	2	1				
Poisons, morphine	3		3	3					
Poisons, wine of colchicum	1		1	1					
Decomposed and disorganized remains	1		1			1			
HOMICIDE	26	2	28	19					
By blows.	4	1	5	4	1				
By cutting instrument	5		5	2		3			
By firearms	16	1	17	11		á			
Infanticide	1		1	1					
SUICIDE	127	29	156	100		11			V
By cutting instrument	4	1	5	4	1				
By charcoal fumes	1		1	1	••••				
By drowning	7	1	8	7	1				

-CONTINUED.

			NATI	VITY.							SOCIAL C	ONDIT	TION.				=
Coast	Pacific	States	Other	2010		tained	Unascer-	0.00	Cincio	-	Married		Widowed	Dirotou.	Divorced	tained	Unascer-
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
2 2 2 2 1 1	2	1	1	4 1 3 1 2  1 	2			1 1 2 1	2	2 1 4 1 1 1 2 2	1	1				1	
2 3 1	1	2		3 3 11 1 1 1 3	1	2		1 4 6 1 2 1	1		7	ž				1	

TABLE NO. III CLASSIFIED REPORT OF DEATHS, ARRANGED

	Total Males	Total	Grand			RACE.	
CAUSES OF DEATH.	Males	Total Females	Total	Caucasian .		Mongolian.	African
dancy to Market				Male	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Female	Female Male
SUICIDE—Continued.							
By firearms	41	3	44	40	3	1	
By hanging	6	2	8	5	2	1	
By illuminating gas	20	3	23	19	3		
By jumping from building	3	1	4	3	1 .		
By amylic alcohol	1		1	1		•••	
By carbolic acid	15	15	30	15	15	•••	
By cebadilla	1		1	1	-	• • • • • • • •	
By cyanide of potassium	7		7	7	••  •		
By hydrocyanic acid	2		2	2	••  •		
By opium; morphine	13	1	14	11	1	2	
By strychnine	6	2	8	6	2		
TOTALS	3938	2606	6544	3511 25	31 8	397 57	30 18

-CONTINUED.

	NATI	vity.			SOCIAL	CONDITION.		
Pacific Coast	Other States	Foreign	Unascer- tained	Single	Married	Widowed	Diverced	Unascer- tained
Female Male	Female Male	Female Male	Female Male	Female Male	Female Male	Female Male	Female Male	Female Male
3 1 1 3 8  1 1 1  2 1,218 1,057	3 1 3 2 3 1 4 646 492	25 1 4 2 12 2 2 9 5 1 3 6 2,000 1,048	5 2 3 1 74 9	12 2 1 7 1 2 1 1 1 1 3 5 1 4 2 2 2 1 2 1 1,059	15 1 1 5 1 1 1	4 3 3 368 572	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9 3 5 1 3

CLASSIFIED REPORT OF DEATHS, ARRANGED

TABLE

CAUSES OF DEATH.	Total Males	Total Females	Grand Total
GENERAL DISEASES	1558	1129	2687
SPECIFIC FEBRILE	156	145	301
Cerebro-spinal meningitis	18	12	30
Diphtheria	76	78	154
Influenza (La Grippe)	5	10	15
Malarial fevers	5	5	10
Measles	1		1
Pertussis (whooping-cough)	11	14	25
Scarlet fever	3	6	9
Typhoid fever	37	20	57
DIARRHEAL	44	24	68
Cholera infantum	32	15	47
Cholera morbus	2	2	4
Diarrhea	1	2	3
Diarrhea, infantile	4	3	7
Dysentery	5	2	7
VENEREAL	24	9	33
Syphilis, acquired	9		9
Syphilis, congenital	15	9	24
SEPTIC	39	56	95
Erysipelas	5	2	7
Puerperal septicemia		23	23
	1	1	

NO. IV.

WARDS.																							
	Firet	Decond	Second	THILD		rouru	Formath	Fifth		Sixth		Seventh		Eignth		MIHOL		тепьп		Elevenon		T M CH FIL	Twolith
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
																							6
			1				1	1	-				2			1	1	2	1	8	2	3	3
1	2	7	7			3	7			6	2	2	4	2	2	5	6	10	7	25	28	12	
													1	1			1		1	1	2	2	5
														1				,.	1	3	2		2
																				1			
														1		1		1	3	6	5	, 1	5
• • •			2				1						•••							2	1	1	2
2		1	2			1	•••			1				1			1	1	2	7	8	4	3
					1							10							- 4		-		
2		3	3			1	1						2	1		2	1	2	. 1	14	6	4	1
														1							1	1	1
•••	1																.,				2	1	
•••		1	.,.												1			1		2	1		1
			1							1								1		1		1	1
						1														1			
																1			-				
							1							1						2			
		1					2										2		2		9		3
							~							1									
-	1		U,			1	1	1		_		E		1		)	-	U	_	1	1	J	-

CLASSIFIED REPORT OF DEATHS, ARRANGED

TABLE NO. IV

CAUSES OF DEATH.	Total Males	Total Females	Grand Total
SEPTIC—Continued.			
Pyemia	7	8	15
Septicemia (cause not stated)	17	10	27
Septicemia following laryngectomy	1		1
Septicemia following celiotomy	1	2	3
Septicemia following intrapelviotomy	3	7	10
Septicemia following repair of cervix		1	1
Septicemia following Caesarean section		1	1
Septicemia following carbuncle of face		1	1
Septic endocarditis	2		2
Septic pericarditis	2		2
Tetanus	1	1	2
PARASITIC	1	.1	2
Intestinal worms	1		1
Thrush		1	1
DIETETIC	122	111	233
Malnutrition.	4	4	8
Inanition	118	107	225
	110		
CONSTITUTIONAL	970	641	1611
Arthritis deformans	1	3	4
Anemia, chlorosis	11	10	21
Carcinoma of breast		24	24
Carcinoma of liver	29	25	54
		1	-

### -CONTINUED.

	WARDS.																						
	First		Second		Third		Fourth		Fifth		Sixth		Seventh		Eighth		Ninth		Tenth		Eleventh		Twelfth
male	Female	мале	Female	maie	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
																						111	
1										1				1			1	2	1	3	3	2	
۱						<b>  </b>		ļ															
ľ						<b> </b>   ···					• • •						••••						1
1																							
				<b></b>																		• • • •	
ŀ				ll · · ·						• • • •									0				
ŀ							-		• • •		• • •				• • • •			• • • •			• • • •		
ı	ı																						
		1																					
l										-				-									
1.		1									1				1					2	1	1	
2	4	4	5	• • •		9	8		• • •	3	1	1	1	3	2	12	8	9	14	26	22	10	13
			1		,															1			
1						2	1								1			2	1		3	1	1
1			2												3		2		3		4		4
1	1	• • •	1			2	•••			2	•••	•••		1	3	1	• • • •	1	1	4	8	4	6

TABLE NO. IV

CLASSIFIED REPORT OF DEATHS, ARRANGED

CAUSES OF DEATH.	Total Males	Total Females	Grand Total
CONSTITUTIONAL—Continued.			
Carcinoma of rectum	7	5	12
Carcinoma of stomach	48	30	78
Carcinoma of uterus		61	61
Carcinoma of ovaries		1	1
Carcinoma (not specified)	19	8	27
Carcinoma disseminata		1	1
Carcinoma of arm	1	1	2
Carcinoma of axilla	1		1
Carcinoma of bile ducts	2		2
Carcinoma of bladder	4	1	5
Carcinoma of colon	3	2	5
Carcinoma of esophagus	7	:	7
Carcinoma of face	9	2	11
Carcinoma of intestines	1	4	5
Carcinoma of kidney	1	1	2
Carcinoma of maxilla	2		2
Carcinoma of mediastinum		1	1
Carcinoma of neck	7		7
Carcinoma of nose	1		1
Carcinoma of omentum	. 7	2	9
Carcinoma of pancreas		2	2
Carcinoma of parotid gland	. 1		1
Carcinoma of peritoneum	. 1	2	3
		1	

-CONTINUED.

	WARDS.																						
FIFSt	Di Local	second	0	1 Hitu		r ourth		FILED		SIXED	Si Li	эеленен	2	:	Fighth	IN III OM.	Ninth	i diameter	Tenth	таемения	Florenth	I TO CALCULA	Twolath
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
• • •	• • •	• • •	• • •		• • •	•••	• • •		• • •		1			• • •	• • •	••••	••••			1		• • • •	3
• • •	1		2	• • •	• • •	4			• • •	2	1			•••	3	2	2	••••	1	6	6	8	7
	2		6		• • •		3		• • •		1		1		6		3		1		17		13
	• • •		.,.		.,.				•••		• • •	• • •	• • •						1		• • • •		
• • •			1			12	2			6			• • •	• • •					1		2		1
											• • •										1		
					• • •													1			1		
																		1					
																			1			1	
																					1	1	1
																				2			
						2												1		3	. 1	1	
																				1			
				1.																1	1		
																					1		
				<b> </b>												2				1			
1							1	1						1									
			1								1	1										1	
																					1		
																				1			
	1															1							1
				1																			
_	1		1	1			1			11		I	1	1	1			11		l .			

CLASSIFIED REPORT OF DEATHS, ARRANGED

TABLE No. IV

CAUSES OF DEATH.	Total Males	Total Females	Grand Total
CONSTITUTIONAL—Continued.			
Carcinoma of pharynx	4	2	6
Carcinoma of prostate gland	2		2
Carcinoma of spleen		2	2
Carcinoma of tongue	7		7
Diabetes	30	25	55
Gout	1		1
Hemophilia	2	4	6
Leucocythemia	5	1	. 6
Leprosy	2		2
Rheumatism	4	14	18
Rickets		1	1
Sarcoma (not specified)	1	2	3
Sarcoma of abdomen		4	4
Sarcoma of colon	1		1
Sarcoma disseminata	4	- 1	5
Sarcoma of groin	1		1
Sarcoma of ileum	1		1
Sarcoma of intestines	1		1
Sarcoma of kidney	1		1
Sarcoma of larynx	1		1
Sarcoma of liver	1		1
Sarcoma of lung	1		1
Sarcoma of mediastinum		1	1
the second second second second			

### -CONTINUED.

	WARDS.																						
E (ESC	E:	эесона	Goond	***************************************	Third	r out off	Easth	E 11011	Dist.	OLAGO	2	Sevellol	Couranth	auguen	Finheh	NIB6h	Winth	Tellell	Tooth	Eleventh		T Wellou	
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
1	2	1 2	8.10		ale	3	1 1		ale	1	ale	1 	1		2 3 1 1		22	3	1	2 7	3 5	1 5 1	9
•••																						,	
																1				1			
•••																				1		1	
•••			1	-			-	-			1												

TABLE NO. IV

CLASSIFIED REPORT OF DEATHS, ARRANGED

CAUSES OF DEATH.	Total Males	Total Females	Grand Total
CONSTITUTIONAL—Continued.			
Sarcoma, melanotic	1		1
Sarcoma of maxilla.		1	1
Sarcoma of neck			4
Sarcoma of omentum		1	1
Sarcoma of uterus		4	4
Tuberculosis, articular	7	3	10
Tuberculosis, cerebral, meningeal	28	25	53
Tuberculosis, glandular	2	3	5
Tuberculosis, general	7	9	16
Tuberculosis, miliary	8	1	9
Tuberculosis, peritoneal	13	8	21
Tuberculosis, pulmonary	654	340	994
Tuberculosis, laryngeal	- 3	1	4
Tuberculosis, intestinal	5	2	7
Tuberculosis, spinal	5		5
DEVELOPMENTAL	202	142	344
Atelectasis, congenital	15	9	24
Cardiac malformation (cyanosis)	8	8	16
Icterus neonatorum	9	1	10
Marasmus, infantile	28	24	52
Marasmus, senile	15	8	23
Dystocia	2	1	3
Senility	121	89	210
			-

-CONTINUED.

WARDS.																						
First	Эссони	9	THIRU	This	routett	Family	F. 11021	E:#b	SIAVII	Civth	эечены	Committe	S. C.	Fiohth		Ninth		Tenth	тиолонон.	The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s	1 014011	Twelfth
Female Male	Male	Female	Male	Feniale	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
												1							30			
					• • •		• • •		• • •	• • •				1								
						• •													2		1	
						•••		•••		1			• • •	٠٠.								
			•••	• • •		• • •		•••	• • •	•••		•••	•••	1		• • • •		1		• • • •		•••
		•••			1	•••		•••	•••			• • •	• • •	•••		••••		• • • • •	1	1	2	1
3 1	2	4		1	1	1		1	1	1	1	1		1	1	• • • •	5	1	7	11	5	2
	1					1		• • •	1	1		1	***	•		• • • •	- 1	1				1
												1					1	1	2	1	1	1
	1	1							1			1				2		1	3	2	1	1
12 5	23	27	3		98	22	2	1	50	7	5	9	27	22	16	15	30	32	99	91	68	52
											1						1					
	3	1				1													1			
	1																		2			
			1		1						1			-	-	= 1					L	
1	1	2	1						1				1	-1	1		1	2	9	4	5	9
	1	~				1				•••			1	1	1		1	1	3	1 4	3	3
																	1		1	2	1	1
2	1				4	2			2	1	1		1	2	1	1		5	8	11	7	1
	1				1					1								1	2	1	4	3
															1				1	1		
2 3	6	5			16	2	2		8		1	3	5	5		2	3	5	11	24	10	13
									1													

TABLE NO. IV

CLASSIFIED REPORT OF DEATHS, ARRANGED

CAUSES OF DEATH.	Total Males	Total Females	Grand Total
CONSTITUTIONAL—Continued.			
Spina bifida	1	2	3
Asphyxia neonatorum	2		3
Strangulation of umbilical cord	1		1
LOCAL DISEASES	2044	1372	3416
NERVOUS SYSTEM	425	287	712
Alcoholism	25	11	36
Apoplexy, cerebral	167	116	283
Brain, abscess of	4	3	7
Brain, congestion of	. 4	7	11
Brain, softening of	28	13	41
Brain, tumor of	9	3	12
Brain, edema of		1	1
Brain, sclerosis of	1	1	2
Chorea	. 1	2	3
Convulsions, infantile	. 40	40	80
Acromegalia		1	1
Eclampsia (not puerperal)		3	3
Encephalitis, Cerebritis	13	6	19
Epilepsy	. 5	6	11
Hydrocephalus	. 2	5	7
Insanity	. 1	1	2
Laryngismus stridulus	. 1		1

--CONTINUED.

	WARDS.																					
First	эссони	9	THILL.		Fourth	Floring	FHUIL	Piet	DIXIC	2	OEAGIIMI		Elginon	Diahth		Ninth		Tenth	THE ACTION.	Flowerth	T MCTTATT	Twelfth
Female Male	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
							1						V									
															2							
1			•••			•••																••••
1	2 10		1		1 6			1			2 4	4			4	4	2 14	3 8	1 29	1 33	33	1 29
													1			1		1	1	1 2		2
														1	1				4	2	1 2	4
		•••			•••									1					1			• • • •
3 2	7	1 5		•••	2	2		•••	2		2		1	1	1	2	4	4	13	12	3	8
		1						•••			•••			1		2	2		6			1
• • • • • • • • • • • • • • • • • • • •										• • •		1						1	1	2 2	2	2 2
													• • •				1					

TABLE NO. IV

CLASSIFIED REPORT OF DEATHS, ARRANGED

NERVOUS DISEASES—Continued.  Locomotor ataxia		,		
NERVOUS DISEASES—Continued.   6		Tota	Tota	Gran
NERVOUS DISEASES—Continued.   6		Male	Fen	d To
Locomotor ataxia.       6        6         Meningitis, cerebral.       63       46       109         Meningitis, spinal.       4       1       5         Morphinism.       12       2       14         Myelitis.       12       3       15         Neuritis (not specified).       2       1       3         Paralysis, ascending.       1       1       1         Paralysis, traumatic.       1       1       1         Paralysis, bulbar.       3       1       4         Paralysis, general; paresis.       5       2       7         Paralysis, general; paresis.       15       9       24         Progressive muscular atrophy       1       1       1       2         CIRCULATORY SYSTEM.       481       246       727         Aneurism of aorta.       19       5       24         Angina pectoris.       19       14       33         Arterio-Sclerosis, Endarteritis.       15       5       20         Embolism, Thrombosis.       8       9       17         Endocarditis.       47       28       75         Heart, fatty.       47       38	CAUSES OF DEATH.	es	ales	tal.
Locomotor ataxia.       6        6         Meningitis, cerebral.       63       46       109         Meningitis, spinal.       4       1       5         Morphinism.       12       2       14         Myelitis.       12       3       15         Neuritis (not specified).       2       1       3         Paralysis, ascending.       1       1       1         Paralysis, traumatic.       1       1       1         Paralysis, bulbar.       3       1       4         Paralysis, general; paresis.       5       2       7         Paralysis, general; paresis.       15       9       24         Progressive muscular atrophy       1       1       1       2         CIRCULATORY SYSTEM.       481       246       727         Aneurism of aorta.       19       5       24         Angina pectoris.       19       14       33         Arterio-Sclerosis, Endarteritis.       15       5       20         Embolism, Thrombosis.       8       9       17         Endocarditis.       47       28       75         Heart, fatty.       47       38				
Locomotor ataxia.       6        6         Meningitis, cerebral.       63       46       109         Meningitis, spinal.       4       1       5         Morphinism.       12       2       14         Myelitis.       12       3       15         Neuritis (not specified).       2       1       3         Paralysis, ascending.       1       1       1         Paralysis, traumatic.       1       1       1         Paralysis, bulbar.       3       1       4         Paralysis, general; paresis.       5       2       7         Paralysis, general; paresis.       15       9       24         Progressive muscular atrophy       1       1       1       2         CIRCULATORY SYSTEM.       481       246       727         Aneurism of aorta.       19       5       24         Angina pectoris.       19       14       33         Arterio-Sclerosis, Endarteritis.       15       5       20         Embolism, Thrombosis.       8       9       17         Endocarditis.       47       28       75         Heart, fatty.       47       38	TRUTTE LETTOREN STATE			
Locomotor ataxia.       6        6         Meningitis, cerebral.       63       46       109         Meningitis, spinal.       4       1       5         Morphinism.       12       2       14         Myelitis.       12       3       15         Neuritis (not specified).       2       1       3         Paralysis, ascending.       1       1       1         Paralysis, traumatic.       1       1       1         Paralysis, bulbar.       3       1       4         Paralysis, general; paresis.       5       2       7         Paralysis, general; paresis.       15       9       24         Progressive muscular atrophy       1       1       1       2         CIRCULATORY SYSTEM.       481       246       727         Aneurism of aorta.       19       5       24         Angina pectoris.       19       14       33         Arterio-Sclerosis, Endarteritis.       15       5       20         Embolism, Thrombosis.       8       9       17         Endocarditis.       47       28       75         Heart, fatty.       47       38				
Meningitis, cerebral.       63       46       109         Meningitis, spinal.       4       1       5         Morphinism.       12       2       14         Myelitis.       12       3       15         Neuritis (not specified).       2       1       3         Paralysis, ascending.       1       1       1         Paralysis, traumatic.       1       1       1         Paralysis, bulbar.       3       1       4         Paralysis agitans.       5       2       7         Paralysis, general; paresis.       15       9       24         Progressive muscular atrophy.       1       1       1         Sclerosis of spinal cord.       1       1       2         CIRCULATORY SYSTEM       481       246       727         Aneurism of aorta.       19       5       24         Angina pectoris.       19       14       33         Arterio-Sclerosis, Endarteritis.       15       5       20         Embolism, Thrombosis.       8       9       17         Endocarditis.       47       28       75         Heart, fatty.       47       38       85	NERVOUS DISEASES—Continued.			
Meningitis, spinal.       4       1       5         Morphinism       12       2       14         Myelitis.       12       3       15         Neuritis (not specified).       2       1       3         Paralysis, ascending       1       1         Paralysis, traumatic       1       1       1         Paralysis, bulbar       3       1       4         Paralysis agitans       5       2       7         Paralysis, general; paresis       15       9       24         Progressive muscular atrophy       1       1       2         CIRCULATORY SYSTEM       481       246       727         Aneurism of aorta       19       5       24         Angina pectoris       19       14       33         Arterio-Sclerosis, Endarteritis       15       5       20         Embolism, Thrombosis       8       9       17         Endocarditis       47       28       75         Heart, fatty       47       38       85         Heart, valvular disease of       307       129       436         Hydropericardium       2       1       3				6
Morphinism       12       2       14         Myelitis       12       3       15         Neuritis (not specified)       2       1       3         Paralysis, ascending       1       1       1         Paralysis, traumatic       1       1       1         Paralysis, bulbar       3       1       4         Paralysis agitans       5       2       7         Paralysis, general; paresis       15       9       24         Progressive muscular atrophy       1       1       2         CIRCULATORY SYSTEM       481       246       727         Aneurism of aorta       19       5       24         Angina pectoris       19       14       33         Arterio-Sclerosis, Endarteritis       15       5       20         Embolism, Thrombosis       8       9       17         Endocarditis       47       28       75         Heart, fatty       47       38       85         Heart, valvular disease of       307       129       436         Hydropericardium       2       1       3	Meningitis, cerebral	63	46	109
Myelitis.       12       3       15         Neuritis (not specified)       2       1       3         Paralysis, ascending.       1       1         Paralysis, traumatic.       1       1         Paralysis, bulbar.       3       1       4         Paralysis agitans.       5       2       7         Paralysis, general; paresis.       15       9       24         Progressive muscular atrophy.       1       1       1       2         CIRCULATORY SYSTEM.       481       246       727       Aneurism of aorta.       19       5       24         Angina pectoris.       19       14       33       33       33       33       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34       34 <td>Meningitis, spinal</td> <td>4</td> <td>1</td> <td>5</td>	Meningitis, spinal	4	1	5
Neuritis (not specified)       2       1       3         Paralysis, ascending       1       1         Paralysis, traumatic       1       1         Paralysis, bulbar       3       1       4         Paralysis agitans       5       2       7         Paralysis, general; paresis       15       9       24         Progressive muscular atrophy       1       1       2         CIRCULATORY SYSTEM       481       246       727         Aneurism of aorta       19       5       24         Angina pectoris       19       14       33         Arterio-Sclerosis, Endarteritis       15       5       20         Embolism, Thrombosis       8       9       17         Endocarditis       47       28       75         Heart, fatty       47       38       85         Heart, valvular disease of       307       129       436         Hydropericardium       2       1       3	Morphinism	12	2	14
Paralysis, ascending.       1       1         Paralysis, traumatic.       1       1         Paralysis, bulbar.       3       1       4         Paralysis agitans.       5       2       7         Paralysis, general; paresis.       15       9       24         Progressive muscular atrophy.       1       1       1         Sclerosis of spinal cord.       1       1       2         CIRCULATORY SYSTEM.       481       246       727         Aneurism of aorta.       19       5       24         Angina pectoris.       19       14       33         Arterio-Sclerosis, Endarteritis.       15       5       20         Embolism, Thrombosis.       8       9       17         Endocarditis.       47       28       75         Heart, fatty.       47       38       85         Heart, valvular disease of.       307       129       436         Hydropericardium.       2       1       3	Myelitis	12	3	15
Paralysis, traumatic.       1       1         Paralysis, bulbar.       3       1       4         Paralysis agitans.       5       2       7         Paralysis, general; paresis.       15       9       24         Progressive muscular atrophy.       1       1       1         Sclerosis of spinal cord.       1       1       2         CIRCULATORY SYSTEM.       481       246       727         Aneurism of aorta.       19       5       24         Angina pectoris.       19       14       33         Arterio-Sclerosis, Endarteritis.       15       5       20         Embolism, Thrombosis.       8       9       17         Endocarditis.       47       28       75         Heart, fatty.       47       38       85         Heart, valvular disease of.       307       129       436         Hydropericardium.       2       1       3	Neuritis (not specified)	2	1	3
Paralysis, bulbar.       3       1       4         Paralysis agitans.       5       2       7         Paralysis, general; paresis.       15       9       24         Progressive muscular atrophy.       1       1       1         Sclerosis of spinal cord.       1       1       2         CIRCULATORY SYSTEM.       481       246       727         Aneurism of aorta.       19       5       24         Angina pectoris.       19       14       33         Arterio-Sclerosis, Endarteritis.       15       5       20         Embolism, Thrombosis.       8       9       17         Endocarditis.       47       28       75         Heart, fatty.       47       38       85         Heart, valvular disease of.       307       129       436         Hydropericardium.       2       1       3	Paralysis, ascending		, 1	1
Paralysis agitans.       5       2       7         Paralysis, general; paresis.       15       9       24         Progressive muscular atrophy.       1       1       1         Sclerosis of spinal cord.       1       1       2         CIRCULATORY SYSTEM.       481       246       727         Aneurism of aorta.       19       5       24         Angina pectoris.       19       14       33         Arterio-Sclerosis, Endarteritis.       15       5       20         Embolism, Thrombosis.       8       9       17         Endocarditis.       47       28       75         Heart, fatty.       47       38       85         Heart, valvular disease of.       307       129       436         Hydropericardium.       2       1       3	Paralysis, traumatic	1		1
Paralysis, general; paresis.       15       9       24         Progressive muscular atrophy.       1       1       1         Sclerosis of spinal cord.       1       1       2         CIRCULATORY SYSTEM.       481       246       727         Aneurism of aorta.       19       5       24         Angina pectoris.       19       14       33         Arterio-Sclerosis, Endarteritis.       15       5       20         Embolism, Thrombosis.       8       9       17         Endocarditis.       47       28       75         Heart, fatty.       47       38       85         Heart, valvular disease of.       307       129       436         Hydropericardium.       2       1       3	Paralysis, bulbar	3	1	4
Progressive muscular atrophy.       1       1         Sclerosis of spinal cord.       1       1         CIRCULATORY SYSTEM.       481       246       727         Aneurism of aorta.       19       5       24         Angina pectoris.       19       14       33         Arterio-Sclerosis, Endarteritis.       15       5       20         Embolism, Thrombosis.       8       9       17         Endocarditis.       47       28       75         Heart, fatty.       47       38       85         Heart, valvular disease of.       307       129       436         Hydropericardium.       2       1       3	Paralysis agitans	5	2	7
Sclerosis of spinal cord.       1       1       2         CIRCULATORY SYSTEM.       481       246       727         Aneurism of aorta.       19       5       24         Angina pectoris.       19       14       33         Arterio-Sclerosis, Endarteritis.       15       5       20         Embolism, Thrombosis.       8       9       17         Endocarditis.       47       28       75         Heart, fatty.       47       38       85         Heart, valvular disease of.       307       129       436         Hydropericardium.       2       1       3	Paralysis, general; paresis	15	9	24
CIRCULATORY SYSTEM.       481       246       727         Aneurism of aorta.       19       5       24         Angina pectoris.       19       14       33         Arterio-Sclerosis, Endarteritis.       15       5       20         Embolism, Thrombosis.       8       9       17         Endocarditis.       47       28       75         Heart, fatty.       47       38       85         Heart, valvular disease of.       307       129       436         Hydropericardium.       2       1       3	Progressive muscular atrophy		, 1	1
Aneurism of aorta       19       5       24         Angina pectoris       19       14       33         Arterio-Sclerosis, Endarteritis       15       5       20         Embolism, Thrombosis       8       9       17         Endocarditis       47       28       75         Heart, fatty       47       38       85         Heart, valvular disease of       307       129       436         Hydropericardium       2       1       3	Sclerosis of spinal cord	1	1	2
Angina pectoris.       19       14       33         Arterio-Sclerosis, Endarteritis.       15       5       20         Embolism, Thrombosis.       8       9       17         Endocarditis.       47       28       75         Heart, fatty.       47       38       85         Heart, valvular disease of.       307       129       436         Hydropericardium.       2       1       3	CIRCULATORY SYSTEM	481	246	727
Arterio-Sclerosis, Endarteritis.       15       5       20         Embolism, Thrombosis.       8       9       17         Endocarditis.       47       28       75         Heart, fatty.       47       38       85         Heart, valvular disease of.       307       129       436         Hydropericardium.       2       1       3	Aneurism of aorta	19	5	24
Embolism, Thrombosis.       8       9       17         Endocarditis.       47       28       75         Heart, fatty.       47       38       85         Heart, valvular disease of.       307       129       436         Hydropericardium.       2       1       3	Angina pectoris	19	14	33
Embolism, Thrombosis.       8       9       17         Endocarditis.       47       28       75         Heart, fatty.       47       38       85         Heart, valvular disease of.       307       129       436         Hydropericardium.       2       1       3	Arterio-Sclerosis. Endarteritis	15	5	20
Endocarditis.       47       28       75         Heart, fatty.       47       38       85         Heart, valvular disease of.       307       129       436         Hydropericardium.       2       1       3	The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s	8	9	17
Heart, valvular disease of.       307       129       436         Hydropericardium.       2       1       3		47	28	75
Heart, valvular disease of.       307       129       436         Hydropericardium.       2       1       3	Heart fatty.	47	38	85
Hydropericardium		307	129	436
		2	1	3
	Myocarditis	8	6	14

#### -CONTINUED.

												WAR	DS.										
First		Second		Inira		Fourth		Fifth		Sixth		Seventh		Eighth		Ninth		TOTAL		Блеменин		Twellth	
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male.	Female	Male	Female	Male	Female	Male	Female	Male	Female
•••																	• • • •	. 1		2		3	••••
1	2	3	6			1	4			1	2		1	2	1	4	1	5	6	22	13	10	6
	.  -	• •					• • •	• • •	•••		•••												1
	•	• •	• • •		•••	• • •	• • •	. 1	• • •	• • •		1	•••	1	• • •		••••		1		1		• • • •
•••			1		•••	1		•••	•••	•••	•••		•••	• • •			1		1	4		1	
• • • • • • • • • • • • • • • • • • • •	.		• • •	• • •	•••	•••	•••	•••	•••	•••	••••	•••	•••		• • •		1	1			••••		1
																		1					
														1							1		
																				3	1	1	
			2											.5					1	4	3	2	1
			1										٠.										
·																					1	1	
0												-			-		-				-		
						1	1			1				3	1	1		1		3		3	3
1.		2		1		1								1				2	1	e	8	5	1
		1										<b> </b>				<b> </b>		2	2	1	3	5	2
	1					1				2		1				1		1	1		2		1
4	2	1	3		. 1	19	5			8	2			1	2			2	2	4	7	3	3
• • • •	2	3	3			1				1	2	1	١	3	3	1	2	(	3	8	11	10	8
6	2	12	11		2	13	3 2	1	١	5	3	8	1	14	6	10	5	17	14	69		45	28
•••	• • •	-1																	-	1	1		
	• • •	1				1						1		1					1	2	1	4	3

TABLE No. IV

CLASSIFIED REPORT OF DEATHS, ARRANGED

CAUSES OF DEATH.	Total Males	Total Females	Grand Total
CIRCULATORY SYSTEM—Continued.			
Pericarditis	5	5	10
Senile heart	1		1
Senile gangrene	3	5	8
Phlebitis		1	1
RESPIRATORY SYSTEM	554	426	980
Asthma	21	14	35
Bronchitis	86	93	179
Broncho-Pneumonia	65	72	137
Croup, catarrhal	5		5
Hydrothorax	1		1
Laryngitis	9	4	13
Pharyngitis, phlegmonous	1		1
Pseudo-diphtheria	1	3	4
Pleurisy	6	3	9
Purulent pleurisy	15	5	20
Pneumonia	301	217	518
Pulmonary congestion	31	12	43
Fibroid phthisis	. 3	3	6
Lung, abscess of	. 5		5
Lung, gangrene of	. 4		4
DIGESTIVE SYSTEM		207	
	331	231	562
Appendicitis	22	6	28
		1	1

-CONTINUED.

						WARDS.					
First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth	Eleventh	Twelfth
Female Male	Female Male	Female Male	Female Male	Female Male	Female Male	Female Male	Female Male	Female Male	Female Male	Female Male	Female Male
3 1 7 4 1 1 4 8		1 1	12 4 7 8		2 1 5 1	1 2 1 1 1 1 1 1	1 2 3 2 .5		1 2 4 9 2 7 1 2 1 2 2 22 23	2 1	3 10 18 5 10 1 2 1 3 1 2 1 3 6 33
4 8	1	2	2 2	1	1	1	2 1	2 1 2	4	6 6 1 2 3 1	1

TABLE NO. IV

CAUSES OF DEATH.	Total Males	Total Females	Grand Total
	.	1	
DIGESTIVE SYSTEM—Continued.			
Enteritis, entero-colitis	70	64	134
Gallstones	3	2	5
Gastric hemorrhage (cause not stated)	3	6	9
Gastric ulcer	6	6	12
Gastritis	15	27	42
Gastro-enteritis	40	29	69
Hernia, strangulated	9	7	16
Intestines, obstruction of	16	17	33
Intestines, intussusception of	6	5	11
Volvulus	• • • • • • • • • • • • • • • • • • • •	2	2
Liver, abscess of	8	5	13
Liver, cirrhosis of	96	28	124
Liver, inflammation of	15	6	21
Liver, congestion of	•••••	1	1
Liver, acute yellow atrophy of	1		1
Esophagus, stricture of	3		3
Pancreas, abscess of	••••	1	1
Stomatitis, gangrenous	1	1	2
Peritonitis	17	17	34
Typhlitis		1	1
ABSORBENT AND GLANDULAR SYSTEM	3	5	8
Lymphadenoma	1		1
DJ III PIRACEO III ASSESSED IN CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTR	1		

-CONTINUED.

												WAR	DS.										
	First	Second	Third			rouren	E	FILLUIT	E:#h	SIXUII	givth	эвуенин	Cowonth	ragina	Ei. hah	I I I I I I I I I I I I I I I I I I I	Ninth	A CHUIL	Tonth	печении	Florenth	T M CITATI	Twelfth
Malej	Female	Male	Female	Male	Female	Male	Female	Male	Female	Ма.е	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
2		3	2			1	2	•••		0	1	1	1	3	3	1	1	7	4	6	13	6	5
1								•••	• • •						•••					1	1	1	3
		6	2 4			3	5			3	2	1	1		2	1 3	2	5	1 1 1	6 13	11 4	4 2	5 5
		1	1							1				1 2				1	 1 1	1 6 4	3 2	3	5
•••														1	•••				1		1		2
4	3	1	4	1		30				12		2		2			•••	8 2	3	13	3	2	3
										1								1					
•••		1	2			1 2																2	
•••																					1		
•••			-						• • •		•••												

TABLE NO. IV

CLASSIFIED REPORT OF DEATHS, ARRANGED

CAUSES OF DEATH.	Total Males	Total Females	Grand Total
ABSORBENT AND GLANDULAR SYSTEM—Continued			
Myxedema	0	1	1
Tonsilitis	1	4	5
Tonsilitis, suppurative.	1	7	1
· ·			•
URINARY SYSTEM	234	127	361
Calculus, renal	2		2
Calculus, vesical	2	1	3
Cystitis, acute	3	2	5
Cystitis, ehronic	8	2	10
Nephritis, acute	39	26	· 65
Nephritis, chronic	145	79	224
Pyelitis	13	4	17
Kidney, abscess of	3	1	4
Kidney, cystic disease of	1		1
Anuria (post-operative)	1		1
Prostate gland, abscess of	1		1
Uremia (cause not stated)	16	12	28
REPRODUCTIVE SYSTEM		42	42
Abortion, miscarriage.		5	5
Dystocia		3	3
Pelvic abscess.	1		5
Pelvic peritonitis.		5 2	2
Placenta previa	•••••	5	5

-CONTINUED.

							Ī					WAI	RDS.										
	First		Second		Third	E COLLOIS	Fourth	Filen	Tittell.	Olyon.	Sivth	эсуспоп		2	Eighth		Ninth	101	Tenth	THE A CHAIT.	Planath	T W CITOH	Turalith
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
•••				•••			• • •				• • •		1										
				•••										1									• • • •
•••			•••				•••			 1	•••		•••					1	••••	1	1	1 2	2
2	1	7	4			11 1	2	1 1	1	3 19 1	2	2	2	9	3	3	1	11	1 6 1	21 2	19	27	3 31 1
•••													• •										••••
		• • •	1		•••		1	1	•••		• • •		1					•••	1	3	5	5	1
•••			1							•••													1
_			1				•••						•••		1		1		••••		1	••••	1

TABLE NO. IV
CLASSIFIED REPORT OF DEATHS, ARRANGED

-				
	CAUSES OF DEATH.	Total Males	Total Funales	Grand Total
J	REPRODUCTIVE SYSTEM—Continued.			
	Puerperal eclampsia		4	4
	Puerperal hemorrhage		6	6
	Pelvic hematoma		1	1
	Puerperal insanity		1	1
	Puerperal emesis		2	2
	Phlegmasia alba dolens		1	1
	Pyosalpinx		6	6
	Salpingitis		1	1
(	OSSEOUS AND INTEGUMENTARY SYSTEM	16	8	24
	Abscess multiple		1	1
	Abscess, lumbar	1		1
	Abscess, mastoid	2	1	3
	Abscess of abdomen	3	1	4
	Abscess of leg	1	1	2
	Abscess of mediastinum	1		1
	Cyst, sublingual dermoid	1		1
	Carbuncle of neck	2		3_
	Eczema		1	1
	Gangrene of leg	1	1	2
	Gangrene of umbilical cord	1		1
	Mastoiditis	1		1
	Necrosis of sternum and ribs	1		1
	Pemphigus		2	2

# -CONTINUED.

												WAR	DS.										
F.11.00	Firet	0000		AIIIAG	Third	T Out out	Fourth	£ 11011	D:##	TMX1C	Q: wh	эечеппп		ElSuon	E: AAA	11011	Winth	I CITYLE	Tenth	тислении	Flowenth	T Wellott	
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
ı																				1115			
			1																		1 1		1
			1																		3		
																			1				
																					1	1	
																			1				
															2								1
																							1
																			-				
1				1													.1						
• • •	•••				• • • •		•••		•••		•••		• • •		• • •		••••			••••	1		
•••	•••				• • •	• • •.			•••		• • •		•••		• • •	••••	••••			• • • •			
•••	•••				• • •	•••	••••		• • •	• • • •			•••	1	•••						1	1	
•••	1	•••			• • •		•••		• • •	• • •			•••	1	•••		••••	••••	••••	2	••••		
•••	•••				• • •		•••		• • •	• • •	• • •	•••	•••	• • •	•••		••••		• • • •			• • • •	
•••	•••						•••				•••		•••	•••				1	• • • •	1			1
1	•••				• • •				•••		• • •					• • • •			••••		• • • •		
				• • •										• • •									• • • •
• • •									• • •		• • • •								• • • •		••••		
	•••												• • •						• • • •				
		1																	••••		••••		••••
									•••					1					••••				
																			••••			• • • •	
																							2
			1	1					-						-	1	1			1			l

TABLE NO. IV

CLASSIFIED REPORT OF DEATHS, ARRANGED

OSSEOUS AND INTEGUMENTARY SYSTEM—Continued Phlegmon of leg				
OSSEOUS AND INTEGUMENTARY SYSTEM—Continued Phlegmon of leg. 1 1  VIOLENT DEATHS. 336 105 441  MISADVENTURE AND NEGLIGENCE. 183 74 257 Anesthesia. 1 1 2 Shock following amputation. 2 3 5 Shock following cellotomy. 7 8 15 Shock following intrapelviotomy. 13 13 Shock following Caesarean section. 1 1 1 Asphyxiation, foreign body in trachea. 4 1 5 Asphyxiation, foreign body in trachea. 4 1 5 Asphyxiation by illuminating gas. 12 13 25 Asphyxiation, smothered in bed. 1 1 2 Burns and scalds. 5 9 14 Burns (sat on hot stove). 1 1 1 Crushed by falling gate. 1 1 Crushed by freight. 2 2 Caving-in of excavation. 2 2 Drowning. 36 36 Explosion. 3 3 Exposure. 1 1 Fall from building. 9 1 10	alare 1	Tota	Tota	Grai
OSSEOUS AND INTEGUMENTARY SYSTEM—Continued Phlegmon of leg		J M		nd J
Phlegmon of leg.       1       1         VIOLENT DEATHS.       336       105       441         MISADVENTURE AND NEGLIGENCE.       183       74       257         Anesthesia.       1       1       2         Shock following amputation.       2       3       5         Shock following celiotomy.       7       8       15         Shock following intrapelviotomy.       13       13       13         Shock following Caesarean section.       1       1       1         Asphyxiation, foreign body in trachea.       4       1       5         Asphyxiation by illuminating gas.       12       13       25         Asphyxiation, smothered in bed.       1       1       2         Burns and scalds.       5       9       14         Burns (sat on hot stove).       1       1       1         Crushed by falling gate.       1       1       1         Crushed, collision on bay.       1       1       1         Crushed by freight.       2       2       2         Caving-in of excavation.       2       2       2         Drowning.       36       36       36         Explosion.       3	CAUSES OF DEATH.	ales	males	Cotal
Phlegmon of leg.       1       1         VIOLENT DEATHS.       336       105       441         MISADVENTURE AND NEGLIGENCE.       183       74       257         Anesthesia.       1       1       2         Shock following amputation.       2       3       5         Shock following celiotomy.       7       8       15         Shock following intrapelviotomy.       13       13       13         Shock following Caesarean section.       1       1       1         Asphyxiation, foreign body in trachea.       4       1       5         Asphyxiation by illuminating gas.       12       13       25         Asphyxiation, smothered in bed.       1       1       2         Burns and scalds.       5       9       14         Burns (sat on hot stove).       1       1       1         Crushed by falling gate.       1       1       1         Crushed, collision on bay.       1       1       1         Crushed by freight.       2       2       2         Caving-in of excavation.       2       2       2         Drowning.       36       36       36         Explosion.       3	Autoritation of the second			
VIOLENT DEATHS         336         105         441           MISADVENTURE AND NEGLIGENCE         183         74         257           Anesthesia         1         1         2           Shock following amputation         2         3         5           Shock following celiotomy         7         8         15           Shock following intrapelviotomy         13         13           Shock following Caesarean section         1         1           Asphyxiation, foreign body in trachea         4         1         5           Asphyxiation by illuminating gas         12         13         25           Asphyxiation, smothered in bed         1         1         2           Burns and scalds         5         9         14           Burns (sat on hot stove)         1         1         1           Crushed by falling gate         1         1         1           Crushed by freight         2         2           Caving-in of excavation         2         2           Drowning         3         3           Explosion         3         3           Exposure         1         1           10         1         1 </td <td>OSSEOUS AND INTEGUMENTARY SYSTEMContinued</td> <td></td> <td></td> <td></td>	OSSEOUS AND INTEGUMENTARY SYSTEMContinued			
VIOLENT DEATHS         336         105         441           MISADVENTURE AND NEGLIGENCE         183         74         257           Anesthesia         1         1         2           Shock following amputation         2         3         5           Shock following celiotomy         7         8         15           Shock following intrapelviotomy         13         13           Shock following Caesarean section         1         1           Asphyxiation, foreign body in trachea         4         1         5           Asphyxiation by illuminating gas         12         13         25           Asphyxiation, smothered in bed         1         1         2           Burns and scalds         5         9         14           Burns (sat on hot stove)         1         1         1           Crushed by falling gate         1         1         1           Crushed by freight         2         2           Caving-in of excavation         2         2           Drowning         3         3           Explosion         3         3           Exposure         1         1           1         1         1 <td>Phlegmon of leg.</td> <td>1</td> <td></td> <td>1</td>	Phlegmon of leg.	1		1
MISADVENTURE AND NEGLIGENCE.       1       1       2         Anesthesia.       1       1       2         Shock following amputation       2       3       5         Shock following celiotomy       7       8       15         Shock following intrapelviotomy       13       13       13         Shock following Caesarean section       1       1       1         Asphyxiation, foreign body in trachea       4       1       5         Asphyxiation by illuminating gas       12       13       25         Asphyxiation, smothered in bed       1       1       2         Burns and scalds       5       9       14         Burns (sat on hot stove)       1       1       1         Crushed by falling gate       1       1       1         Crushed, collision on bay       1       1       1         Caving-in of excavation       2       2         Drowning       36       36         Explosion       3       3         Exposure       1       1         Fail from building       9       1       10		336	105	441
Anesthesia.       1       1       2         Shock following amputation       2       3       5         Shock following celiotomy.       7       8       15         Shock following intrapelviotomy.       13       13         Shock following Caesarean section       1       1         Asphyxiation, foreign body in trachea.       4       1       5         Asphyxiation by illuminating gas.       12       13       25         Asphyxiation, smothered in bed.       1       1       2         Burns and scalds.       5       9       14         Burns (sat on hot stove)       1       1       1         Crushed by falling gate.       1       1       1         Crushed, collision on bay.       1       1       1         Caving-in of excavation.       2       2         Drowning.       36       36         Explosion.       3       3         Exposure.       1       1         Fall from building.       9       1       10	MISADVENTURE AND NEGLIGENCE	183	- 74	- 257
Shock following amputation.       2       3       5         Shock following celiotomy.       7       8       15         Shock following intrapelviotomy.       13       13         Shock following Caesarean section.       1       1         Asphyxiation, foreign body in trachea.       4       1       5         Asphyxiation by illuminating gas.       12       13       25         Asphyxiation, smothered in bed.       1       1       2         Burns and scalds.       5       9       14         Burns (sat on hot stove).       1       1       1         Crushed by falling gate.       1       1       1         Crushed, collision on bay.       1       1       1         Crushed by freight.       2       2         Caving-in of excavation.       2       2         Drowning.       36       36         Explosion.       3       3         Exposure.       1       1         Fall from building.       9       1       10		1	1	2
Shock following celiotomy.       7       8       15         Shock following intrapelviotomy.       13       13         Shock following Caesarean section.       1       1         Asphyxiation, foreign body in trachea.       4       1       5         Asphyxiation by illuminating gas.       12       13       25         Asphyxiation, smothered in bed.       1       1       2         Burns and scalds.       5       9       14         Burns (sat on hot stove).       1       1       1         Crushed by falling gate.       1       1       1         Crushed, collision on bay.       1       1       1         Caving-in of excavation.       2       2         Drowning.       36       36         Explosion.       3       3         Exposure.       1       1         Fall from building.       9       1       10		2	3	5
Shock following intrapelviotomy.       13       13         Shock following Caesarean section.       1       1         Asphyxiation, foreign body in trachea.       4       1       5         Asphyxiation by illuminating gas.       12       13       25         Asphyxiation, smothered in bed.       1       1       2         Burns and scalds.       5       9       14         Burns (sat on hot stove).       1       1       1         Crushed by falling gate.       1       1       1         Crushed, collision on bay.       1       1       1         Caving-in of excavation.       2       2         Drowning.       36       36         Explosion.       3       3         Exposure.       1       1         Fall from building.       9       1       10		7	8	15
Shock following Caesarean section       1       1         Asphyxiation, foreign body in trachea       4       1       5         Asphyxiation by illuminating gas       12       13       25         Asphyxiation, smothered in bed       1       1       2         Burns and scalds       5       9       14         Burns (sat on hot stove)       1       1       1         Crushed by falling gate       1       1       1         Crushed, collision on bay       1       1       1         Crushed by freight       2       2         Caving-in of excavation       2       2         Drowning       36       36         Explosion       3       3         Exposure       1       1         Fall from building       9       1       10			13	13
Asphyxiation, foreign body in trachea.       4       1       5         Asphyxiation by illuminating gas.       12       13       25         Asphyxiation, smothered in bed.       1       1       2         Burns and scalds.       5       9       14         Burns (sat on hot stove)       1        1         Crushed by falling gate.       1        1         Crushed, collision on bay.       1        1         Crushed by freight.       2       2         Caving-in of excavation.       2       2         Drowning.       36          Explosion.       3       3         Exposure.        1       1         Fall from building.       9       1       10			1	1
Asphyxiation by illuminating gas.       12       13       25         Asphyxiation, smothered in bed.       1       1       2         Burns and scalds.       5       9       14         Burns (sat on hot stove).       1        1         Crushed by falling gate.       1        1         Crushed, collision on bay.       1        1         Crushed by freight.       2       2         Caving-in of excavation.       2       2         Drowning.       36        36         Explosion.       3        3         Exposure.        1       1         Fall from building.       9       1       10		4	1	5
Burns and scalds. 5 9 14  Burns (sat on hot stove) 1 1  Crushed by falling gate. 1 1  Crushed, collision on bay 1 1  Crushed by freight. 2 2  Caving-in of excavation. 2 2  Drowning. 36 36  Explosion 3 3  Exposure. 1 1  Fall from building. 9 1 10		12	13	25
Burns (sat on hot stove)       1       1         Crushed by falling gate       1       1         Crushed, collision on bay       1       1         Crushed by freight       2       2         Caving-in of excavation       2       2         Drowning       36       36         Explosion       3       3         Exposure       1       1         Fall from building       9       1       10	Asphyxiation, smothered in bed	1	1	2
Burns (sat ch hot stove)       1       1         Crushed by falling gate       1       1         Crushed, collision on bay       1       1         Crushed by freight       2       2         Caving-in of excavation       2       2         Drowning       36       36         Explosion       3       3         Exposure       1       1         Fall from building       9       1       10	Burns and scalds	5	9	14
Crushed, collision on bay       1       1         Crushed by freight       2       2         Caving-in of excavation       2       2         Drowning       36       36         Explosion       3       3         Exposure       1       1         Fall from building       9       1       10	Burns (sat on hot stove)	1		1
Crushed by freight       2       2         Caving-in of excavation       2       2         Drowning       36       36         Explosion       3       3         Exposure       1       1         Fall from building       9       1       10	Crushed by falling gate	1		1
Caving-in of excavation.       2       2         Drowning.       36       36         Explosion.       3       3         Exposure.       1       1         Fall from building.       9       1       10	Crushed, collision on bay	-1		1
Drowning.       36        36         Explosion.       3        3         Exposure.       1       1         Fall from building.       9       1       10	Crushed by freight	2		2 .
Explosion.       3       3         Exposure.       1       1         Fall from building.       9       1       10	Caving-in of excavation	2		2
Exposure	Drowning	36	,	36
Fall from building. 9 1 10	Explosion	3		3
ran from building	Exposure		1	1
Fall from ladder 1 1	Fall from building	9	1	10
	Fall from ladder	1	•••••	1
			11	

# ACCORDING TO LOCALITIES—SUPERVISORIAL WARDS.

						WARDS.			į		
First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth	Eleventh	Twelfth
Female Male	Female Male	Male	Female Male	Female Male	Female Male	Female Male	Female Male.	Female Male	Female Male	Female Male	Female Male
											••••
			•••			1 1				1	••••
1	1 2		1		1	2 1	1		1	2 2	6 6
									•••		1
			 			1				2	1
			1 1							1	1
	1	1 1	1 11		1		1 1		1 17		

TABLE NO. IV CLASSIFIED REPORT OF DEATHS, ARRANGED

CAUSES OF DEATH.	Total Males	Total Females	Grand Total
MISADVENTURE AND NEGLIGENCE—Continued.			
Fall from electric light pole	1		1
Fall down stairs	5		5
Falls	12	7	19
Fall on coal chute	1		1
Fall from cable car	1		1
Fall from bicycle	1		1
Fall from vehicles	5		5
Fall down embankment	2		2
Fall from rigging of ship	1		1
Fall into hold of ship	6		в
Fall down elevator shaft	1		1
Firearms	4	3	7
Criminal abortion		3	3
Killed by electricity	. 2		2
Killed by machinery	6		6
Killed by elevators	3		3
Killed by falling iron	1		1
Killed by falling plank	1		1 -
Killed by railroads	6	1	7
Killed by street cars (electric)	8	, 3	11
Killed by street cars (cable)	2		2
Run over by vehicles	8	3	11
Kicked by cow	1	9.	1

## ACCORDING TO LOCALITIES-SUPERVISORIAL WARDS.

												WAR	DS.										
FIESG		Second		THEC	The same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the sa	rouren		E HOLL	D:##	START	Civ+h	эеченьи		Eigntn		TATILITY	Nii-ah	тепен		Eleventa		T Wellett	
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
																		4					
• • •							• • •				• • •		• • •								• • • •		
•••	•••	• • •	•••	•••						•••			•••		• • •			1			• • • •		
•••		1	• • •				1			1		• • •	1		1	• • • •			1		1	1	
•••			•••			•••			•••		• • •	••		.1.	• • •	• • • •		• • • •			• • • •	• • • • •	
•••	•••		• • •			• • •	• • •		•••		• • •		•••		• • •		• • • •		• • • •	1	• • • •	• • • •	
•••	• • •				• • •		• • •		•••				• •	•••	•••		• • • •	• • • •	• • • •		• • • •	• • • •	••••
* * *	•••		٠١٠				• • •		•••		• • •		•••	• • •	•••			1	••••	1	• • • •	1	• • • •
1	•••		• • •				•••		•••				•••		• • •		• • • •	••••	• • • • •	•••	• • • •	• • •	
•••	• • •		• • •				• • •	***	• • •			1			• • •	• • • •			• • • • •		• • • • •		
2	•••		• • •		• • •		•••		•				•••		••••								
•••		•••		· · ·			• • •		•••			1			•••	• • • •	• • • •				• • • •		
1				ll			•••		•••				1				• • • •			1		1	1 2
• • •									• • •				•••	-	• • •						1		2
• • •												2		1	•••		•••					1	
• • •											•••	1			•••	-				1			
															• • •					1		-	
																		1					
	1									1						9					1		
																		1	2				
		1																					
															1	1			1	2		1	
				1																1			
			1		1																		
	1	11	1	11	1	[]	1	11	1	1	1	1	1	1	1		1	11.		11	1	1	1

TABLE NO. IV

° CAUSES OF DEATH.	Total Males	Total Females	Grand Total
MISADVENTURE AND NEGLIGENCE—Continued.			
Kicked by horse	2		2
Thrown from horse	2		2
Lead poisoning	4		4
Ptomaine poisoning	2	1	3
Poisons, carbolic acid	2	1	3
Poisons, morphine	3		3
Poisons, wine of colchicum	1		1
Decomposed and disorganized remains	1		_ 1
HOMICIDE	26	2	28
By blows	4	1	5
By cutting instrument	5		5
By firearms.	16	1	17
Infanticide	1		1
	* O M	29	156
SUICIDE	127	1	
By cutting instrument	4		1
By charcoal fumes	1	1	
By drowning	7		
By firearms	41	3	
By hanging By illuminating gas.	6 20	2	
By jumping from building	3	`	
By carbolic acid			
	10	1	30
		Ī	1

-CONTINUED.

## ACCORDING TO LOCALITIES-SUPERVISORIAL WARDS.

					1		١.					WAR	DS.										
E II COI	L'ivet	3cc01111	Coopel	1 mru	The same	rourui	Fourth	r 1100	T:#1	SIXEH	Ciwith Ciwin	Seventh		erignen	F:	Ninen		Tellett	·	Elevento		Twelfth	
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
•••																				_1			••••
			•••		•••									•••				1		1			••••
																			••••	1		1	
•••											•••									-1			
•••					•••	•••	•••	•••	•••	•••	•••			•••		• • • • • • • • • • • • • • • • • • • •				1			
																					1		
1						4						1		1									1
																						1	1
						1																	
		1		1		1	1	3		1				4		1		H	1			10	2
20						1									1				5		1	11	
										1			1		2				4 8		5 2	1	1

TABLE NO. IV CLASSIFIED REPORT OF DEATHS, ARRANGED

CAUSES OF DEATH.	Total Males	Total Females	Grand Total
SUICIDE—Continued.			
By amylic alcohol	1		1
By cebadilla	1		1
By cyanide of potassium	7		7
By hydrocyanic acid	2		2
By opium; morphine	13	1	14
By strychnine	6	2	8
TOTALS	3938	2606	6544

-CONTINUED.

## ACCORDING TO LOCALITIES-SUPERVISORIAL WARDS.

2												WAI	RDS.										
	First		Second		Third		Fourth	FIIOH	Tistin.	SIAGI	Sivth	Se vellett	Cawanth	0	Eighth		Ninth		Tenth	Біечены.	Florenth	T MCHOIL	Twolkh
2	Male	E and l	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
93 55 169 189 17 6 307 113 16 6 174 52 58 65 152 140 113 107 244 223 759 685 492 4	2		1							-		1				-		1 1 1 244			1 1	1	

TABLE NO. IV
CLASSIFIED REPORT OF DEATHS, ARRANGED

Marie and the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second se						
					1	
CAUSES OF DEATH.	Public In- stitutions	En route to	Francisco	Bay of San	Beach	Ocean
ALTERNATION AND STREET	Male	Female	Male	Female	Male	Female
GENERAL DISEASES						
SPECIFIC FEBRILE						
Cerebro-spinal meningitis						
Diphtheria						
Influenza (La Grippe)						
Malarial fevers						
Measles						
Pertussis (whooping-cough)						
Scarlet fever						
Typhoid fever						
Typhold level						
DIARRHEAL						
Cholera infantum						
Cholera morbus						
Diarrhea						
Diarrhea, infantile				•		
Dysentery						••••
2,000.00		• • • •			••••	
VENEREAL						
Syphilis, acquired						
Syphilis, congenital						
SEPTIC						
Erysipelas						
Puerperal septicemia			1			

# ACCORDING TO LOCALITIES—PUBLIC INSTITUTIONS.

#### PUBLIC INSTITUTIONS.

Hospital. Male	Cityand	Almshouse.	City and	Hospital.	City	Station	Harbor	Prisons	Jails and	Hospital	Children's	Hospital.	California Woman's	Hospital.	French	Hospital.	German	Sanatorium	Homeo-	Hospital.	Lane
Male .	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male.	Female
 1 11 5	 1		le le le le le le le le le le le le le l		le le le le le le le le le le le le le l		le le le le le le le le le le le le le l		le le le le le le le le le le le le le l	1 	1		de la la la la la la la la la la la la la	1	1		le		le	1	
	2										••••				••••						

# TABLE NO. IV

CAUSES OF DEATH.	stitutions	En route to	Francisco	Ray of San	Beach	Ocean
	Male	Female	Male	Female	Male	Female
SEPTIC—Continued.						
Pyemia						
Septicemia (cause not stated)						
Septicemia following laryngectomy						
Septicemia following celiotomy					]	
Septicemia following intrapelviotomy						
Septicemia following repair of cervix						
Septicemia following Caesarean section						
Septicemia following carbuncle of face						
Septic endocarditis						
Septic pericarditis						
Tetanus						
PARASITIC						
Intestinal worms						
Thrush	• • •	• • • • •				• • • •
		•••				••••
DIETETIC	- 1					
Malnutrition						
Inanition						
CONSTITUTIONAL						
Arthritis deformans						
Anemia, chlorosis						
Carcinoma of breast						
Carcinoma of liver						

## ACCORDING TO LOCALITIES—PUBLIC INSTITUTIONS.

#### PUPLIC INSTITUTIONS.

Hospital. Male	City and	Almshouse.	City and	Hospital.	City	Station	Harbor	Prisons	Jails and	Hospital.	Child ren's	Hospital	California Woman's	Hospital.	French	Hospital.	German	Sanatorium.	Homeo-	Hospital. Male	Lane
Male	Female	Male	Female	Male	Female	Male .	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
																	· cc				de
2	1												1			٠	1				
	1	1								••••					• • •	2	• • •	1		2	
1	• • • •		•••								••				•••	• • •	• • •	• • •	•••	• • •	• • •
1	1				••••		• • • •				2	• • • •	2			• • •	•••	• • •	•••	• • •	***
1											~		~	•••							
	1							1													
1										1											
										1											•••
		• • • •		,					• • • •	• • • •				• • • •		1	•••	• • •	• • •	•••	• • •
••••		• • • •					• • • •				••••				• • • •		• • •		•••		
							-					-		-							
									• • • •												
2		• • • •							••••	4	1				• • • •	•••				•••	• • •
	1		1																		
2														1			1	• • •			
••••	4		1				• • • •									• • •	• • • •		• • • •	• • •	
≣8	1	••••			•••					••••	••••		1	••••	1	3	1			•••	• • •
						1													1		

TABLE NO. IV

· · · · · · · · · · · · · · · · · · ·						
CAUSES OF DEATH.	stitutions	En route to	Francisco	Por of San	Beach	Ocean
The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s	Male	Female	Male	Female	Male	Female
CONSTITUTIONAL—Continued.						
Carcinoma of rectum						
Carcinoma of stomach						
Carcinoma of uterus						
Carcinoma of ovaries						
Carcinoma (not specified)						
Carcinoma disseminata						
Carcinoma of arm						
Carcinoma of axilla						
Carcinoma of bile ducts						
Carcinoma of bladder						
Carcinoma of colon						
Carcinoma of esophagus						
Carcinoma of face						
Carcinoma of intestines						
Carcinoma of kidney						
Carcinoma of maxilla					<b></b>	
Carcinoma of mediastinum						
Carcinoma of neck						
Carcinoma of nose						
Carcinoma of omentum					<b> </b>	
Carcinoma of pancreas						
Carcinoma of parotid gland						
Carcinoma of peritoneum		1	1			
				1		
		1	11	1	I	J.

## ACCORDING TO LOCALITIES-PUBLIC INSTITUTIONS.

## PUBLIC INSTITUTIONS.

					11		11		- 11		1.1		- 11			1		,	- 11		
Hospital. Male	City and	Almshouse.	City and	Hospital.	City	Ambulance Station.	Harbor	Prisons.	Jailgand	Hospital.	Children's	Hospital.	California	Hospital.	French	Hospital.	German	Pathic Sanatorium	Homeo-	Hospital. Male	Lane
Male	Female	Male	Female	Ma'e	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
:	ie	:	ie	:	le	:	le	:	le	:	le	:	le	:	le	1:1	ē	:	e		le
3																				1	•••
8	3	2									1			2		2				3	
	2																				
		1																			
••••		1																			
			••••				•				****		••••								• • •
			• • • •		• • • •				• • • •		• • • •				• • • •		•••		• • •		••
	• • • •										• • • •		• • • • • • • • • • • • • • • • • • • •		• • • •				• • •	1	
1					••••	• • • •	• • • •				••••						• • •		• • •		•••
2	• • • •										•••		• • • •	1	• • • •		• • •		• • •	1	• • •
2																				1	
	1																				
	2		1																		1
1														:							
																ll					
4					1							l		<b></b>		ll					
				1												1					
1																1		-		2	
,													-		1	1				~	
	****												***		1	1	1.	1			
****		1													1	1					
															1						
	1	1			1-						1-		-		1					-	1
-						_															

TABLE NO. IV

CAUSES OF DEATH.	stitutions	En route to	Francisco	Bay of San	Beach	Ocean
	Male	Female	Male	Female	Male	Female
CONSTITUTIONAL—Continued.						
Carcinoma of pharynx						
Carcinoma of prostate gland						
Carcinoma of spleen						
Carcinoma of tongue						
Diabetes						••••
Gout						••••
Hemophilia						••••
Leucocythemia.						••••
Leprosy						• • • •
Rheumatism					••••	
Rickets		••••		• • • •		• • • •
Sarcoma (not specified)		••••	••••	•••	• • • •	
Sarcoma of abdomen.	•••			••••	•••	••••
Sarcoma of colon	1	••••			••••	••••
Sarcoma disseminata		••••		••••		••••
Sarcoma of groin		••••		••••		
Sarcoma of ileum				••••		
		•••	• • • • •	••••	••••	••••
Sarcoma of his						
Sarcoma of kidney				••••		
Sarcoma of larynx						
Sarcoma of liver						
Sarcoma of lung						
Sarcoma of mediastinum						

### ACCORDING TO LOCALITIES-PUBLIC INSTITUTIONS.

# PUBLIC INSTITUTIONS. City and County Hsopital. Male. City and County Almshouse. Receiving Hospital.. Harbor Ambulance Station.. Jails and Prisons.. California Woman's Hospital. French Hospital. Hospital. Male ... Children's Hospital German Hospital. Homeo-pathic Sanatorium Male .. Female Male .. Male .. Male. Male .. Male .. Female Male .. Female Female Male .. Female Female Male. Female Female Female Female

TABLE NO. IV

;							
	CAUSES OF DEATH.	stitutions	En route to	Francisco	Bay of San	Beach	Ocean
		Male	Female	Male .	Female	Male	Female
	CONSTITUTIONAL—Continued.						
	Sarcoma, melanotic						
	Sarcoma of maxilla						
	Sarcoma of neck						
	Sarcoma of omentum						
	Sarcoma of uterus						
	Tuberculosis, articular						
	Tuberculosis, cerebral, meningeal						
	Tuberculosis, glandular						
	Tuberculosis, general						
	Tuberculosis, miliary						
	Tuberculosis, peritoneal						
	Tuberculosis, pulmonary	1	2				
	Tuberculosis, laryngeal						
	Tuberculosis, intestinal						
	Tuberculosis, spinal						
1	DEVELOPMENTAL						
	Atelectasis, congenital			••••	••••		
	Cardiac malformation (cyanosis)	••••	• • • •				• • • •
	Icterus neonatorum		••••				
	Marasmus, infantile		• • • •				••••
	Marasmus, senile			• • •			
	Dystocia						
	Senility						
			3			4.4	

## ACCORDING TO LOCALITIES-PUBLIC INSTITUTIONS.

								PUI	BLIC I	NSTIT	UTION	78.									
Hospital.	City and		City and County	Hospital	City Receiving	Station	Harbor Ambulance	<u>:</u>	Jails and	Hospital.	Children's	-	California Woman's	Hospital.	French	Hospital.	German	Sanatorium	Homeo-	Hospital. Male	Lane
Male.	Female	Male.	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
••••																					
••••							• • • •						• • • •			1	• • •	•••			
••••									••••		••••		• • • • •		• • • • •			11			•••
1										1	, 1		•••			1					
1											1					2					• • •
••••													••••			• • •	• • •		• • •	• • •	1
3	1				• • • • •		,		••	1	1					1	1				
2																1				2	
137	31	9	2	2				1	1	3	4			5	3	13	1			3	2
2	1				• • • •				••••	• • • •	••••		• • • •		••••		• • •	• • •	• • •		
••••					• • • •								• • • • • • • • • • • • • • • • • • • •			1				1	
1										1											
1																					
• • • •																					•••
1	1		••••						• • • •							4	• • •			•••	•••
8	3	39	6											1	1						
100			L							-	l	11_	-	1	1				1_	-	

TABLE NO. IV

CAUSES OF DEATH.	Public Institutions	En route to	Francisco		Beach	Ocean
	Male	Female	Male	Female	Male	Female
DEVELOPMENTAL—Continued.						
Spina bifida						
Asphyxia neonatorum						
Strangulation of umbilical cord						
LOCAL DISEASES						
NERVOUS SYSTEM						
Alcoholism						
Apoplexy, cerebral	2		<b>  </b>			
Brain, abscess of			11	_		100000
Brain, congestion of			11			
Brain, softening of						
Brain, tumor of						1
Brain, edema of	1					1
Brain, sclerosis of			11	1		
Chorea						• • • •
Convulsions, infantile			H			)
Acromegalia	1					
Eclampsia (not puerperal)			H			
Encephalitis, Cerebritis	1					
Epilepsy	1				11	
Hydrocephalus.				****		
Insanity	••••					
Laryngismus stridulus			<b></b>			

## ACCORDING TO LOCALITIES-PUBLIC INSTITUTIONS.

								PUI	BLIC 1	NSTIT	UTION	s.									
Hospital. Male	City and	Almshouse.	City and	Hospital.	City	Station.	Harbor	Prisons	Jails and	Hospital	Children's	Hospital.	California	Hospital.	French	Hospital.	German	Sanatorium	Homeo-	Hospital.	Lane
Male	Female	Male .	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
																			10		
	1																				•••
••••										••••			• • • •								
5	5			6				1								-				1	
17	8	4	1	5										4		5					1
1		1				1									1		• • •		• • •		•••
	2	20												1							
1																	1	• • •	• • •		•••
	1					;									• • •	•••					•••
				<b></b>																	
	1	2																			•••
							·,··			2											
																			• • •		

TABLE NO. IV

						_
CAUSES OF DEATH.	Public Institutions	En route to	Francisco		Beach	Ocean
114 / / / / / / / / / / / / / / / / / /	Male	Female	Male	Female	Male	Female
NERVOUS DISEASES—Continued.						
Locomotor ataxia						
Meningitis, cerebral						
Meningitis, spinal						
Morphinism						
Myelitis						
Neuritis (not specified)						
Paralysis, ascending						
Paralysis, traumatic						
Paralysis, bulbar						
Paralysis agitans						
Paralysis, general; paresis						
Progressive muscular atrophy						
Sclerosis of spinal cord						
			-			
CIRCULATORY SYSTEM						
Aneurism of aorta	1					
Angina pectoris		3 1				
Arterio-Sclerosis, Endarteritis						
Embolism, Thrombosis						• • • • • • • • • • • • • • • • • • • •
Endocarditis						• • • • •
Heart, fatty						
Heart, valvular disease of			1			
Hydropericardium						
Myocarditis					1	
		1	1	)	11	l.

## ACCORDING TO LOCALITIES-PUBLIC INSTITUTIONS.

#### PUBLIC INSTITUTIONS.

Hospital. Male	City and	Almshouse.	City and	Hospital.	City	Station	Harbor	Prisons	Jails and	Hospital.	Child ren's	Hospital	California Woman's	Hospital.	French	Hospital.	German	Sanatorium.	Homeo-	Hospital. Male	Lane
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
2 1 4	2	3		2		2		1		1				1	••••	1					1
••••		2											••••			2 1				1	•••
3 3 36	1 3 5	3 21	2	1 2		5		1 2		1	1		1  1 	1		1 1 8	1				

TABLE NO. IV

	1					
CAUSES OF DEATH.	stitutions	En route to	Francisco		Beach	Ocean
	Male	Female	Male .	Female	Male	Female
CIRCULATORY SYSTEM—Continued.						
Pericarditis						
Senile heart						
Senile gangrene						
Phlebitis						
L						
RESPIRATORY SYSTEM						
Asthma	• • • • •			• • • •		• • • •
Bronchitis		1		• • •	••••	
Broncho-Pneumonia	• • • •	• • • •				• • • •
Croup, catarrhal		••••		• • • •	• • • •	• • • •
Hydrothorax				••••		• • • •
Laryngitis.				• • • •	••••	••••
Pharyngitis, phlegmonous		••••			• • • •	••••
Pseudo-diphtheria						••••
Pleurisy				•••	• • • • •	••••
Purulent pleurisy		1			••••	••••
Pneumonia	1 18		••••	••••		••••
Pulmonary congestion	••••			••••		
Fibroid phthisis	••••			••••		• • • •
Lung, abscess of	••••			••••	• • • •	••••
Lung, gangrene of				••••		••••
DIGESTIVE SYSTEM						
Appendicitis						
				1		
	1	1				

## ACCORDING TO LOCALITIES-PUBLIC INSTITUTIONS.

### PUBLIC INSTITUTIONS.

Hospital.	City and	Almshouse.	City and	Hospital.	City	Station.	Harbor	Prisons.	Jails and	Hospital.		Hospital.	California	Hospital.		Hospital.	German	Sanatorium	Homeo-	Hospital.	Lane
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
4			• • • •	••••	• • • •	• • • •		••••		• • • •	• • • •	••••	••••	••••	• • • •	•••	• • •	• • •	•••	•••	• • •
1	1	• • • •	••••		•••				• • • •	••••	• • • •	• • • •		• • • •	• • • •	•••	•	•••	* * * •	•••	•••
••••	•																				
										1								N		1	
			4				4														
3	3	3	1										1	2							
9	1									2						3	1				1
••••																					
• • • •																					
••••							• • • •	••••		••••					••••						•••
••••			• • • •		• • • •		• • • •		• • • •		••••	••••	••••		••••	• • •	•••	• • •	• • •	•••	•••
••••	••••				••••		••••	••••	• • • •		• • • •				1	• • •	• • •	• • •	• • •	•••	•••
5		1							• • • •						1	1	•••		•		
32	9	1	1	1				1		4	2			3		6					1
2				1										1				1			
1																1	•••				•••
2							••••								• • • •				•••	•••	•••
1														1		2		1		2	
								-													

TABLE NO. IV

7							
	CAUSES OF DEATH.	stitutions	En route to Public In-	Francisco	Bay of San	Beach	Ocean
-		Male	Female	Male	Female	Male	Female
:	DIGESTIVE SYSTEM—Continued.						
	Enteritis, entero-colitis						
	Gallstones	,					
	Gastric hemorrhage (cause not stated)						
	Gastric ulcer						
	Gastritis						
	Gastro-enteritis						
	Hernia, strangulated						
	Intestines, obstruction of						
	Intestines, intussusception of						
	Volvulus						
	Liver, abscess of						
	Liver, cirrhosis of	2					
	Liver, inflammation of		.1				
	Liver, congestion of						
	Liver, acute yellow atrophy of						
	Esophagus, stricture of						
	Pancreas, abscess of						
	Stomatitis, gangrenous						
	Peritonitis						
	Typhlitis						
-	ABSORBENT AND GLANDULAR SYSTEM						
		••••			••••		• • • •
4	Myxedema		••••		••••		• • • •
-	4	1			U	1	

# ACCORDING TO LOCALITIES-PUBLIC INSTITUTIONS.

# PULLIC INSTITUTIONS. City and County County Male .. Jails and Prisons Homeo-pathic Sanatorium. City and County Almshouse. City Receiving Hospital. French Hospital. German Hospital. Hospital. Male.. Harbor Ambulance Station.. California Woman's Hospital. Children's Hospital Male Female Male. Male Male Male Male Female Female Female Female Female Female Male .. Female 1 5 5 1

TABLE NO. IV

ABSORBENT AND GLANDULAR SYSTEM—Continued Tonsilitis. Tonsilitis, suppurative.  URINARY SYSTEM.  Calculus, renal.  Calculus, vesical.  Cystitis, acute.  Nephritis, chronic.  Nephritis, chronic.  Pyelitis.  Kidney, abscess of.  Kidney, cystic disease of.  Anuria (post-operative).  Prostate gland, abscess of.  Uremia (cause not stated).  Abortion, miscarriage.  Dystocia.  Pelvic abscess.  Pelvic peritonitis.  Placenta previa.	CAUSES OF DEATH.	stitutions	En route to	Francisco	Bay of San	Beach	Ocean
Tonsilitis. Tonsilitis, suppurative.  URINARY SYSTEM.  Calculus, renal.  Calculus, vesical.  Cystitis, acute.  Cystitis, chronic.  Nephritis, acute.  Nephritis, chronic.  Pyelitis.  Kidney, abscess of.  Kidney, cystic disease of.  Anuria (post-operative).  Prostate gland, abscess of.  Uremia (cause not stated).  REPRODUCTIVE SYSTEM.  Abortion, miscarriage.  Dystocia.  Pelvic abscess.  Pelvic peritonitis.				Male	Female	Male	Female
Tonsilitis, suppurative.  URINARY SYSTEM.  Calculus, renal.  Cystitis, acute.  Cystitis, chronic.  Nephritis, acute  Nephritis, chronic.  Pyelitis.  Kidney, abscess of.  Kidney, cystic disease of.  Anuria (post-operative).  Prostate gland, abscess of.  Uremia (cause not stated).  Abortion, miscarriage.  Dystocia.  Pelvic abscess.  Pelvic peritonitis.	ABSORBENT AND GLANDULAR SYSTEM—Continued						
URINARY SYSTEM.  Calculus, renal.  Calculus, vesical.  Cystitis, acute.  Cystitis, chronic.  Nephritis, acute.  Nephritis, chronic.  Pyelitis.  Kidney, abscess of.  Kidney, cystic disease of.  Anuria (post-operative).  Prostate gland, abscess of.  Uremia (cause not stated).  REPRODUCTIVE SYSTEM.  Abortion, miscarriage.  Dystocia.  Pelvic abscess.  Pelvic peritonitis.	Tonsilitis						
Calculus, renal  Calculus, vesical  Cystitis, acute  Cystitis, chronic  Nephritis, chronic  Pyelitis  Kidney, abscess of  Kidney, cystic disease of  Anuria (post-operative)  Prostate gland, abscess of  Uremia (cause not stated)  REPRODUCTIVE SYSTEM  Abortion, miscarriage  Dystocia  Pelvic abscess  Pelvic peritonitis	Tonsilitis, suppurative						
Calculus, renal  Calculus, vesical  Cystitis, acute  Nephritis, chronic  Nephritis, chronic  Pyelitis  Kidney, abscess of  Kidney, cystic disease of  Anuria (post-operative)  Prostate gland, abscess of  Uremia (cause not stated)  REPRODUCTIVE SYSTEM  Abortion, miscarriage  Dystocia  Pelvic abscess  Pelvic peritonitis							
Calculus, vesical.  Cystitis, acute.  Cystitis, chronic.  Nephritis, chronic.  Pyelitis.  Kidney, abscess of.  Kidney, cystic disease of.  Anuria (post-operative).  Prostate gland, abscess of.  Uremia (cause not stated).  REPRODUCTIVE SYSTEM.  Abortion, miscarriage.  Dystocia.  Pelvic abscess.  Pelvic peritonitis.					-		
Cystitis, acute.  Cystitis, chronic.  Nephritis, acute.  Nephritis, chronic.  Pyelitis.  Kidney, abscess of.  Kidney, cystic disease of.  Anuria (post-operative).  Prostate gland, abscess of.  Uremia (cause not stated).  REPRODUCTIVE SYSTEM  Abortion, miscarriage.  Dystocia.  Pelvic abscess.  Pelvic peritonitis.			• • • •		••••		• • • •
Cystitis, chronic.  Nephritis, acute.  Nephritis, chronic.  Pyelitis.  Kidney, abscess of.  Kidney, cystic disease of.  Anuria (post-operative).  Prostate gland, abscess of.  Uremia (cause not stated).  REPRODUCTIVE SYSTEM.  Abortion, miscarriage.  Dystocia.  Pelvic abscess.  Pelvic peritonitis.			••••				
Nephritis, acute Nephritis, chronic Pyelitis Kidney, abscess of Kidney, cystic disease of. Anuria (post-operative) Prostate gland, abscess of Uremia (cause not stated)				• • • • • • • • • • • • • • • • • • • •	••••		
Nephritis, chronic.  Pyelitis.  Kidney, abscess of.  Kidney, cystic disease of.  Anuria (post-operative).  Prostate gland, abscess of.  Uremia (cause not stated).  REPRODUCTIVE SYSTEM.  Abortion, miscarriage.  Dystocia.  Pelvic abscess.  Pelvic peritonitis.					••••		
Pyelitis  Kidney, abscess of  Kidney, cystic disease of  Anuria (post-operative)  Prostate gland, abscess of  Uremia (cause not stated)	Nephritis, acute						
Kidney, abscess of.  Kidney, cystic disease of.  Anuria (post-operative).  Prostate gland, abscess of.  Uremia (cause not stated).  REPRODUCTIVE SYSTEM.  Abortion, miscarriage.  Dystocia.  Pelvic abscess.  Pelvic peritonitis.	Nephritis, chronic						
Kidney, cystic disease of.  Anuria (post-operative)	Pyelitis						
Anuria (post-operative).  Prostate gland, abscess of.  Uremia (cause not stated).  REPRODUCTIVE SYSTEM.  Abortion, miscarriage.  Dystocia.  Pelvic abscess.  Pelvic peritonitis.	Kidney, abscess of						
Prostate gland, abscess of.  Uremia (cause not stated).  REPRODUCTIVE SYSTEM.  Abortion, miscarriage.  Dystocia.  Pelvic abscess.  Pelvic peritonitis.	Kidney, cystic disease of						
Uremia (cause not stated) 1  REPRODUCTIVE SYSTEM 1  Abortion, miscarriage 1  Dystocia 1  Pelvic abscess 1  Pelvic peritonitis 1	Anuria (post-operative)						
REPRODUCTIVE SYSTEM.  Abortion, miscarriage.  Dystocia.  Pelvic abscess.  Pelvic peritonitis.	Prostate gland, abscess of						
Abortion, miscarriage.  Dystocia.  Pelvic abscess.  Pelvic peritonitis.	Uremia (cause not stated)		1				
Abortion, miscarriage.  Dystocia.  Pelvic abscess.  Pelvic peritonitis.	DEDUCATIVE OVOCES						
Dystocia.  Pelvic abscess.  Pelvic peritonitis.							
Pelvic abscess			1		• • • •		
Pelvic peritonitis.		1			• • • •		
Placenta previa							
	Placenta previa						

## ACCORDING TO LOCALITIES—PUBLIC INSTITUTIONS.

								PU	BLIC 1	NSTIT	UTION	ís.									
Hospital.	City and	Almshouse.	City and	Hospital.	City	Station	Harbor	Prisons	Jails and	Hospital.	Children's	Hospital.	California	Hospital.	French	Hospital.	German	Sanatorium.	Homeo-	Hospital. Male	Lane
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
••••				•••		••••		•••	•••			-					= -	•••		• • •	•••
1			••••											1		1	•••				•••
6 15 4	1 2 1	4	2	2	1								2	1	1			1 1		1 1	
					••••												•••			1	
••••									••••							2					•••
••••									•	••••										•••	1

TABLE NO. IV

CAUSES OF DEATH.	stitutions	En route to	Francisco	Don of Rose	Beach	Occan
	Male	Female	Male	Female	Male	Female
REPRODUCTIVE SYSTEM—Continued.						
Puerperal hemorrhage						
Pelvic hematoma						
Puerperal insanity						
Puerperal emesis						
Phlegmasia alba dolens						
Pyosalpinx						
Salpingitis						
OSSEOUS AND INTEGUMENTARY SYSTEM		-				
					1	
Abscess multiple		1				
Abscess, mastoid.						
	••••	••••				
				•••		••••
Abscess of leg			li			• • • •
Abscess of mediastinum					- 1	• • • •
Cyst, sublingual dermoid				•••		• • • •
Eczema						
Gangrene of leg	1					• • • •
Gangrene of umbilical cord				• • • •		••••
Mastoiditis						• • • •
		-		••••		
Pemphigus					]	
Phlegmon of leg					1	
	1		13.			

## ACCORDING TO LOCALITIES-PUBLIC INSTITUTIONS.

#### PUBLIC INSTITUTIONS.

		1					1	1	1	1		1	,	1		1	1	0.71	- 1		
Hospital.	City and	Almshouse.	City and	Hospital.	City	Station.			Jails and	Hospital.	Children's	Hospital.	California Woman's	Hospital.	French	Hospital.	German	Sanatorium.	Homeo-	Hospital. Male	Lane
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
:	le		le	:	le	:	le	:	le	1:	le	:	le	1:	le	1	le		le	:	le
							1											1			
																			1		
						,															
											1										
													1	• • • •			١		1		
••••							• • • •											• • •	• • •		
									- ,					1							
						<b></b>															
1						<b> </b>															
				<b> </b>															• • •		
						<b> </b>															
								<b></b>													
2																			• •		•••
									• • • • •										•••		
1							• • • • •							<b> </b>		• • •	•••				•••
1							••••								••••	• • • •					•••
																		• • •			•••
****	1			1	1				-										1		
1		1	1				1				1										
				L.	-				-		1	-		1						1	
-	-		-	-	•		-			-	-	1.		11	1		-	110	-		-

TABLE NO. IV

CAUSES OF DEATH.	Stitutions	En route to	Francisco		Beach	
	Male	Female	Male	Female	Male	Female
VIOLENT DEATHS						
MISADVENTURE AND NEGLIGENCE						
Anesthesia						
Shock following amputation						
Shock following celiotomy						
Shock following intrapelviotomy						
Shock following Caesarean section						
Asphyxiation, foreign body in trachea						
Asphyxiation by illuminating gas						
Asphyxiation, smothered in bed						
Burns and scalds						
Burns (sat on hot stove)	1					
Crushed by falling gate	1					
Crushed, collision on bay			1			
Crushed by freight						
Caving-in of excavation						
Drowning			31	,	1	
Explosion						
Exposure						
Fall from building						
Fall from electric Walt and						
Fall from electric light pole						
Fall down stairs		1				
Falls						

## ACCORDING TO LOCALITIES-PUBLIC INSTITUTIONS.

						North-		PU	BLIC	INSTIT	UTIO	īs.									==
Hospital.	City and County	Almshouse.	City and	Hospital.	City	Station.	Harbor	Prisons	Jails and	Hospital.	Children's	Hospital.	California Woman's	Hospital.	French	Hospital.	German	Sanatorium	Homeo-	Hospital. Male	Lane
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male.	Female
																					0
	2										••••		1	1	1	•••	• • •	• • •	• • •		• • •
1										1	2		1		1	1			1	• • •	• • •
	1										1		1				1				2
•••	• • • •		• • • •		• • • •					• • • •	• • • •				• • • •		• • •				
••••			• • •				••••		• • • •	• • • •	• • • •	• • •	:	• • • •	• • • •		• • •	**.	•••		• • •
1	5			2		••••			••••		• • • •	••••	••••		• • • •	•••	•••	• • •	• • •	•••	
1																		•••	• • •	•••	• • •
																					• • •
						1															
	,.																				
						2			• • • •												
••••							• • • •	• • • •			••••				• • • •	• • •	•••				• • •
••••	••••		• • • • •		.,		••••		•••	• • • •	••••		• • • •		••••	• • •	• • •	• • •	• • •	• • •	• • •
1			• • • •	3	• • • •	2	• • • •			•••	1		••••	• • • •	••••	•••		•••	• • •	• • •	• • •
••••				1															•	• • •	•••
				1												2					•••
4	1			2											1		.,.		•••	1	
_				4	1				1	1			,	1 .		-			-		

TABLE NO. IV

W. C.						
CAUSES OF DEATH.	stitutions	En route to	Francisco	Raw of San	Beach	Ocean
	Male	Female	Male	Female	Male	Female
MISADVENTURE AND NEGLIGENCE—Continued.						
Fall on coal chute.						
Fall from cable car.						
Fall from bicycle.						
Fall from vehicles			-			
Fall down embankment						
Fall from rigging of ship						
Fall into hold of ship						
Fall down elevator shaft					1	
Firearms						
Criminal abortion						
Killed by electricity						l 
Killed by machinery					l	
Killed by elevators	1					
Killed by falling iron						
Killed by falling plank						
Killed by railroads						
Killed by street cars (electric)				1		
Killed by street cars (cable)						
Run over by vehicles	1					
Kicked by cow						
Kicked by horse					l	
Thrown from horse						
Lead poisoning			1			
				-		
			1			

## ACCORDING TO LOCALITIES-PUBLIC INSTITUTIONS.

								PU	BLIC	INSTI'	rutioi	NS.									
Hospital.	City and County	Almshouse	City and	Hospital.	City	Station	Harbor Ambulance	Prisons	Jails and	Hospital.	Children's	Hospital	California Woman's	Hospital.	French	Hospital.		Sanatorium.	Homeo-	Hospital.	Lane
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
1																		• • • •	•••	•••	• • •
1				2																•••	•••
1																					
					•••	1								1							
••••														• • • •						•••	
••••																		• • • •	• • • •		
••••	• • • •			••••					••••										• •		
1				1		1														• • •	
				1	!					•••	• • • ·		• • • •							• • •	•••
1				1																	
3			• • • •	1				••••	••••			••••	••••							• • •	
1					1	2													a-a D		
														1							•••
				1										1							
1				1				•••													

# TABLE NO. IV

CAUSES OF DEATH.	stitutions	En route to	Francisco	Ray of San	Beach	Осели
3553   11   1   1   1   1   1	Male	Female	Male	Female	Male	Female
MISADVENTURE AND NEGLIGENCE—Continued.						
Ptomaine poisoning						
Poisons, carbolic acid						
Poisons, morphine						
Poisons, wine of colchicum						
Decomposed and disorganized remains						
MONTH OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY						
HOMICIDE			3			
By blows						
By cutting instrument	1					
By firearms						
Infanticide						
SUICIDE						
By cutting instrument						
By charcoal fumes						
By drowning					2	1
By firearms.						•
By hanging						
By illuminating gas						
By jumping from building						
By carbolic acid						
By amylic alcohol						
By cebadilla						
By cyanide of potassium						

## ACCORDING TO LOCALITIES-PUBLIC INSTITUTIONS.

#### PUBLIC INSTITUTIONS.

Hospital. Male	City and County	Almshouse.	City and County	Hospital.	City	Station.	Harbor	Prisons	Jails and	Hospital.	Children's	Hospital.	California Woman's	Hospital.	French	Hospital.	German	Sanatorium.	Homeo-	Hospital. Male	Lane
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
1																					
					1																
						1															
																					• • •
																		1			
1				1		1			• • • •		• • • •						•••			•••	•••
•••	• • • •	1	• • • • •	5	• • • •	1	• • • •		• • • •		••••				• • • •			• • •		• • •	•••
2				5	• • • • •		• • • •	• • • •	••••		••••				• • • •	1	• • •				•••
•••									• • • •				• • • • •				• • •		•••		•••
		1				••••		• • • •	•••		• • • •						•••				• • •
						• • • • •			••••												• • •
									••••	••••	••••			••••	••••		•••		• • •	• • •	• • •
	• • • •			4	• • • •	2	• • • •		• • • •	• • • • •	• • • •		• • • •	••••	• • • •		• • •	• • •	• • •	•••	• • •
••••						1			• • • •		••••	• • • •	••••	••••	• • • •	• • •	•••	•••	••	•••	• • •
• • • • •				•••	••••	••••			• • • •		• • •		• • • •	• • • •	• • • •		•••			• • • •	• • •
1					3	••••	2				• • • •		• • • •		••••	1	1	•••	• • •	•	• •
1					3		2	••••					••••		••••		1		•	•	
			'			1															
						1															
																				1	
-					-	-					-										_

TABLE NO. IV

CAUSES OF DEATH.	stitutions	En route to	anc	Bay of San	Beach	Occan
	Male	Female	Male	Female	Male	Female
JICIDE—Continued.  By hydrocyanic acid						
By opium; morphineBy strychnine						

#### ACCORDING TO LOCALITIES-PUBLIC INSTITUTIONS.

#### PUBLIC INSTITUTIONS.

"Hospital.	City and	Almshouse.	City and	Hospital.	City	Station	Harbor	Prisons	Jails and	Hospital	Children's	Hospital.	California Woman's	Hospital.	French	Hospital.	German	Sanatorium,	Homeo-	Hospital.	Lane
Male	Female	Male .	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
		1		5												1					
440		124	21	61	7	28	2	7	1	27	21		15	61	17	90	15	7		30	14

TABLE NO. IV

						_
CAUSES OF DEATH.	Hospital.	Maoloan	Hospital.	McNutt	Asylum.	Mount St.
	Male	Female	Male	Female	Male	Female
GENERAL DISEASES						
SPECIFIC FEBRILE						
Cerebro-spinal meningitis						
Diphtheria.						1
Influenza (La Grippe)						
Malarial fevers						
Measles						
Pertussis (whooping-cough)						
Scarlet fever						
Typhoid fever						
DIARRHEAL						
Cholera infantum		••••			3	
Cholera morbus		• • • •				• • • •
Diarrhea		•••				
Diarrhea, infantile				••••		• • • •
Dysentery	1	• • • •				• • • • •
VENEREAL						
Syphilis, acquired						
Syphilis, congenital					15	7
SEPTIC						
Erysipelas						
Puerperal septicemia						

						P	UBLI	C INS	TITU	TION	s															
Hospital.	Mount Zion	Home	Old People's	Home	St. Joseph's	Hospital.	St. Luke's	Hospital.	St. Mary's	pital	U. S. Ma-	Hospital.	Waldeck	Home	Kings'	Asylum.	Magdalen	* Toolaro	Presidio	Hospital.	St. Mark's	Home	Old Ladies'	(See note below.)	Other Insti- tutions	
Ma.e	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	1	Female	Male	Female	
							1			1																
																			1					2		a
• • •								1						٠٠.												
•••												1			•••	• • •		• •			• •		••		• • • •	
• • •	•••					• • •	• • •				• • •		• • •	• • •	• • •		•••	• •	• •		• •		• •	• • • •	• • • •	
• • •	• • •	***	• • •				• • • •		•••	• • •	•••		• • •	• • •			• • •	• •	••		•••		•	1	1	b
•••						2		2	2		• • •	1	•		• • •						•			1		3
						Ĩ		~													•					
•••	•••		• • •		•••		•••	• • •	• • •	• • • •	•••	•••	• •	• • • •	• • •		• • •		• •	• •	• •		• •	••••	• • • •	
• • •	•••		• • • •	•••	•••		•••		•	•••				•••	• • •	•••	•••		**	• -	•••		•	• • • • •	• • • •	
•••														•••		• • •					••			****	****	
														,												
														,										-		
•••	***		• • •		• • •	***	•••		•••		• • •		•••	••••			•••		•	•••	"		**	1	• • • • •	С
•••	• • •		••••				•••			•••	• • •		•••					•						•		
•••					•••				•••						•••		• • •				••			• • • •	••••	
•••	1				•••	•••			1				1						••	• •	• •				• • • •	
		1																1			1					1

TABLE NO. IV

CAUSES OF DEATH.	Hospital.	Maclean	Hospital.	McNutt	Asylum.	Mount St.
	Male	Female	Male	Female	Male	Female
SEPTIC—Continued.						
Pyemia						
Septicemia (cause not stated)						
Septicemia following laryngectomy						
Septicemia following celiotomy						
Septicemia following intrapelviotomy						
Septicemia following repair of cervix	i	1 7				
Septicemia following Caesarean section						
Septicemia following carbuncle of face						
Septic endocarditis						
Septic pericarditis						
Tetanus						
PARASITIC						
Intestinal worms						
Thrush		1				
DIETETIC						
Malnutrition						- 1
Inanition					33	28
CONSTITUTIONAL						
Arthritis deformans						
Anemia, chlorosis			1			
Carcinoma of breast			1			••••
Carcinoma of liver						
	• • • •					
	-	- 17		- 13		-

#### ACCORDING TO LOCALITIES-PUBLIC INSTITUTIONS.

#### PUBLIC INSTITUTIONS. Old People's Home.... St. Marv's Hospital Kings' Daughters' Home... Other Institutious.. St. Joseph's Old Ladies' Home... (See note below.) Mount Zion Hospital. Male ... St. Luke's Hospital. Magdalen St. Mark's U. S. Ma-Waldeck Presidio... pital.... Home.... Hospital Asylum. Hospital Male Male Male .. Male Female Male .. Male .. Female Male. remare Female Female Male Male Female Female Male . Finale Female Male. Female Male Female Female Female 2 1 1 1 1 2 1 1

TABLE NO. IV

-							
	CAUSES OF DEATH.	Hospital.	Maclean	Hospital.	Mewatt	Asylum.	Mount St.
		Male	Female	Male	Female	Male	Female
	CONSTITUTIONAL—Continued.						
	Carcinoma of rectum	1			1		
	Carcinoma of stomach						
	Carcinoma of uterus		2		1		
	Carcinoma of ovaries						
	Carcinoma (not specified)						
	Carcinoma disseminata						
	Carcinoma of arm.			<b> </b>			
	Carcinoma of axilla						
	Carcinoma of bile ducts						
	Carcinoma of bladder						
	Carcinoma of colon						
	Carcinoma of esophagus			<b> </b>			
	Carcinoma of face						
	Carcinoma of intestines.						
	Carcinoma of kidney	l					
	Carcinoma of maxilla.						
	Carcinoma of mediastinum			1			
	Carcinoma of neck						
	Carcinoma of nose.			<b></b>			
	Carcinoma of omentum.			11		1	
	Carcinoma of pancreas						
	Carcinoma of panereas	• • • •					
		1		U.			
	Carcinoma of peritoneum						
		1	1	1	1	1	Į.

						P	UBLI	C IN	STIT	OITU	NS.															
Hospital.	Mount Zion	Home	Old People's	Home	St. Joseph's	Hospital.	St. Luke's	Hospital.	St. Mary's	pital	U. S. Ma-	Hospitai.	Waldeck	Home	Kings'	Asylum.	Magdalen	F. Lestoro	D	Hospital.	St. Mark's	Home	Old Ladies'	(See note below)	Other Institutions	
Male	Female	Male .	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male.	Female	Male	Female	Male	Female	Male	Female	
								1																		
					1	1		6		1		1	2													
					1								1												1	a
									1										• •					• • • •		
									• • •	•••	• • •		• • •		• •		• • •		• •				• •	• • • •	• • • •	
•••			•••		• • •	• • •			•••		*,*	• • •	• • •						• •		• •				••••	
	• • •		•••		• • •		• • •		• •		• • •		• • •		• • •		•••		•••				• •	• • • •	• • • •	
•••	•••		• • •		• • •	•••	• • •		• • •		• • •		• • •		• • •		• • •		• •			•••		• • • • •	• • • •	
•••	•••		• • •		•••	2	• • •		• • •		• • •		• • •		• • •	•••	• • •		••					••••	• • • •	
•••			•••		• • •		•••	1	•••	1	•••		• • •		• • •		•••		•		1.					
• • •	•••		• • • •	• • •		1			• • •		• • •			1			•••	ļ	ij							
•••					•				• • •		•••		•••		•••		•••								• • •	
***								1			•••						• • •									
•••							•	1			***															
						1																				
																				1.						
				-																			•			

a Brown's Hospital.

TABLE NO. IV

=							==
	CAUSES OF DEATH.	Hospital.	Maclean	Hospital.	MoNntt	Asylum.	Mount St.
_		Male.	Female	Male	Female	Male	Fcmale
(	CONSTITUTIONAL—Continued.						
	Carcinoma of pharynx						
	Carcinoma of prostate gland						
	Carcinoma of spleen						
	Carcinoma of tongue						
	Diabetes						
	Gout						
	Hemophilia						
	Leucocythemia		1				
	Leprosy						
	Rheumatism						
١	Rickets						
	Sarcoma (not specified)						
	Sarcoma of abdomen						
	Sarcoma of colon						
	Sarcoma disseminata						
	Sarcoma of groin						
	Sarcoma of ileum						
	Sarcoma of intestines						
	Sarcoma of kidney						
	Sarcoma of larynx						
	Sarcoma of liver						
	Sarcoma of lung						
	Sarcoma of mediastinum						
-					1		

						P	UBLI	C INS	STITE	TION	s.															
Hospital.	Mount Zion	Home	Old People's	Home	St. Joseph's	Hospital.	St. Luke's	Hospital.	St. Mary's	pital	U. S. Ma-	Hospital.	Waldeck	Home	Kings'	Asylum	Magdalen	Presidio		Hospital.	St. Mark's	Home	Old Ladies'	(See note below.)	Other Institutions	
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	
															-											
							•••																			
• • •	• • •		•••	• • •			•••		•••	• • •	• • •		• • •	• • •	•••		• • •			• •	• •	• •	• •	• • • •	• • • •	
•••	• • •		• • •		• • •		• • •				•••	• • •	•••				• • •			• •		• •			• • • •	
• • •	•••		• • •		•••		•••				•••	• • •	•••		• • •		• • •		•		•	• •	••			1
• • •	• • • •		• • •	1	• • •		•••	• • • •	1	1			٠.,	•••		•••					•••	• •		۱		
	• • •	•••	•••	1	•••	• • •	***		• • •		• • •		• • •	•••			• • •				• •			* * *	• • • •	
• • •	•••	• • •		,	• • •	1	•••				• • •		• • •		• • •		• • •				•			• • • •	• • • •	
					•••		•••			1					• • •		• • •							1		a
	• • •		•••						•	1	•••						• • •						• •	1		a
																	•									
										1																
																							••			
1												anticularian														

a Twenty-sixth Street Hospital.

## TABLE NO. IV

CAUSES OF DEATH.	Hospital.	Maclean	Hospital.	McNutt	Asylum.	Mount St.
	Male	Female	Male	Female	Male	Female
CONSTITUTIONAL—Continued.						
Sarcoma, melanotic						
Sarcoma of maxilla						
Sarcoma of neck						
Sarcoma of omentum						
Sarcoma of uterus						
Tuberculosis, articular						
Tuberculosis, cerebral, meningeal						••••
Tuberculosis, glandular						
Tuberculosis, general						
Tuberculosis, miliary						
Tuberculosis, peritoneal						
Tuberculosis, pulmonary						••••
Tuberculosis, laryngeal					1	• • • • •
Tuberculosis, intestinal			• • • • • • • • • • • • • • • • • • • •			
Tuberculosis, spinal		••••				•••
					• • • • •	
DEVELOPMENTAL						
Atelectasis, congenital						
Cardiac malformation (cyanosis)						
Icterus neonatorum					6	1
Marasmus, infantile					1	
Marasmus, senile						1
Dystocia						
Senility						

PUBLIC INSTITUTIONS.		

Hospital.	Mount Zion	Home	Old People's	Home	St. Joseph's	Hospital.	St. Luke's	Hospital.	St. Mary's	pital	U S. Ma.	Hospital.	Waldeck	Home	Kings'	Asylum	Magdalen	r restato	Decidio	Hospital.	St. Mark's	Home	Old Ladies'	(See note below.)	Other Insti- tutions	
Male	Female	Male.	Female	Male.	Female	Male	Female	Male.	Female	Male	Female	Male.	Female	Male.	Female	Male.	Female	Male.	Female	Male	Female	Mare	Female	Male	Female	
	e	1:	e	1	le l		le	1	e	1	<u>e</u>	.	e		e	1	e		e	1	e	1	161	1	<u>e</u>	-
																			0							
										1																
																			• •							
							1						1													
																			• •						• • • • •	
									• • •														• •	• • • •		
											• • •						• • •						••	• • • •		
			••		• • •			1					1		•••				• •			••	• •	• • • •		
				• • • •		2			1			•••			• • •				• •				• •			
1	• • •		• • •			1	• • •		• • •								• • •		••				• •	• • • •		
1	• • •			4	2	3	2	19	в	9		• • •	•••		•••		•••		•				••		1	
•••			•••		• • •		• • •	• • •	•••		• • •		•••	• • •	• • •				•••				••	• • • •		
•••	•••		• • •		• • •		• • •	1					•••		••••				•					• • • •	• • • •	a
• • •	•••		• • • •		• • •		• • •				• •		• • •		•		•								• • • •	
								1															• •			
											•••						٠.									
																							• •			
				1										1	1		• • •				• •					
													• • •								• •			• • • •		1
	1		• • •	1	2		2	7	9		•••			1			• • •	1.	• •	• •			• •		3	b
		V													1		1	1 1	1	1		1 1	1		1	1

a Roman Catholic Orphan Asylum. b Our Lady's Home.

TABLE NO. IV

	1					
CAUSES_OF DEATH.	Hospital.	Maclean	Hospital.	MeNutt	Asylum.	Mount St.
	Male	Female	Male	Female	Male	Female
DEVELOPMENTAL—Continued.						
Spina bifida						
Asphyxia neonatorum						
Strangulation of umbilical cord						
LOCAL DISEASES						
NERVOUS SYSTEM						
Alcoholism						
Apoplexy, cerebral	1					
Brain, abscess of						
Brain, congestion of						
Brain, softening of	1					
Brain, tumor of						
Brain, edema of						
Brain, sclerosis of					,	
Chorea						
Convulsions, infantile						
Acromegalia						
Eclampsia (not puerperal)						
Encephalitis, Cerebritis						
Epilepsy						
Hydrocephalus						
Insanity						
Laryngismus stridulus						
	1	1	4	1 13		

#### ACCORDING TO LOCALITIES-PUBLIC INSTITUTIONS.

PUBLIC INSTITUTIONS.

#### Magdalen Asylum. St. Mark's Hospital. (See note below.) Other Institutions.. Old People Waldeck Hospital. Kings' Mount Zion Hospital. Male... St. Joseph' St. Luke's Daughters' Home... Old Ladies' St. Mary's Presidio.. rine Hos-pital.... Home.... Home ... Hospital S. Ma-Home ... Hospital Male .. Male Male Male remai Female Male .. Female F'emale Female Male .. Female Male .. Female Female Male Female remaie Female Female 2 2 2 1

a Fort Mason Military Reservation. b Episcopal Old Ladies' Home. c Little Sisters' Infant Shelter. 12\*

TABLE NO. IV

		-		1	. 1	1	
CAUSES OF DEATH.		Hospital.	Maclean	Hospital.	McNutt	Asylum.	Mount St.
	- 1	Male	Female	Male	Female -	Male	Female
NERVOUS DISEASES—Continued.							
Locomotor ataxia							
Meningitis, cerebral			1	1	ı	1	
Meningitis, spinal				<b> </b>			ļ
Morphinism							ļ
Myelitis							
Neuritis (not specified)	•••••						
Paralysis, ascending	•••••						
Paralysis, traumatic	,						
Paralysis, bulbar	•••••						
Paralysis agitans							
Paralysis, general; paresis							
Progressive muscular atrophy							ļ
Sclerosis of spinal cord	• • • • • • • • • • • • • • • • • • • •						
CIRCULATORY SYSTEM							
Aneurism of aorta							
Angina pectoris							
Arterio-Sclerosis, Endarteritis		••••			Mill	1	
Embolism, Thrombosis			••••	1			
Endocarditis					1		
Heart, fatty							
Heart, valvular disease of							••••
Hydropericardium			1				
Myocarditis							

						Pl	UBLIC	INS	TITU	TION	s.															
Hospital.	Mount Zion	Home	Old People's	Home	St. Joseph's	Hospital.	St. Luke's	Hospital.	St. Mary's	pital	U.S. Ma-	Hospital.	Waldeck	Home	Kings'	Asylum.	Magdalen	r restuto	Ducidio	Hospital.	St. Mark's	Home	Old Ladies'	(See note below.)	Other Insti- tutions	
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	
Ī																							-		-	
						2				1		1												• • • •		
•••								1					.,													
									• • •						• • •								• •			
•••	•••					•••	• 1		• • •	1	•••		•••		• • •		• • •			••	•		•	• • • •		
																								• • •		
																									L	
•••																									• • • •	
•••			•••		• • •	•••									1		• • •		••		••		• •	• • • •	• • • •	
•••	•••		•••	1		.1	•••	2	2		1	• • •	• • •	• • •	• • •				•	••-	••					
•••				1																						
		1								-														-11		
										2																
•••		1																	• •							
•••	•••					1			• • •				• • •						•		• •				1	a
•••	•••	1	• • •		•••	• • •	•••	2	2	1	• • •		•••		• • •	•••	•••		-	• •		•		• • • •		
• • •			3	3		5		9	4	7															2	bc
																									• • • •	

TABLE NO. IV

	}					_
. CAUSES OF DEATH.	Hospital.	Maclean	Hospital.	McNutt	Asylum.	Mount St.
NAME AND POST OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF PART	Male	Female	Male	Female	Male	Female
CIRCULATORY SYSTEM—Continued.			1			
Pericarditis						
Senile heart						
Senile gangrene						
Phlebitis						
			1			
RESPIRATORY SYSTEM						
Asthma						
Bronchitis		• • • • •		• • • •	12	18
Broncho-Pneumonia						
Croup, catarrhal		• • • •		• • • •		
Hydrothorax	• • • •	••••				• •
Laryngitis				• • • •	••••	
Pharyngitis, phlegmonous			• • • •	••••		••••
Pseudo-diphtheria	••••	•••				••••
Pleurisy		••••		•••		• • • •
Purulent pleurisy					••••	
Pneumonia	••••			••••	13	12
Pulmonary congestion	• • • •	••••	••••	• • • •		
Fibroid phthisis				••••		• • • •
Lung, abscess of		• • • •		••••	····	
Lung, gangrene of			••••	••••		
DIGESTIVE SYSTEM						
Appendicitis				1		
4		1				

			PUBLI	CINSTIT	UTIONS.							
Mount Zion Hospital. Male	Old People's Home	St. Joseph's Home	St. Luke's Hospital.	St. Mary's Hospital.	U. S. Marrine Hospital	Waldeck Hospital.	Kings' Daughters' Home	Presidio Magdalen Asylum	St. Mark's Hospital.	Old Ladies' Home	Other Institutions (See note below.)	
Female Male	Female Male	Female Male	Female Male .	Female Male	Female Male	Female Male	Female Male	Male Female Male	Female Male	Female Male	Female Male	
1	1 1 1	1	18.	1 1	2						1 a	
		1	1 7 2	13 2	3 1	5		4	3.		2 1 b c d	

a Girls' Directory. b Roman Catholic Orphan Asylum. c Fort Mason Military Reservation. d Camp Merritt, U. S. V.

TABLE NO. IV

-							
	CAUSES OF DEATH.	Hospital.	Maclean	Hospital.	McNitt	Asylum.	Mount St.
-		Male	Female	Male	Female	Male	Female
1	DIGESTIVE SYSTEM—Continued.						
	Enteritis, entero-colitis			1	•••	30	28
	Gallstones						
	Gastric hemorrhage (cause not stated)						
	Gastric ulcer		1				
	Gastritis		1			1	1
	Gastro-enteritis					3	1
	Hernia, strangulated				1		1
	Intestines, obstruction of						
	Intestines, intussusception of						
	Volvulus						
	Liver, abscess of						
	Liver, cirrhosis of						1
	Liver, inflammation of						
	Liver, congestion of						
	Liver, acute yellow atrophy of						
	Esophagus, stricture of						
	Pancreas, abscess of						
	Stomatitis, gangrenous						
	Peritonitis						
	Typhlitis						
	A DOOD DENIM AND OF AND IT AD OVOIDER	1					
-	ABSORBENT AND GLANDULAR SYSTEM						
	Lymphadenoma			••••			••••
	Myxedema				••••		• • • •
~			8		1		

--CONTINUED.

#### ACCORDING TO LOCALITIES-PUBLIC INSTITUTIONS.

#### PUBLIC INSTITUTIONS St. Mark's Hospital. Old Ladies' Home... (See note below.) Other Insti-tutions.. Hospital. Male .. St. Mary's Hospital Kings' Daughters' Magdalen Asylum. Uld People Waldeck Presidio.... pital.... Home ... Hospital. Home ... Home ... Hospital Joseph's S. Ma-Luke's Male Male Male Male Female Male .. Male . Female Female Female Male . Female Male .. Female Male .. Female Female Female Female Female Female Female a

a Ladies' Protective and Relief Society.

TABLE NO. IV

CAUSES OF DEATH.	Hospital.	Maclean	Hospital.	McNutt	Asylum.	Mount St.
STALL STALL STALL STALL	Male	Female	Male	Female	Male	Female
ABSORBENT AND GLANDULAR SYSTEM—Continued						
Tonsilitis						
Tonsilitis, suppurative						
JRINARY SYSTEM						
Calculus, renal		1				
Calculus, vesical						
Cystitis, acute						
Cystitis, chronic						
Nephritis, acute			1		5	
Nephritis, chronic	2	1				
Pyelitis						
Kidney, abscess of						
Kidney, cystic disease of						
Anuria (post-operative)						
Prostate gland, abscess of						
Uremia (cause not stated)						
REPRODUCTIVE SYSTEM						
Abortion, miscarriage						
Dystocia						
Pelvic abscess	1	1				
Pelvic peritonitis		1				
Placenta previa						
Puerperal eclampsia						
A STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STA						
	1	1	11		1	1

#### ACCORDING TO LOCALITIES-PUBLIC INSTITUTIONS.

#### PUBLIC INSTITUTIONS.

Hospital.   Male	Mount Zion	Home	Old People's	Home	St. Joseph's	Hospital.	St Linke's	Hospital.	St. Marv's	pital	U. S. Ma-	Hospital.	Waldeck	Daughters' Home	Kings'	Asylum.	Maodalen	Presidio		Hospital.	Ct Mark's	Home	Old Ladies'	(See note below.)	Other Insti- tutions	•
Male.	Female	Male	Female	Male	Female	Male .	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male.	Female	Male	Female	
	10				(0)		0				011		011		CDII		CO I						1	- 5		~
																			• •				•			
															,											
• · ·		11					· · · ′		•••		• • •		•••		•••				• •	• •				• • • •	••••	
• • •		1			• • •		•••				• • •		• • •	• • •					• •					• • • •	••••	
					• • •		••		•••		• • •		.,.	• • •	•••						• •		••		• • • •	
•••		1					• • •	2	• • •		• • •						1			0	0		-		• • • •	
* * 7		• •				2	• • •	2			• • •				• • •				•		••			• • • •		
••			1			2	• • •	1	1	3											••					
• •							• • •		•••	• • •			1		• • •						• •		• •		• • • • •	
• •					•••		• • •		• • •		•••		• • •				• • •				•		• •		••••	
• •				· · ·	• • •								•••			• • •	• • •		• •		••				••••	
• •													• • •		•••		• • •		•		• •			• • • •	• • • • • • • • • • • • • • • • • • • •	
• •											• • • •						• : •		• •		- 0			• • • •		
	1	.	• •					1			•••		1		•••		• • •		• •		•					
		.		<b></b>		<b> </b>								<b> </b>												
		.				<b> </b>																				
		.∦		<b> </b>			1																			
							1																			
										ļ																
						1						·				II										
	1		1																			-				

TABLE NO. IV

CAUSES OF DEATH.	Hospital.	Maclean	Hospital.	McNutt	Asylum.	Mount St.
LILLIANE PLANTING THEIR	Male	Female	Male	Female	Male	Female
REPRODUCTIVE SYSTEM—Continued.						
Puerperal hemorrhage						
Pelvic hematoma						
Puerperal insanity						
Puerperal emesis						
Phlegmasia alba dolens						
Pyosalpinx						
Salpingitis						
000000000000000000000000000000000000000						
OSSEOUS AND INTEGUMENTARY SYSTEM						
Abscess multiple	• • • •	••••		••••		••••
Abscess, lumbar	••••	••••				• • • •
Abscess, mastoid	••••	••••		••••		• • • •
Abscess of abdomen	••••	• • • •		•••		••••
Abscess of leg	• • • •		••••			• • • •
Abscess of mediastinum	•••	• • • •			• • • •	• • • •
Cyst, sublingual dermoid	••••	••••		••••	• • • •	• • • •
Carbuncle of neck	• • • •	••••		••••	• • • •	••••
Eczema	••••	••••		• • • •		1
Gangrene of leg		••••		••••	• • • •	• • • •
Gangrene of umbilical cord	••••	••••		••••	••••	• • • •
Mastoiditis		••••			• • • •	• • • •
Necrosis of sternum and ribs	••••			••••		• • • •
Pemphigus					• • • • •	• • • •
Phlegmon of leg	••••	••••				••••
					1	

						P	UBLI	C IN	STITE	TION	īs.															
Hospital.	Mount Zion	Home	Old People's	Hospital.	St. Joseph's	Hospital.	St. Luke's	Hospital.	St. Mary's	pital	U. S. Ma-	Hospital.	Waldeck	Home	King's	Asylum	Magdalen	x a condition	Prosidio	Hospital.	St. Mark's	Home	Old Ladies'	(See note below.)	Other Institutions	
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male.	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	
•••																									1	a
•••	•••	• • •	•••		• • •						•••		•••		•••		•••		••		••				• • • •	
									1																	
							1																			
						1																				
•••																					• •					
			•••		•••								•••						• •		••		••			
•••	•••		•••		•••			•••	• • •		•••		•••		• • •		• • •		• •		•			• • • •	• • • •	
•••	•••		•••	•••						1	•				•••						•				• • • • •	
				,																						
							1																			
		1																								
• • •	• • • •		•••	• • •			• • •				• • •		• • •		•••				• •			• •				
			•••				• • •		• • • •						• • •		• • •									
• • •											• • •											1.				1

a Brown's Hospital.

TABLE NO. IV

7		1					
	CAUSES OF DEATH.	Hospital.	Maclean	Hospital.	McNutt	Asylum.	Mount St.
-	X3.93 (1915) Ellis (8.45)	Male	Female	Male	Female	Male	Female
1	VIOLENT DEATHS				,		
,	MISADVENTURE AND NEGLIGENCE						
	Anesthesia						
	Shock following amputation.		••••				
	Shock following celiotomy						
	Shock following intrapelviotomy				1		
	Shock following Caesarean section						
	Asphyxiation, foreign body in trachea						
	Asphyxiation by illuminating gas						
	Asphyxiation, smothered in bed						
	Burns and scalds						
	Burns (sat on hot stove)						
	Crushed by falling gate						
	Crushed, collision on bay						
	Crushed by freight						
	Caving-in of excavation						
	Drowning						
	Explosion	••••		••••	• • • •	• • • •	
	Exposure	• • • •	التنتا	••••	••••	• • • •	• • • •
	Fall from building	_		••••	••••	••••	••••
	Fall from ladder		••••	••••	••••		• • • •
		• • • •		••••			••••
	Fall down stairs			••••			
	Falls		1				••••
-						1	

				Home		P	UBLI	C IN	STITE	TION	vs.															
Hospital. Male	Mount Zion	Home	Old People's	Home	St. Joseph's	Hospital.	St. Luke's	Hospital.	St. Mary's	pital	U. S. Ma-	Hospital	Waldeck	Home	Kings'	Asylum	Magdalen	T Testato	Drosidio	Hospital.	St. Mark's	Home	Old Ladies'	(See note below.)	Other Insti- tutions	
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	
					• • •								•••						•							
•••								2	2			. 2	1									•••		1		
						1																				
•••						•••		•••	••;												••					
•••																										
•••																		-								
•••									•••																	
						1																		••••		
			• • •					1	• • •		• • •			•••												
•••				•••	• • •		• • •	2	•••		• • •		•••		• • •		• • •		•		• •		• •	• • • •	••••	

TABLE NO. IV

CAUSES OF DEATH.	Hospital.	Maclean	Hospital.	McNutt	Asylum.	Mount St.
	Male	Female	Male	Female	Male	Female
MISADVENTURE AND NEGLIGENCE—Continued.						
Fall on coal chute						
Fall from cable car						
Fall from bicycle						
Fall from vehicles						
Fall down embankment						
Fall from rigging of ship						
Fall into hold of ship						
Fail down elevator shaft						
Firearms						
Criminal abortion						,
Killed by electricity						
Killed by machinery						
Killed by elevators						
Killed by falling iron						
Killed by falling plank						
Killed by railroads						
Killed by street cars (electric)						
Killed by street cars (cable)						
Run over by vehicles						
Kicked by cow						
Kicked by horse						
Thrown from horse	1					
Lead poisoning						

#### ACCORDING TO LOCALITIES-PUBLIC INSTITUTIONS.

#### PUBLIC INSTITUTIONS. St. Mark's Hospital. St. Luke's Hospital St. Mary's Hospital. Waldeck Hospital. Kings' Daughters' Home... Magdalen Asylum.. Other Insti-tutions.. (See note below.) Hospital. Male .. Old People's St. Joseph's Presidio. Old Ladies' rine Hos-pital.... Home ... Home... Home... S. Ma-Male .. Male .. Male Female Female Male .. Female Male .. Female Male . Male .. Female Male .. Female Female Female Male. Female Female Male .. Male .. Female Female Male.

a Park Ambulance Station.

## TABLE NO. IV

CAUSES OF DEATH.	Hospital.	Maclean	Hospital.	MaNutt	Asylum.	Mount St.
	Male	Female	Male	Female	Male	Female
MISADVENTURE AND NEGLIGENCE—Continued,						
Ptomaine poisoning						
Poisons, carbolic acid						
Poisons, morphine						
Poisons, wine of colchicum						
Decomposed and disorganized remains						
HOMICIDE						
By blows						
By cutting instrument						
By firearms						
Infanticide						
SUICIDE						
By cutting instrument			ĺ			
By charcoal fumes.						
By drowning						1
By firearms.	1					
By hanging.						
By illuminating gas						
By jumping from building					1	
By carbolic acid						
By amylic alcohol			11			
By cebadilla			1			
By cyanide of potassium		1				
		1	1			

						Р	UBLI	C IN	STIT	UTIO	ss.															
Hospital.	Mount Zion	Home	Old People's	Home	St. Joseph's	Hospital.	St. Luke's	Hospital.	St. Mary's	pital	U. S. Ma-	riospitai.	Waldeck	Home	Kings' Daughters'	And Jacan	Magdalen		Presidio	Hospital.	St. Mark's	Home	Old Ladies'	(See note below)	Other Institutions	
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	F emale	мане	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	
Ť		1	1 (0)		1											11		i								
	•																									
	• • •							•••																		
•••																							,			
								1		• • • •					•••						• •	• •				
						• • •									• • •		• • •				• •					
	•••		• • •			•••	•••	1	• • •		• • •	1	• • •	• • •	• • •	•••	• • •		• •	• •	• •		••	• • • •	• • • •	
• • •			• • •	•••		• • •			• • •		•••		• •		• • •	• • •				•	•••		• •		••••	
					1																					
																								1		a
			• • •		٠٠٠,		• • •		• • •										• •	• •				• • • •		
											• • •	••	•••				• • •				•••	• •	••	• • • •		
• • •	•••		•••	• •		• • •	• • •	• • •	• • •		٠.		• • •		•••		•••	2		٠			!	• • • •		
• • •	••••		•••		•••	•••	•••	• • • •	• • •		• • •		•••		• • •		•••	1	••	• •		• •			••••	
• • •	•••	• • •		• • • •	• • •					• • •	• • •		•••				• • •				• •	• •				
• • • •	• • •	• • • •	•••		•••		• • •		• • •	• • •	•••			***	• • •	• • •					**		••			
•			• - •		•••		• • •							***												
																			100							
		. )																			1		1			

TABLE NO. IV

CAUSES OF DEATH.		Hospital.	Maclean	Hospital.	McNutt	Asylum.	Mount St.
INDIA THE	. 1	Male	Female	Male	Female	Male	Female
SUICIDE—Continued.  By hydrocyanic acid						4	
By opium; morphine							
By strychnine							• • • •
Totals		7	13	4	5	124	107

#### ACCORDING TO LOCALITIES-PUBLIC INSTITUTIONS.

#### PUBLIC INSTITUTIONS. Old People's Home... St. Mary's Hospital. Kings' Daughters' Home... St. Mark's Hospital. Old Ladies' (See note below.) Magdalen Asylum. Other Insti-tutions.. Mount Zion Hospital. Male . . St. Joseph's St. Luke's Hospital. Waldeck Presidio.... rine Hos-pital.... Hospital. Home ... Male. Male Male .. Female Male.. Male Male Male .. Male .. Male .. Male . Male .. Female Female Male. Female Female Female Female Female Female Female Female Female Female 5 2 8 8 57 20 96 43 1 3 7 2 19 47 18 15 6 4 4 13 14

## TABLE NO. V.

CLASSIFIED REPORT OF DEATHS OF CHILDREN UNDER 10 YEARS OF AGE—BY AGES AND SEX.

DURING FISCAL YEAR ENDING JUNE 30, 1898.

5 111031	Males.	Females	Grand						A	ES.					
CAUSES OF DEATH.		es	Total		Under 1 v'r	1	1 to 2 v'rs	0000	2 to 3 v'rs.	1	3 to 4 v'rs	0	4 to 5 v'rs	8	5 to 10 v'rs
				Male	Female	Male.	Female	Male	Female	Male	Female	Male	Female	Male	Female
GENERAL DISEASES	394	341	735												
SPECIFIC FEBRILE	99	105	204										ľ		
Cerebro-spinal meningitis	14	9	23	7	1		2	3	1		1	2		2	4
Diphtheria	67	72	139	2	1	12	4	6	10	12	12	11	7	24	38
Influenza (La Grippe)	1	2	3						1	1					1
Malarial fevers	1	2	3		-1								1	1	
Measles	1		1		• • •									1	
Pertussis	11	14	25	6	7	2	5	3	1		••		1		
Scarlet fever	2	4	6		•••		1			1	1			1	2
Typhoid fever	2	2	4		•••	٠.	• •				1		1	2	•••
DIARRHEAL	38	19	57											В	
Cholera infantum	32	15	47	26	13	5	1		1			1			
Cholera morbus	1	1	2	1	1										
Diarrhea, infantile	4	3	7	3	3			1							
Dysentery	1		1	1							• •		-		
VENEREAL	15	9	24												
Syphilis, congenital	15	9	24	15	8		1								
SEPTIC	2	2	4												
Septicemia		2	2		1	• •	• •		•••	••	• •	•	1	•••	
Septic endocarditis	1		1	1	• • •	•••	•			• •	• •		• •		• • •
Septic pericarditis	1		1	• • • •		• •					• •			1	
				1		1	1	1				1	1		

## TABLE NO. V -CONTINUED.

	Total Males	Total	Grand Total 1		,	AGES.										
CAUSES OF DEATH.	Males	Total Females	l Total	11 1	Under 1 v'r	1	1 to 2 v'rs		2 to 3 v'rs.	0 2 0	3 to 4 v'rs	Z 00 0 J x0	7 4	0 00 00 0	5 to 10 v'rs	
				Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	
PARASITIC	1	1	2													
Intestinal worms	1		1					1								
Thrush		1	1		1											
DIETETIC	117	103	220													
Malnutrition	4	3	7	4	3											
Inanition	113	100	213	111	98	2	2									
	56	57	113													
CONSTITUTIONAL	2	1	3	1		1			1							
Amemia, chlorosis	2	4	[6	2	4	1			1		•••		3		***	
Leucocythemia	1		1	~		1										
Rickets		1	1						1							
Tuberculosis, articular	1	2	3				1				1			1		
Tuberculosis, meningeal	24	22	46	5	7	6	5	3	4	2	4	1		7	2	
Tuberculosis, general	1	1	- 2						1					1		
Tuberculosis, miliary	1		1			-1							٠.			
Tuberculosis, peritoneal	8	4	12	3	1	1	1	1	1	1		1		1	1	
Tuberculosis, pułmonary	14	20	34	4	1	2	2	1	3	1		1	3	5	11	
Tuberculosis, intestinal	2	2	4		1		1					1		1		
DEVELOPMENTAL	66	45	111					1								
Atelectasis, congenital	15	9	24	15	9											
Cardiac malformation	8	8	16	8	8											
Icterus neonatorum	9	1	10	9	1			٠.								
			0													

## TABLE NO. V—CONTINUED.

,	Total	Total	Grand						AG	ES.					
CAUSES OF DEATH.	Total Males	Total Females			IInder 1 v'r	t	1 to 2 v'rs	2 to 3 y'rs.		to 4 y		4 to 5 y'rs		0 00 10 7 18.	5 to 10 wins
1 1 7 7 7 1				Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
DEVELOPMENTAL-Continued.															
Marasmus, infantile	28	24	52	25	22	3	2								
Dystocia.	2	1	3	2	1										
Spina bifida	1	2	3	1	2										
Asphyxia neonatorum	2		2	2											
Strangulation of umbilical cord	1		1	1											
LOCAL DISEASES	109	00	201												
LUCAL DISLASES	109	9%	201												
NERVOUS SYSTEM	102	86	188												
Apoplexy, cerebral	2		2	2									٠.		
Brain, abscess of		1	1				1				• •				
Brain, congestion of	1	2	3	1	•••				1		••				1
Chorea	1		1											1	
Convulsions, infantile	40	40	80	31	27	4	11	.5	2		••	2	••	1	٠٠.
Encephalitis, cerebritis	6	3	9	5			2	1			1				٠٠.
Epilepsy		1	1		•••		1				• •				
Hydrocephalus	2	4	6	1	2		1			1		•••	1		
Laryngismus stridulus	1		1	1			٠.		• •		••				
Locomotor ataxia	1		1			1	• •				••				
Meningitis, cerebral	46	34	80	21	19	11	7	5	1	3	2	3	2	3	3
Meningitis, spinal	1		1							1					
Myelitis	1		1	• • •					·	1				• • •	
Sclerosis of spinal cord	• • • •	1	1				•					•	••		1
						1			1			1			

#### TABLE NO. V-CONTINUED.

											_						
	Total Males	Total	Grand			AGES.											
CAUSES OF DEATH.	Males	Total Females	Total		Under 1 v'r		1 to 2 v'rs	0000	2 to 3 v'rs	00	3 to 4 v'ra	0	4 to 5 v'rs		5 to 10 v'rs		
				Male	Female	Male	Female	Male	Female	Male	Female	Male.	Female	Male	Female		
CIRCULATORY SYSTEM	6	7	13														
Endocarditis	3	1	4						1			1		2			
Heart, valvular disease of	3	5	8	2	2									1	3		
Pericarditis		1	1			٠.									1		
RESPIRATORY SYSTEM	169	152	321														
Asthma	1		1	1													
Bronchitis	37	40	77	32	30	1	8	1	2	1	1	1		1			
Broncho-pneumonia	34	43	77	17	22	11	6		5	1	1	3	3	2	6		
Croup, catarrhal	5		5	1				1		1				2			
Laryngitis	7	3	10			1	1		1	1	1	2		3			
Pharyngitis, phlegmonous	1		1								,.	1					
Pseudo-diphtheria	1	3	4								1			1	2		
Pleurisy	1		1	1													
Purulent pleurisy	2	1	3						1	1		1					
Pneumonia	73	56	129	36	36	16	8	8	2	4	1	5	6	4	3.		
Pulmonary congestion	6	6	12	4	3	1	1	1			1				1		
Lung, gangrene of	1		1											1			
DIGESTIVE SYSTEM	109	92	201														
Appendicitis	4	2	6	1										3	2		
Enteritis, entero-colitis	59	47	106	55	38	2	3		1		1	2	1		3.		
Gastric hemorrhage		i	. 1		1												
Gastritis	3	7	10	3	3		2								2		
Gastro-enteritis	33	23	56	25	19	3	2	1		4					2		
	1			1	-	-			19		-		-	1	_		

#### MORTUARY STATISTICS.

## TABLE NO. V-CONTINUED.

		Total Males	Total Females	Grand					2		AGES.					
CAUSES OF DEATH.			Temales	Total		Under 1 v'r	2	to 4 y'rs to 3 y'rs		to 4 w	4 to 5 y'rs.		5	S to 10 virg		
in the color of the		į			Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
DIGESTIVE SYSTEM—Continued.												I				
Hernia, strangulated		1	1	2	1			1								
Intestines, obstruction of		4	1	5	1	1									3	
Intestines, intussusception		2	2	4	1	2							1		:	
Volvulus			1	1		1										
Liver, cirrhosis of			1	1				1								
Liver, inflammation of		1	1	2											1	1
Gangrenous stomatitis		1	1	2	<b> </b>				1	1						
Peritonitis		1	3	4	1	2									<b></b>	1
Typhlitis			1	1				1								
ABSORBENT AND GLANDULAR	2															
SYSTEM		2	4	6												
Tonsilitis		1	4	5	l	. 1						1			1	2
Tonsilitis, suppurative		1		1											1	
IDINADY OVORDA		11	10	21												
URINARY SYSTEM					6	4										
Nephritis, acute	1	8		14	0			• •						1	2	1
Nephritis, chronic		3		5	1		1		1			•				1
Uremia (cause not stated)			- 2	1								•				1
Pyelitis	• • • •	• • •	1	1				••								1
OSSEOUS AND INTEGUMENTARY	Y															
SYSTEM		3	1	4											1	
Abscess, mastoid		1		1	1											
Cyst, sublingual dermoid		1		1	1				1							

#### TABLE NO. V-CONTINUED.

# CLASSIFIED REPORT OF DEATHS OF CHILDREN UNDER 10 YEARS OF AGE—BY AGES AND SEX.

	Total	Total	Grand						AG	ES.					
CAUSES OF DEATH.	i Males	d Females	nd Total		Under 1 v'r	1	1 to 9 v'rs	0000	9 to 3 ving	0 2 0	3 to 4 v'rs	0 3 40.	A to 5 wire	8	5 to 10 to
- 111				Male	Female	Male	Female	Male	Female	Male	Female	Ma'e	Female	Male	Female
OSSEOUS AND INTEGUMENTARY SYSTEM - Continued.															
Eczema		1	1		1										
Gangrene of umbilical cord	. 1		1	1						٠.					
VIOLENT DEATHS	20	9	29								1				
MISADVENTURE AND NEGLI-															
(GENCE	19	9	28												
Shock following celiotomy	1		1	1											
Asphyxiation, foreign body in tra-															
chea	. 3	1	4			1	1								
Asphyxiation, smothered in bed	1	1	2	1	1										
Burns and scalds	. 3	2	5			1				1			1	1	1
Drowning	. 1		1			1									
Fall from building		1	1						1						
Falls	. 2	1	2											2	1
Fall from vehicles	. 1		1							1					
By firearms		1	1												1
Killed by street cars (electric)	. 2		2					2							• • •
Killed by street cars (cable)	. 1		1									1			
Killed by vehicles	3	2	5								1	1		2	1
Ptomaine poisoning	1		1	1											
HOMICIDE	1		1												
Infanticide	. 1		1	1											
TOTALS	817	701	1518	515	410	91	86	43	45	40	30	42	29	86	101

TABLE NO. VI.

MONTHLY DISTRIBUTION OF MORTALITY BY WARDS AND PUBLIC INSTITUTIONS.

	Total.			189	97.					189	98.		
LOCALITIES.		July	August	September	October	November	December	January	February	March	April	Мау	June
First Ward	146	6	11	9	12	' 15	16	16	13	19	9	6	14
Second Ward	360	24	9	23	21	24	32	37	37	42	40	44	27
Third Ward	21	3	1	1	3	1		3		4	2	3	
Fourth Ward	424	38	37	43	32	39	28	26	44	46	38	34	19
Fifth Ward	18	1	2	3	3	2	1	4		1			1
Sixth Ward	231	14	16	21	16	20	27	20	17	26	18	25	11
Seventh Ward	124	13	6	12	8	15	11	10	11	12	14	5	7
Eighth Ward	295	14	19	18	29	31	33	39	25	24	29	18	16
Ninth Ward	221	19	14	17	20	14	21	29	11	18	24	23	11
Tenth Ward	466	33	33	29	29	54	29	49	38	48	44	40	40
Eleventh Ward	1447	99	96	94	136	132	128	156	122	146	126	112	100
Twelfth Ward	941	62	48	60	64	85	78	110	88	106	78	97	65
En Route to Public In stitutions	23	1	3		1	3	3	3	3	3	3		
Bay of San Francisco	38	2	3	3	2	3	5	5	4	2	5	2	2
Ocean Beach	4	1					1		1		1		
City and County Hospital	569	44	34	4	42	48	52	51	46	68	56	36	471
City and County Alms House	145	8	11	6	10	12	16	16	12	16	17	13	8
City Receiving Hospital	68	5	9	8	7	3	4	8	5	10	3	3	3
Harbor Ambulance Station	30	, 5	3	1	1	4	2	2	1	4	1	2	4
Park Ambulance Station	1									• • • •	1	• • • •	
Twenty-sixth Street Hospital	3			1	1		1					,.	
City Prisons	4	2						1	1	• • • •	• • • •		
County Jails	4				1	1		• • • • •	2	• • • •		• • • •	
Brown's Hospital	4	•••						1	1	1		1	
California Women's Hospital	15	2	1	4	2			2	1			2	1
Children's Hospital	48	1	8	2	5	4	5	2	6	3	2	6	4
Florence Crittenden Home	2	2											
French Hospital	78	4	6	5	5	5	6	7	5	9	6	10	16

### TABLE No. VI—CONTINUED.

	Total			18	97.					18	98.		
INSTITUTIONS		July	August	September	October	November	December	January	February	March	April	May	June
German Hospital	105	12	4	8	7	12	9	8	8	12	10	4	11
Girls' Directory	3							1				1	1
Homeopathic Sanatorium	11	1	1	2		1	2			2		2	
Kings Daughters' Home Ladies' Protective and Relief Society			2	1			1		•••	2		1	2
Little Sisters' Infant Shelter	1			• • • •	1			1			•••		
Lane Hospital	44	4	5	4	2	3	5		7	2	4		2
Magdalen Asylum	4		9	*			1	1	1			4	. 2
Maclean Hospital					3			2		1			2
McNutt Hospital	20		3				1			3	1	2	
Mount Zion Hospital	9							2	1	_	3	1	-
Mount St. Joseph's Infant Asylum	231	24	18	20	18	18	19	17	1 12		21	27	16
Our Lady's Home			1										3
Old Ladies' Home							1				1		
Old People's Home		••••	2	••••	••••	2	1	3		2	• • • •	4	1
Roman Catholic Orphan Asy-	~						••••	• • • •		1	• • • •	1	
lum	2			1	1								
St. Joseph's Home	27	2	3	3		3	1	1	2	4	3	2	3
St. Luke's Hospital	77	6	6	7	7	8	6	5	6	8	8	7	3
St. Mark's Hospital	5	1					1			2		1	
St. Mary's Hospital	143	13	5	9	7	17	12	14	10	18	19	9	10
Waldeck Hospital	33	1	3	4	3	1	2	5	1	1	2	2	8
U. S. Marine Hospital	44	4	2	3		3	4	7	7	2	2	6	4
U. S. Reservation, Presidio	9					1	2	1		2		1	2
U. S. Reservation, Fort Mason	2							1		1			
U. S. Volunteer Hospital, Camp Merritt	2						•••						2
Totals	6544	473	426	468	500	586	568	659	560	693	592	558	461

TABLE NO. VII.

	Total			189	7.					189	8.		
		July	August	September	October	November	December	Janu ry	February	March	April	Мау	June
PACIFIC COAST.	2237	171	151	152	191	188	172	222	193	218	202	199	170
California		171			5	4		1	193				178
Nevada	16			1			1		••••	1	1	2	• • • •
Oregon	12	••••	2	1	• • • •	2	1	1	1	2	1	••••	1
Washington	10	1	• • • •			• • • •	1	3	2	• • • •	1	2	
Totals	2275	172	153	154	196	194	175	227	196	221	205	203	179
OTHER STATES.		-											
Alabama	3		• • • •	1		1		1		• • • •	••••		
Arkansas	5	1	1	1	• • • •			1				1	
Colorado	2				1	• . •				1			
Connecticut	27			3	2	4	1	2	4	4	2	2	3
Delaware	2					1						1	
District of Columbia	5				1	1			1				2
Florida	2							1		1			
Georgia	4		1	1			1		1				
Idaho	2								1				1
Illinois	49	2	3	8	4	7	7	5	4	4	2	1	2
Indiana	18	1	2	1	1			5	3	2	2	1	
Iowa	19	2	1	4	2		5			3	1	1	
Kansas	8				1		3	1		2			1
Kentucky	25	1		4	2	2	4	3		3	1	2	3
Louisiana	26	1	3	2	2	4		5	1	1	3		4
Maine	73	8	8	2	4	8	11	5	9	7	3	4	7
Maryland	18	1	2	2		2	2	4	2	1		2	
	1			1	1			1	~	1		~	

### TABLE NO. VII—CONTINUED.

#### RECORD OF NATIVITIES OF DECEDENTS.

	Totals.			189	97.					189	8.		
		July	August	September	October	November	December	January	February	March	April	Мау	June
Massachusetts	142	7	9	9	9	15	15	13	17	12	19	11	6
Michigan	23		2	1	3	2	3	2	5	2	1	1	1
Minnesota	9			1			2	1	1			2	2
Mississippi	4					1		1		1	1		
Missouri	30	8	2	1	2	2	3	2	1	3	1	2	3
Montana	.2								1		1		
Nebraska	7		1	1	1	. 1	1	1			1		
New Hampshire	19	1	2	1	1	3	1	3	1	3	1	1	1
New Jersey	32	1	1	2	4	6		5	2	1	4	5	1
New Mexico	1											1	
New York	291	13	15	24	19	26	25	38	25	33	26	32	15
North Carolina	3						1			1		1	
Ohio	66	5	9	4	6	8	8	4	3	1	5	7	6
Oklahoma	1							-1				, .	
Pennsylvania	85	4	4	8	8	7	6	7	6	10	7	9	9
Rhode Island	13				2	1	2	2	1	1	1	3	
South Carolina	9	1	1	1			1		2	1		1	1
Tennessee	11	2				3	2			3			1
Texas	12	1	1	1	1	1			2		2	2	1
Utah	2									1		1	
Vermont	18	3	2	1		2		2	3	3		2	
Virginia	32	4	2	4	3	3	1	3	1	5	3	1	2
West Virginia	6	1	2								1	1	1
Wisconsin	19		1		3		2	3		3	3	3	1
Wyoming	1							1					
Unascertained	12	1		1		1			1	1	3	1	3
							-						-
Totals	1138	66	75	89	82	112	107	122	98	114	94	102	77

## MORTUARY STATISTICS.

# TABLE NO. VII—CONTINUED. RECORD OF NATIVITIES OF DECEDENTS.

Totals.			18	397.					18	98.		_
	July	August	September	October	November	December	January	February	March	April	Мау	June
1								1				
16			2	2	1	1		2	4	2	1	1
43	4	4	1	3	2	4	4	4	4	6	4	3
7		1						1	1	1	1	2
1									1			
7	1		1		1		1		1	1	1	
109	10	5	5	7	13	12	13	8	8	8	11	9
1								1				1
7		1	1		2	2						
. 3		1	1	1				,				
373	35	29	35	30	35	22	28	30	46	38	26	19
28	1		3	2	2	3	4	2	3	3	4	1
2						1					1	
1									1			
218	15	15	13	21	16	29	25	13	26	18	20	7
15	2	1	1	1	2		3		2	1	1	1
135	6	15	11	9	7	14	18	13	19	9	8	6
579	39	40	39	41	56	56	61	48	58	60	37	44
7	1				1			1		2	2	
2						1		1				
3				1	1		1					
5						1			1	1	2	
8	1				1			3	2		1	
958	80	48	67	60	96	92	88	74	114	88	83	68
2			2									
2				1		1						
121	7	- 4	13	9	10	8	16	11	15	15	10	3
	1 1 16 43 7 1 17 7 109 1 1 7 3 3 373 28 2 1 1 218 15 579 7 2 2 3 5 5 8 8 958 2 2 2	1 16 1 109 10 1 7 1 109 10 1 3 373 35 28 1 2 218 15 15 2 135 6 579 39 7 1 2 3 5 8 1 958 80 2 2	1	1	1	1	1	1 2 2 1 1 43 4 4 1 3 2 4 4 4 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1	1	1

## TABLE NO. VII—CONCLUDED.

#### RECORD OF NATIVITIES OF DECEDENTS.

	1897.									189	98.		
	1	July	August	September	October	November	December	January	February	March	April	Мау.	June
Japan	22		2	1	2	1	2	3	2	2		2	5
Malta	1								1				
Mexico	45	7	1	1	2	4	3	4	5	8	4	1	5
Norway	39	2	4	4	4	4	2	4	6	4	2	1	2
Peru	3					1			-1			1	
Philippine Islands	3											1	2
Poland	18	2	4	1	2	1	1		3	2		1	1
Portugal	15	1	2	2	3		1	1	3		2		
Russia	15		1	2			1	4	3		3		1
Scotland	85	4	3	4	6	9	7	7	11	10	10	9	5
Spain	4			1						1	2		
Sweden	67	6	5	3	4	5	6	7	3	8	6	4	10
Switzerland	54	5	5	6	5	2	5	6	5	3	2	9	1
Syria	1									1			
Turkey	2									1		1	
U. S. of Colombia	1			1									
Wales	8	1				2		1	1		2	1	
West Indies	10	1					3	2	1	1		2	
At Sea	1										1		
Unascertained	83	4	7	4	6	5	8	9	8	11	6	7	8
Totals	3131	235	198	225	222	280	286	310	266	358	293	253	205
RECAPITULATION.													
Pacific Coast	2275	172	153	154	196	194	175	227	196	221	205	203	179
Other States	1138	66	75	89	82	112	107	122	98	114	94	103	77
Foreign	3048	231	191	221	216	275	278	301	258	347	287	246	197
Unascertained	83	4	7	4	6	5	8	9	8	11	6	7	8
Totals	6544	473	426	468	500	586	568	659	560	693	592	558	461

TABLE NO. VIII.

#### RECORD OF AGES OF DECEDENTS.

	Totals.			18	97.					18	98.		
AGES.	30	July	August	September	October	November	December	January	February	March	April	May	June
Under 1 year of age	925	77	74	86	80	64	88	69	75	75	71	78	73
From 1 to 2 years	177	23	7	8	10	9	18	14	18	15	20	22	13
From 2 to 3 years	88	6	8	6	6	4	8	11	7	15	6	6	5
From 3 to 4 years	70	1	2	3	9	6	5	16	5	6	6	6	5
From 4 to 5 years	71	2	6	3	5	9	6	7	8	2	8	3	12
Total under 5 years	1331	122	100	94	116	108	101	136	107	113	111	115	108
From 5 to 10 years	187	7	7	13	18	17	7	24	17	21	23	23	10
From 10 to 20 years	194	13	19	13	17	16	14	23	8	21	15	20	15
From 20 to 30 years	681	41	37	47	49	62	69	57	61	82	56	60	60
From 30 to 40 years	795	59	50	57	<b>5</b> 9	72	71	68	63	87	81	68	60
From 40 to 50 years	858	70	54	64	69	78	71	90	66	90	74	73	59
From 50 to 60 years	828	56	59	58	60	73	76	89	81	81	64	78	50
From 60 to 70 years	869	56	54	63	53	81	80	88	76	103	98	64	53
From 70 to 80 years	580	36	30	42	47	55	57	62	60	69	51	37	34
From 80 to 90 years	189	13	12	15	10	19	19	19	19	22	15	16	10
From 90 to 100 years	24		2		2	4	3	3		3	3	3	1
Over 100 years	2			1		1							
Unascertained	9		2	1					2	1	1	1	1
Totals	6544	473	426	468	500	586	568	659	560	693	592	558	461

TABLE NO. IX.

STILL-BIRTHS REGISTERED DURING FISCAL YEAR, 1897-98.

	Males	Females .	Total		Males	Females.	Total
1897—July	13	14	27	1898—January	17	5	22
August	18	13	31	February	15	11	26
September	11	19	30	March	17	9	26
October	21	12	33	April	11	10	21
November	11	7	18	May	13	13	26
December	16	7	23	June	20	12	32
			-	Totals	183	132	315

TABLE
RECORD OF DECEDENTS OVER NINETY YEARS

DATE.	NAME.	. SEX.	RACE.
1907 Assessed 14	Mrs. Lois C. Baldwin.	Female	Caucasian
1897—August 14  August 31	Bridget Nunan	Female	Caucasian
September 27		Male	Caucasian
October 3		Female	Caucasian
October 6	Katherine A. Wetjen	Male	Caucasian
November 3	Charles McCarthy	Male	Caucasian
	Baruch Levy	Female	
November 7	Lucy Evans	Female	African
November 21	Mary Polack	Female	Caucasian
November 24	Marguerite Girod		Caucasian
November 28	Samuel Loewenwald	Male	Caucasian
December 5	Giovanni Cuneo	Male	Caucasian
December 6	Raphael Lande	Male	Caucasian
December 19	Ellen Horrigan	Female	Caucasian
1898—January 4	Doris Delling	Female	Caucasian
January 9	Bridget Quigley	Female	Caucasian
January 20	Samuel Neas	Male	Caucasian
March 1	Jeremiah Root	Male	Caucasian
March 9	Harriett Corbett	Female	Caucasian
March 10	Elvira W. Hobbs	Female	Caucasian
April 11	Sophie Deveaux	Female	Caucasian
April 18	Mary Adams	Female	Caucasian
April 25	J. C. McCormick	Male	Caucasian
May 8	Margaret Hayes	Female	Caucasian
May 15	Joseph D. Pierson	Male	Caucasian
May 21	Jane Netterfield	Female	Caucasian
June 7	Thomas Byrne	Male	Caucasian

No. X.  $\\ \mbox{ of age, during fiscal Year, 1897-98.}$ 

-					
	AGE.		NATIVITY.	SOCIAL RELATION.	CAUSE OF DEATH.
Years	Months	Days			
0.3	10	20	26	Widowed	Claudia dalama
92	10	20	Massachusetts	Widowed	Senile debility.
90			Ireland		Senility.
102			Ireland	Widowed	Senility.
91		••••	Germany	Widowed	Bronchitis.
91	1		Ireland	Married	Senility.
90		• • • •	Germany	Married	Senile marasmus.
101	• • • •	• • • •	Virginia	Widowed	Senility.
90			New York	Widowed	Carcinoma uteri.
96	8	••••	France	Widowed	Inanition.
90		• • • •	Germany	Widowed	Endocarditis.
92	2		Italy	Widowed	Senility.
90			Germany	Married	Fall down stairs.
94			Ireland	Widowed	Tuberculosis pulmonal.
90	2		Germany	Widowed	Arterio-sclerosis.
94			Ireland	Widowed	Fall.
93			Germany	Widowed	Senility.
97			New York	Widowed	Valv. disease of heart.
92			Switzerland	Widowed	Senility.
90	3	23	Maine	Widowed	Senility.
97			Canadá	Widowed	Senility.
93			Germany	Unascertained	Senility.
90			Scotland	Widowed	Senility.
90			Ireland	Widowed	Fall.
91			New Jersey	Widowed	Senile marasmus.
90			Ireland	Married	Senility.
90			Ireland	Widowed	Valv. disease of heart.
-		-			

#### TABLE NO. XI.

TWENTY-SEVEN PRINCIPAL CAUSES OF DEATH, ARRANGED ACCORDING TO SEX AND RACE, TOGETHER WITH THE PERCENTAGE TO TOTAL MORTALITY.

CAUSE OF DEATH.	Male	Female	Total	Caucasian	Mongolian	African	Percentage to total mortality
Tuberculosis (all varieties)	732	392	1124	953	159	12	17.17
Heart, diseases of	444	230	674	625	42	7	10.29
Pneumonia (a)	366	289	655	623	24	8	10.
Brain, diseases of	289	196	485	482	2	1	7.41
Carcinoma (all varieties) (b).	182	191	373	342	30	1	5.07
Nephritis (all varieties)	184	105	289	253	33	3	4.42
Enteritis and Gastritis (c)	125	120	245	231	12	2	3.74
Inanition	118	107	225	210	15		3.44
Senility (old age)	121	89	210	186	21	3	3.21
Bronchitis	86	63	179	170	9		2.74
Liver, diseases of	120	40	160	114	43	3	2,44
Diphtheria	76	78	154	144	10		2.35
Septic diseases (d)	39	56	95	92	3		1.45
Convulsions, infantile	40	40	80	77	2	1	1.22
Diarrheal diseases	44	24	68	67	1		1.39
Intestines, diseases of (e)	31	31	62	60	2		.95
Typhoid fever	37	20	57	54	3		.87
Marasmus, infantile	28	24	52	45	7		.80
Alcoholism and morphinism.	37	13	50	50			.75
Pulmonary congestion	31	12	43	41	2		.64
Reproductive system, diseases of		42	42	42			.64
Paralysis (f)	24	13	37	37			.56
Asthma	21	14	35	1 35			.53
Peritonitis	17	17	34	33			.52
Cerebro-spinal meningitis	18	12	30	30			.46
Appendicitis	22	6	28	28			.44
Whooping-cough	11	14	25	25			.37

NOTE.—(a) Including broncho-pneumonia. (b) Including sarcoma. (c) Including entero-colitis and gastro-enteritis (d) Including puerperal septicemia. (e) Strangulated bernia, Intussusception of intestines, obstruction of intestines and volvulus. (f) Exclusive of cerebral apoplexy.

TABLE NO. XII.

# MONTHLY DISTRIBUTION OF MORTALITY, FOR TWENTY-FIVE YEARS, ARRANGED ACCORDING TO SEX AND RACE.

FISCAL YEARS.	TotalFemale	Fema	Total	Cauc	Mongolian	Afrl	1897. 1898.											
			Caucasian		an	July	August	September	October	November	December	January	February	March	April	May	June	
1873–74	2603	1410	4013	3486	465	62	331	294	308	330	338	425	391	300	363	289	292	343
1874-75	2601			3653	453	57	366	337	321	379	320	333	349	310	369	373	347	359
1875–76	2978			4126	611	54	371	378	324	408	438	410	405	387	364	347	308	561
1876–77	3895			5499	615	56	507	477	548	526	542	607	641	496	511	464	444	407
1877-78	3111	1866	4977	4384	527	66	417	394	434	433	401	463	457	397	411	425	377	368
1878-79	2865	1628	4493	3904	523	66	375	344	384	395	399	438	463	370	325	339	370	321
1879-80	2767	1573	4340	3828	467	45	335	313	377	405	341	352	393	363	422	405	316	318
1880–81	2654	1633	4287	3768	479	40	343	373	346	350	380	340	370	314	351	319	349	359
1881-82	3091	1917	5008	4434	527	47	312	317	324	354	392	424	518	509	584	401	465	408
1882-83	3156	1832	4988	4392	558	38	419	420	414	400	419	462	440	399	449	385	398	385
1883-84	3114	1886	5000	4464	502	34	470	366	435	391	392	419	432	443	414	395	457	386
1884-85	3289	1999	5288	4771	470	47	452	369	364	380	379	440	438	468	502	468	512	516
1885-86	3279	2043	5322	4821	462	39	458	445	415	432	421	521	519	382	479	418	435	397
1886-87	3312	2047	5359	4826	488	45	437	408	394	425	452	491	522	451	445	450	475	409
1887-88	3890	2146	6036	5486	530	20	459	409	427	486	534	582	650	517	488	501	504	479
1888-89	3601	2128	5729	5115	559	55	519	478	425	460	562	473	517	484	479	478	456	398
1889-90	4062	2316	6378	5732	608	38	443	408	453	507	479	482	798	551	600	562	551	544
1890-91	4154	2496	6650	6114	512	24	600	549	460	540	545	580	612	574	603	564	530	495
1891-92	4163	2748	6911	6471	421	19	580	550	465	554	548	800	700	593	579	486	530	526
1892–93	3784	2277	6061	5621	414	26	580	450	468	452	540	565	567	478	529	466	514	452
1893–94	3769	2291	6060	5613	417	30	489	440	468	488	525	503	607	498	565	546	490	441
1894-95	3697	2362	6059	5614	389	56	489	527	494	518	522	522	547	493	609	469	426	443
1895–96	3601	2365	5966	5453	445	68	539	438	460	480	496	514	493	483	528	497	538	500
1896–97	3769	2381	6150	5632	462	56	505	454	466	506	463	603	613	551	560	478	465	486
1897-98	3938	2606	6544	6042	454	48	473	426	468	500	586	568	559	560	693	592	458	461

#### TABLE NO. XIII.

## ESTIMATED POPULATION, DEATHS AND DEATH RATE PER 1000, FOR TWENTY-FIVE YEARS.

FISCAL YEARS.	ESTIMATED		DEATH RATE			
	POPULATION.	Male.	Female.	Total.	PER 1,000.	
1873-74	*200,770	2,603	1,410	4,013	19,98	
1874–75	*230,132	2,601	1,562	4,163	18.09	
1875–78	*272,345	2,978	1,813	4,791	17.59	
1876–77	*300,000	3,895	2,275	6,170	20.54	
1877–78	*300,000	3,111	1,866	4,977	16.59	
1878-79	*300,000	2,865	1,628	4,493	14.75	
1879–80	*305,000	2,767	1,573	4,340	18.50	
1880-81	†234,520	2,654	1,633	4,287	18.27	
1881–82	†234,520	3,091	1,917	5,008	21.34	
1882-83	+250,000	3,156,	1,832	4,988	19.92	
1883–84	†270,000	,114	1,886	5,000	18.47	
1884–85	+270,000	3,289	1,999	5,288	19.58	
1885–86	†280,000	3,279	2,043	5,322	19.00	
1886–87	+300,000	3,312	2,047	5,359	17.86	
1887–88	†330,000	3,890	2,146	6,036	18.27	
1888-89	†330,000	3,601	2 128	5,729	17.36	
1889–90	†300,000	4,062	2,316	6,378	21.26	
1890–91	†330,000	4,154	2,496	6,650	20.15	
1891–92	†330,000	4,163	2,748	6,911	20.94	
1892–93	†330,000	3,784	2,277	6.061	18.36	
1893–94	†330,000	3,769	2,291	6,060	18.36	
1894–95	†330,000	3,697	2,362	6,059	18.36	
1895–96	†360,000	3,601	2,365	5,966	18.07	
1896–97	†360,000	3,769	2,381	6,150	17.08	
1897-98	†360,000	3,938	2,606	6,544	18 18	

<sup>\*</sup>According to Langley's City Directory.

<sup>†</sup>Estimated.

TABLE NO. XIV.

# ESTIMATED POPULATION OF MONGOLIANS, WITH DEATHS BY SEXES AND DEATH RATE PER 1000, FOR TWENTY-FIVE YEARS

FISCAL YEARS.	ESTIMATED		DEATH RATE			
FISCAL LEARS.	POPULATION.	Male.	Female.	Total.	PER 1,000.	
1873-74	*14,500	413	52	465	32,06	
1874-75	*19,000	398	55	453	23.84	
1875–76	30,000	548	61	609	20.30	
1876-77	*30,000	530	85	615	20.15	
1877-78	*30,000	473	54	527	17.56	
1878–79	*30,000	448	75	523	17.42	
1879–80	†22,000	386	81	467	21.02	
1880–81	122,000	411	68	479	21.77	
1881-82	†22,000	461	66	527	23.08	
1882–83	*22,000	507	51	558	25.30	
1883–84	*22,000	448	54	502	22.81	
1884–85	*22,000	414	56	470	21.38	
1885–86	*22,000	408	54	462	21.05	
1886-87	*22,000	444	44	488	22.18	
1887-88	*30,000	:	1	530	17.60	
1888-89	*30,000	1	:	559	18.63	
1889-90	*30,000	<b>‡</b>	1	608	20.00	
1890–91	*18,000	‡	+	512	28.4	
1891–92	*18,000	1	:	421	23.3	
1892–93	*18,000	1	:	414	23.0	
1893-94	*18,000	:	:	417	23.1	
1894–95	*18,000	1:	:	389	21.6	
1895–96	*18,000	. :	t	445	24.10	
1896-97	*18,000	I	:	462	25.60	
1897–98	*12,000	397	57	454	37.8	

<sup>\*</sup>Estimated.

tU. S. Census returns.

<sup>!</sup>Not shown.

TABLE NO. XV.

REPORT OF INTERMENTS FOR FISCAL YEAR ENDING JUNE 30, 1898.

	Totals.		1897. 1898.										
CRMETERY.		July	August	September	October	November	December	January	February	March	April	Мау	June
TO													
City Cemetery	1041	111	94	110	109	118	117	100	100	69	45	34	34
Laurel Hill Cemetery	1041	61	66	61	79	83	86	105	88	116	98	113	85
Calvary Cemetery	1057	85	78	77	84	92	86	105	81	108	97	87	77
Odd Fellows' Ceme-													
tery	1032	78	66	73	95	79	92	107	76	103	99	88	76
Masonic Cemetery	317	17	22	24	23	32	26	42	24	22	25	31	29
U. S. Marine Ceme- tery	30	2	2	2			3	5	7		3	5	1
National Cemetery	61	2	3	2	3	6							
									3		5		
Holy Cross Cemetery	1307	95	63	86	88	114	106	128	121	155	130	112	109
Mount Olivet Cemetery	30	1	4	1	1	1	1	5	1	7	3	2	3
Cypress Lawn Ceme-											Ů		
tery	560	40	33	44	49	49	48	59	56	45	56	42	39
Salem Cemetery	75	8	7	5	7	6	5	7	2	14	3	8	3
Home of Peace Ceme-													
tery	95	6	7	4	5	12	6	12	13	13	8	5	4
Hills of Eternity Cemetery	101	3	12	5	7	7	11	9	7	6	14	10	10
San Mateo (Chinese)	101	0	1~		•		**		(	١	14	10	10
Cemetery	139									37	45	35	22
To country	540	37	41	44	36	44	50	42	49	66	43	51	37
To Medical Colleges	108	7	7	15	11	12	6	13	12	10	6	5	4
Totals	7504	250	EUE	550	505	OFF	050	77.40	240	me	600	999	= 49
200000000000000000000000000000000000000	7534	553	505	553	597	655	653	746	640	776	680	633	543
1				- 4	-	1			4	1	1	1	









